On Stone by W^m E. Hitchcock

Orange Colored Mouse

Drawn from Nature by J. W. Audubon

Lith. Printed & Col. by J. T. Bowen Phil

MUS (CALOMYS) AUREOLUS.—AUD. AND BACH.

ORANGE-COLOURED MOUSE.

PLATE XCV.—MALE AND FEMALES.

M. supra saturate luteus infra pallide flavus; auriculis longis, cauda corpore curtior.

CHARACTERS.

Ears long; tail shorter than the body; bright orange-coloured above, light buff beneath.

DESCRIPTION.

This species bears a general resemblance in form to the white-footed Mouse, (*Mus leucopus*.) It is, however, a little larger, and its ears rather shorter. Head, long; nose, sharp; whiskers, extending beyond the ears. Fur, very soft and lustrous. The legs, feet, and heels, clothed with short, closely adpressed hairs, which extend beyond the nails; ears, thinly covered with hairs, which do not entirely conceal the colour of the skin; mammæ, four; situated far back.

COLOUR.

Head, ears, and whole upper surface, bright orange; the fur being for three-fourths of its length from the roots, dark plumbeous; whiskers, nearly black, with a few white hairs interspersed; tail, above and beneath, dark brown; throat, breast, and inner surface of the forelegs, white; belly, light buff. There are no very distinct lines of separation between these colours.

DIMENSIONS.

		Inches.	Lines.
Length of head and body,	- -	4	3
" Tail,	- - - -	3	1
" Head,	- - - -	1	3
" Ear posteriorly,	- - - -	0	3
" Tarsus, including nail,	- -	0	9

HABITS.

In symmetry of form and brightness of colour, this is the prettiest species of *Mus* inhabiting our country. It is at the same time a great climber. We have only observed it in a state of nature in three instances in the oak forests of South Carolina; it ran up the tall trees with great agility, and on one occasion concealed itself in a hole (which apparently contained its nest,) at least thirty feet from the ground. The specimen we have described, was shot from the extreme branches of an oak, in the dusk of the evening, where it was busily engaged among the acorns. It is a rare species in Carolina, but appears to be more common in Georgia, as we received from Major LE CONTE, three specimens obtained in the latter State.

GEOGRAPHICAL DISTRIBUTION.

We found this species in Carolina, where it is rather rare; we also obtained specimens from Georgia; we have no doubt but further investigation will give it a more extensive geographical range.

GENERAL REMARKS

We have arranged this species under the sub-genus of Mr. WATERHOUSE, proposed in the Zoological Society of London, Feb. 17th, 1837, (see their transactions.) It is thus characterized; "Sub-genus *Calomys*, (from *Καλός* beautiful and *mus*.) Fur, moderate, soft; tarsus almost entirely clothed beneath the hair. Front molar, with three indentations of enamel on the inner side, and two on the outer; and the last molar with one on each side. The type *mus* (*calomys*), *bimaculatus*. Two other species have been described, from South America; *mus* (*calomys*) *elegans*, and *m. gracilipes*

Audubon, John James and Bachman, John. 1851. "Mus (Calomys) aureolus, Orange Coloured Mouse [Pl. XCV, male and females]." *The quadrupeds of North America* 2, 303–304. <https://doi.org/10.5962/p.322487>.

View This Item Online: <https://www.biodiversitylibrary.org/item/108514>

DOI: <https://doi.org/10.5962/p.322487>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322487>

Holding Institution

Duke University Libraries (archive.org)

Sponsored by

Duke University Libraries

Copyright & Reuse

Copyright Status: Not provided. Contact Holding Institution to verify copyright status.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.