MYIAGRA FULVIVENTRIS, *Sclater.*

MYIAGRA FULVIVENTRIS, *Sclater*.

Buff-bellied Flycatcher.

Myiagra fulviventris, Sclater, Proc. Zool. Soc. 1883, pp. 54, 200.—Meyer, Zeitschr. gesammte Orn. i. p. 194 (1884).

THIS is one of the most distinct of all the species of grey-backed Flycatchers of the genus *Myiagra*, as it can only be confounded with two other species, viz. *M. erythroptera*, which has a rufous forehead, and with the female of *M. galeata*. The latter, however, has the upper parts much duller grey, and the rufous of the under surface is paler and almost uniform, the abdomen being only a shade lighter than the throat and breast; but in *M. fulviventris*, as may be seen from the Plate, the throat and breast are of a fine rich orange-rufous, contrasting with the paler colour of the abdomen and sides of the body.

This species was discovered by Mr. H. O. Forbes in the Tenimber Islands, having been met with by him in Larat as well as in Loetoer.

The following descriptions are taken from the typical specimens in the British Museum:—

Adult male. General colour above leaden grey, with a slight greenish gloss; wing-coverts like the back; bastard-wing slightly more dusky ashy; primary-coverts and quills dusky, externally edged with ashy grey, rather paler on the primaries; tail-feathers pale slaty grey, with lighter ashy margins, and barred indistinctly with dusky under certain lights, and the outer feathers slightly tipped with fulvous; lores dull ashy; ear-coverts leaden grey like the head; cheeks, throat, and breast deep rich orange-rufous, the abdomen, sides of body, and under tail-coverts pale fawn-buff; thighs more ashy; axillaries and under wing-coverts a little deeper rufous-buff; quills dusky below, ashy along the edge of the inner web: "bill black; legs and feet black; the soles yellow; iris dark brown" (*H. O. Forbes*). Total length 5·5 inches, culmen 0·55, wing 2·8, tail 2·8, tarsus 0·75.

Adult female. Very similar to the male, but rather paler, especially on the under surface of the body: "bill lavender" (*H. O. Forbes*). Total length 5 inches, culmen 0·6, wing 2·55, tail 2·4, tarsus 0·75.

Another male bird collected by Mr. Forbes in Loetoer has the bill marked as lavender-coloured, like the female above described, which is from Larat. The bird from which the description of the adult male is taken is also from Larat, and is the one which is figured in the Plate.

[R. B. S.]

Gould, John and Sharpe, Richard Bowdler. 1885. "Myiagra fulviventris, Buff-bellied Flycatcher [Pl. 34]." *The birds of New Guinea and the adjacent Papuan islands : including many new species recently discovered in Australia* 2(XIX), -. <https://doi.org/10.5962/p.322689>.

View This Item Online: <https://www.biodiversitylibrary.org/item/229877>

DOI: <https://doi.org/10.5962/p.322689>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322689>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.