PACHYCEPHALA ARCTITORQUIS, *Sclater*

PACHYCEPHALA ARCTITORQUIS, *Sclater*.

Narrow-collared Thickhead.

Pachycephala arctitorquis, Sclater, Proc. Zool. Soc. 1883, p. 55, pl. xiii.

THE present species of *Pachycephala* was discovered in the Tenimber Islands by Mr. H. O. Forbes, and belongs to the fourth section of the genus as arranged by Dr. Gadow in the eighth volume of the 'British Museum Catalogue of Birds,' with this reservation, that the character of the back being "dusky black" belongs only to *P. monacha* and not to *P. leucogaster*, which has a grey back.

P. arctitorquis closely resembles *P. leucogaster* in its grey back and black cap, but differs in having a much narrower black collar across the throat and consequently a greater amount of white on the throat, while round the hind neck in *P. arctitorquis* is an indistinct collar of paler ashy, which separates the cap from the mantle.

Mr. Forbes tells us that this species is very common everywhere in the Tenimber Islands, frequenting trees, but by no means unfrequently descending to the ground.

Adult male. General colour above slaty grey, with indistinct dusky shaft-lines on the mantle-feathers; least wing-coverts like the back, median and greater wing-coverts also slaty grey, with blackish shaft-lines and concealed blackish bases; bastard wing, primary-coverts, and quills blackish, externally edged with slaty grey, more broadly on the secondaries; upper tail-coverts rather more dingy than the back, and having narrow blackish shaft-streaks; tail-feathers blackish, broadly edged with slaty grey, and all distinctly waved with transverse cross lines of black; the tips also very narrowly fringed with lighter ashy; crown of head and nape black, forming a cap; lores, feathers round the eye, and ear-coverts also black; cheeks and entire throat white, surrounded by a black pectoral collar, which ascends on the sides of the throat and joins the black ear-coverts; sides of the neck and sides of the fore neck light pearly grey; remainder of under surface ashy white; thigh-feathers dusky, with whitish tips; under tail-coverts, under wing-coverts, and axillaries white, the latter with ashy bases; quills dusky blackish below, ashy white along the edge of the inner web; "bill, legs, and feet black; iris dark brown" (*H. O. Forbes*). Total length 6 inches, culmen 0.6, wing 3.15, tail 2.5, tarsus 0.9.

Adult female. Different from the male. General colour above ashy olive-brown, with somewhat of a rufous tinge; lesser wing-coverts dull rufous brown; median and greater coverts dusky, externally edged with rufous brown, lighter on the latter; bastard wing and primary-coverts blackish, narrowly edged with rufous; quills blackish, edged with rufous, more broadly on the secondaries, the innermost of which are entirely dull rufous; upper tail-coverts pale dull rufous; tail-feathers ashy olive-brown, washed on their edges with rufous; head dull rufous, contrasting slightly with the back; lores ashy whitish, as also the feathers round the eye; ear-coverts and sides of neck dull rufous; cheeks and throat white, narrowly streaked with tiny lines of black; remainder of under surface buffy whitish, longitudinally streaked with black, except the flanks, which are pure white; the sides of the breast slightly tinged with rufous; thighs ashy; under tail-coverts white; under wing-coverts and axillaries dull white; quills dusky below, ashy along the inner web; "upper mandible soot-brown, lower the same at tip, but at base pale flesh-colour; legs and feet lavender-pink; irides dark brown" (*H. O. Forbes*). Total length 6 inches, culmen 0.6, wing 3, tail 2.4, tarsus 0.95.

The Plate represents a pair of birds, of the size of life, drawn from the typical specimens lent to us by Dr. Sclater: they are now in the British Museum.

[R. B. S.]

Gould, John and Sharpe, Richard Bowdler. 1883. "Pachycephala arctitorquis, Narrow-collared Thickhead [Pl. 19]." *The birds of New Guinea and the adjacent Papuan islands : including many new species recently discovered in Australia* 3(XV), -. <https://doi.org/10.5962/p.322732>.

View This Item Online: <https://www.biodiversitylibrary.org/item/229963>

DOI: <https://doi.org/10.5962/p.322732>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322732>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.