PALÆORNIS SCHISTICEPS, *Hodgs.*

J. Gould and W. C. Richter, del. et lith.

Hallman & Waller, Imp.

PALÆORNIS SCHISTICEPS, *Hodgs.*

Slaty-headed Parrakeet.

Palæornis schisticeps, Hodgs. Asiat. Res., vol. xix. p. 178.—Gray, Zool. Misc., p. 85.—Ib. Cat. of Spec. and Draw. of Mamm. and Birds presented to Brit. Mus. by B. H. Hodgson, Esq., p. 113.—Blyth, Journ. Asiat. Soc. Beng., vol. x. p. 925, and vol. xix. p. 232.—Ib. Cat. of Birds in Mus. Asiat. Soc. Calcutta, p. 5.—Tytler in Ann. and Mag. Nat. Hist., 2nd ser. vol. xiv. p. 175.—Bonap. Rev. Zool. 1854, p. 152.—De Souancé, Rev. Zool. 1856, p. 158.—Horsf. Cat. of Birds in Mus. East Ind. Comp., vol. ii. p. 615.

Madhana suga of the Nepalese (Hodgson).

Puhari Tuiya ("Mountain Tuiya"), Masuri, Hutton.

Gagi of Calcutta Bird-dealers, Blyth.

THE native habitat of the *Palæornis schisticeps* is the lower and warmer slopes of the great Himalayan Chain of Mountains, along which it appears to enjoy a wide range, extending at least from Nepaul to their western extremity; it is, however, as far as I am aware, as exclusively an inhabitant of these magnificent mountains as the *P. columboides* is of the Neilgherries,—a circumstance at which we need not feel surprise, the physical characters of the two ranges being so different that we might naturally expect to find that each possessed a fauna peculiarly its own. In point of affinity, I consider the bird under consideration to be more intimately allied to the *P. torquatus* and *P. Alexandri* than to the *P. Columboides*; and this view is confirmed by observation of its actions and disposition in confinement, ample opportunities for which are at present afforded by the Menagerie of the Zoological Society; it is, however, a species of considerable rarity, and is not to be found in every collection. We find but few original notes on record respecting this bird.

Dr. Griffith observed it in flocks at Pushut: Captain Boys met with it on the tall hill west of Bhurthal, June 15th, 1842. Captain Tytler, in his interesting paper on the Fauna of Dacca, mentions that "the *Palæornis schisticeps*, at all times a rare bird in the markets of Bengal, are to be had in those of Dacca." Mr. Blyth states that "the adult sexes differ, in the male having a small maroon spot on the wing which is absent, or barely indicated, in the female, and the black demi-collar rather more developed. The young have generally but a trace of the slaty blue cap, but it is fully developed in some few specimens, though without the black demi-collar which borders the cap in the adult:" and Mr. Hodgson informs us that the irides are straw-colour, the orbital skin slaty, and the legs dusky green; but it would seem that some diversity occurs in the colouring of these parts, as the birds living at the Gardens of the Zoological Society have the eyes dark, the orbits yellowish olive, and the feet mealy olive, as represented in my Plate.

Head dark slate-grey, chin and moustaches black; fore part at the neck and breast very light green; back of the neck verditer-green, presenting a marked contrast to the dark slate-coloured head; all the upper surface grass-green, under surface similar, but paler; wings dark grass-green, with a patch of dark maroon-red on the centre of the coverts; primaries broadly margined with green, the extreme edge being yellow; the inner webs dark brown; two centre tail-feathers green at the base, blue in the middle and yellow at the tip; lateral feathers yellow, broadly margined with light green on the basal portions of their outer webs; all the under surface of the tail wax-yellow; upper mandible scarlet, under mandible paler.

The Plate represents the bird of the natural size. The beautiful plant is the *Thibaudia macrantha*.

Gould, John. 1858. "Slaty-headed Parrakeet, *Palaeornis schisticeps*, Hodgs. [Pl. 8]." *The Birds of Asia* 6(X), -. <https://doi.org/10.5962/p.323122>.

View This Item Online: <https://www.biodiversitylibrary.org/item/122488>

DOI: <https://doi.org/10.5962/p.323122>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323122>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: Not in copyright

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.