FALCO SACER.

Saker Falcon.

Accipiter falco sacer, Briss. Orn., tom. i. p. 337.

— *stellaris*, Briss. ib., p. 359.

Falco sacer, Gmel. edit. Linn. Syst. Nat., tom. i. p. 273.—Schleg. Rev. Crit. des Ois. d'Eur., pp. 2, 9.—Bonap. Rev. Zool., 1850, p. 485.—Strickl. Orn. Syn., vol. i. p. 79.

— *stellaris*, Gmel. edit. Linn. Syst. Nat., tom. i. p. 274.

— *lanarius*, Pall. Zoog. Ross.-Asiat., tom. i. p. 330 (excl. of syn.).—Temm. Man. d'Orn., tom. i. p. 20, tom. iii. p. 10.—Gould, Birds of Eur., vol. i. pl. 20.—Gray, Gen. of Birds, vol. i. p. 19, *Falco*, sp. 2.

— *cyanopus*, Gesn., Thienemann, *Rhea*, tab.

Le Sacre, Buff. Hist. Nat. des Ois. édit. Sonn., tom. iii. p. 92.

I AM unacquainted with any species of Falcon the synonymy of which is in such a state of confusion as that of the present bird, familiarly known to most living ornithologists as the *Saker*. I might have greatly multiplied the list of names given above; but as a degree of uncertainty as to their really pertaining to this bird would have rested upon many of them, I have thought it best to restrict their number. I may state that the *Saker* is considerably less courageous, and consequently of less esteem among falconers than the *Peregrine*, the *Jerfalcon*, and its immediate allies. So ably have these and all other particulars respecting the bird been treated by my friend Professor Schlegel in his admirable '*Traité de Fauconnerie*,' that I must advise my readers, and all who are interested in falconry, to consult it whenever they may have an opportunity of so doing, and content myself with giving a brief sketch of its habits and range from the writings of those who have had the advantage of observing the bird in its native haunts, never having myself seen it alive except in a state of captivity. In size it considerably exceeds the *Falco jugger* of India, to which it is nearly affined, and which it also resembles in habits, disposition, and economy. In south-eastern Europe, in Asia Minor, and in the intermediate countries as far as Afghanistan, this bird will probably be found in all situations suited to its habits. It is known to breed in abundance in the low, flat, country of Bulgaria, and it is doubtless also to be found in the sandy deserts of Asia Minor and northern Persia. In the Rev. H. B. Tristram's "*Notes on the Ornithology of Palestine*," that gentleman says:—"This splendid Falcon only came once under my observation in the oak-forests of Bashan, where I was close to it, as it perched in a tree overhead. It seems to prefer the wide plains and deserts to the cliffs of the Jordan valley. The *Sheikhs* of the *Beni Sakk'r* (sons of the Falcon) make it a point of distinction to possess several of these birds trained for the chase of the gazelle; and the distinction between it and the *Lanner* is well known to all the Arabs."

"This very handsome Falcon," says Mr. E. C. Taylor, "appears to be rare in Egypt; for, with the exception of a fine female obtained near Girgeh, I never saw it alive or dead, nor did I hear of any other having been seen in Egypt. The legs and feet of the adult are yellow, and not blue as they are sometimes represented."

The following account of the nesting of this species, from the pen of W. H. Simpson, Esq., appeared in the '*Ibis*' for 1860:—

"On the evening of the 29th of April last, we were strolling on a low flat island in the Danube, the edge of which is well covered with tall poplars and other trees. Opposite this belt of trees, and across the river, the Turkish shore rises pretty steeply to a level with the plateau of the Dobrudska, whilst behind, toward the mainland of Wallachia, there stretches an immense tract of low ground, partly swamp, partly forest, and partly open plain. On getting close to the river, in a place where the trees are very tall and not thickly grouped, my attention was drawn to a good-sized nest which was placed about one-third of the way up a tallish poplar. It was resting upon a large branch close to the bole of the tree, and appeared exceedingly easy of access. Whilst my friend was climbing towards it, the bird slipped off and was shot immediately. It proved to be a female *Falco sacer*. The nest was not much larger than that of a Hooded Crow, but was deep and comfortably lined, and appeared externally as like a large Crow's nest as one bundle of sticks is like another. The eggs, four in number, were slightly incubated. In size they seem to be intermediate between those of the *Peregrine* and *Gyr* Falcons, but are longer in proportion to their breadth. Two of them are light in colour, the other two much darker." One of the latter, accurately represented on Plate XII. fig. 1 of the '*Ibis*' for 1860, measures 2·2 inches by 1·6 inch, and is of a rich, bright, chestnut red, minutely freckled with black, with a few hair-like marks of the same colour, and a number of small light-coloured patches.

"The male bird," continues Mr. Simpson, "was shortly afterwards observed sitting utterly motionless

on the top of a dead tree, with his head turned over his shoulder; he seemed so mournfully conscious of the catastrophe which had befallen his family that I felt utterly ashamed at having added murder to robbery in my desire to possess myself of, as I supposed, an unknown bird. If the gun had still been in my hand, I could have shot him easily, as he then seemed indifferent to his fate; but he flew away before the weapon arrived, and thus escaped being involved in the ruin of his household.

"This was the only pair of *Falco sacer* ever seen by me or by any of my friends in this part of the country; I am inclined, therefore, to believe that the species is rare even here, though the bare and treeless chalk downs of the Dobrudska are frequented by innumerable Bustards, both great and small, if that be the food they covet."

In the appendix at the end of the third volume of the 'Birds of India,' Dr. Jerdon says:—"This rare European bird, the Saker Falcon of old writers, is brought in tolerable abundance from the Hazara country and the Alpine Punjab generally, and is much used for hawking the Indian Houbara Bustard, Hares, &c."

Professor Schlegel remarks that "The name of Saker, used in Europe since the time of the Emperor Frederick II. and Marco Polo, is evidently of Arab origin; for it is by this name the Arabs designate Falcons in general; it is consequently an error to render this word into the Latin "*sacer*," which signifies, sacred. This error has led to many others, even to the extent of the bird being regarded by some as identical with the Sacred Falcon of the Egyptians.

"This species," continues the Professor, "having been often confounded with some others nearly allied to it, its geographical distribution has not been clearly defined. The late Mr. Natterer killed several in Hungary; and the Dutch falconer, Mollen, tells us that when in Austria, in the service of Prince Trautmansdorff, he received young Sakers, taken from the nest in the middle of May, from the frontiers of the same country. Pallas indicates two varieties of this species—a larger kind from the Uralian mountains, and a smaller from the deserts of Great Tartary. Both, he says, emigrate in winter. The smaller one appears to be the true Saker; he states that it constructs its nest upon the trees (or even the shrubs) which are found in the desert. The young, two or three in number, often leave the nest before they are full-grown, and follow their mother everywhere, uttering loud cries. Being easily caught, the natives take them at this period, as they are much esteemed for hunting, particularly by the Kalmucs. The bird inhabits the eastern parts of Europe and the western portions of Asia."

The Plate represents a female, from the Collection of Lord Lilford, somewhat less than the natural size, and a young bird in the distance.

Gould, John. 1868. "Saker Falcon, *Falco sacer* [Pl. 5]." *The Birds of Asia* 1(XX), –.
<https://doi.org/10.5962/p.323332>.

View This Item Online: <https://www.biodiversitylibrary.org/item/115342>

DOI: <https://doi.org/10.5962/p.323332>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323332>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: Not in copyright

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.