CUCULUS SPARVERIÖIDES.

TAB. LIII.

CUCULUS SPARVERIOIDES.

Cuc. corpore supra brunnescenti-cinereo, capite plumbeo-cinereo; subtus albo, collo rufo striato, abdomine brunneo fasciato, pectore rufo tincto; remigibus externè leviter rufo maculatis; rectricibus fasciis brunneis latis rufo marginatis quatuor notatis.

Longitudo corporis, 16 unc.

THE apparently inexhaustible stores of Ornithology which Nature displays in the Himalayan Mountains have furnished several species of this rather limited genus, two of which are figured in the "Century." The present species is one of the largest of the group, and differs from the common Cookoo in the marking of its plumage, the tail and wings being varied with several broad bars of brown, and the breast blotched with patches of the same tint. This peculiarity of colouring gives it a great resemblance to some of the *Falconide*, particularly the *Falco sparverius*, whence it derives its specific name, though in form and other respects it is very similar to our *Cuculus canorus*, which, however, it rather exceeds in size. The *Cuculus sparverioides* appears to be widely distributed over the Indian continent, from various parts of which it has been received. It is figured in the "Century" as a bird hitherto unknown to science.

It is to be lamented that no authentic account has been received concerning the habits and manners of this bird; and whether it is endowed, like its European congener, with the singular instinct that impels it to deposit its eggs in the nests of other birds, remains yet a question which only future observation can satisfactorily determine.

The top of the head, occiput and ear-coverts, are of a dull ash colour; the upper surface deep cinereous brown, the quills being slightly barred with rufous, and the tail-feathers barred with alternate bands of brown and rufous; the throat and breast are white, the latter largely washed with dashes of brown and rufous; the abdomen, thighs, and under tail-coverts white, beautifully and regularly barred with transverse lines of brown; the beak is brown; the legs reddish yellow.

The figure is of the natural size.

Gould, John. 1831. "Cuculus sparverioïdes [Tab. LIII]." *A century of birds from the Himalaya Mountains* –. <https://doi.org/10.5962/p.323596>.

View This Item Online: <https://www.biodiversitylibrary.org/item/132967>

DOI: <https://doi.org/10.5962/p.323596>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323596>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.