HARPACTES ERYTHROCEPHALUS.

J. Gould & W. Hart del. et lith.

Walter imp.

HARPACTES ERYTHROCEPHALUS.

Red-headed Trogon.

SPECIFIC CHARACTER.

Harp. capite guttureque sordidè sanguineis, torque gutturali angusto albo; corpore reliquo subtilis coccineo; tergo arenaceo-castaneo; tectricibus alarum superioribus nigro alboque fimbriatis; remigibus nigris, extus albo limbatis; rectricibus duabus mediis castaneis nigro apicatis, duabus proximis utrinque nigris, reliquis nigris, albo latè terminatis.

Fœm. Capite guttureque arenaceo-brunneo; torque pectorali magis distincto; tectricibus alarum brunneo nigroque fasciatis.

Rostrum brunneum; mandibularum basis et regio parotica nudæ coccineæ.

Male.—The head, throat, and chest dull red, with a narrow band of white separating the chest from the breast; the rest of the under surface bright scarlet; back and upper tail-coverts sandy-brown; the wing-coverts finely lined with black and white; primaries black, externally margined with white; two middle tail-feathers chestnut-brown tipped with black, the next two on each side wholly black, the rest black only at their base, with the remaining portion white; naked space round the eyes red; bill black.

Female.—Similarly clothed to the male, except that the whole head and chest are sandy brown, and the linear markings on the wing are brown on a black ground instead of white, which is characteristic of the male only.

Total length from 12 to 13 inches; wing 5; tail $6\frac{1}{2}$ to 7.

Trogon erythrocephalus. Gould, P. Z. S. 1834, p. 25.—Id. Monogr. Trogon. pl. 33.

—*flagrans.* Müll. Tijdschr. N. G. 1835, p. 336, pl. 8. fig. 2.

Harpactes erythrocephalus. Sw. Classif. B. ii. p. 337.—Gray, Gen. B. i. p. 71.—Id. Hand-l. B. i. p. 84.

—*flagrans.* Gray, Gen. B. iii. App. p. 4.—Bp. Consp. i. p. 151.

Pyrotrogon flagrans. Bp. Consp. Volucr. Zyg. p. 14.—Cab. & Heine, Mus. Hein. Th. iv. p. 160, note.

MESSRS. Cabanis and Heine, in their excellent account of the Trogonidæ in the 'Museum Heineanum,' separate *Pyrotrogon hodgsoni* and *P. erythrocephalus* as two distinct species, keeping the latter title for the Sumatran bird. They state that the latter is very like *P. hodgsoni*, but is smaller in every way, with a shorter wing and tail, the bill being a trifle shorter and stouter and brighter-coloured. As will be seen by a reference to the first edition of this 'Monograph,' the above remarks are very similar to those made by myself respecting these two species; but I have not been able since the publication of that opinion, to add to it either one way or the other; for, beyond the specimens submitted to me by Mr. Temminck, I have seen no more Sumatran examples. While admitting the smaller size and probable distinctness of the island form, I must remind ornithologists that it will probably have to bear the title of *H. flagrans* (Müll.), as my *H. erythrocephalus* came from Burmah, and the probability is that the Burmese and Nepalese Red-headed Trogons are not distinct from each other. The following are the comparative measurements of *H. hodgsoni* and Sumatran *H. erythrocephalus* :—

H. hodgsoni. Total length $13\frac{1}{2}$ inches; wing $5\frac{1}{2}$; tail 8; tarsus $\frac{3}{4}$.

H. erythrocephalus. Total length $11\frac{1}{2}$ inches; wing 5; tail $6\frac{1}{2}$; tarsus $\frac{3}{4}$.

The figures in the Plate are, as nearly as possible, of the natural size.

Gould, John. 1875. "Red-headed Trogon, *Harpactes erythrocephalus*." A *monograph of the Trogonidæ or trogons* 4, -. <https://doi.org/10.5962/p.323658>.

View This Item Online: <https://www.biodiversitylibrary.org/item/267606>

DOI: <https://doi.org/10.5962/p.323658>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323658>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.