CURSORIUS GALLICUS.

CURSORIUS GALLICUS, *Gmel.*

Cream-Coloured Courser.

Cursorius Gallicus, Gmel. edit. Linn. Syst. Nat., tom. i. p. 692.

——— *Europæus*, Lath. Ind. Orn., vol. ii. p. 751.

——— *isabellinus*, Meyer, Taschenb. Deutschl. Vög., tom. ii. p. 328.

Tachydromus Gallicus, Ill. Prod. Syst. Mamm. et Av., p. 250.

Cursor isabellinus, Wagl. Syst. Av., *Cursor*, sp. 1.

——— *Europæus*, Naum. Vög. Deutschl., 1834, tom. vii. p. 77, tab. 171.

Cursorius Jamesoni, Jerd. Birds of India, vol. ii. part ii, p. 875.

THE first notice of the occurrence of this bird in England is contained in the late Dr. Latham's 'General History of Birds,' where it is stated that it was killed by William Hammond, Esq., of St. Alban's Court, on his estate at Wingham, in East Kent, in the year 1785. The present owner of this estate, W. O. Hammond, Esq., having kindly sent me a copy of Dr. Latham's letter to his grandfather on the subject, I think it will be well to insert it here, as any details respecting so rare a bird cannot fail to be perused with interest.

"SIR,—This morning I received from you what I consider a valuable acquisition, though I have with you to regret the condition the bird arrived in. I cannot say that it is a nondescript, though I believe it is the first time the bird has been known to inhabit this kingdom. M. Buffon has described it in his 'Histoire des Oiseaux,' vol. viii. p. 128, under the name of Courvite; and it is also to be found figured in the 'Planches Enluminées' of D'Aubenton, No. 795. I have likewise described it my 'Synopsis of Birds,' vol. iii. part 1. p. 217, by the name of the Cream-coloured Plover. It has been met with in France, and one greatly similar (if not a variety) on the coast of Coromandel. Your note does not say in what place in England it was shot, which still remains a desideratum with me; and if you will not think it too much trouble some future day to inform me of the place where and day when it was killed, whether there were others in company, or if any such have been seen at other times of the year, and if the ground it was on was marshy or otherwise, or anything else relative to its manners, note, &c., I should esteem it a particular favour. Notwithstanding the bad condition it is in, I cannot refrain the attempt of putting it into attitude, and shall be very happy to show you what I may be able to do with it, if you will do me the favour of a call when you next come our way.

"I am, Sir, your most sincerely obliged,

"Dartford, 12th December 1785."

"JOHN LATHAM."

To this Mr. Hammond has appended the following extract from the 'Monthly Review,' page 143:—

"The *Isabellinus*, or Cream-Coloured Courser, has been thrice captured in the southern and temperate parts of Europe. One of the three specimens was shot in Kent, at St. Alban's Court, the seat of William Hammond, Esq., who presented it to Dr. Latham with the following account:—

"It was first met with running upon some light land; and so little fearful was it, that after having sent for a gun, one was brought which did not readily go off; the report made the bird rise, but, after making a turn or two, it settled again within a hundred yards, when a second shot despatched it. It was observed to run with irresistible swiftness, and at intervals to pick up something from the ground, and was so bold as to render it difficult to make it rise, in order to take a more secure aim on the wing. The note was not like any kind of Plover, nor, indeed, to be compared to that of any known bird."

"This specimen found its way into the Leverian Museum; at the time of the sale of which it was purchased from Fichtel, who had bought it, by that zealous naturalist Donovan, for the sum of eighty-three guineas. It is now deposited in the British Museum."

Since the period above mentioned England has been visited at distant intervals by other examples of this wanderer. We learn from the Supplement to Montagu's 'Ornithological Dictionary' that one was shot in North Wales in 1793 by Mr. George Kingston of Queen's College, Oxford; and Atkinson, the author of the 'Compendium of Ornithology,' was in possession of another, which had been killed at Wetherby in Yorkshire in April 1816. A fourth example was shot by one of Lord Harewood's keepers in the same county in 1825. A fifth was recorded, in the third volume of the 'Zoological Journal,' by G. T. Fox, Esq., as having been shot on the 15th of October, 1827, in Charnwood Forest, in Leicestershire, and is now in the possession of the Rev. T. Gisborne, of Yoxhall Lodge, Staffordshire. A sixth is recorded by Yarrell as having occurred in Durham in October 1827. On the 2nd of October 1855 a fine Cream-Coloured Courser fell to the gun of Walter Langton, Esq., of West Hill, Wandsworth, while partridge-shooting on East Down, Salisbury Plain, where the bird suddenly pitched before him, and was easily shot: this specimen I have seen at Mr. Langton's house, and a very fine one it is. In the 'Times' for October 28, 1858, the following

paragraph appeared:—" *Rara avis*. A beautiful specimen of a rare bird, the Cream-Coloured Courser, *Cursorius Europæus*, was shot this week in Hackney Marsh, near the Victoria Station, by Mr. G. Beresford, of the White House. It was found in the open marsh, and ran with incredible swiftness, and it was very difficult to make it take wing."

In October 1864 a specimen was killed near Maryport, in Cumberland, and is now in the possession of Mr. T. H. Allis, of York: this is the last instance known to me of the occurrence of the bird in Britain. It will be observed that all the specimens enumerated have been taken in England, and always in autumn. On the continent of Europe it is scarcely more plentiful than with us, excepting in the more southern countries, in the neighbourhood of the Mediterranean and Black Seas, bordering on the native habitat of the species, where, as might naturally be inferred, its appearance is more frequent. The very aspect of the bird, whether we regard its buff- or sand-coloured plumage, or the peculiar structure of its legs, indicates that it is a denizen of desert and sandy plains, a creature of the Sahara; and in such localities it dwells throughout the greater part of Africa, north of the equator, from Tunis to Egypt, in Persia, and in the Punjab and Scinde, whence I have received several examples; I have also a specimen from the Cape de Verd Islands.

For a knowledge of its eggs we are indebted to the researches of the Rev. H. B. Tristram, who sent to Mr. Hewitson the following notes respecting them:—"Although during the winter of 1856-57 I penetrated several hundred miles into the Algerian Sahara, and beyond its limits as far as between latitude 31° and 30° , yet this bird only once came under my observation, being evidently for the most part only a summer migrant to those regions. In the month of June 1857 I twice met with small flocks of them on the Hauts plateaux, between Biskra and Batna, to the south of Constantine. During the previous summer of 1856 I had met with the bird several times in the Western Sahara, north of Leghouat, and especially in the neighbourhood of Ain Oosera, a solitary caravansary in the desert, kept up by the French government as a halting-place. Though certain the birds were breeding there at the time, I was unable to detect their nest; but shortly after my departure the keeper of the caravansary, who had assisted me in my search, and who had in previous years frequently taken the eggs and cooked them as omelets along with those of *Pterocles setarius*, found me the nest and sent me the eggs, which, he affirms, are always three in number, as indeed might have been expected from the character of the bird. It makes no nest whatever, but deposits its eggs on the bare soil in the most arid plains. They bear a very striking resemblance both in shape and colour to some of the eggs of the Norfolk Plover. The delicate undulations are not easily imitated in a drawing."

The above notes are extracted from Mr. Hewitson's paper on "Recent Discoveries in European Oology," published in the 'Ibis' for 1859, in the plate accompanying which the egg is represented as nearly round in form, and of a delicate pale buff or cream-colour, minutely streaked with pale violet, orange, and light red.

Of the isolated and well-defined genus to which this bird belongs, five, six, or seven species are known. They are all natives of Africa and the hotter parts of India, and are so swift of foot, and turn so frequently when running, as to present the appearance of pieces of paper blown about by the wind.

The general plumage of the adults is of a light cinnamon-brown, becoming much paler on the under surface, especially on the chin and abdomen, which parts are nearly white; forehead cinnamon-red; occiput and part of the nape ashy grey; back of the neck black; from above the eye to the occiput a band of snow-white, and below it another of black; primaries brownish black; secondaries brownish black on the inner web, cinnamon-brown on the outer, with a small patch of brownish black near the extremities, and the tips white; tail pale cinnamon, all, except the two central feathers, with a conspicuous, somewhat crescent-shaped, mark of blackish brown near the extremity, beyond which the tip is white; the black marks occupy both webs of all the feathers on which they occur, except the outer one, on which the black mark is absent from the external web; they are scarcely perceptible when the tail is closed; bill fleshy brown at the base, blackish brown towards the tip; legs and feet creamy white; nails black; irides brown.

The young birds until they are nearly adult have the feathers of the upper surface crossed near the tip by a narrow band of dark brown; in other respects the old and young are very similar.

The Plate represents two adults and a young bird; the front figure is of the natural size, the others somewhat reduced.

Gould, John. 1873. "Cream-coloured Courser, *Cursorius gallicus* [Pl. 44]." *The birds of Great Britain* 4, -. <https://doi.org/10.5962/p.324001>.

View This Item Online: <https://www.biodiversitylibrary.org/item/221609>

DOI: <https://doi.org/10.5962/p.324001>

Permalink: <https://www.biodiversitylibrary.org/partpdf/324001>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.