INDEX

- Abarema*, 1-7, 22, 23, 25, 28, 35-42
 — *jupunba*, 5, 24
Abelmoschus, 459, 460
 — *esculentus*, 459
 — *ficulneus*, 459
 — *manihot*, 459
 — *tuberculatus*, 459
 — *tulipaeiflorus*, 476
Abies, 96, 181, 182
 — *spectabilis*, 161
Acacia, 38
 — *albida*, 235
 — *cornigera*, 236
 — *hamiltonii*, 215, 235
 — *humboldtii*, 235
 — *linearis*, 235
 — *lutea*, 235
 — *macracantha*, 235
 — *micrantha*, 235
 — *parviflora*, 235
 — *selenicarpa*, 235
 — *stenostachya*, 235
 — *ungulata*, 235
Acer, 201
 — *rubrum*, 190
Achyranthes, 279, 294-297, 302, 303
Acnida, 286
Acoelorrhaphe wrightii, 390
Adelia bernardia, 234
Aeschynomene cassioides, 233
 — *histris*, 233
Agarista, 63, 70, 119
 — *populifolia*, 424
Agauria, 63
Agave, 445
Alatospermum, 488, 501, 503, 507
 — *lakense*, 488, 489, 501
Albizia, 7, 8, 22, 23, 25, 28, 31, 35, 37, 39-42
 — *adinocephala*, 7, 31
 — *caribaea*, 7
 — *colombiana*, 7, 30
 — *cubana*, 17, 41
 — *hassleri*, 8
 — *tomentosa*, 8, 31
Alfaroa, 443
Alliaria officinalis, 518
Alliaria petiolata, 518
Alloplectus, 216
 — *cristatus*, 232
Alternanthera, 269, 271, 279, 296, 302-307
 — sect. *Cladotrix*, 299
 — *filaginoides*, 224
Alyssum alyssoides, 518
 — *desertorum*, 518
 — *maritimum*, 525
 — minus var. *micranthum*, 518
 — *petraeum*, 519
 — *strigosum*, 518
 — *szowitsianum*, 518
Amaranth, 283
Amaranthaceae in the Southeastern United States, The Genera of, 267-314
Amaranthaceae, 267-314
 — subfam. *Amaranthoideae*, 269, 270, 280
 — — tribe *Amarantheae*, 269, 282
 — — — subtribe *Achyranthinae*, 269, 270
 — — — subtribe *Amaranthinae*, 269, 270
 — — tribe *Celosieae*, 269, 280
 — subfam. *Gomphrenoideae*, 269, 271, 297, 298
 — — tribe *Brayulineeae*, 269, 270, 298
 — — — subtribe *Brayulineinae*, 269
 — — — subtribe *Tidestromiinae*, 269
 — — tribe *Gomphreneae*, 269, 270, 298
 — — — subtribe *Froelichiinae*, 269
 — — — subtribe *Gomphreninae*, 269
Amaranthus, 268, 269, 271, 279, 282-294
 — subg. *Acnida*, 283, 286
 — subg. *Amaranthus*, 283, 285
 — — sect. *Amaranthotipos*, 285
 — — sect. *Amaranthus*, 285
 — — sect. *Blitopsis*, 285
Amelanchier, 406
Ammannia lakensis, 488
Amyris hexandra, 227

- Anatomy of the New World Pithecellobium (Sensu Lato), Wood, 1-44
- Andromeda, 68
- subg. Hemiclis, 424
 - subg. Lyonia, 68, 315
 - subg. Pieris, 68
 - sect. Hemiclis, 315
 - sect. Maria, 198
 - — subsect. Maria, 68, 198
 - capricida, 159
 - coriacea, 203
 - — var. rubra, 204
 - elliptica, 153, 175
 - fasciculata, 360, 363
 - ferruginea, 411, 415, 419, 420
 - — var. arborescens, 411, 415, 420
 - — var. frutescens, 421
 - — var. fruticosa, 415, 420
 - frondosa, 192
 - glandulosa, 402
 - — var. ovalifolia, 389
 - globulifera, 424
 - grandiflora, 198
 - jamaicensis, 360, 363
 - — var. myrsinifolia, 369
 - lacustris, 204
 - lanceolata, 164
 - latifolia, 394
 - ligustrina, 188, 197
 - — var. foliosiflora, 192
 - — var. frondosa, 192
 - — var. pubescens, 192
 - lucida, 203
 - marginata, 203
 - mariana, 198
 - — var. angustifolia, 199
 - — var. latifolia, 199
 - — var. oblonga, 199
 - — var. ovalis, 199
 - — var. ovata, 198
 - myrtifolia, 203
 - nitida, 203
 - — var. rhombifolia, 203
 - obovata, 424
 - obtusa, 381
 - octandra, 364
 - ovalifolia, 159
 - — var. cordata, 159
 - paniculata, 197, 198
 - — var. foliosiflora, 192
 - — var. nudiflora, 189
- Andromeda paniculata var. pubescens, 192
- — var. tomentosa, 193
 - parabolica, 193
 - pauciflora, 424
 - pilulifera, 425
 - polyantha, 193
 - pubescens, 357
 - pulchella, 198
 - racemosa, 198
 - rhomboidalis, 425
 - rigida, 411, 420
 - rubiginosa, 357
 - squamulosa, 164
 - tomentosa, 193
 - villosa, 179
 - watsoniana, 193
- Andropogon condensatus, 220
- densus, 220
 - glomeratus, 220
 - gracilis, 220
 - juncifolius, 220
 - microstachyus, 220
 - urbanianus, 342
 - virgatus, 220
- Angelonia angustifolia, 228
- Anthurium gracile, 223
- Apatitia, 216, 230
- blakeoides, 230
- Apeiba tibourbou, 460
- Apodytes, 441
- Aquifoliaceae, 440, 441, 444
- Arabidopsis thaliana, 518
- Arabis glabra, 529
- var. furcatipilis, 529
 - var. glabra, 529
- Arachnimorpha, 217
- incana, 226
- Araliaceae, 441, 442
- Araucariaceae, 444
- Arctostaphylos, 406
- Ardisia, 215
- obovata, 225
- Aristida americana, 220
- Armoracia lapathifolia, 518
- rusticana, 518
- Arsenococcus, 68, 129, 187
- frondosus, 192
 - ligustrinus, 129, 188
- Artemisia, 446
- Arthrosamanea, 1, 2, 8, 9, 22, 25, 28, 31, 35, 37-40, 42

- Arthrosamanea multiflora*, 8
 — *pistaciaefolia*, 8
Arthrostylidium, 383
Asclepiadaceae, 129
Asimina, 446
Ateleia (Leguminosae) from the Bahamas, A New Species of, 261–263
Ateleia, 261–263
 — *apetala*, 261, 263
 — *gummifera*, 261
 — *popenoei*, 261–263
Ateramnus, 362
Athysanus pusillus, 529
Aubrietia deltoidea, 518, 519
Aurinia petraea, 519
 Austrian field cress, 527
Avicennia, 446

Baccharis, 362
 — *myrsinites*, 321
 — *odorata*, 233
Bagassa, 219
 — *tiliaefolia*, 219
 Bahamas, A New Species of *Ateleia* (Leguminosae) from the, 261–263
Balantium, 216
 — *cordifolium*, 212, 227
 Ball mustard, 526
Banara, 217
 — *glandulosa*, 230
 — *guianensis*, 230
Banisteria calcitrapa, 229
 — *deformis*, 229
 — *laurifolia*, 229
 — *magnoliaefolia*, 229
 — *microphylla*, 229
 — *tomentosa*, 229
Barbarea verna, 519
 — *vulgaris*, 519
Barleria hirsuta, 224
Begonia purpurea, 233
 — *suaveolens*, 233
Beilschmiedia, 45
 — *pendula*, 45
Bellardia repens, 223
Bellucia, 216, 230
 — *grossularioides*, 230
Berteroa incana, 519
 — *mutabilis*, 519
Betula utilis, 179
Betulaceae, 443
 — tribe *Coryleae*, 442, 443
 Bird's rape, 519, 520
 Black mustard, 520
Blakea quinquenervia, 230
 Bloodleaf, 310
 Blue mustard, 522
 BOUFFORD, D. E., and S. A. SPONGBERG.
Calycanthus floridus (Calycanthaceae)—A Nomenclatural Note, 265, 266
Bouteloua americana, 220
 — *repens*, 220
Bouvardia americana, 223
 — *ternifolia*, 223
 Brandon Lignite, Fruits and Seeds of the, VI. Microdiptera (Lythraceae), 487–516
Brassica campestris, 519
 — *elongata*, 519
 — — subsp. *integrifolia*, 519
 — *geniculata*, 524
 — *hirta*, 527
 — *juncea*, 519
 — *kaber*, 527
 — *napus*, 519, 520
 — *nigra*, 520
 — *rapa*, 520
 — *tournefortii*, 520
Brassicaceae: Weeds of the Cruciferae in North America, 517–540
Brayulinea, 297
Brickellia diffusa, 233
 Broad-leaved peppergrass, 525
Brunellia comocladifolia, 215, 227
Buchnera capillaris, 231
Bumelia repens, 342
Bunias erucago, 520
 — *orientalis*, 520

Caesalpinia coriaria, 236
Caesalpinaceae, 40
Cakile edentula, 529
 — *maritima*, 520, 529
Caladium antiquorum, 234
 — *violaceum*, 233
Calepina irregularis, 520
 California, Dicotyledonous Wood from the Upper Cretaceous of Central. III. Conclusions, 437–455
Calliandra portoricensis, 235
Calycanthaceae: *Calycanthus floridus*—A Nomenclatural Note, 265, 266

- Calycanthaceae, 265
 Calycanthus floridus (Calycanthaceae)—A Nomenclatural Note, 265, 266
 Calycanthus, 265
 — floridus, 265, 266
 — — var. floridus, 265
 — — var. glaucus, 265
 — — var. inodorus, 265
 — — var. laevigatus, 265, 266
 — — var. oblongifolius, 265, 266
 — glaucus, 265
 — — var. glaucus, 265
 — — var. oblongifolius, 265, 266
 — inodorus, 265
 — laevigatus, 265
 Calycogonium squamulosum, 357
 Camelina alyssum, 520
 — dentata, 520
 — microcarpa, 520, 521
 — sativa, 520, 521
 Caprifoliaceae, 441
 Capsella bursa-pastoris, 521
 — gracilis, 521
 — rubella, 521
 Capsicum violaceum, 225
 Caraxeron, 313
 Cardamine hirsuta, 521, 532
 — impatiens, 521
 — parviflora var. arenicola, 530
 — pratensis, 521
 Cardaria, 522
 — chalepensis, 521
 — draba, 521
 — — var. repens, 521
 — pubescens, 522
 Caryophyllaceae, 270, 271
 Casearia aculeata, 228
 Cassandra ferruginea, 411
 — jamaicensis, 360
 CASSENS, DANIEL L., and REGIS B. MILLER. Wood Anatomy of the New World Pithecellobium (Sensu Lato), 1–44
 Cassia bicapsularis, 229
 — cathartica, 229
 — discolor, 229
 — glauca, 229
 — hirsuta, 229
 Castanea, 443
 Castanopsis, 95, 161, 165
 — cuspidata, 156
 — Catesbaea spinosa, 223
 Cathartocarpus, 217
 — bicapsularis, 229
 Cathormion, 2
 Caulanthus lasiophyllus, 530
 Caytoniapollenites, 444
 Cecropia peltata, 386
 Celosia, 271, 279–283
 Celtis iguanaea, 261
 Central American Taxa of Heliconia (Heliconiaceae), New, 243–260
 Centrostachys, 294, 296
 Cercocarpus, 406
 Cestrum, 355
 — alaternoides, 225
 — laurifolium, 225
 Chaff flower, 302
 Chamaecyparis, 193
 Chamaedaphne calyculata, 424
 Chamissoa, 269
 Charianthus nodosus, 229
 Charlock, 527
 Chenopodiaceae, 270, 271
 Chinese mustard, 519
 Chloranthaceae, 441, 444
 Chloroleucon, 2, 9, 10, 23, 25, 28, 31, 35–42
 — guantanamoense, 9
 — leucospermum, 9
 — mangense, 9
 — tortum, 10
 — vinhatico, 10, 22, 31, 36
 Chorispora tenella, 522
 Chrysobalanaceae, 216
 Cicatricosisporites, 444
 Cinnamomum, 45, 46
 — cubensis, 45, 46
 — elongatum, 45, 46
 — falcatifolium, 46
 — falcatum, 46
 — verum, 45
 — zeylanicum, 45
 Citharexylum schulzii, 342
 Citronella, 441, 452
 Cladothrix, 299
 Clasping-leaved peppergrass, 525
 Classopollis, 444
 CLAUSEN, KRISTIN S., WILLIAM T. GILLIS, JR., and RICHARD A. HOWARD. William Hamilton (1783–1856) and the Prodromus Plantarum Indiae Occidentalis (1825), 211–242

- Cleome aculeata*, 232
 — *micrantha*, 232
Clethra, 362, 440
Clethraceae, 440, 441
Cleyera japonica, 153, 156
Clitoria cajanifolia, 232
 — *glycinoides*, 232
 — *rubiginosa*, 232
Clusia, 355, 362
 — *gundlachii*, 357
 — *krugiana*, 357
Clypearia, 38
Coccocypselum, 217
 — *herbaceum*, 223
 — *lanceolatum*, 223
Coccosypsilum, 217
 — *brownei*, 223
 — *chrysophylloides*, 223
 — *condalea*, 223
 — *guianense*, 223
 — *spicatum*, 224
 — *tontanea*, 223
Cocculus, 442, 444
Cockscomb, 280
Cojoba, 1, 2, 10–12, 22, 25, 28, 32, 35–42
 — *arborea*, 10
 — *costaricensis*, 11
 — *donnell-smithii*, 11
 — *rufescens*, 11
 — *sophorocarpa*, 11, 38
 — *tenella*, 12
Colocasia esculenta, 233
Colpothrinax wrightii, 390
Combretaceae, 442
Combretum alternifolium, 217
 — *decandrum*, 217, 229
 — *pyramidatum*, 228
Commelina geniculata, 219
Common winter cress, 519
Compositae, 283, 442, 444, 448
Conringia orientalis, 522
Convolvulus alatus, 224
 — *nevisiensis*, 224
 — *nodiflora*, 224
 — *verticillata*, 224
Cordia, 216
 — *nitida*, 224
 — *serrata*, 224
 — *toqueva*, 224
 — *toqueve*, 224
Cordiopsis, 216
Cordiopsis mirabilloides, 224
Coreopsis buchii, 342
Cornaceae, 441
Cornus, 441
Coronopus didymus, 522
 — *procumbens*, 522
 — *squamatus*, 522
 CORRELL, DONOVAN S. A New Species of *Ateleia* (Leguminosae) from the Bahamas, 261–263
Cottonflower, 298
Cottonweed, 301
Coutoubaea purpurea, 223
 — *ramosa*, 223
 — *spicata*, 223
Cow cress, 524
Craibiodendron, 63, 107, 161
Crambe maritima, 522
Cranmeria trilocularis, 488
Creeping wart cress, 522
Creeping yellow cress, 527
Cretaceous of Central California, Dicotyledonous Wood from the Upper. III. Conclusions, 437–455
Croton angustifolius, 234
 — *astroites*, 234
 — *bahamensis*, 234
 — *dichotomus*, 234
 — *eleuteria*, 234
 — *glabellus*, 234
 — *gonaivensis*, 234
 — *guadeloupensis*, 234
 — *humilis*, 234
 — *lucidus*, 234
 — *megaladeni*, 234
 — *microcarpus*, 234
 — *microstachyum*, 234
 — *microstachyus*, 234
 — *prunifolius*, 234
Cruciferae (Brassicaceae) in North America, Weeds of the, 517–540
Cruciferae, 517–540
Ctenitis hirta, 261
Cuckoo flower, 521
Cunoniaceae, 441, 442
Cupaneidites carlquistii, 443
Cupressaceae, 444
Cupressinoxylon, 444
Cyathiodites, 444
Cyathula, 269
Cylindrokelpka, 2
Cynanchum, 129

- Cynanchum palustre*, 424
Cynosurus aegyptius, 220
— *indicus*, 220
Cypellium, 211, 217
— *nervosum*, 217, 225
Cyperus fastuosus, 221
— *hydra*, 221
— *poeoides*, 221
— *rotundus*, 221
— *uncinatus*, 221
Cyrtopodium elegans, 215, 233

Dacryodes excelsa, 227
Dactyloctenium aegyptium, 220
— *meridionale*, 220
Dame's violet, 524
Danthonia domingensis, 321, 332
Decodon, 487–496, 501, 503, 504, 506, 507
— *sect. Gibbosus*, 490
— *sect. Globosus*, 491
— *sect. Vectensis*, 492
— *aldanensis*, 491, 494
— *antiquus*, 492, 495
— *bashkiricus*, 491, 494
— *europaeus*, 491, 494
— *gibbosus*, 488–490, 494, 495
— — *f. elongatus*, 490, 494
— — *f. gibbosus*, 490, 494
— *globosus*, 488, 489, 491, 492, 494, 495, 503
— *maeoticus*, 492, 494
— *nikitinii*, 492, 494
— *sibiricus*, 492, 494
— *sphenosus*, 492, 495
— *tanaiticus*, 492, 494
— *tavdensis*, 492, 495
— *tetraedriformis*, 489
— *vectensis*, 489, 492, 495
— *verticillatus*, 493–495, 506, 512, 513
Dendropemon laxiflorus, 227
— *parvifolius*, 365
— *pauciflorus*, 363
Dendrophthora opuntioides, 365
Descurainia impatiens, 530
— *pinnata*, 530
— *richardsonii*, 530
— *sophia*, 522
— *virletii*, 530
Desmothamnus, 68, 129, 198
— *lucidus*, 129, 203
— *nitidus*, 203

Diamond flower, 524
Dichroma, 217
— *ciliatum*, 222
Dicksoniaceae, 216
Diclidocarya, 488, 489
— *gibbosa*, 488
— *globosa*, 488
— *menzelii*, 488, 489
Dicotyledonous Wood from the Upper Cretaceous of Central California. III. Conclusions, 437–455
Dicraurus, 269
Digitaria distachya, 219
— *horizontalis*, 219
— *paspaloides*, 220
— *setosa*, 219
Dilleniaceae, 441
— *subfam. Dillenioideae*, 441
Diospyros guianensis, 231
Diploaxis erucoides, 523
— *muralis*, 523
— *tenuifolia*, 523
Dobie pod, 532
Dog mustard, 523
Dolichos, 236
— *cylindricus*, 232
Draba brachycarpa, 530
— *cuneifolia*, 530
— *nemorosa*, 530, 531
— *reptans*, 531
— *verna*, 523
Duranta erecta var. *domingensis*, 231
— *microphylla*, 231
— *repens*, 231
Dyer's woad, 524
Dysphaniaceae, 271

Early winter cress, 519
Ebenopsis, 1, 2, 12, 22, 23, 26, 28, 32, 35–40, 42
— *flexicaulis*, 12, 30
Echinolaena hirta, 220
Echites barbata, 226
— *christophoriana*, 226
— *concolor*, 226
— *linearifolia*, 226
— *oblongifolia*, 226
— *quinquangularis*, 226
Elephantopus virgatus, 233
Eleusine indica, 220
Elliottia, 79
Emmotum, 211, 217

- Emmotum fagifolium*, 226
Endlicheria, 47
— *guadaloupensis*, 47
— *sericea*, 47, 58
Engelhardtia, 441, 443
Enicostema verticillatum, 223
Enigmocarpon parijai, 488
Enkianthus, 91
Epacridaceae, 441
Epidendrum ciliare, 233
— *cuspidatum*, 233
Epigaea, 79
Ericaceae: A Monograph of *Lyonia*, 63–209, 315–436
Ericaceae, 63, 79, 107, 115, 119, 373, 441
— subfam. *Vaccinioideae* tribe *Andromedeae*, 63, 70, 96, 107
Eriocaulon plantaginoides, 222
Eriochloa punctata, 214, 219
Erophila verna, 523
Eruca vesicaria subsp. *sativa*, 523
Erucastrum gallicum, 523
Erysimum cheiranthoides, 523
— *hieracifolium*, 523, 524
— *inconspicuum*, 531
— *repandum*, 524
Escalloniaceae, 441
Etericius, 211, 217
— *parasiticus*, 217, 226
Euclidium syriacum, 524
Eucryphiaceae, 441
Eugenia, 230, 362
— *desvauxiana*, 231
— *divaricata*, 231
— *psidioides*, 231
— *pyrifolia*, 230
— *ramiflora*, 230
— *triflora*, 230
Eupatorium capillare, 233
— *illitum*, 342
— *reticulatum*, 233
Euphorbiaceae, 441, 442
Eupomatia, 444
Eupomatiaceae, 441, 444
Evea guianensis, 223
Evening stock, 526
Everior, 301
Exacum verticillatum, 223
Exothea paniculata, 228
Fagaceae, 441–443
Fagara, 216
— *microphylla*, 224
— *pterota*, 224
— *tragodes*, 224
Fagus, 83
— *crenata*, 156
False flax, 520
Faramea guianensis, 223
— *occidentalis*, 223
Ficus guianensis, 236
Field mustard, 519
Field penny cress, 528
Field peppergrass, 524
Fimbristylis, 215
— *divaricatus*, 222
— *ferruginea*, 222
— *hirtellus*, 222
— *spadicea*, 222
— *spartium*, 222
Flacourtiaceae, 441
Flat-seeded false flax, 520
Flixweed, 522
Forchhammeria, 446
Fraxinus, 83
Frenchweed, 528
Froelichia, 279, 300–302
Fruits and Seeds of the Brandon Lignite, VI. *Microdiptera* (*Lythraceae*), 487–516
FRYXELL, PAUL A. *Revision and Expansion of the Neotropical Genus Wercklea* (*Malvaceae*), 457–486
Galactia pendula, 232
Garden cress, 525
Garden rocket, 523
Garlic mustard, 518
Garrya, 406
— *fadyenii*, 342
Gaultheria, 79
— *domingensis*, 321
Genera of Amaranthaceae in the Southeastern United States, The, 267–314
GILLIS, WILLIAM T., JR., RICHARD A. HOWARD, and KRISTIN S. CLAUSEN. *William Hamilton (1783–1856) and the Prodrum Plantarum Indiae Occidentalis (1825)*, 211–242
Gleichenioidites, 444
Globe-amaranth, 308

- Globe-podded hoary cress, 522
 Glycine emarginata, 232
 Goeppertia geminiflora, 47, 48
 Gomphrena, 269, 271, 279, 307–309, 312
 — sect. Gomphrena, 308
 Gonocarpus, 217
 — jacquinii, 217, 229
 Gonolobus stapelioides, 226, 227
 — virescens, 227
 Gonzalagunia, 224
 Gordonia, 488
 Gossypianthus, 297, 298
 Gray tansy mustard, 530
 Green-flowered peppergrass, 525
 Grossulariaceae, 441
 Guilleminea, 224, 279, 297, 298
 — subg. Guilleminea, 298
 — lanuginosa, 224

 Haloragis, 217
 Hamamelidaceae, 441, 444
 Hamilton, William (1783–1856), and the Prodrum Plantarum Indiae Occidentalis (1825), 211–242
 Hamilton, William, 211–242
 Hamiltonia, 215
 Hampea appendiculata, 460
 Hare's-ear mustard, 522
 Havardia, 1, 2, 12, 13, 22, 26, 28, 32, 35, 37–40, 42
 — leiocalyx, 12
 — pallens, 12, 22, 24, 28, 30, 32
 — platyloba, 12, 32
 Heart-podded hoary cress, 521
 Hedge mustard, 528
 Helichrysum, 283
 Heliconia (Heliconiaceae), New Central American Taxa of, 243–260
 Heliconia, 243–260
 — colgantea, 246, 250
 — collinsiana var. collinsiana, 256
 — — var. velutina, 255, 256
 — longa, 253
 — maculata, 244–246, 250
 — magnifica, 246–248, 255
 — necrobracteata, 246, 248–250
 — paulii, 257
 — pogonantha, 253, 257
 — — var. veraguasensis, 256, 257
 — ramonensis, 248, 255, 259
 — — var. xanthotricha, 258, 259
 Heliconia sessilis, 251–253
 — trichocarpa, 246, 250
 — vellerigera, 248, 255
 — xanthotricha, 259
 — xanthovillosa, 248, 253–255
 Heliconiaceae: New Central American Taxa of Heliconia, 243–260
 Heliconiaceae, 243
 Heliocarpus, 460
 Hermbstaedia, 269
 Hesperis matronalis, 524
 Heteropteris laurifolia, 229
 — platyptera, 229
 — purpurea, 229
 Heteropterys longifolia, 229
 Heterostegia juncifolia, 220
 Heterotrichum angustifolium, 342
 Hibiscus, 457, 459
 — sect. Anzanzae, 457
 — sect. Furcaria, 457
 — arboreus, 232
 — cocleanus, 485
 — ferox, 457, 464
 — — var. metensis, 457, 464
 — horridus, 457, 473
 — hottensis, 457, 474
 — insignis, 483
 — lavateroides, 478
 — luteus, 480
 — marmoratus, 478
 — pseudoferox, 457, 469
 — rolfeanus, 480
 — tiliaceus, 232
 — trichomathus, 457, 464
 — tulipaeflorus, 476, 478
 — tulipiferus, 476
 — wercklei, 483
 — woodsonii, 457, 481
 Hippocratea aspera, 230
 Hippocrateaceae, 230
 Hirschfeldia incana, 524
 Hoary alyssum, 519
 Hoary bitter cress, 521
 Hoplotheca, 301
 Horseradish, 518
 HOWARD, RICHARD A. Nomenclatural Notes on the Lauraceae of the Lesser Antilles, 45–62
 HOWARD, RICHARD A., KRISTIN S. CLAUSEN, and WILLIAM T. GILLIS, JR. William Hamilton (1783–1856) and the Prodrum Plantarum Indiae

- Occidentalis* (1825), 211-242
Hutera cheiranthos, 524
Hymenophyllum pubescens, 522
Hypericum hypericoides, 342

Iberis amara, 524
 Icacinaceae, 440, 441
Ichnanthus panicoides, 220
Ilex, 182, 441
 — *riedlaei*, 357
 Illiciaceae, 441, 444
 Indian mustard, 519
Inga, 38, 236
 — *capitata*, 236
 — *cornigera*, 236
 — *faeculifera*, 236
 — *spinifolia*, 236
Ionopsidium acaule, 524
Ipomoea leucantha, 225
Iresine, 269, 271, 279, 309-312
Isatis tinctoria, 524
Isomeris, 446
Itea virginica, 94

Jacaranda arborea, 386
Jacquemontia, 225
 — *hirsuta*, 225
 Jim Hill mustard, 528
 Jointed charlock, 526
 JUDD, WALTER S. A Monograph of
 Lyonia (Ericaceae), 63-209, 315-
 436
 Juglandaceae, 441, 443
Jupunba, 2, 38-41
 — *abbottii*, 4
 — *jupunba*, 40
 — *obovalis*, 6
 — *pinetorum*, 7
 — *pseudo-tamarindus*, 7

Kalmia, 83
Kaunbachia, 441
Keteleeria roulettii, 161
Klugiodendron, 2, 13, 23, 26, 29, 32,
 33, 38-40, 42
 — *laetum*, 13, 38
Krameria, 213
 KRESS, W. JOHN. New Central Ameri-
 can Taxa of *Heliconia* (Heliconia-
 ceae), 243-260
Kyllingia peruviana, 221
 — *vaginata*, 221

Lacistema aggregatum, 218
 — *myricoides*, 218
 Lacistemaceae, 441
Lagerstroemia, 488
 — *europaea*, 488
 — *indica*, 488
 — *lignitum*, 488
Lantana, 362
Laplacea, 441
 Lardizabalaceae, 442
Larix, 182
Larrea, 446
Lasiacis divaricata, 221
 — *sloanei*, 221
 — *sorghoidea*, 221
 Lauraceae of the Lesser Antilles, No-
 menclatural Notes on the, 45-62
 Lauraceae, 45-62, 228, 442, 452
Laurus, 47
 — *cinnamomum*, 45
 — *elongata*, 46
 — *exaltata*, 54
 — *geminiflora*, 47, 48, 228
 — *globosa*, 52
 — *martinicensis*, 56, 57
 — *membranacea*, 59
 — *sericea*, 47
Leavenworthia, 531
 — *alabamica*, 531
 — *crassa*, 531
 — *exigua*, 531
 — *stylosa*, 531
 — *torulosa*, 531
 — *uniflora*, 531
 Leeaceae, 442
 Leguminosae: A New Species of *Ate-
 leia* from the Bahamas, 261-263
 Leguminosae, 442, 446
 — subfam. Mimosoideae, 35
 — — tribe Ingeae, 1
 Lens-podded hoary cress, 521
Lepianthus peltata, 219
Lepidium, 531
 — *campestre*, 524, 525
 — *densiflorum*, 525
 — *heterophyllum*, 525
 — *lasiocarpum*, 531
 — *latifolium*, 525
 — *perfoliatum*, 525
 — *ramosissimum*, 531
 — *ruderales*, 525
 — *sativum*, 525

- Lepidium virginicum*, 531
Lesquerella, 531
— *densipila*, 531
— *gordonii*, 531, 532
— *gracilis*, 531
— *lasiocarpa*, 532
— *lescurii*, 532
Lesser Antilles, Nomenclatural Notes on the Lauraceae of the, 45–62
Leucothoë, 79, 197
— sect. *Euleucothoë*, 68
— sect. *Maria*, 68, 198
— *affinis*, 369, 372
— *axillaris*, 424
— *coriacea*, 203
— *glandulosa*, 402, 403
— *grayana*, 424
— *jamaicensis*, 360
— *latifolia*, 394
— *marginata*, 203
— *mariana*, 198
— — var. *angustifolia*, 199
— *myrsinifolia*, 369, 403
— *racemosa*, 197, 198
— *recurva*, 197
Licania, 442, 444
Liliacidites pallucibilis, 445
Lindernia crustacea, 231
Liquidambar, 83, 94, 201, 406
Litsea, 48
— *glutinosa*, 48
— *sebifera*, 48
Littlepod false flax, 520
Lobularia maritima, 525
London rocket, 528
Lophia, 216
— *phoenicea*, 232
Loranthus anceps, 227
— *domingensis*, 227
— *laxiflorus*, 227
Lunaria rediviva, 525, 526
Lygistum axillare, 223
— *spicatum*, 224
Lyonia (Ericaceae), A Monograph of, 63–209, 315–436
Lyonia, 63–209, 315–436
— subg. *Eulyonia*, 315
— subg. *Maria*, 198
— sect. *Arsenococcus*, 64, 66–68, 70, 79, 94, 99, 101, 102, 104, 105, 107–109, 117, 122, 126, 132, 187, 195
— sect. *Lyonia*, 64–69, 71–73, 75, 76, 78, 79, 82, 85–87, 91, 94, 97, 99, 101–105, 107–110, 112, 115, 117, 122, 125, 126, 132, 133, 315, 317, 319, 345, 393
Lyonia sect. *Maria*, 64, 66–68, 70, 79, 83, 94, 99, 101, 104, 107–109, 117, 126, 132, 198
— sect. *Pieridopsis*, 64, 65, 67, 68, 70, 79, 91–93, 99, 101, 102, 104, 105, 107–110, 117, 122, 125, 126, 132, 133, 144, 146, 195
— *acutata*, 369, 371
— *acutifolia*, 354
— *affinis*, 74, 76, 78, 84, 86, 90, 105, 124, 136, 142, 319, 366, 368–373, 387, 398, 403
— *alainii*, 74, 76, 77, 83, 87, 89, 90, 96, 101, 103, 105, 124, 137, 138, 140, 317, 331, 338, 346, 347, 351, 358, 359
— *alpina*, 70, 74, 78, 83, 86, 87, 89, 91, 96, 97, 104, 135, 136, 140, 317, 331, 337–339, 344, 345
— *angulata*, 354
— *annamensis*, 169
— *apiculata*, 335
— *arborea*, 424
— *axillaris*, 424
— *bayamoensis*, 369
— *brachycarpa*, 341
— *brachytricha*, 384
— *brachytrichae*, 389
— *bracteata*, 424
— *brittonii*, 369, 371, 373
— *buchii*, 64, 66, 67, 74, 78, 83, 87, 88, 90, 91, 96–98, 104, 105, 107–109, 121, 122, 126, 128, 134, 139, 317, 321, 324–331
— *calycosa*, 396
— *calyculata*, 424
— *capreifolia*, 193
— *catesbaei*, 424
— *chapaënsis*, 65, 66, 91, 92, 104, 110, 115, 125, 132, 133, 146–150
— *clementis*, 396, 399
— *compta*, 65, 66, 91, 92, 101, 102, 104, 107, 108, 115, 123, 125, 126, 132, 133, 145–148, 150
— — var. *stenantha*, 165
— *costata*, 354
— *darrasiana*, 354
— *densiflora*, 396

- Lyonia dictyoneura*, 317
 — *doyonensis*, 159
 — *eggersii*, 347
 — *ekmanii*, 67, 74, 76, 78, 84, 86, 90, 96, 126, 138, 139, 142, 143, 319, 385, 387–389, 391
 — *elata*, 398
 — *elliptica*, 74, 76, 84, 86, 90, 96, 135, 142, 319, 366, 368–373, 393
 — *elongata*, 344
 — *fasciculata*, 360
 — *ferruginea*, 64, 67, 74, 76, 79, 82, 92, 97–99, 101, 103, 104, 107, 112, 124, 127–129, 136, 144, 315, 319, 408–420, 423–425
 — — *var. arborescens*, 411
 — — *var. fruticosa*, 421
 — *floribunda*, 424
 — *foliosa*, 119, 168
 — *formosa*, 424
 — *frondosa*, 192
 — *fruticosa*, 64, 67, 74, 76, 79, 82, 92, 96, 97, 99, 101, 103, 104, 107–109, 111, 112, 124, 127, 135, 138, 144, 319, 408–411, 413, 415–425
 — *furcyensis*, 340
 — *glandulosa*, 64, 66, 70, 74–76, 86, 95, 104, 105, 109, 110, 134, 400–405
 — — *var. glandulosa*, 84, 86, 90, 104, 141, 319, 371, 396, 400, 402–404
 — — *var. revolutifolia*, 74, 76, 84, 86, 90, 104, 124, 141, 319, 396, 400, 402–405
 — *grayana*, 424
 — *haitiensis*, 340
 — *heptamera*, 64, 66, 67, 74, 75, 77, 78, 83, 86–88, 90, 95, 97, 98, 101, 104, 105, 107–109, 111, 112, 122, 123, 126, 128, 134, 139, 317, 321–325, 327, 328, 330, 333, 352, 353
 — — $\times$ *urbaniana*, 324
 — *jamaicensis*, 74, 75, 77, 78, 87, 89, 98, 102, 124, 139, 319, 346, 359–363, 365, 368, 371, 410
 — — *var. myrsinifolia*, 369
 — *latifolia*, 64, 74, 75, 77, 86, 90, 101, 103, 104, 109, 110, 134, 319, 373, 393, 394, 398, 399
 — — *var. calycosa*, 74, 77, 84, 86, 90, 124, 142, 378, 394–399
 — — *var. latifolia*, 77, 84, 86, 90, 104, 141, 378, 394–396, 398, 399
Lyonia leonis, 398
 — *libanensis*, 376
 — *ligustrina*, 64, 66, 79, 91, 92, 94–97, 99, 102, 104, 105, 107–112, 122, 125–129, 132, 187, 188, 195–197, 424, 425
 — — *var. capreifolia*, 193
 — — *var. foliosiflora*, 92, 123, 144, 188, 189, 192–197
 — — *var. ligustrina*, 95, 101, 103, 107, 111, 112, 119, 144, 188–192, 195–197
 — — *var. nudiflora*, 196
 — — *var. pubescens*, 192
 — — *var. salicifolia*, 193
 — — *var. typica*, 189
 — *f. nanella*, 193
 — *longelaminata*, 354
 — *longipes*, 383, 384
 — *lucida*, 66, 79, 83, 84, 91, 92, 94, 95, 97, 99, 102, 103, 105, 109–112, 119, 121–123, 125–129, 132, 141, 144, 198, 203–209, 424
 — — *f. rubra*, 204
 — *macrocalyx*, 65, 92, 101, 102, 105, 108, 109, 123, 125, 126, 128, 132, 133, 183, 185–187
 — *macrophylla*, 67, 74, 76, 84, 86, 90, 95, 101, 105, 112, 124, 126, 139, 143, 319, 370, 371, 373, 376, 384–389, 398
 — *maestrensis*, 74, 75, 77, 84, 86, 96, 137, 142, 319, 378, 392, 393
 — *marginata*, 203
 — — *var. rubra*, 204
 — *mariana*, 66, 79, 91, 92, 94–97, 99, 101–103, 105, 108–112, 119, 122, 123, 126, 128, 129, 132, 144, 198–203, 208
 — — *f. vestita*, 199, 203
 — *microcarpa*, 64, 70, 74, 75, 77, 78, 83, 86, 87, 89, 91, 95, 97, 101, 103, 104, 134, 140, 317, 330, 333–337, 339, 345
 — *montecristina*, 344
 — *multiflora*, 193
 — *myrsinifolia*, 369, 371, 373, 403
 — *myrtilloides*, 74, 76, 84, 86, 95, 109, 124, 137, 143, 319, 368, 388–392
 — — *var. myrtilloides*, 389
 — — *var. β ovalifolia*, 389, 391
 — — *var. α parvifolia*, 389, 391
 — *nana*, 424

Lyonia neziki, 153

- *nipensis*, 64, 67, 74–76, 78, 86, 95, 101, 104, 105, 109, 110, 126, 135, 373, 374, 376, 380, 384, 398
- — var. *depressinerva*, 70, 74, 76, 78, 84, 86, 90, 101, 104, 142, 319, 368, 374, 376, 378–380, 404
- — var. *nipensis*, 78, 84, 86, 90, 101, 111, 124, 142, 319, 351, 368, 374, 376, 378, 379
- *nitida*, 203
- *oblongata*, 383
- *obtusa*, 64, 67, 74–77, 86, 95, 101, 105, 109, 126, 138, 380, 381, 384, 387, 398
- — var. *longipes*, 74, 84, 86, 90, 143, 376, 378, 381–384
- — var. *obtusa*, 77, 84, 86, 90, 124, 143, 319, 376, 378, 381–384
- *octandra*, 64, 74, 75, 77, 87, 89, 95, 97, 98, 102, 109, 112, 121, 137, 139, 319, 361, 363–365, 368
- *orbiculata*, 337, 339
- *ovalifolia*, 64–66, 91, 92, 95, 96, 102–105, 108, 110, 117, 125, 128, 132, 133, 144, 149, 157, 159, 169, 173–177, 184, 185, 187
- — subsp. *neziki*, 153, 171
- — var. *doyonensis*, 92, 102, 123, 125, 147, 152, 158–160, 169, 172, 173
- — var. *elliptica*, 92, 119, 123, 151, 153–157, 169, 171, 174
- — var. *foliosa*, 92, 119, 125, 126, 152, 166–168, 171, 174, 175
- — var. *hebecarpa*, 92, 101, 119, 125, 152, 154, 155, 157, 158, 169, 171–177
- — var. *lanceolata*, 92, 119, 123, 125, 126, 147, 149, 153, 164–168, 171, 173–176
- — var. *ovalifolia*, 92, 102, 103, 111, 119, 152, 155, 159–164, 171–174, 176
- — var. *rubrovenia*, 92, 101, 125, 126, 149, 152, 167, 169–171, 174, 175
- *palustris*, 424
- *paniculata*, 197
- *papayoensis*, 369, 371
- *parabolica*, 193
- *plumerii*, 341
- *polita*, 424

Lyonia popowii, 424

- *populifolia*, 424
- *pseudotinensis*, 333
- *racemosa*, 197
- *rhomboidalis*, 425
- *rigida*, 411
- *rubiginosa*, 64, 74, 77, 78, 85, 88, 95–97, 102, 104, 105, 109, 126, 128, 136, 137, 139, 344, 346, 353, 354, 358, 360
- — var. *costata*, 74, 77, 83, 85–91, 95, 97, 104, 121, 123, 141, 319, 344, 345, 347, 349, 351, 352, 354, 355, 358, 359
- — var. *rubiginosa*, 77, 85–87, 96, 319, 345, 353, 356–360, 371
- — var. *stahlii*, 74, 77, 85, 87, 96, 104, 319, 344, 345, 354–359, 363
- *rubrovenia*, 169
- *salicifolia*, 193
- *squamulosa*, 67, 74, 76, 79, 82, 99, 135, 138, 143, 319, 405–411, 415, 417, 419, 423
- *stahlii*, 355
- *tinensis*, 64, 74, 78, 79, 83, 87, 88, 90, 95, 101, 104, 135, 140, 317, 327, 330, 332–336, 339, 344, 345
- *tippenhaueri*, 340, 345
- *toaënsis*, 74, 76, 84, 86, 90, 96, 109, 134, 141, 319, 396, 399–401, 403
- *trinidadensis*, 74, 75, 77, 85, 86, 89, 109, 137, 143, 319, 365–369, 373
- *truncata*, 64, 74, 75, 77, 78, 86, 88, 89, 95–98, 101, 103, 104, 112, 128, 137, 335–337, 339, 340, 344–346, 358, 359, 371
- — var. *montecristina*, 74, 78, 83, 87–90, 95, 112, 140, 317, 335, 340–342, 344–346, 357
- — var. *truncata*, 78, 83, 86–89, 91, 112, 123, 140, 317, 335–337, 339, 340–345
- *tuerckheimii*, 64, 74, 75, 77, 83, 86–91, 95, 97, 98, 102, 105, 107, 111, 124, 126, 137, 141, 319, 321–325, 333, 346–353, 358, 359
- *turquini*, 396, 399
- *urbaniana*, 64, 70, 74, 78, 79, 83, 86–90, 95, 97, 99, 101, 103–105, 109, 121, 123, 128, 134, 135, 140, 317, 321–325, 327, 330–333, 335, 336, 339, 352, 353

- Lyonia vaccinioides*, 389, 391
 — *villosa*, 64, 65, 91, 92, 97, 102, 104, 105, 107, 110, 117, 126, 128, 132, 133, 169, 176–178, 184, 187
 — — var. *pubescens*, 92, 101, 119, 176, 177, 179–185
 — — var. *sphaerantha*, 92, 111, 125, 170, 176, 178, 181, 182, 184, 185
 — — var. *villosa*, 92, 125, 179–181, 184, 185
Lysiloma, 38
 Lythraceae: Fruits and Seeds of the Brandon Lignite, VI. Microdiptera, 487–516
 Lythraceae, 487, 504
 — tribe *Lythrae*, 487, 488
 — tribe *Nesaeae*, 487, 488
Lythrum, 488

Macrosamanea, 2, 13, 22, 23, 26, 29, 33, 35, 37–42
 — *aquatica*, 13
 — *discolor*, 13
 — *kegelii*, 13
 — *simabifolia*, 13, 33
Magnolia, 355, 507
 Magnoliaceae, 441
Malcolmia africana, 526
 — *graeca*, 526
Malpighia biflora, 229
 — *elliptica*, 229
 — *emarginata*, 230
 — *fucata*, 230
 — *macrophylla*, 230
 — *punicifolia*, 230
 — *tinifolia*, 230
 Malvaceae: Revision and Expansion of the Neotropical Genus *Wercklea*, 457–486
 Malvaceae, 460, 461
Manettia lygistum, 223
Maprounea, 217, 218, 233
Maprounia, 217
 — *glauc*, 233
Mariscus pedunculatus, 219
Marmaroxylon, 1, 2, 13, 14, 22, 26, 29, 33, 35, 37, 39–42
 — *racemosum*, 14, 30, 33
Matthaea, 441
Matthiola bicornis, 526
 — *incana*, 526

Melastoma christophoriana, 229
 — *dodandiana*, 229
 Meliaceae, 52
 Menispermaceae, 442, 444
Menziesia, 79
Mesechites, 226
 — *angustifolia*, 226
 — *repens*, 226
Miconia, 355, 357
 Microdiptera (Lythraceae), Fruits and Seeds of the Brandon Lignite, VI, 487–516
 Microdiptera, 487–516
 — *donata*, 500, 502, 504, 505
 — *elongata*, 497, 500, 502
 — *major*, 489, 497, 500, 502
 — *parva*, 489, 497, 500, 502, 505, 506, 512, 513
 — *tavdensis*, 500, 502
 — *uralensis*, 497, 500, 502
Micromeria, 217
Micropholis chrysophylloides, 357
Microsisymbrium lasiophyllum, 530
 MILLER, REGIS B., and DANIEL L. CASSENS. Wood Anatomy of the New World *Pithecellobium* (Sensu Lato), 1–44
Mimosa, 38
 — *cornigera*, 236
 Mimosaceae, 2, 40
Ministerocarpum alatum, 488
Mneme, 488, 489, 495–501, 503–506
 — *donata*, 489, 496–498, 504
 — *menzelii*, 495–499, 503, 513
 — *minor*, 489, 496, 497, 499
 — *sibirica*, 495–497, 499
 — *triangulata*, 496, 499
 Molluginaceae, 270
 Money plant, 525
 Monimiaceae, 441
 Monograph of *Lyonia* (Ericaceae), A, 63–209, 315–436
Monotropa, 91
Monotropastrum, 91
 Moraceae, 442
Morolobium, 2
 Mouse-ear cress, 518
Myagrum perfoliatum, 526
Myrcia, 231
 — *berberis*, 231
 — *coumete*, 231
 — *guianensis*, 231

- Myrcia pyrifolia*, 230
 Myricaceae, 441, 444
Myricipites cavilleratus, 443
Myrmecia scandens, 224
Myrsine coriacea, 357
 Myrtaceae, 442
Myrtus cumete, 231
 — *divaricata*, 231
 — *guianensis*, 231
 — *psidioides*, 230
 — *triflora*, 230
 — *umbellata*, 231

Narvalina domingensis, 342
Nasturtium microphyllum, 526
 — *officinale*, 526
Nectandra, 48–50
 — *antillana*, 51, 52, 55, 56
 — *boniato*, 54
 — *coriacea*, 54
 — *dominicana*, 53
 — *earlei*, 54, 55
 — *exaltata*, 53–55
 — *glabrescens*, 51
 — *globosa*, 51, 52, 56
 — *imrayana*, 55
 — *krugii*, 51, 52, 56
 — *leucantha*, 59
 — — *var. rodiaei*, 59
 — *martinicensis*, 57, 58
 — *matudai*, 57, 59
 — *membranacea*, 59
 — *pisi*, 51
 — *sanguinea*, 54, 57, 59
 — *tabascensis*, 57, 58
 — *woodsoniana*, 57–59
Nemum, 216
 — *spadiceum*, 222
Neopieris, 68, 129, 198
 — *mariana*, 129, 198
 — *nitida*, 203
Neotropical Genus Wercklea (Malvaceae), Revision and Expansion of the, 457–486
Nepsera aquatica, 228
Neslia paniculata, 526
Neurocarpon, 216
 — *ellipticum*, 232
 — *guianense*, 232
 — *rubiginosum*, 232
New Central American Taxa of Heliconia (Heliconiaceae), 243–260

New Species of Ateleia (Leguminosae) from the Bahamas, A, 261–263
New World Pithecellobium (Sensu Lato), Wood Anatomy of the, 1–44
Ninanga, 301
Nomenclatural Notes on the Lauraceae of the Lesser Antilles, 45–62
North America, Weeds of the Cruciferae (Brassicaceae) in, 517–540
Nothofagus, 442
Nyssa, 83, 92, 94
 Nyssaceae, 440, 441, 444

Ocimum montanum, 236
Ocotea, 48, 49, 56, 58, 59
 — subg. *Nectandra*, 48
 — *alpina*, 50, 51
 — *cernua*, 52, 58
 — *clavigera*, 53
 — *coriacea*, 48
 — *dominicana*, 53
 — *dussii*, 53
 — *eggersiana*, 50, 53–55
 — *falcata*, 46
 — *floribunda*, 55
 — *foeniculacea*, 55
 — *globosa*, 52, 55
 — *imrayana*, 53, 55
 — *jacquinii*, 51, 56–58
 — *krugii*, 56
 — *leucoxylon*, 55–57
 — *l'herminieri*, 54, 55
 — *martinicensis*, 57–59
 — *membranacea*, 52, 59
 — *sanguinea*, 59
 — *tabascensis*, 58, 59
 Olacaceae, 441, 442
Olyra ovata, 220
Operculina alata, 224
Oplothea, 301
Oreodaphne, 56
 — *cernua*, 52
 — *dominicana*, 53
 — *jacquinii*, 56, 57
 — *leucoxylon*, 56
Oryctanthus florulentus, 227
Oryza latifolia, 220
Oxydendrum arboreum, 424

Pachyanthus urbanianus, 321
Pachyspermum quinqueloculare, 488
Paepalanthus plantaginoides, 222

- PAGE, VIRGINIA M. Dicotyledonous
Wood from the Upper Cretaceous
of Central California. III. Conclu-
sions, 437-455
- Painteria, 2
- Palaeolythrum bournense, 488
- gailense, 488
- Palaeowetherellia, 507
- Pale alyssum, 518
- Palicourea crocea, 226
- pedunculosa, 226
- Palicuria cajannensis, 226
- croceoides, 226
- Palmaepollenites, 445
- Pandiaka, 269
- Panicum acuminatum, 221
- agrostidiforme, 221
- bambusoides, 220
- cayennense, 221
- distachyon, 219, 220
- latifolium, 221
- laxum, 221
- ornatum, 221
- portoricense, 221
- sorghoideum, 221
- Papulia, 270
- Paralbizzia, 2
- Paralea, 216
- Paralia, 216
- guianensis, 231
- Parasamanea, 2
- Parenterolobium, 2
- Parinari, 216
- campestris, 227
- Parinaria, 442
- Parkia, 236
- africana, 236
- Paspalum distichum, 220
- Passiflora auriculata, 232
- cyathophora, 212, 232
- foetida var. gossypifolia, 232
- gossypifolia, 212, 232
- lancifolia, 232
- Pavetta coffeoides, 223
- Pedilanthus padifolius, 230
- tithymaloides, 230
- — subsp. padifolius, 230
- Pennisetum, 215
- alopecuroides, 221
- erubescens, 221
- setosum, 221
- Penny cress, 529
- Peperomia, 215
- alata, 218
- cordifolia, 218
- galioides, 218
- hemionitidifolia, 218
- lunaria, 218
- obtusifolia, 218
- simplex, 218
- spatulata, 218
- suaveolens, 218
- Peppergrass, 525, 531
- Perama, 218
- hirsuta, 223
- Perennial peppergrass, 525
- Persea borbonia, 52
- Pharus glaber, 220
- lancifolius, 220
- latifolius, 220
- ovalifolius, 220
- Phelline, 440, 441
- Philoxerus, 269, 279, 312, 313
- Phoebe, 45, 46, 49
- cubensis, 45, 46
- elongata, 45, 46
- falcata, 46, 51
- montana, 46
- triplinervis, 46
- Phoradendron trinervium var. domin-
gense, 227
- Phragmites communis, 503
- Phthirusa laxiflora, 227
- Phyllanthus, 452
- Phyllocladites, 444
- Phyllostemonodaphne, 47, 48, 228
- geminiflora, 47
- Phymosia, 211, 216
- abutiloides, 232
- Phytolaccaceae, 271
- Picea, 96, 161
- Pieris, 63, 68, 79, 83, 91, 119
- sect. Eupieris, 68, 144
- sect. Maria, 68, 198
- annamensis, 169
- chapaënsis, 148
- — var. glabra, 148
- compta, 145
- doyonensis, 159
- elliptica, 153
- floribunda, 424
- formosa, 424
- formosana, 153
- henryi, 157, 176

- Pieris japonica*, 424
 — *kouyangensis*, 164
 — *lanceolata*, 164
 — *lucida*, 203
 — *macrocalyx*, 185
 — *mairei*, 157
 — — *var. parvifolia*, 157
 — *mariana*, 198
 — *nana*, 424
 — *nitida*, 203
 — — *var. rubra*, 204
 — *obliquinervis*, 169, 175
 — *ovalifolia*, 159, 164
 — — *var. elliptica*, 153
 — — *var. hebecarpa*, 157
 — — *var. pubescens*, 182
 — — *var. tomentosa*, 165, 176
 — *pilosa*, 153
 — *rubrovenia*, 169
 — *ulbrichii*, 164
 — *villosa*, 179
 — — *var. pubescens*, 182
Pinaceae, 444, 445
Pinus, 83, 95, 96, 161, 165, 179, 181, 182, 190, 201, 206, 390, 406, 412, 422
 — *caribaea*, 390
 — *cembroides*, 406
 — *cubensis*, 90, 374, 376, 381, 383, 386, 401, 402
 — *excelsa*, 179
 — *insularis*, 168
 — *maestrensis*, 371, 396
 — *merkusii*, 168
 — *occidentalis*, 64, 87, 88, 90, 321, 327, 332, 334, 336, 342, 344, 347, 348, 352–354, 358, 359
 — *rigida*, 201
 — *tropicalis*, 390
Piper alare, 219
 — *amalago*, 219
 — *angustifolium*, 219
 — *celtidifolium*, 219
 — *cuspidatum*, 219
 — *lancifolium*, 219
 — *lingulaefolium*, 219
 — *marginatum*, 219
 — *medium*, 219
 — *saururoides*, 219
 — *scutiphyllum*, 219
 — *tiliaefolium*, 219
Piptadenia psilostachya, 235
Piscidia, 237
Pithecellobium (*Sensu Lato*), Wood
 Anatomy of the New World, 1–44
Pithecellobium, 1–44
 — *sect. Abaremotemo*, 38, 39
 — *sect. Caulanthos*, 39
 — *sect. Chloroleucon*, 39
 — *sect. Ortholobium*, 39
 — *sect. Samanea*, 39
 — — *ser. Carnosae*, 38, 39
 — — *ser. Coriaceae*, 39
 — — *ser. Parviflorae*, 39
 — — *ser. Subarticulatae*, 39
 — *sect. Unguis-cati*, 39
 — *acacioides*, 9, 41
 — *arenarium*, 4, 41
 — *auriculatum*, 4, 41
 — *basijugum*, 13, 33
 — *circinale*, 236
 — *collinum*, 14, 41
 — *consanguineum*, 13, 41
 — *dinizii*, 14, 41
 — *dulce*, 15, 34
 — *elegans*, 4, 41
 — *fanshawei*, 4, 41
 — *glabripetalum*, 8, 41
 — *gonggrijpii*, 5, 41
 — *guadalupense*, 15
 — *juruanum*, 19, 41
 — *lanceolatum*, 15
 — *langsdoeffii*, 5, 41
 — *leucophyllum*, 5, 41
 — *mataybifolium*, 6, 23, 41
 — *mathewsii*, 9, 41
 — *membranaceum*, 11, 41
 — *microchlamys*, 15
 — *niopoides*, 8
 — *oblongum*, 16
 — *panurense*, 6, 41
 — *parvifolium*, 235
 — *sophorocarpum*, 38
 — *umbriflorum*, 14, 41
 — *unguis-cati*, 16
 — *villiferum*, 7, 23, 41
Platanaceae, 441
Platanus, 442, 452
Platea, 440, 441
Platycarya, 443
Pleuropetalum, 269
Pleurothyrium, 49
Plicopollis thornei, 443
Pluchea odorata, 233

- Plumeria obtusa* var. *sericifolia*, 225
Poarium, 216
 — *veronicoides*, 231
Podocarpaceae, 444
Polygonaceae, 129
Polygonella, 129
Polyspora, 488
Pontederiaceae, 303
 Poor man's pepper, 524
 Poor man's peppergrass, 531
Potamogeton pusillus, 503
Pothomorphe peltata, 219
Pothos scolopendrinus, 223
Prestonia quinquangularis, 226
Prionostemma aspera, 230
Prodromus Plantarum Indiae Occidentalis (1825), William Hamilton (1783–1856) and the, 211–242
Prosopis faeculifera, 236
Protomegabaria, 441
Proxapertites, 445
Pseudoplantago, 269
Pseudosamanea, 2, 17, 22, 27, 29, 34–42
 — *guachapele*, 17
Pseudotsuga japonica, 156
Psilocarya nitens, 94
Psophocarpus tetragonolobus, 236
Pteridium, 165
Ptilotus, 269
Punjuba, 2, 17, 27, 29, 34, 39, 40, 42
 — *racemiflora*, 17

Quercus, 83, 96, 161, 165, 168, 179, 182, 190, 201, 206, 406, 412, 422
 — *chapmanii*, 412
 — *geminata*, 412
 — *myrtifolia*, 412

Radish, 527
Rapanaea neriifolia, 156
Rape, 519
Raphanus raphanistrum, 526, 527
 — *sativus*, 527
Rapistrum perenne, 527
 — *rugosum*, 527
Rehderodendron, 507
Remirea maritima, 219
 Revision and Expansion of the Neotropical Genus *Wercklea* (Malvaceae), 457–486

Rhabdadenia paludosa, 226
Rhexia aquatica, 228
 — *aurea*, 228
 — *inconstans*, 228
 — *linearifolia*, 228
 — *lutea*, 228
 — *mariana*, 228
 — *stricta*, 228
 — *tetraptera*, 228
 — *virginica* var. *purshii*, 228
Rhizophoraceae, 441
Rhododendron, 79, 96, 161, 179, 181, 182, 190
 — *arboreum*, 161
Rhoipteleaceae, 443
Rhus, 406
 — *rufescens*, 215, 227
Rhyncosinapis cheiranthos, 524
Rhynchospora, 215, 218
 — *barbata*, 222
 — *cephalotes*, 222
 — *conica*, 222
 — *globosa*, 222
 — *micrantha*, 222
 — *polyphylla*, 222
 — *pyramidata*, 222
 — *stellata*, 222
Rhytachne, 211, 216
 — *rottboellioides*, 221
Roadside peppergrass, 525
 ROBERTSON, KENNETH R. The Genera of *Amaranthaceae* in the Southeastern United States, 267–314
Rocket weed, 523
 ROLLINS, REED C. Weeds of the Cruciferae (Brassicaceae) in North America, 517–540
Rondeletia, 217
 — *incana*, 226
Rorippa, 532
 — *amphibia*, 527
 — *austriaca*, 527
 — *curvipes*, 532
 — *indica* var. *apetala*, 527
 — *nasturtium-aquaticum*, 526
 — *palustris*, 532
 — — var. *palustris*, 532
 — *sessiliflora*, 532
 — *sinuata*, 532
 — *sylvestris*, 527
 — *teres*, 532
Rosaceae, 442

- Rubiaceae, 211, 217, 226, 442
Rubus, 362
- Salvia, 406
Samanea, 1, 2, 17, 18, 22, 27, 29, 34-40, 42
— corymbosa, 4, 41
— leucocalyx, 5, 41
— macradenia, 6, 41
— marginata, 6, 41
— pedicellaris, 6, 41
— saman, 17, 38
— — var. acutifolium, 18
Samyda pubescens, 228
Sand rocket, 523
Sapindaceae, 443, 488
— tribe Cupanieae, 443
Sapindus lucidus, 228
Sapotaceae, 54
Satureja, 217, 362
— viminea, 231
Schima, 161
Schinus fagara, 224
Scirpus, 216
— angolensis var. brizaeformis, 222
— domingensis, 222
— stans, 222
Scolosanthus versicolor, 223
Scrophularia micrantha, 231
— minutiflora, 231
Scrophulariaceae, 217
Scurvy grass, 519
Sea kale, 522
Sea rocket, 520, 529
Seeds of the Brandon Lignite, Fruits and, VI. Microdiptera (Lythraceae), 487-516
Senecio, 362
— picardae, 342
Serenoa, 201, 206, 422
Serialbizzia, 2
Shepherd's purse, 521
Shield cress, 525
Sibara virginica, 532
Siderocarpus, 2
Sinapis alba, 527
— arvensis, 527, 528
Sisymbrium altissimum, 528
— irio, 528
— loeselii, 528
— officinale, 528
Sisymbrium orientale, 528
— polyceratum, 528
Slim-leaf wall rocket, 523
Smilax aspera, 235
— coriacea var. ilicifolia, 235
— cuspidata, 235
— elliptica, 235
— flavescens, 235
— floribunda, 235
— ilicifolia, 235
— lanceolata, 235
— papyracea, 235
— reticulata, 235
— sagittata, 235
— zeylanica, 235
Snakeweed, 301
Solanaceae, 442, 444
Solanum americanum, 225
— desvauxii, 225
— nigrum var. americanum, 225
— nodiflorum, 225
Sonneratiaceae, 442
Sorghastrum setosum, 221
Sorghum parviflorum, 221
Southeastern United States, The
Genera of Amaranthaceae in the, 267-314
Spilanthes sarmentosa, 233
SPONGBERG, S. A., and D. E. BOUFFORD.
Calycanthus floridus (Calycanthaceae)—A Nomenclatural Note, 265, 266
Sporobolus lamareckii, 219
— poiretii, 219
— purpurascens, 214, 219
— virginicus, 219
Stemodia, 216
— parviflora, 231
Sterculia, 446
Stigmaphyllon angulosum, 229
— lingulatum, 229
— ovatum, 229
— periplocifolia, 229
— tomentosum, 229
Stinking wall rocket, 523
Stinkweed, 528
Stock, 526
Stocksia, 488
Streptanthella longirostris, 532
Strombosia, 441
Styracaceae, 211, 217
Styrax, 217, 225

- Sweet alyssum, 525
 Swine cress, 522
 Symplocaceae, 441
 Symplocos, 443
 — *lanata*, 357
 — *myrtacea*, 156
 Systemonodaphne, 47, 48, 228
 — *geminiflora*, 47, 228
 — *mezii*, 48, 228

 Tabebuia *pachyphylla*, 386
 Tabernaemontana *citrifolia*, 261
 Tachia *guianensis*, 224
 Tall hedge mustard, 528
 Tall wormseed mustard, 523
 Tamesicarpum *polyspermum*, 488
 Tansy mustard, 522, 530
 Taxodiaceae, 444
 Taxodium, 92, 96, 193, 206
 Teesdalia *nudicaulis*, 528
 Telanthera, 302
 Tepuia, 70
 Tetracentraceae, 440
 Tetramicra *canaliculata*, 233
 Tetranthera *laurifolia*, 48
 Tetrazygia *discolor*, 229
 Thale cress, 518
 Theaceae, 440, 441, 488
 Theophrasta *henrici*, 225
 — *jussiaei*, 225
 Theophrastus, 213
 Thlaspi *arvense*, 528, 529
 — *perfoliatum*, 529
 Thouinia, 217
 — *simplicifolia*, 228
 — *trifoliata*, 228
 Thyana, 217
 — *simplicifolia*, 228
 — *trifoliata*, 228
 Tibouchina *ornata*, 228
 Tidestromia, 279, 298–300
 TIFFNEY, BRUCE H. Fruits and Seeds
 of the Brandon Lignite, VI. Micro-
 diptera (Lythraceae), 487–516
 Tobinia, 214, 216
 — *acuminata*, 234
 — *coriacea*, 234
 — *emarginata*, 235
 — *spinosa*, 234
 — *ternata*, 235
 Tontanea *guianensis*, 223
 Torulinium, 211, 217
 confertum, 221, 222
 — *odoratum*, 221, 222
 Tournefortia *lucida*, 224
 — *microphylla*, 224
 — *volubilis*, 224
 Tower mustard, 529
 Treacle mustard, 524
 Triacis *microphylla*, 227
 Trichilia *moschata*, 52
 Triporopollenites *scabroporus*, 443
 Triumphetta *semitriloba*, 230
 — *ulmifolia*, 230
 Trophis, 446
 Tropicocarpum *gracile*, 532, 533
 Tsuga, 96
 — *dumosa*, 161
 — *sieboldii*, 153, 156
 Tumble mustard, 528
 Turnera, 227
 — *desvauxii*, 227
 — *diffusa*, 227
 — *hirta*, 227
 — *microphylla*, 227
 Turritis *glabra*, 529

 Upper Cretaceous of Central Califor-
 nia, Dicotyledonous Wood from
 the. III. Conclusions, 437–455
 Urechites *lutea*, 226

 Vaccinium, 68, 161, 175, 190, 424
 — *ligustrinum*, 188, 197
 — *mairei*, 165
 Verhuellia *lunaria*, 218
 Vigna *vexillata*, 232
 Vilfa *virginica*, 219
 Violaceae, 441
 Virginia peppergrass, 531

 Wallenia *laurifolia*, 261
 Wart cress, 522
 Watercress, 526
 Weeds of the Cruciferae (Brassica-
 ceae) in North America, 517–540
 Weinmannia, 441
 Wercklea (Malvaceae), Revision and
 Expansion of the Neotropical
 Genus, 457–486
 Wercklea, 457–486
 — *cocleana*, 460, 464, 471, 482, 485
 — *ferox*, 459–469, 471, 473, 481
 — *flavovirens*, 460, 462, 463, 471,

- 475, 476, 483
Wercklea grandiflora, 460, 464, 471–473, 479, 480
— *horrida*, 460, 462, 463, 470, 471, 473, 474, 476, 481
— *hottensis*, 460, 463, 470, 471, 474–476
— *insignis*, 451, 459, 460, 464, 471, 472, 481, 483–485
— *lutea*, 457, 459–461, 463, 464, 471, 477, 480, 481
— *magnibracteata*, 460, 463, 471–473, 480
— *pseudoferox*, 460, 463, 469–471, 473
— *tulipiflora*, 459–461, 463, 464, 471, 476–479, 481
— *woodsonii*, 459–461, 463, 464, 471, 476, 481–483
Wetherellia, 507
White top, 521, 522
Whitlow grass, 523
Whitlow wort, 523
Wild candytuft, 524
Wild mustard, 527
Wild radish, 526, 527
Winteraceae, 440
Woad, 524
Wood Anatomy of the New World
 Pithecellobium (Sensu Lato), 1–44
Wood from the Upper Cretaceous of Central California, Dicotyledonous. III. Conclusions, 437–455
Wormseed mustard, 523

Xolisma, 68, 129
— sect. *Arsenococcus*, 68, 187
— sect. *Lyonia*, 68, 315
— sect. *Maria*, 68, 198
— sect. *Pieridopsis*, 68, 144
— *affinis*, 369
— *apiculata*, 335
— *brittonii*, 369
— *calycosa*, 396, 399
— *compta*, 145
— *costata*, 354
— *cryptogonia*, 324
— *dictyoneura*, 317
— *eggertii*, 347
— *elliptica*, 153, 372, 373
— *elongata*, 344
— *fasciculata*, 360

Xolisma ferruginea, 411
— *foliosa*, 168
— *foliosiflora*, 192
— *formosana*, 153
— — var. *pilosa*, 153
— *fruticosa*, 420
— *heptamera*, 317
— *latifolia*, 394
— *ligustrina*, 188
— — var. *foliosiflora*, 192
— — var. *pubescens*, 192
— *longelaminata*, 354
— *lucida*, 203
— — var. *rubra*, 204
— *macrophylla*, 384
— *mariana*, 198
— — f. *vestita*, 199
— *myrsinifolia*, 369
— *myrtilloides*, 389
— *obtusa*, 381
— *octandra*, 364
— *orbiculata*, 337
— *ovalifolia*, 159
— — var. *elliptica*, 153
— — var. *hebecarpa*, 157
— — var. *lanceolata*, 164
— *pseudotinensis*, 333
— *rubiginosa*, 357
— *sphaerantha*, 181
— *squamulosa*, 405
— *stahlia*, 355
— *tinensis*, 333
— *truncata*, 340
— *tuerckheimii*, 347
— *turquini*, 394
— *urbaniana*, 331
— *vaccinioides*, 389, 391
— *villosa*, 179
— — var. *pubescens*, 182
Xyladenius, 217
— *glandulosus*, 230

Yellow cress, 527
Yellow rocket, 519
Yucca, 406

Zanthoxylum, 216
— *acuminatum*, 234
— *fagara*, 224
— *punctatum*, 235
— *spinifex*, 224
— *spinosum*, 234, 235

- Zanthoxylum tragodes*, 224
Zosterospermum, 218
— *gracile*, 222
Zygia, 1, 2, 18–23, 27, 29, 34, 35, 37–42
— *ampla*, 18
— *cauliflora*, 18
— *cognata*, 19
— *conzattii*, 19
— *divaricata*, 19
— *engelsingii*, 19
Zygia glomerata, 19
— *inaequalis*, 19
— *latifolia*, 20
— *longifolia*, 20
— *peckii*, 20
— *recordii*, 21
— *stevensonii*, 21
— *unifoliolata*, 21
Zygis, 217
— *aromatica*, 231

1981. "Index [Vol. 62]." *Journal of the Arnold Arboretum* 62(4), 541–561.
<https://doi.org/10.5962/p.324741>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33625>

DOI: <https://doi.org/10.5962/p.324741>

Permalink: <https://www.biodiversitylibrary.org/partpdf/324741>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.