

INDEX

- Acachmena, 205
 Acer pycnanthum, 284
 Adina polyccephala, 73
 Aestivales, 410
 Agonolobus, 205
 Alismaceae, 3
 Alliaria, 216, 218–221
 — alliaria, 219
 — brachycarpa, 218, 219
 — officinalis, 21
 — petiolata, 215, 218–220
 Allium, 218
 Alnus, 362
 AL-SHEHBAZ, IHSAN A. *Cardamine dissecta*, a New Combination Replacing *Dentaria multifida* (Cruciferae), 81–84
 AL-SHEHBAZ, IHSAN A. The Genera of *Anchonieae* (Hesperideae) (Cruciferae; Brassicaceae) in the Southeastern United States, 193–212
 AL-SHEHBAZ, IHSAN A. The Genera of *Arabideae* (Cruciferae; Brassicaceae) in the Southeastern United States, 85–166
 AL-SHEHBAZ, IHSAN A. The Genera of *Sisymbrieae* (Cruciferae; Brassicaceae) in the Southeastern United States, 213–237
 AL-SHEHBAZ, IHSAN A., and REED C. ROLLINS. A Reconsideration of *Cardamine curvisiliqua* and *C. gambellii* as Species of *Rorippa* (Cruciferae), 65–71
 Amethystanthus, 291
 — excisus, 318
 — glaucocalyx, 307
 — inflexus, 303
 — japonicus, 306
 — lasiocarpus, 305
 — longitubus, 310
 — macrophyllus, 317
 — racemosus, 377
 — serra, 305
 — stenophyllus, 300
 — taiwanensis, 384
 — websteri, 302
 Ammosperma, 228
 Anchonieae (Hesperideae) (Cruciferae; Brassicaceae) in the Southeastern United States, The Genera of, 193–212
 Anchonium, 193, 195
 Anelsonia, 88
 Annonaceae, 278
 Antidesma sphaerocarpum, 185
 Arabideae (Cruciferae; Brassicaceae) in the Southeastern United States, The Genera of, 85–166
 Arabidopsis, 214, 218, 227–232
 — bursifolia, 228
 — esepata, 228
 — griffithiana, 229
 — korshinskyi, 229
 — parvula, 228
 — pumila, 229
 — salsuginea, 228
 — suecica, 228, 229
 — thaliana, 215, 216, 228, 229
 — toxophylla, 229
 — wallichii, 229
 Arabis, 86, 88, 91, 112, 129–143, 151, 228
 — aculeolata, 135, 136
 — alpina, 130, 134, 136, 137
 — brassica, 136
 — bulbosa, 94
 — burkii, 132
 — canadensis, 87, 132
 — caucasica, 136, 137
 — ciliata, 131
 — conringioides, 136
 — constancei, 135
 — dentata, 133
 — — var. phalaccarpa, 134
 — divaricarpa, 135, 136
 — douglassii, 94
 — drummondii, 135, 136
 — falcata, 132
 — georgiana, 133, 135
 — glabra, 130, 131, 134–136
 — — var. furcatipilis, 131
 — — var. glabra, 131
 — — var. pseudoturritis, 131
 — halleri, 135
 — hirsuta, 131, 135, 136
 — — var. adpressipilis, 131
 — — var. eschscholtziana, 131
 — — var. glabrata, 131
 — — var. pycnocarpa, 131
 — holboellii, 135, 136
 — laevigata, 132, 133, 135, 136
 — — var. burkii, 132
 — — var. laevigata, 132
 — — var. missouriensis, 133
 — ludoviciana, 143
 — lyallii, 135
 — lyrata, 87, 132
 — microphylla, 135

- Arabis missouriensis*, 132, 133, 135
 — var. *deamii*, 133
 — *modesta*, 135, 136
 — *oregana*, 135, 136
 — *ovata*, 131
 — *patens*, 133, 135
 — *perstellata*, 133–136
 — — var. *ampla*, 133
 — — var. *perstellata*, 133
 — — var. *phalacocarpa*, 134
 — — var. *shortii*, 133
 — *petiolata*, 219
 — *platysperma* var. *platysperma*, 135
 — *pycnocarpa*, 131
 — — var. *adpressipilis*, 131
 — *rhomboidea*, 94
 — — var. *purpurea*, 94
 — *sagittata*, 131
 — *serotina*, 132
 — *shortii*, 133–135
 — — var. *phalacocarpa*, 134
 — — var. *shortii*, 134
 — *sparsifolia*, 135
 — *thaliana*, 227, 228
 — *turczaninowii*, 136
 — *virginica*, 143
 — *viridis*, 133
 — *williamsii*, 136
Arabis, 129
Araceae, 4
Archaeoleersia nebraskensis, 264
Aristea, 4
Armoracia, 86, 92, 151, 160–166
 — *americana*, 162
 — *aquatica*, 162
 — *armoracia*, 161
 — *lacustris*, 87, 162, 163
 — *lapathifolia*, 161
 — *macrocarpa*, 161, 162
 — *rusticana*, 88, 161–163
 — *sativa*, 161
 — *sisymbrioides*, 161, 164
Arrowgrass, 9
Arrowgrass Family, 1
Arthrostylidium, 241
Arundinaria, 241, 242, 249–252
 — *amabilis*, 251
 — *gigantea*, 241, 242, 244, 250, 251
 — — subsp. *macrosperma*, 250, 251
 — *japonica*, 251
 — *macrosperma*, 250, 251
 — *simonii*, 242, 251
 — *tecta*, 241, 244, 250, 251
Atelanthera, 194
Aubrieta, 194
Baeumerta, 145
Bambusa, 240, 241, 243, 249
 — subg. *Guadua*, 241
 — *arundinacea*, 244
 — *lineata*, 244
 — *multiplex*, 242
 — *polymorpha*, 244
 — *tuldoides*, 244
 — *vulgaris*, 242
Bambusoideae (Gramineae) in the South-eastern United States, The Genera of, 239–273
Barbarea, 88, 91, 110–115, 117, 151
 — *americana*, 110
 — *arcuata*, 111
 — *australis*, 110
 — *barbarea*, 111
 — × *gradlii*, 113
 — *grayi*, 110
 — *intermedia*, 113
 — — × *Barbarea vulgaris*, 113
 — *orthoceras*, 110–113
 — — var. *dolichocarpa*, 111
 — *planisiliqua*, 110
 — *plantaginea*, 113
 — *praecox*, 111
 — × *schulziana*, 112
 — *stricta*, 111, 113
 — — × *Barbarea vulgaris*, 112
 — *taurica*, 111
 — *verna*, 87, 110–113
 — *vulgaris*, 110–113
 — — var. *arcuata*, 111
 — — var. *vulgaris*, 111
Bittercress, 93
Blennodia, 194, 202
Blister cress, 205
Boechera, 129, 135
Brachilobus, 145
Brachyelytrum, 240, 243, 249, 253–255
 — subg. *Aphanelytrum*, 254
 — subg. *Pseudobromus*, 254
 — *aristatum*, 254
 — *aristosum* var. *glabratum*, 253
 — *erectum*, 253, 254
 — — var. *septentrionale*, 253
 — *japonicum*, 254
 — *procumbens*, 254
 — *septentrionale*, 253, 254
 — *silvaticum*, 254
Brassicaceae; Cruciferae: The Genera of Anchoneiae (Hesperideae) in the South-eastern United States, 193–212
Brassicaceae; Cruciferae: The Genera of

- Arabideae in the Southeastern United States, 85–166
Brassicaceae; Cruciferae: The Genera of Sisymbrieae in the Southeastern United States, 213–237
Brassicaceae, 65
Braya, 214
Bunias, 194, 195

Campe, 110
— barbarea, 111
— verna, 111
Cardamine curvisiliqua and *C. gambellii* as Species of *Rorippa* (Cruciferae), A Reconsideration of, 65–71
Cardamine dissecta, a New Combination Replacing *Dentaria multifida* (Cruciferae), 81–84
Cardamine gambellii and *C. curvisiliqua* as Species of *Rorippa* (Cruciferae), A Reconsideration of, 65–71
Cardamine, 67, 68, 81, 86, 88, 91–109, 112, 121, 136, 143, 151, 152
— subg. *Cardamine*, 93
— subg. *Dentaria*, 93
— amara, 102
— angustata, 82, 83, 98–100, 102
— — var. *angustata*, 99
— — var. *multifida*, 82
— — var. *ouachitana*, 99
— arenicola, 96
— bellidifolia, 102
— bulbifera, 100
— bulbosa, 94
— — f. *fontinalis*, 94
— chenopodiifolia, 100, 102, 216
— clematitis, 95, 99
— concatenata, 82, 83, 97–102
— cordifolia, 102
— curvisiliqua, 65, 67, 68, 97, 147
— debilis, 96
— diphylla, 82, 97, 99–102
— dissecta, 81–84, 98–100, 102
— douglassii, 94, 100–102
— flagellaris, 95
— flagellifera, 95, 99, 100
— flexuosa, 96, 97, 102
— — subsp. *pensylvanica*, 95
— — × *Cardamine pratensis*, 102
— gambellii, 65, 67, 69
— graeca, 102
— × *haussknechtiana*, 102
— heterophylla, 99
— hirsuta, 96, 97, 102, 103, 143
— — var. *flexuosa*, 96

Cardamine *hirsuta* var. *pensylvanica*, 95
— — var. *virginica*, 143
— hugeri, 95
— impatiens, 96
— laciniata, 97
— — var. *multifida*, 82
— longii, 97, 98
— ludoviciana, 143
— × *maxima*, 99, 101, 102
— micranthera, 95
— multifida, 81, 82, 99, 233
— palustris, 101
— parviflora, 96, 143
— — subsp. *virginica*, 143
— — var. *arenicola*, 96
— — var. *parviflora*, 96
— pensylvanica, 67, 95, 103
— — var. *brittoniana*, 95
— pinnata, 100
— pratensis, 93, 100–102
— purpurea, 94
— rhomboidea, 87, 94, 100–102
— rotundifolia, 94, 95, 100, 103
— seidlitziana, 101
— teres, 149
— uniflora, 118
— virginica, 96, 143
Cardaminopsis, 134, 228, 229
— arenosa, 229
— lyrata, 132
Cardaminum, 145
Caroli-Gmelina, 145
Caryopteris parvifolia, 347
Castanea Sect. *Balanocastanon* (Fagaceae), Revision of, 25–49
Castanea, 25, 26, 34–38, 40
— sect. *Balanocastanon*, 25–49
— sect. *Castanea*, 25, 33, 37, 40, 47
— sect. *Eucastanon*, 25
— sect. *Hypocastanon*, 26
— alabamensis, 27, 43, 45
— × *alabamensis*, 27
— alnifolia, 26–28, 34, 36, 37, 41
— — subsp. *floridana*, 41
— — var. *alnifolia*, 31, 35, 36
— — var. *floridana*, 26, 27, 30, 35, 36, 41
— — var. *pubescens*, 41
— arkansana, 43, 45
— ashei, 27, 33, 36, 37, 42
— crenata, 31
— dentata, 25, 26, 28, 29, 31–35, 37–40, 43–47
— — × *Castanea alnifolia*, 45
— — × — var. *floridana*, 45
— — × — *floridana margareta*, 45

- Castanea dentata* × *Castanea pumila*, 45
 — *floridana*, 27, 28, 37, 41
 — — var. *angustifolia*, 42
 — — var. *arcuata*, 27, 42
 — — var. *margarettae*, 27, 42
 — *henryi*, 26
 — *margarettae*, 27, 42
 — — f. *dormonae*, 45
 — — var. *angustifolia*, 42
 — — var. *arcuata*, 42
 — *mollissima*, 26–31
 — *nana*, 41
 — × *neglecta*, 25, 27, 31, 37–40, 44–46
 — *ozarkensis*, 26, 27, 36, 37, 43, 45
 — — var. *arkansana*, 27, 43–45
 — — var. *ozarkensis*, 45
 — *paucispina*, 27, 34, 42
 — *pumila*, 25–29, 31–37, 40, 45–47
 — — subsp. *ashei*, 42
 — — var. *ashei*, 26, 27, 30, 35, 36, 42
 — — var. *margarettae*, 42
 — — var. *nana*, 41
 — — var. *ozarkensis*, 25–32, 35–40, 43–45, 47
 — — var. *pumila*, 25, 28–30, 32, 35–43, 47
 — — × *Castanea dentata*, 31
 — *sativa*, 31
 — *vilmoriniana*, 25
Casuarina, 331
Catchfly grass, 263
Chamaemeles, 404, 406, 407
Chamaepodium, 221
Chaunanthus, 116, 117
Cheiranthus, 117, 205, 206, 208
 — *capitatus*, 205
 — *cheiri*, 206
 — *hesperidoides*, 116
Cheiri, 205
Cheirinia, 205, 206
 — *cheiranthoides*, 206
 — *repanda*, 206
Chilocardamum, 221
Chimonobambusa quadrangularis, 244
China, A New Species of Neonauclea from Yunnan, 73–76
China, Nomenclatural Change for an Economically Important Plant from, 77–80
Chionanthus retusus, 284
Chloranthaceae: The Genus Hedyosmum in the West Indies, 51–63
Chloranthaceae, 51
Chorispermum, 199
Chorispora, 195, 198–201
 — *bungeana*, 199
Chorispora elegans, 200
 — *iberica*, 199
 — *persica*, 199
 — *sabulosa*, 200
 — *tenella*, 199, 200
Christolea, 86
Chusquea, 241
 — *abietiifolia*, 244
Clandestinaria, 145
Clausia, 202
Cochlearia, 163
 — *aquatica*, 162
 — *armoracia*, 161
 — — var. *aquatica*, 162
 — *rusticana*, 161
Coelophragmus, 221, 223
Coleus, 289
Conringia, 208
Corn mustard, 110
Cotoneaster, 404, 406, 407
Crambe, 153
Crataegus (Maloideae, Rosaceae) of the Southeastern United States, I. Introduction and Series Aestivales, 401–431
Crataegus, 401–431
 — subg. *Americanae*, 408
 — subg. *Crataegus*, 408
 — sect. *Aestivales*, 410
 — sect. *Azaroli*, 408
 — sect. *Crataegus*, 408
 — sect. *Oxyacantheae*, 408, 409
 — ser. *Aestivales*, 401, 408–411, 414, 417–425
 — ser. *Apiifoliae*, 408, 409
 — ser. *Bracteatae*, 409
 — ser. *Brainerdianae*, 402, 409
 — ser. *Brevispinae*, 408, 409
 — ser. *Coccineae*, 409
 — ser. *Cordatae*, 409
 — ser. *Crus-galli*, 409, 410
 — ser. *Dilatatae*, 409
 — ser. *Douglasianae*, 402, 409
 — ser. *Flavae*, 408–410
 — ser. *Intricatae*, 409
 — ser. *Macracantheae*, 409
 — ser. *Mexicanae*, 409
 — ser. *Microcarpae*, 409
 — ser. *Molles*, 409
 — ser. *Parvifoliae*, 409
 — ser. *Pruinosae*, 409
 — ser. *Pulcherrimae*, 409
 — ser. *Punctatae*, 409
 — ser. *Rotundifoliae*, 402, 409
 — ser. *Silvicolae*, 409
 — ser. *Suborbiculatae*, 402

- Crataegus* ser. *Tenuifoliae*, 409
 — ser. *Triflorae*, 409
 — ser. *Virides*, 408, 409
 — *aestivales*, 410–412, 414, 417, 419, 420, 422–426, 429
 — *cerasoides*, 420
 — *chrysocarpa*, 402
 — *columbiana*, 402
 — *crus-galli*, 403
 — *douglasii*, 402
 — *elliptica*, 422, 426
 — *erythropoda*, 402
 — *fruticosa*, 411
 — *laevigata*, 405
 — *lucida*, 422, 426
 — *luculenta*, 420, 423
 — *malooides*, 422, 423
 — *opaca*, 410, 411, 413–415, 417, 419, 420, 425–427, 429
 — *oxyacantha*, 405
 — *punctata*, 403
 — *rufula*, 410, 411, 414, 416, 417, 419–421, 425, 428, 429
 — *saligna*, 402
 — *tracyi*, 402
Creeping leafstalk grass, 252
Crinkleroot, 93
Cruciferae: Cardamine dissecta, a New Combination Replacing *Dentaria multifida*, 81–84
Cruciferae: A Reconsideration of Cardamine curvisiliqua and C. gambellii as Species of Rorippa, 65–71
Cruciferae, 65, 81, 93, 100–102, 121, 123, 128, 135, 151, 153, 163, 194, 195, 199, 207, 208, 214–216, 219, 222, 224, 228
 — tribe *Alysseae*, 124, 128, 214
 — tribe *Anchonieae*, 193–212, 214
 — tribe *Arabideae*, 85–166, 194, 214
 — tribe *Buniadeae*, 193
 — tribe *Cardamineae*, 86
 — tribe *Cheirantheae*, 193
 — tribe *Drabeae*, 86, 163
 — tribe *Erysimeae*, 193, 194
 — tribe *Euclidieae*, 194
 — tribe *Hesperideae*, 86, 117, 193–195, 214, 216
 — tribe *Lepidieae*, 124, 163, 214
 — tribe *Lunarieae*, 86
 — tribe *Matthioleae*, 86, 117, 193, 194
 — tribe *Selenieae*, 86, 128
 — tribe *Sisymbrieae*, 117, 194, 195, 213–237
 — — subtribe *Alliariinae*, 214
 — — subtribe *Descurainiinae*, 214, 235
Cruciferae subtribe *Alliariinae*, 219
 — subtribe *Arabidinae*, 219
 — subtribe *Cardamininae*, 117
 — subtribe *Parlatoriinae*, 219
Cruciferae; Brassicaceae: The Genera of Anchonieae (Hesperideae) in the Southeastern United States, 193–212
Cruciferae; Brassicaceae: The Genera of Arabideae in the Southeastern United States, 85–166
Cruciferae; Brassicaceae: The Genera of Sisymbrieae in the Southeastern United States, 213–237
Cryptospora, 194
Cuspidaria, 205
Cutgrass, 263
Cyathocalyx insularis, 278
 — *stenopetalus*, 278
Cynogeton, 2
Cyrtandra, 167
Dame's rocket, 201
Dame's violet, 201
Degeneria (Degeneriaceae) from the Fiji Archipelago, A New Species of, 275–280
Degeneria, 275–280
 — *roseiflora*, 276–279
 — *vitiensis*, 275–279
Degeneriaceae: A New Species of Degeneria from the Fiji Archipelago, 275–280
Degeneriaceae, 275
Deilosma, 201
Dendrocalamus, 243
Dentaria multifida (Cruciferae), Cardamine dissecta, a New Combination Replacing, 81–84
Dentaria, 81, 83, 92, 93, 97
 — *anomala*, 97
 — *bifolia*, 97
 — *concatenata*, 97
 — *diphylla*, 82, 97, 100
 — *dissecta*, 81, 82, 89
 — *douglassii*, 94
 — *furcata*, 82, 99
 — *heterophylla*, 99
 — — var. *multifida*, 82, 99
 — *incisa*, 97, 102
 — *incisifolia*, 102
 — *laciniata*, 82, 97, 100
 — — f. *albiflora*, 97
 — — f. *hexifolia*, 97
 — — var. *alterna*, 97
 — — var. *coalescens*, 97
 — — var. *integra*, 97
 — — var. *lasiocarpa*, 97

- Dentaria laciniata var. latifolia, 97
 — var. multifida, 82, 99
 — var. opposita, 97
 — maxima, 100
 — multifida, 81, 82, 99
 — rotundifolia, 94
Descurainia, 194, 214, 216, 218, 232–237
 — sect. *Descurainia*, 233
 — sect. *Seriphium*, 233
 — sect. *Sisymbriodendron*, 233
 — *andrenarum*, 234
 — *bourgaeana*, 235
 — *brachycarpa*, 234
 — *halictorum*, 234
 — var. *andrenarum*, 234
 — *irio*, 222
 — *kochii*, 233
 — *multifida*, 233
 — *multifoliata*, 233
 — *obtusa*, 235
 — *pinnata*, 81, 215, 233–236
 — subsp. *brachycarpa*, 234
 — subsp. *halictorum*, 234
 — subsp. *intermedia*, 234
 — subsp. *pinnata*, 234
 — var. *brachycarpa*, 234
 — var. *halictorum*, 234
 — *richardsonii*, 235
 — *sophia*, 233–235
 — *sophioides*, 233
 — *virletii*, 235
Diceratella, 195
Dichotomanthes, 404, 406, 407
Dichroanthus, 205
Dictyosperma, 145
Dimitria, 221
Diptychocarpus, 199
Discurea, 233
Dontostemon, 194
Draba, 130
Drabopsis, 88, 228
Dracaena, 4
Dracamine, 93
Dryopetalon runcinatum, 223
- Elaeocarpaceae*, 279
Elaeocarpus laurifolius, 279
 — *subcapitatus*, 279
Elatostema comptonioides, 278
 — *filicoides*, 278
Elsholtzia javanica, 330
 — *lychnitis*, 293
Endospermum, 279
 — *macrophyllum*, 279
- Endospermum robbieanum*, 279
Eriocaulon nudicuspe, 283
Ermania, 86
Erysimastrum, 205
Erysimum, 112, 117, 194, 195, 198, 204–212, 215, 224
 — sect. *Cheiranthus*, 208
 — *alliaria*, 218, 219
 — *arcuatum*, 111
 — *asperum*, 206
 — *barbarea*, 110, 111
 — *capitatum*, 205, 207, 208
 — subsp. *capitatum*, 206
 — *cheiranthoides*, 205, 206, 208
 — *cheiri*, 206–208
 — *cornithum*, 208
 — *cuspidatum*, 207
 — *hieraciifolium*, 207
 — *inconspicuum*, 206, 207
 — *insulare*, 208
 — *lyratum*, 132
 — *officinale*, 205, 222
 — *parviflorum*, 206
 — *pinnatum*, 233
 — *praecox*, 111
 — *repandum*, 206–208
 — *rigidum*, 206
 — *senoneri*, 208
 — *vernun*, 111
Eugenia, 170, 179, 184, 186
 — *amicorum*, 187, 190
 — *brevifolia*, 174, 175
 — *carolinensis*, 189
 — *clusiaeefolia*, 178
 — *corynocarpa*, 190
 — *crosbyi*, 187, 188
 — *curvistyla*, 188
 — *dealata*, 177
 — *effusa*, 172, 174, 186
 — *inophylloides*, 187
 — *jambos*, 183
 — *javanica*, 180
 — *malaccensis*, 181
 — *neurocalyx*, 182
 — *oreophila*, 174
 — *ponapensis*, 189
 — *reinwardtiana*, 170
 — *richii*, 184, 189
 — *rubescens*, 189
 — *samoensis*, 179, 180
 — *savaiiensis*, 184, 185
 — *tutuilensis*, 184, 185
Eulalia speciosa, 283
Euphorbiaceae, 185, 279
Eutrema, 219

- Fagaceae: Revision of *Castanea* Sect. *Balanocastanon*, 25-49
- Fagaceae, 35
- subfam. *Castaneoideae*, 32, 35
- Fagus* *dentata*, 26
- *pumila*, 26, 40, 41
 - — var. *praecox*, 41
 - — var. *serotina*, 41
 - — f. *chinkapin*, 41
- Fallopia nervosa*, 77, 79
- Farsetia*, 128
- Festuca*, 254
- Fiji Archipelago, A New Species of *Degeneria* (*Degeneriaceae*) from the, 275-280
- Fourraea*, 130
- Garlic mustard, 218
- Genera of *Anchonieae* (*Hesperideae*) (*Cruciferae*; *Brassicaceae*) in the Southeastern United States, The, 193-212
- Genera of *Arabideae* (*Cruciferae*; *Brassicaceae*) in the Southeastern United States, The, 85-166
- Genera of *Bambusoideae* (*Gramineae*) in the Southeastern United States, The, 239-273
- Genera of *Sisymbrieae* (*Cruciferae*; *Brassicaceae*) in the Southeastern United States, The, 213-237
- Genus *Hedyosmum* (*Chloranthaceae*) in the West Indies, The, 51-63
- Geococcus*, 216
 - Gesneriaceae*, 167
 - Ghinia*, 93
 - Giant cutgrass, 270
 - Glochidion gillespiei*, 279
 - *multilobum*, 279
- Gramineae: The Genera of *Bambusoideae* in the Southeastern United States, 239-273
- Gramineae, 256
 - subfam. *Bambusoideae*, 239-273
 - — tribe *Bambuseae*, 240, 250
 - — — subtribe *Arundinariinae*, 241
 - — — subtribe *Bambusinae*, 241, 242
 - — — subtribe *Dendrocalaminae*, 241, 242
 - — — subtribe *Melocanninae*, 242
 - — — subtribe *Phyllostachyinae*, 241
 - — tribe *Brachyelytreae*, 240, 253
 - — tribe *Oryzeae*, 240, 242, 244, 255, 264
 - — — subtribe *Luziolinae*, 243, 270
 - — — subtribe *Oryzinae*, 243, 255
 - — — subtribe *Zizaniinae*, 243, 265
- Gramineae subfam. *Bambusoideae* tribe
- Phareae*, 240, 244, 252
 - — tribe *Zizanieae*, 242
 - subfam. *Oryzoideae*, 240, 242
 - subfam. *Panicoideae*, 241
 - subfam. *Pooideae*, 240
 - tribe *Arundinarieae*, 240
 - tribe *Festuceae*, 254
 - tribe *Poeae*, 254
 - tribe *Stipeae*, 240
 - tribe *Streptogyneae*, 240
- Grewia microcos*, 77, 79
- Guadua*, 241
- Halimolobos*, 228
- Haloragaceae*, 162
- Hedge mustard, 222
- Hedyosmum* (*Chloranthaceae*) in the West Indies, the Genus, 51-63
- Hedyosmum*, 51-63
 - subg. *Hedyosmum*, 51
 - subg. *Tafalla*, 51
 - *arborescens*, 51-54, 61-63
 - *brenesii*, 52, 56
 - *costaricense*, 63
 - *crassifolium*, 60, 61
 - *cubense*, 59
 - *domingense*, 51, 53, 57-59
 - — var. *cubense*, 51, 54, 58-60
 - — var. *domingense*, 58-60
 - *elegans*, 61
 - *gentryi*, 63
 - *grisebachii*, 51, 53, 56, 57, 59-61
 - *leonis*, 52, 56, 57
 - *nutans*, 51-56
 - *orientale*, 51, 52, 57
 - *subintegrum*, 51, 53, 54, 57, 60, 61
- Hesperidanthus*, 194
- Hesperideae (*Anchonieae*) (*Cruciferae*; *Brassicaceae*) in the Southeastern United States, The Genera of, 193-212
- Hesperis*, 117, 194, 198, 201-204
- sect. *Deliosma*, 202
 - sect. *Hesperidium*, 202
 - sect. *Hesperis*, 202
 - *matronalis*, 201-203
 - *ovata*, 202
 - *pinnatifida*, 116
 - *sophia*, 234
 - *sylvestris*, 202
 - *tristis*, 203
- Hesperomeles*, 404, 406, 407
- Heterocarpus*, 93
- Homalocenchrus*, 263

- Homalocheilos, 291
 — ramosissimum, 331
- Horseradish, 161
- HU, SHIU YING. Nomenclatural Change for an Economically Important Plant from China, 77–80
- Hugueninia, 235
- Hydrochloa, 271, 272
 — carolinensis, 272
 — — var. oconnorii, 272
 — fluitans, 272
- Hylandra, 227, 229
- Hyssopus lophanthoides, 334
- Idahoa, 121, 128
- Iodanthus, 92, 116, 117, 194, 202
 — acuminatus, 117
 — dentatus, 133
 — hesperidoides, 116
 — mexicanus, 117
 — petiolatus, 117
 — pinnatifidus, 87, 116
- Irio, 221
- Isodon (Labiatae), Taxonomic Review of, 289–400
- Isodon, 289–400
 — sect. Amethystoides, 292, 299
 — sect. Isodon, 292, 297, 307
 — — ser. Coetsae, 308, 367
 — — ser. Excisi, 307, 317
 — — ser. Gerardiani, 308, 319
 — — ser. Longitubi, 307, 308
 — — ser. Macrocalyces, 305, 308, 377
 — — ser. Megathyrsi, 304, 308, 373
 — — ser. Pleiophylli, 308, 353
 — — ser. Rugosi, 308, 336, 337
 — — ser. Scrophularioidei, 308, 384, 385
 — — ser. Setschwanenses, 308, 360, 361
 — sect. Melissooides, 292, 388, 389
 — sect. Pyramidium, 292, 364
 — adenanthus, 369, 389, 394
 — adenolomus, 337, 339, 340
 — albopilosus, 377, 380, 381
 — alborubrus, 374
 — amethystoides, 299, 301, 302, 350, 376
 — angustifolius, 301, 327, 361, 365
 — — var. angustifolius, 365, 366
 — — var. glabrescens, 366
 — anisochilus, 370
 — assamicus, 389, 393, 394
 — barbeyanus, 361, 362
 — bifidocalyx, 383
 — brachythrysus, 363
 — brevicalcaratus, 389, 392, 393
 — brevifolius, 292, 296, 297
- Isodon bulleyanus, 290, 310, 314, 316
 — calciculus, 319, 322, 327
 — — var. calciculus, 314, 322, 323
 — — var. subcalvus, 322, 323
 — calycinus, 292, 293, 295
 — capillipes, 319, 326
 — cavaleriei, 371
 — chionanthus, 363
 — coetsa, 367, 368, 370–372
 — — var. cavaleriei, 370, 371
 — — var. coetsa, 369–371
 — coetsoides, 370
 — daitonensis, 301
 — dawoensis, 337, 343
 — dhankutanus, 320, 329–331
 — dichromophyllus, 349
 — discolor, 347
 — drogotschiensis, 362
 — effusus, 308, 311
 — enanderianus, 292, 294–297
 — eriocalyx, 292, 294, 297, 299
 — excisoides, 305, 377–379, 382
 — excisus, 317–319, 379
 — — var. racemosus, 377
 — flabelliformis, 384–387
 — flavidus, 319–322, 372
 — flexicaulis, 353, 354
 — forrestii, 308, 312, 313, 374, 376
 — gesneroides, 308, 311, 312
 — gibbosus, 389–391
 — glaucocalyx, 307
 — — var. japonicus, 306
 — glutinosus, 345, 353, 355
 — grandifolius, 337, 341
 — — var. atuntzeensis, 341, 342
 — — var. grandifolius, 341, 342
 — grosseserratus, 377, 380–382
 — henryi, 304, 373, 376
 — hians, 319, 328, 329
 — hirtellus, 337, 348, 349
 — hispidus, 320, 333, 334
 — inflexus, 299, 303–305
 — — var. canescens, 304
 — — var. microphyllus, 304
 — interruptus, 361, 362
 — irroratus, 308, 313–316
 — japonicus, 300, 303, 306
 — — var. glaucocalyx, 306, 307
 — — var. japonicus, 306, 307
 — javanicus, 320, 330, 331, 333
 — kangtingensis, 384, 386
 — koroensis, 301
 — kunmingensis, 361
 — kurzii, 367, 368
 — lasiocarpus, 305

- Isodon latiflorus*, 385
 — *latifolius*, 385, 387, 388
 — *leucophyllus*, 337–340
 — *liangshanicus*, 377, 383
 — *lihsienensis*, 337, 344
 — *longitubus*, 308–311
 — — var. *intermedius*, 379
 — *lophanthoides*, 320, 330–335
 — — var. *gerardianus*, 319, 331, 335, 336
 — — var. *graciliflorus*, 321, 335, 336
 — — var. *lophanthoides*, 335, 336
 — — var. *micranthus*, 335, 336
 — *loxothyrus*, 337, 345, 350, 351
 — *lungshengensis*, 389–392
 — *macrocalyx*, 309, 377, 383, 384
 — *macrophyllus*, 317, 318
 — *maddeni*, 370
 — *medilungensis*, 353, 355, 356
 — *megathyrsus*, 302, 373–375, 388
 — — var. *megathyrsus*, 375
 — — var. *strigosissimus*, 375, 376
 — *melissiformis*, 392
 — *melisooides*, 389, 392, 394
 — *mucronatus*, 353, 357
 — *muliensis*, 360–364
 — *namikawanus*, 353, 358, 359
 — *nervosus*, 299–301, 323, 327, 366
 — *nigrescens*, 319, 327–329
 — *nigropunctata*, 333, 334
 — *nilgherricus*, 319, 324–326
 — *oresbius*, 337, 339, 342, 343
 — *pantadenius*, 292, 298, 299
 — *parvifolius*, 337, 347, 348
 — *pharicus*, 315, 353, 356–358
 — *phyllopodus*, 367, 369, 372
 — *phylostachys*, 292, 294, 298, 364
 — *plectranthoides*, 341
 — *pleiophyllum*, 353, 354, 357–359, 365
 — — var. *dolichodens*, 359, 360, 365
 — — var. *pleiophyllum*, 359, 360
 — *pluriflorus*, 370
 — *polystachys*, 370
 — *pseudo-irroratus*, 356
 — *pulchokiensis*, 320, 332
 — *racemosus*, 377, 378
 — *ramosissimus*, 320, 331, 332
 — *repens*, 367, 368
 — *ricinispermus*, 349
 — *rivularis*, 320, 329
 — *rosthornii*, 290, 305, 309, 377, 382
 — *rubescens*, 337, 349, 350, 376
 — *rugosiformis*, 338, 351–353
 — *rugosus*, 291, 337, 340, 341, 343, 351, 353, 357
 — *scoparius*, 314, 361, 363
 — *scrophularioides*, 384–387
 — — *sculponeatus*, 373, 374
 — — *secundiflorus*, 367, 372, 373
 — — *serra*, 300, 303, 305, 306
 — — *setschwanensis*, 314, 339, 360, 361, 364–366
 — — *shikokianus*, 305, 377, 379, 380
 — — — var. *intermedius*, 379
 — — — var. *occidentalis*, 379
 — — *shimizuanus*, 333
 — — *silvaticus*, 354, 358, 359
 — — *smithianus*, 337, 344, 346, 347
 — — *stenodontus*, 365
 — — *stracheyi*, 323
 — — — var. *veronicifolius*, 323
 — — *striatus*, 334
 — — *taliensis*, 364
 — — *tenuifolius*, 337, 345–348
 — — *ternifolius*, 292–295, 297, 298
 — — *teysmannii*, 320, 332, 333
 — — *trichocarpus*, 299, 303, 307
 — — *volkensianus*, 335
 — — *walkeri*, 319, 321, 323, 324, 329, 392
 — — *wardii*, 310, 315, 316
 — — *websteri*, 299, 302
 — — *weisiensis*, 385, 387, 388
 — — *wightii*, 319, 325, 326
 — — *wikstroemioides*, 337, 344–346
 — — *xerophilus*, 337, 345, 351, 352
 — — *yuennanensis*, 319, 321, 326, 327
- Jambosa formosa*, 182
 — *malaccensis*, 181
- JOHNSON, GEORGE P. Revision of *Castanea*
 Sect. *Balanocastanon* (Fagaceae), 25–49
- Juncaginaceae in the Southeastern United States, The, 1–23
- Juncaginaceae, 1–23
- Juncagine, 1
- Juncago, 2
- Juniperus virginiana*, 121
- Kardamoglyphos, 145
- Kibera, 221
- Kladnia, 201
- Labiatae: Taxonomic Review of *Isodon*, 289–400
- Lasiacis, 241
- Leavenworthia, 86, 91, 118–126, 128
 — *alabamica*, 120–124
 — — var. *alabamica*, 120
 — — var. *brachystyla*, 120, 124

- Leavenworthia aurea*, 118, 120, 123
 — *crassa*, 120, 122–124
 — — var. *crassa*, 120
 — — var. *elongata*, 120
 — *exigua*, 120, 121, 123, 124
 — — var. *exigua*, 120, 123
 — — var. *laciiniata*, 120
 — — var. *lutea*, 120, 123
 — *michauiii*, 119
 — *stylosa*, 119–124
 — — × *Leavenworthia exigua*, 124
 — *texana*, 118, 120, 123
 — *torulosa*, 119, 121, 123, 124
 — *uniflora*, 118, 119, 121–124
Leersia, 243, 244, 249, 256, 262–265
 — sect. *Hexandrae*, 263
 — sect. *Leersia*, 263, 264
 — *hexandra*, 263, 264
 — *lenticularis*, 264
 — *ligularis*, 264
 — *monandra*, 264
 — *nebraskensis*, 264
 — *oryzoides*, 243, 263, 264
 — *sayanuka*, 243
 — *triandra*, 263
 — *virginica*, 264
Leptaspis, 240
Leptocarpa, 221
Leucas barbeyana, 362
Li, HSI-WEN. Taxonomic Review of *Isodon* (Labiatae), 289–400
Lilaea, 2, 3
Lilaeaceae, 2
Liliaceae, 3
 — tribe *Heloneiae*, 3
Lobularia, 124
Lonchophora, 195
Loxostemon, 88, 93, 100, 121
Lunaria, 127, 128
Luziola, 240, 243, 249, 270–273
 — sect. *Caryochloa*, 270
 — *alabamensis*, 272
 — *bahiensis*, 272
 — *fluitans*, 272
 — — var. *fluitans*, 272
 — — var. *oconnorii*, 272
 — *fragilis*, 272
 — *peruviana*, 271, 272
 — *pittieri*, 272
 — *spruceana*, 272
Luzula, 271

Macaranga magna, 279
 — *membranacea*, 279

Magnolia tomentosa: Star Magnolia—an Indigenous Japanese Plant, 281–288
Magnolia, 281, 282
 — *kobus*, 282
 — *praecocissima*, 281–283
 — *pseudokobus*, 282, 283
 — *sieboldii* subsp. *japonica*, 281
 — *stellata*, 281
 — *tomentosa*, 281–288
Malcolmia, 194, 202
Maloideae, Rosaceae: Crataegus of the Southeastern United States, I. Introduction and Series Aestivales, 401–431
Maresia, 194
Marsh-millet, 270
Mathewsia, 194
Matthiola, 194, 195
 — *longipetala*, 194
Maundia, 2–4
 — *triglochinoides*, 2
Melocanna, 242–244
 — *baccifera*, 242
 — *bambusoides*, 244
Melochia grayana, 279
 — *mollipila*, 279
Memecylon, 175
Mespilus, 404, 406, 407
 — *aestivalis*, 420, 426
Metasequoia, 282
Micrantha, 201
Microcos, 77, 78
 — *nervosa*, 77, 79, 80
 — *paniculata*, 77–79
Microsismymbrium, 228
MILLER, JOHN M. A New Species of *Degeneria* (*Degeneriaceae*) from the Fiji Archipelago, 275–280
Mitophyllum, 205
Morettia, 195
Morisia monanthos, 216
Mostacillastrum, 221
Mouse-ear cress, 228
Muhlenbergia erecta, 253
Murbeckiella, 228
Myrtaceae: A Revision of *Syzygium* in Samoa, 167–192
Myrtus samarangensis, 180

Narthecium, 3
Nasturtium, 65, 67, 87, 143, 145, 146, 149, 163
 — sect. *Cardaminum*, 67
 — *armoracia*, 161
 — *atrovirens*, 148

- Nasturtium* *gambellii*, 69
 — *heterophyllum*, 148
 — *indicum*, 148
 — *lacustre*, 162
 — *limosum*, 149
 — *microphyllum*, 147
 — *montanum*, 148
 — *natans* var. *americanum*, 162
 — *officinale*, 67, 68, 146
 — *sessiliflorum*, 149
 — *sinapis*, 148
 — *sinuatum*, 149
 — *stylosum*, 69, 147
 — *sylvestre*, 148
 — *tanacetifolium*, 149
 — *trachycarpum*, 149
 — *uniseriatum*, 68
Neobechia, 161
 — *aquatica*, 162
Neonauclea (Rubiaceae) from Yunnan, China, A New Species of, 73–76
Neonauclea, 73–76
 — *griffithii*, 73, 75, 76
 — *lanceolata*, 75, 76
 — *navillei*, 73
 — *reticulata*, 73, 76
 — *sessilifolia*, 73, 76
 — *tsaiana*, 73–76
Neotorularia, 216, 228
Neviusia, 44
 — *alabamensis*, 44
New Species of Degeneria (Degeneriaceae) from the Fiji Archipelago, A, 275–280
New Species of Neonauclea (Rubiaceae) from Yunnan, China, A, 73–76
Nomenclatural Change for an Economically Important Plant from China, 77–80
Norta, 221
 — *altissima*, 222
 — *irio*, 222
Notoceras, 194
Ochlandra, 240
Ocimum inflexus, 303
Oclorosis, 116
Orthosiphon bodinieri, 334
 — *glabrescens*, 334
Oryza, 243, 244, 249, 255–263
 — sect. *Coarctatae*, 257
 — sect. *Euoryza*, 256
 — sect. *Granulatae*, 256
 — sect. *Officinalis*, 256
 — sect. *Oryza*, 256
Oryza sect. *Oryza* ser. *Latifoliae*, 256
 — — ser. *Oryza*, 256
 — — sect. *Ridleyanae*, 256
 — — sect. *Sativae*, 256
 — — *abromeitiana*, 256
 — — *alta*, 256
 — — *barthii*, 256
 — — *coarctata*, 257
 — — *exasperata*, 257
 — — *glaberima*, 256, 258
 — — *grandiglumis*, 256
 — — *latifolia*, 256
 — — *longiglumis*, 256
 — — *longistaminata*, 256
 — — *meridionalis*, 256
 — — *meyeriana*, 256, 257
 — — — subsp. *granulata*, 256
 — — — subsp. *meyeriana*, 256
 — — *minuta*, 256
 — — *punctata*, 256
 — — *ridleyi*, 256
 — — *rufipogon*, 256–258
 — — *sativa*, 243, 255–258
 — — — subsp. *indica*, 257, 258
 — — — subsp. *japonica*, 257, 258
 — — — subsp. *javanica*, 257, 258
 — — — subsp. *sativa*, 257, 258
 — — *stapfii*, 256
Osteomeles, 404, 406, 407
Pachypodium, 221
Padia, 256
Pallavicinia, 218
Pareugenia oligadelphum, 185
Parlatoria, 219
Parolinia, 195
Parrya, 86, 194, 195, 202
 — *nudicaulis*, 194, 195
Pegaeophyton, 88, 121
Pepperroot, 93
Phalarus oryzoides, 263
Pharus, 240, 244, 249, 252, 253
 — *glaber*, 252
 — *lappulaceus*, 240, 252, 253
 — *latifolus*, 244, 252
HIPPS, J. B. *Crataegus* (Maloideae, Rosaceae) of the Southeastern United States, I. Introduction and Series *Aestivales*, 401–431
Phoenicaulis, 112
Phyllostachys, 241, 242, 249
 — *aurea*, 241, 243
 — *leptobotrys*, 370
 — *meyeri*, 241

- Picea, 375
 Pilosella, 227
 Pinus, 375
 Pirea, 145
 Planodes, 142
 — virginicum, 143
 Platyspermum, 121, 128
 Plectranthus, 289, 291
 — subg. Isodon sect. Euisodon, 307, 388
 — sect. Amethystoides, 291, 299
 — sect. Isodon, 291, 307
 — sect. Melissoides, 291, 388
 — sect. Pyramidium, 291, 292
 — ser. Coetsae, 367
 — ser. Gerardiani, 317, 319
 — ser. Rugosi, 336
 — ser. Scrophularioidei, 384
 — adenanthus, 394
 — adenolomus, 340
 — amethystoides, 301
 — angustifolius, 300, 365
 — assamicus, 393
 — benthamianus, 330
 — bifidocalyx, 383
 — brandisii, 323
 — brevifolius, 296
 — buergeri, 306
 — bulleyanus, 316
 — calciculus, 322
 — — var. subcalvus, 323
 — calycinus, 293
 — capillipes, 326
 — cavaleriei, 371
 — chenmui, 372
 — chienii, 333
 — coetsa, 368
 — — var. cavaleriei, 371
 — coreanus, 304
 — daitonensis, 301, 302
 — dawoensis, 343
 — dichromophyllus, 349
 — diffusus, 330
 — discolor, 347
 — drogotschiensis, 362
 — drosocarpus, 384
 — dubius, 301
 — effusus, 311
 — enanderianus, 295
 — eriocalyx, 297
 — esquirolii, 334
 — excisoides, 378
 — excisus, 318, 368, 376–378
 — — var. racemosus, 377
 — — var. shikokianus, 379
 Plectranthus fangii, 335
 — flavidus, 320
 — forrestii, 312
 — fruticosus, 290
 — gerardianus, 319, 336
 — — var. graciliflorus, 336
 — gesneroides, 311
 — glaucocalyx, 307
 — — var. japonicus, 306
 — graciliflorus, 336
 — grandifolius, 341
 — grosseserratus, 381
 — henryi, 376
 — hians, 328
 — hirtellus, 348
 — hispidus, 333
 — hosseusii, 293
 — inconspicuus, 303
 — inflexus, 303
 — — var. canescens, 304, 305
 — — var. macrophyllus, 303, 305
 — — var. microphyllus, 304, 305
 — intermedius, 330
 — irroratus, 313
 — japonicus, 306
 — — var. glaucocalyx, 307
 — javanicus, 330
 — kurzii, 368
 — lasiocarpus, 305
 — leucanthus, 372
 — leucophyllus, 338
 — longitubus, 310
 — — var. contracta, 310
 — — var. effusa, 311
 — — var. intermedius, 379
 — loxothrysus, 350
 — macraei, 371
 — macranthus, 289
 — macrocalyx, 383
 — maddeni, 370, 371
 — mairei, 371
 — maximowiczii, 306
 — megathyrsus, 374
 — melissoides, 392
 — menthooides, 330, 370, 371
 — moslifolius, 297, 300
 — muliensis, 363
 — nepetaefolius, 325
 — nervosus, 300, 305
 — nigrescens, 327
 — nilgherricus, 324
 — oresbius, 342
 — pachythrysus, 338, 340
 — pantadenius, 298

- Plectranthus parvifolius*, 347
 — *pekinensis*, 301
 — *pharicus*, 356
 — *phyllopus*, 372
 — *phyllostachys*, 298
 — *pleiophyllus*, 359
 — *polystachys*, 370
 — *provicarii*, 316
 — *pulneyensis*, 325
 — *racemosus*, 377
 — *ramosissimus*, 331
 — *repens*, 367
 — *ricinispermus*, 349, 376
 — *rivularis*, 329
 — *rosthornii*, 382
 — *rubescens*, 349
 — *rufescens*, 330
 — *rugosiformis*, 298, 352
 — *rugosus*, 291, 340, 341, 350
 — *salicarius*, 300
 — *scrophularioides*, 385
 — *sculponeatus*, 374
 — *serra*, 305
 — *setschwanensis*, 364
 — *shikokianus*, 379
 — *sinensis*, 301
 — *smithianus*, 346
 — *stenophyllus*, 300
 — *stocksii*, 334
 — *stracheyi*, 300, 323
 — *striatus*, 323, 334, 336
 — — var. *gerardianus*, 336
 — — var. *graciliflorus*, 336
 — *tatei*, 336
 — *tenuifolius*, 348
 — *ternifolius*, 293
 — *teysmannii*, 332
 — *thiothrysus*, 338, 340
 — *trichocarpus*, 303
 — *umbrosus*, 364
 — *veronicifolius*, 323
 — *volkensianus*, 335
 — *walkeri*, 323
 — *wardii*, 315
 — *websteri*, 302
 — *wightii*, 325
 — *wikstroemioides*, 344
 — *yuennanensis*, 326
 — *zollingeri*, 333
Pleoblastus, 241
 — *simonii*, 251
Pleurophragma, 112
Polyalthia amoena, 278
 — *angustifolia*, 278
 — *Porphyrocodon*, 93
Posidoniaceae, 3
Potamogeton, 3
Potamogetonaceae, 3, 4
Proserpinaca palustris, 162
Prunus, 426
Pseudobromus, 254
Pseudocamelina, 194
Pseudosasa, 241, 249
 — *japonica*, 241
Pseudovesicaria, 121
Psychotria, 167
Pteroneurum, 93
Purple rocket, 116
Pycnoplinthopsis, 194
Pycnoplithus, 194
Pyracantha, 404—407
Pyramidium, 195
 — *Quercus*, 375
 — subg. *Quercus*, 34
 — *myrtifolia*, 41
 — *Rabdosia*, 289, 291
 — sect. *Pleiophyllae*, 353
 — ser. *Excisae*, 317
 — ser. *Kangtingenses*, 384
 — ser. *Longitubae*, 308
 — ser. *Macrocalyces*, 377
 — ser. *Megathyrsae*, 373
 — ser. *Mulienses*, 360
 — ser. *Setschwanenses*, 360
 — *adenantha*, 394
 — *adenoloma*, 340
 — *albopilosa*, 380
 — *alborubra*, 374
 — *amethystoides*, 301
 — *angustifolia*, 365
 — — var. *glabrescens*, 366
 — *anisochila*, 370, 371
 — *assamica*, 393
 — *bifidocalyx*, 383
 — *brachythrysa*, 363, 364
 — *brevicalcarata*, 392
 — *brevifolia*, 296
 — *bulleyana*, 316
 — — var. *foliosa*, 316
 — *calcicola*, 322
 — — var. *subcalva*, 323
 — *capillipes*, 326
 — *chionantha*, 363, 364
 — *coetsa*, 368
 — — var. *cavaleriei*, 371
 — *coetsoides*, 370

- Rabdodia daitonensis*, 301
 — *dawoensis*, 343
 — *dhankutana*, 329
 — *dichromophylla*, 349
 — *drogotschiensis*, 362
 — *effusa*, 311
 — *enanderiana*, 295
 — *eriocalyx*, 297
 — — var. *laxiflora*, 297
 — *excisa*, 318
 — *excisoides*, 378
 — *fangii*, 335
 — *flabelliformis*, 386
 — *flavida*, 320
 — *flexicaulis*, 354
 — *forrestii*, 312
 — — var. *intermedia*, 312, 313
 — *gesneroides*, 311
 — *gibbosa*, 389
 — *glutinosa*, 355
 — *grandifolia*, 341
 — — var. *atuntzensis*, 342
 — *grosseserrata*, 381
 — *henryi*, 376
 — *hirtella*, 348
 — *hispida*, 333
 — *inflexa*, 303
 — — var. *macrophylla*, 303
 — *interrupta*, 361
 — *irrorata*, 313
 — — var. *crenata*, 313, 315
 — — var. *longipes*, 313, 315
 — — var. *rungshiaensis*, 313, 315
 — *japonica*, 306
 — — var. *glaucocalyx*, 307
 — *javanica*, 330
 — *kangtingensis*, 386
 — *koroensis*, 301
 — *kunmingensis*, 361
 — *lasiocarpa*, 305
 — *latiflora*, 385, 386
 — *latifolia*, 387
 — *leucophylla*, 338
 — *liangshanica*, 383
 — *lihsienensis*, 344
 — *longituba*, 310
 — — var. *contracta*, 310
 — *lophanthoides*, 334
 — — var. *gerardiana*, 336
 — — var. *graciliflora*, 336
 — — var. *micrantha*, 336
 — *loxothyrsa*, 350
 — *lungshengensis*, 391
 — *macrocalyx*, 383
 — *Rabdodia macrophylla*, 317
 — — *maddeni*, 370
 — — *medilungensis*, 355
 — — *megathyrsa*, 375
 — — — var. *strigosissima*, 375
 — — *megathyrsoides*, 370, 371
 — — *melissiformis*, 392
 — — *melissoides*, 392
 — — *menthoides*, 370
 — — *mucronata*, 357
 — — *muliensis*, 363
 — — *namikawana*, 358
 — — *nervosa*, 300
 — — *nigrescens*, 327
 — — *nilgherrica*, 324
 — — *oresbia*, 342
 — — *pachythysa*, 338
 — — *pantadenia*, 298
 — — *parvifolia*, 347
 — — *pharica*, 356
 — — *phyllopoda*, 372
 — — *phyllostachys*, 298
 — — — var. *leptophylla*, 298
 — — *pleiophylla*, 359
 — — — var. *dolichodens*, 360
 — — *pluriflora*, 370, 371
 — — *polystachys*, 370, 371
 — — — var. *phyloides*, 370, 371
 — — *provincaria*, 316
 — — *pseudo-irrorata*, 356, 357
 — — — var. *centellaefolia*, 356, 357
 — — *pulchokiensis*, 332
 — — *racemosa*, 377
 — — *repens*, 367
 — — *ricinisperma*, 349
 — — *rivularis*, 329
 — — *rosthornii*, 382
 — — *rubescens*, 349
 — — *rugosa*, 340
 — — *rugosiformis*, 352
 — — *scoparia*, 363
 — — *scrophularioides*, 385
 — — *sculponeata*, 374
 — — *secundiflora*, 372
 — — *serra*, 305
 — — *setschwanensis*, 364
 — — — var. *yungshengensis*, 364, 365
 — — *shikokiana*, 379
 — — — var. *occidentalis*, 379
 — — *shimizuana*, 333, 334
 — — *silvatica*, 358
 — — *sinuolata*, 356, 357
 — — *smithiana*, 346
 — — *stenodonta*, 365, 366

- Rabdossia stenophylla*, 300
 — stracheyi, 323
 — taiwanensis, 384
 — taliensis, 364, 365
 — tenuifolia, 348
 — ternifolia, 293
 — thiothyrsa, 338
 — trichocarpa, 303
 — walkeri, 323
 — wardii, 315
 — websteri, 302
 — weisiensis, 388
 — wightii, 325
 — wikstroemioides, 344
 — xerophila, 351
 — yuennanensis, 326
- Rabdosiella*, 291
 — calycina, 293
 — ternifolia, 293
- Radicula*, 145
 — aquatica, 162
 — armoracia, 161
 — heterophylla, 148
 — limosa, 149
 — sessiliflora, 149
 — sinuata, 149
 — sylvestris, 148
 — trachycarpa, 149
- Raphanis*, 161
- Raphanolobus*, 218
- Raphanus sativus*, 161
 — tenellus, 199
- Reconsideration of *Cardamine curvisiliqua* and *C. gambellii* as Species of *Rorippa* (Cruciferae), A, 65–71
- Redowskia*, 235
- Rettbergia*, 241
- Revision of *Castanea* Sect. *Balanocastanon* (Fagaceae), 25–49
- Revision of *Syzygium* (Myrtaceae) in Samoa, A, 167–192
- Rhammatophyllum*, 205
- Rice*, 255
- Ricotia*, 128
- Robeshia*, 235
- Rockcress*, 130
- Rocket*, 110, 222
- ROLLINS, REED C., and IHSAN A. AL-SHEHBAZ.
 A Reconsideration of *Cardamine curvisiliqua* and *C. gambellii* as Species of *Rorippa* (Cruciferae), 65–71
- Rorippa* (Cruciferae), A Reconsideration of *Cardamine curvisiliqua* and *C. gambellii* as Species of, 65–71
 Rorippa, 65–69, 86–88, 92, 97, 100, 112, 143–160, 163
 — sect. *Brachylobos*, 146
 — sect. *Cardaminum*, 65, 146
 — sect. *Clandestinaria*, 146, 149
 — sect. *Kardamoglyphos*, 146
 — sect. *Rorippa*, 146, 149
 — sect. *Sinuatae*, 146
 — africana, 146
 — americana, 162
 — amphibia, 151–153
 — aquatica, 162
 — armoracia, 161
 — atrovirens, 148
 — austriaca, 151–153
 — barbareifolia, 151, 152
 — benghalensis, 152
 — crystallina, 153
 — curvisiliqua, 69
 — floridana, 65–69, 146, 147, 152, 153
 — gambellii, 65–69, 146
 — gigantea, 65, 69
 — heterophylla, 148
 — indica, 148, 151–153
 — — var. *apetala*, 148
 — — var. *indica*, 148
 — islandica, 151
 — — subsp. *fernaldiana*, 150
 — — var. *dogadovae*, 151
 — — var. *fernaldiana*, 150
 — — var. *islandica*, 151
 — laurentii, 65
 — microphylla, 66–69, 147, 151–153
 — montana, 148
 — nasturtium, 146
 — nasturtium-aquaticum, 66–69, 87, 88, 113, 146, 147, 152, 153, 221
 — — × *Rorippa microphylla*, 152
 — palustris, 150–153
 — — subsp. *fernaldiana*, 150, 151
 — — subsp. *glabra* var. *fernaldiana*, 150
 — — subsp. *hispida*, 150
 — portoricensis, 150
 — ramosa, 149
 — rusticana, 161
 — sessiliflora, 149–151, 153
 — sinapis, 148
 — sinuata, 149, 150
 — × *sterilis*, 152
 — stylosa, 69
 — subumbellata, 152
 — sylvestris, 145, 148, 151–153
 — teres, 87, 149, 150
 — — var. *rollinsii*, 149

- Rorippa teres var. teres, 149, 150
— trachycarpa, 149
— walteri, 149
- Rosaceae, Maloideae: *Crataegus* of the Southeastern United States, I. Introduction and Series Aestivales, 401–431
- Rubiaceae: A New Species of *Neonauclea* from Yunnan, China, 73–76
- Rubiaceae, 167
- Samoa, A Revision of *Syzygium* (Myrtaceae) in, 167–192
- Sasa, 241
— tessellata, 244
- Scheuchzeria, 2–4
- Scheuchzeriaceae, 2, 4
- Schlechtera, 128
- Schoenocrambe, 221
- Sclerophyllum, 257
— coarctatum, 257
- Scrotochloa, 240
- Scurvy grass, 110
- Scutellaria japonica, 306
- Selenia, 86, 92, 121, 124, 127–129
— aptera, 127
— aurea, 121, 127, 128
— — var. aptera, 127
— dissecta, 127, 128
— grandis, 128
— jonesii, 127, 128
— mexicana, 127
- Semiarundinaria, 241
— viridis, 242
- Sibara, 88, 91, 134, 142–144
— angelorum, 142, 143
— brandegeana, 143
— deserti, 143
— filifolia, 143
— laxa, 143
— mexicana, 143
— pectinata, 143
— rosulata, 143
— runcinata, 143
— viereckii, 143
— virginica, 87, 143, 144
- Sinapis atrovirens, 148
- Siphocranion, 289, 290
— macranthum, 290
- Sisymbrella, 151, 228
— dentata, 228
- Sisymbrianthus, 145
- Sisymbrieae (Cruciferae; Brassicaceae) in the Southeastern United States, The Genera of, 213–237
- Sisymbrium, 147, 153, 194, 205, 208, 213–216, 218, 221–228
— sect. *Arabidopsis*, 228
— alliaria, 219
— altissimum, 221–224
— amphibium, 145
— — var. *palustre*, 150
— auriculatum, 223
— austriacum, 224
— barbarea, 111
— brachycarpum, 234
— bursifolium, 228
— canescens, 233
— — var. *brachycarpum*, 234
— dentatum, 133
— elongatum, 223
— erysimastrum, 222
— erysimoides, 224
— gilliesii, 224
— heteromallum, 222
— indicum, 148
— irio, 222–224
— latifolium, 223
— littorale, 224
— loeselii, 223, 224
— luteum, 223
— magellanicum, 224
— nasturtium-aquaticum, 146, 221
— officinale, 205, 215, 222–224
— — var. *leiocarpum*, 222
— — var. *officinale*, 222
— orientale, 222–224
— pannonicum, 222
— parviflorum, 234
— pinnatum, 233
— polyceratum, 223
— runcinatum, 224
— sinapis, 148
— sinapistrum, 222
— sophia, 233, 234
— strictissimum, 224
— subscandens, 224
— supinum, 224
— sylvestre, 145, 148
— thalianum, 228
— turczaninowii, 223
— umbrosum, 223
— walteri, 149
- Skapanthus, 289, 291
— oreophilus, 290
- Smelowskia, 215, 235
— calycina, 215
- Sobolewskia, 219
- Solms-Laubachia, 194

- Sophia, 233
 — andrenarum, 234
 — halictorum, 234
 — intermedia, 234
 — myriophylla, 233
 — parviflora, 234
 — pinnata, 233
 — sophia, 234
- Sophiopsis, 235
- Southeastern United States, *Crataegus* (Maloideae, Rosaceae) of the, I. Introduction and Series Aestivales, 401–431
- Southeastern United States, The Genera of Anchonieae (Hesperideae) (Cruciferae; Brassicaceae) in the, 193–212
- Southeastern United States, The Genera of Arabideae (Cruciferae; Brassicaceae) in the, 85–166
- Southeastern United States, The Genera of Bambusoideae (Gramineae) in the, 239–273
- Southeastern United States, The Genera of Sisymbrieae (Cruciferae; Brassicaceae) in the, 213–237
- Southeastern United States, The Juncaginaceae in the, 1–23
- Southern wild-rice, 270
- Sparganium, 11
- Sphagnum, 283
- Stachys mairei, 374
 — polygonatum, 304
- Star Magnolia (*Magnolia tomentosa*)—an Indigenous Japanese Plant, 281–288
- Stenophragma, 227, 228
 — thaliana, 228
- Sterculiaceae, 279
- Sterigmotestemon, 195, 199, 202
- Strigosella, 194
- Strophades, 205
- Stylonema, 205
- Syrenia, 205, 207, 208
- Syreniopsis, 205
- Syrenopsis, 205
- Syzygium (Myrtaceae) in Samoa, A Revision of, 167–192
- Syzygium, 167–192
 — brackenridgei, 180
 — brevifolium, 169, 170, 174, 175
 — carolinense, 169, 171, 189, 190
 — christophersenii, 169, 171, 186, 187
 — clusiaefolium, 179
 — clusiifolium, 169, 171, 177–179
 — corynocarpum, 169, 172, 183, 190, 191
 — cumini, 191
- Syzygium curvistylum, 169, 171, 188, 189
 — dealatum, 169, 171, 175, 177, 178
 — effusum, 169, 170, 172, 174
 — graeffei, 169, 171, 175–177
 — hebephillum, 169–171, 175
 — inophylloides, 169, 171, 186–188
 — jambos, 169, 171, 183
 — javanicum, 180
 — malaccense, 169, 171, 181, 182
 — neurocalyx, 169, 171, 182, 183
 — oligadelphum, 169, 171, 185, 186
 — patentinerve, 169, 171, 184
 — ponapense, 189
 — richii, 180
 — samarangense, 169, 171, 180, 181
 — samoense, 169, 171, 179, 180
 — savaiiense, 169, 171, 179, 184, 185
 — tutuilense, 184
 — vaupelii, 169, 170, 172, 173
- Tafalla, 52
 — racemosa, 52
- Tafallaea, 52
 — arborescens, 61
 — grisebachii, 56
- Tansy mustard, 233
- Taphrospermum, 219
- Taxonomic Review of *Isodon* (Labiatae), 289–400
- Teesdalia, 124
- Tetracme, 194
- Tetrapoma, 145
- Tetronium, 2–4
 — magellanicum, 2
- Teucrium esquirolii, 295
- Thellungiella, 227
- Thelypodiopsis, 194
- Thelypodium, 112, 194
 — pinnatifidum, 116
- THIERET, JOHN W. The Juncaginaceae in the Southeastern United States, 1–23
- Thlaspi tuberosum, 94
- Thymeleaceae, 346
- Tiliaceae, 77
- TODZIA, CAROLA A., and CARROLL E. WOOD, JR. The Genus *Hedyosmum* (Chloranthaceae) in the West Indies, 51–63
- Tonguea, 221
- Toothwort, 93
- Treacle mustard, 205
- Tricholobos, 221
- Triglochin, 2–4, 9–23
 — subg. Cycnogeton, 9, 12
 — subg. Triglochin, 11, 12

- Triglochin barrelieri, 12
— bulbosum, 12
— floridanum, 11
— gaspense, 12
— laxiflorum, 12
— maritimum, 11–13
— palustre, 9, 12, 13
— procera, 3
— procerum, 9, 11–13
— — var. dubium, 11
— sessile, 11
— striatum, 10–13
— triandrum, 11
— turrifera, 12
Tropaeolaceae, 145
Tropaeolum majus, 145
Tropidocarpum, 151
TUCKER, GORDON C. The Genera of Bamboideae (Gramineae) in the Southeastern United States, 239–273
Turrita, 130
Turritis, 130, 134
— glabra, 130
— hirsuta, 130, 131
— laevigata, 132

UEDA, KUNIHIKO. Star Magnolia (*Magnolia tomentosa*)—an Indigenous Japanese Plant, 281–288
United States, Crataegus (Maloideae, Rosaceae) of the Southeastern, I. Introduction and Series Aestivales, 401–431
Upland cress, 110
Urticaceae, 279
Ustilago esculenta, 268

Valarum, 221
Vallisneria, 11
Vandalea, 221
Velarum, 221
Veselskya, 195
Violet rocket, 116

Wallcress, 130
Wallflower, 205
Wasabia, 219
Weberbauera, 214
West Indies, The Genus *Hedyosmum* (Chloranthaceae) in the, 51–63
WHISTLER, W. A. A Revision of *Syzygium* (Myrtaceae) in Samoa, 167–192
Whitegrass, 263
Wikstroemia, 346
Wild-rice, 266
Winter cress, 110
WOOD, CARROLL E., JR., and CAROL A. TODZIA. The Genus *Hedyosmum* (Chloranthaceae) in the West Indies, 51–63

Yellow cress, 145
Yucca, 4

Zederbauera, 205
Zizania, 243–245, 249, 265–270
— aquatica, 265–267
— — var. angustifolia, 266
— — var. aquatica, 266
— — var. brevis, 266
— latifolia, 268
— microstachya, 270
— palustris, 244, 266–268
— — var. interior, 266
— — var. palustris, 266
— terrestris, 265
— texana, 266, 267
Zizaniopsis, 240, 243, 249, 270, 271
— bonariensis, 271
— killipii, 270
— microstachya, 270, 271
— miliacea, 270, 271
— villanensis, 271
ZOU, SHOU-QING. A New Species of *Neonauclea* (Rubiaceae) from Yunnan, China, 73–76



BHL

Biodiversity Heritage Library

1988. "Index [vol. 69]." *Journal of the Arnold Arboretum* 69(4), 433–450.
<https://doi.org/10.5962/p.324761>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33632>

DOI: <https://doi.org/10.5962/p.324761>

Permalink: <https://www.biodiversitylibrary.org/partpdf/324761>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.