

LIST OF THE DESCRIBED COLEOPTERA OF TASMANIA.

By ARTHUR M. LEA.

[Reprinted from Proceedings of the Association for the Advancement of Science, 1902.]

THE Coleoptera of Tasmania have never been considered as a whole since the time of Erichson, ^(a) and no list or catalogue of the species has ever been compiled. About 10,000 species have now been recorded from Australia and Tasmania, of which scarcely 400 have been described from Tasmania. A very imperfect knowledge of what species are confined to the island exists, as species supposed only to occur there, are constantly being found in Victoria and New South Wales, and even sometimes in Western Australia and Queensland; on the other hand, Tasmanian collectors frequently obtain mainland species which have never been recorded from Tasmania.

I have considered it advisable, therefore, to prepare a list of the species hitherto recorded from Tasmania, adding to the list such species as I have seen in Tasmanian collections, or have myself taken in Tasmania. In this list, the genera and families are placed as far as possible in the order in which they appear in Masters' "Catalogue of the Described Coleoptera of Australia;" the species are placed alphabetically. All known synonyms have been omitted.

In the list an asterisk (*) has been placed after those species which are known to occur on the mainland, whilst another (†), has been placed after those species which have been introduced. Deducting the introduced species (40) there remain 1000 species and varieties, of which 423 are so far, known only from Tasmania; and one being known only from New Zealand and Tasmania; but probably many of these will be found to occur on the mainland, especially as the beetles of the Australian Alps (and Mount Kosciusko in particular) become better known.

When the Coleoptera of Tasmania have been thoroughly worked out, it will probably be found that there are over 2000 species, whilst in the whole of the Australian States, there are probably at least 20,000 species.

CARABIDÆ.

Calosoma Schayeri, Er.*

Lacordairia anchomenoides, Cast.

Erichsoni, Cast.

(a) Wiegmann's Archives, 1842

- Cymindis Illawarræ*, Macl.*
Xanthophæa angustula, Chaud.*
 infuscata, Chaud.*
Plagiotelum opalescens, Oll.
Diabaticus Australis, Er.
 pauper, Blackb.
Anomotarus olivaceus, Chaud.*
Homethes elegans, Newm.*
 guttifer, Germ.*
 rotundatus, Blackb.*
Dromius Yarræ, Blackb.*
Pentagonica vittipennis, Chaud.*
Trigonothops lineata, Dej.*
 longiplaga, Chaud.*
 tridens, Newm.
Sarothrocrepis benefica, Newm.*
 civica, Newm.*
 corticalis, Fab.*
 luctuosa, Newm.*
Ectroma grave, Blackb.
 inquinita, Er.
Philophlæus eucalypti, *var.* *Tasmaniæ*, Blackb.
Agonocheila bicincta, Blackb.
 binotata, White.*
 biguttata, Chaud.*
 corticalis, Chaud.*
 sinuosa, Chaud.*
 vittula, Chaud.*
Scopodes boops, Er.*
 intermedius, Blackb.
 Tasmanicus, Bates.
Silphomorpha decipiens, Westw.*
 Tasmanica, Cast.
Adelotopus hæmorrhoidalis, Er.*
 Tasmani, Blackb.
Carenum politum, Westw.*
Scaraphites insulanus, Sln.
 Macleayi, Westw.*
 rotundipennis, Dej.*
Clivina heterogena, Putz.*
 lepida, Putz.*
 vagans, Putz.*
Promecoderus Bassii, Cast.
 brunnicornis, Dej.*
 gibbosus, Gray.
 modestus, Cast.

- Promecoderus ovicollis*, Cast.*
 subdepressus, Guer.
 Tasmanicus, Cast.
Percosoma carenoides, White.
 percoides, Cast.
 sulcipenne, Bates.
Lychnus ater, Putz.*
Gnathaphanus Adelaïdæ, Cast.*
Anisodactylus rotundicollis, Cast.*
Diaphoromerus Australasiæ, Dej.*
 australis, Dej.*
 mæstus, Dej.*
 quadricollis, Chaud.*
 rectangulus, Chaud.*
Hypharpax inornatus, Germ.*
 latiusculus, Chaud.*
Thenarotes Tasmanicus, Bates.
 discoideus, Blackb.*
Notophilus niger, Blackb.*
 parvus, Blackb.*
Harpalus promptus, Er.
 verticalis, Er.
 vestigialis, Er.
Drimostoma alpestre, Cast.*
Oopterus Tasmanicus, Cast.
Amblytelus curtus, Fab.*
Pterostichus coracinus, Er.
Catadromus Lacordairei, Boi.*
Notonomus chalybeus, Dej.*
 politulus, Chaud.
 tubericauda, Bates.
Rhabdotus Diemenensis, Cast.
 floridus, Bates.
 reflexus, Chaud.
Rhytisternus cyathoderus, Chaud.*
 liopleurus, Chaud.*
 miserus, Chaud.*
Chlænioidius prolixus, Er.*
Leptopodus subgagatinus, Cast.*
Loxandrus gagatinus, Cast.
Hormochilus monochrous, Chaud.*
Simodontus elongatus, Chaud.*
 orthomoides, Chaud.*
 sexfoveatus, Chaud.*
Dichrochile minuta, Cast.*
 punctipennis, Cast.*

- Lestignathus cursor*, Er.
 Simsoni, Bates.
Cyclothorax ambiguus, Er.*
Platynus marginellus, Er.*
 nigro-aeneus, Newm.*
Colpodes australis, Er.
 dilatatus, Er.
Trechus Diemenensis, Bates.
 Simsoni, Blackb.
 Tasmaniae, Blackb.
Trechodes gibbipennis, Blackb.
Bembidium Hobarti, Blackb.
Tachys captus, Blackb.*

DYTISCIDÆ.

- Pelobius Australasie*, Clark.*
Sternopriscus Tasmanicus, Sharp.
Antiporus interrogationis, Clark.*
Macroporus Gardneri, Clark.*
 Howitti, Clark.*
Necterosoma costipenne, Lea.
 penicillatum, Clark.*
 Schmeltzi, Sharp.*
 Wollastoni, Clark.*
Antiporus femoralis, Boh.*
Platynectes 10-punctatus, Fab.*
 obscurus, Sharp.
 Tasmaniae, Clark.
Lancetes lanceolatus, Clark.*
Rhantus pulverosus, Steph.*†
Copelatus nigritulus, Sharp.*
 simplex, Clark.
Hyderodes Shuckhardi, Hope.*
Chostonectes gigas, Hope.*
Cybister tripunctatus, Oliv.*
Homœodytes insularis, Hope.
Eretes australis, Er.*
Hydaticus ruficollis, Fab.

GYRINIDÆ.

- Macrogyrus Howitti*, Clark.*
 obliquatus, Aubé.*

HYDROPHYLLIDÆ.

- Hydrobaticus australis*, Blackb.*
Cercyon dorsalis, Er.

STAPHYLINIDÆ.

- Falagria* Fauveli, Sol.*
 pallipes, Oll.*
Silusa melanogastra, Fvl.*
Aleochara actæ, Oll.*
 baliola, Oll.
 hæmorrhoidalis, Guer.*
 punctum, Fvl.*
 speculifera, Er.*
Poylobus apicalis, Fvl.*
 cinctus, Fvl.*
 insecatus, Fvl.*
 Tasmanicus, Oll.
Pelioptera astuta, Oll.
Calodera atypha, Oll.
 carissima, Oll.
 eritima, Oll.*
 inæqualis, Fvl.*
 pachia, Oll.
 Simsoni, Oll.
Homalota atyphella, Oll.*
 chariessa, Oll.
 coriaria, Kraatz.*†
 indefessa, Oll.
 pavens, Er.*†
 psila, Oll.
 sordida, Marsh.*†
Leucocraspedum lugens, Blackb.*
 validum, Blackb.*
Conosoma activum, Oll.
 australe, Er.*
 enixum, Oll.*
 fumatum, Er.
Tachyporus vigilans, Oll.
Cryptommatus Jansoni, Matth.
Tachynoderus hæmorrhous, Fvl.*
Heterothops picipennis, Fvl.*
Quedius cuprinus, Fvl.*
 Diemensis, Blackb.
 hybridus, Grav.*
 ruficollis, Grav.*
 Sidneensis, Fvl.*
Creophilus erythrocephalus, Fab.*
 var. lanio, Er.*
Philonthus aeneus, Rossi.*†
 discoideus, Grav.*†

- Philonthus longicornis*, Steph.*†
 nigritulus, Grav.*†
 sordidus, Grav.*†
Cafius amblyterus, Oll.
 areolatus, Fvl.*
 laetabilis, Oll.*
 læus, Oll.*
 littoralis, Fvl.*
 pacificus, Er.
 sabulosus, Fvl.*
 sericeus, Holme.*†
Xantholinus chloropterus, Er.*
 cyanopterus, Er.*
Leptacinus socius, Fvl.*
Metoponcus enervus, Oll.
Sunius guttula, Fvl.*
Scymbalium simplarium, Fvl.*
Pæderus australis, Guer.*
 cingulatus, Macl.*
 Simsoni, Blackb.
Pinophilus rufitarsis, Fvl.*
Oxytelus collaris, Er.
 discipennis, Fvl.*
 melas, Fvl.*
 semirufus, Fvl.*
 subaeneus, Fvl.*
 vulneratus, Fvl.*
 Wattsensis, Blackb.
Trogophlæus exiguus, Er.*†
 punctatus, Fvl.*
Amphichroum Adelaidæ, Blackb.*
Homalium Morrisi, Blackb.
 philorhinoides, Fvl.*
 Tasmanicum, Blackb.

PSELAPHIDÆ.

- Eupines aurora*, Schfs.
Eupinopsis perforata, Schfs.
Ctenisophus morosus, Raffr.
Schaufussia formosa, King.*
Rytus punctatus, King.*
Tychius Tasmaniae, Schfs.
Batrisus australis, Er.
Bryaxis atriceps, Macl.*
 electrica, King.*
 hyalina, Schfs.*

- Bryaxis* laticlava, Schfs.
 melanocephala, Schfs.
 picta, Schfs.
 var. aethiops, Schfs.
 var. ebenifer, Schfs.
 var. frontalis Schfs.
 var. verticalis, Schfs.
 sobrina, Schfs.
 strigicollis, Westw.*
 talpa, Schfs.
 vitrea, Schfs.
Articeros curvicornis, Westw.*

SILPHIDÆ.

- Ptomaphila* lachrymosa, Schreib.*
Choleva antipodum, Blackb.*
 australis, Er.*
Anisotoma Tasmaniae, Oll.

TRICHOPTERYGIDÆ.

- Ptilium* Simsoni, Matth.

SCAPHIDIDÆ.

- Scaphidium* 4 pustulatum, Oliv.*
Scaphisoma novicum, Blackb.*

HISTERIDÆ.

- Apobletes* errans, Mars.
Platysoma læve, Mars.
 latisternum, Mars.
Teretrius Walkeri, Lewis.
Teretriosoma Melbournium, Mars.*
 Somerseti, Mars.*
Acritus Tasmaniae, Lewis.
Saprinus australis, Boi.*
 laetus, Er.*
Gnathonus incisus, Er.

PHALACRIDÆ.

- Litochrus* brunneus, Er.
Olibrus Victoriensis, Blackb.*
Phalacrus corruscans, Payk.*†

NITIDULIDÆ.

- Brachypeplus* basalis, Er.*
 blandus, Murray.*
 planus, Er.*

- Carpophilus aterrimus*, Macl.*
 frivulus, Murray.*
 hemipterus, Steph.*†
Stauroglossicus terminalis, Murray.*
Omosita colon, Linn.*†
Haptoncura Victoriensis, Blackb.*
Circopes pilistriatus, Macl.*
Ericmodes australis, Grouv.*
Pria rubicunda, Macl.*

TROGOSITIDÆ.

- Egolia variegata*, Er.
Tenebriodes mauritanicus, Linn.*†
Leperina decorata, Er.*
Phycosecis algarum, Pasc.*

COLYDIDÆ.

- Sparactus interruptus*, Er.*
 pustulosus, Blackb.
Ditoma pulchra Black.*
 serricollis, Pasc.*
Meryx aequalis, Blackb.*
 rugosa, Latr.*
Deretaphrus Bakewelli, Pasc.*
 granulipennis, Reitter.*
Bothrideres taeniatus, Pasc.*
 vittatus, Newm.*
Penthelispa fuliginosa, Er.*

CUCUJIDÆ.

- Ancistria retusa*, Fab.*
Prostomis Atkinsoni, Wath.*
 cornutus, Wath.*
Bessaphilus cephalotes, Wath.
Ipsaphes maerosus, Pasc.*
Platus angusticollis, Reitter.*
 obscurus, Er.*
Læmophlæus bistriatus, Grouv.*
 Tasmanicus, Grouv.
 testaceus, Fab.*†
Dendrophagus australis, Er.*
Hyliota australis, Er.*
 bicolor, Arrow.*
 lucia, Pasc.*
 militaris, Er.*

- Cryptamorpha* Olliffi, Blackb.*
 optata, Oll.
 triguttata, Wath.*
Silvanus brevicornis, Er.
 Surinamensis, Linn.*†
 unidentatus, Fab.*†
Myrabolia Grouvelliana, Reitter.*

CRYPTOPHAGIDÆ.

- Cryptophagus* gibbipennis, Blackb.*

LATHRIDIIDÆ.

- Lathridius* apicalis, Blackb.*
 costatipennis, Blackb.*
 costatus, Er.*
 nigromaculatus, Blackb.*
 nodifer, Westw.*†
 satelles, Blackb.*
 semicostatus, Blackb.*
Corticaria Adelaidæ, Blackb.*
 australis, Blackb.*

MYCETOPHAGIDÆ.

- Triphyllus* intricatus, Blackb.*
 multiguttatus, Lea.*

DERMESTIDÆ.

- Dermestes* cadaverinus, Fab.*†
 lardarius, Linn.*†
 vulpinus, Fab.*†
Megatoma morio, Er.
 tenuifasciata, Reitt.
Cryptorrhopalum Erichsoni, Reitt.*
Thaumaglossa concavifrons, Reitt.
Trogoderma riguum, Er.
Anthrenus varius, Fab.*†

BYRRHIDÆ.

- Microchaetes* scoparius, Er.*
Limnichus australis, Er.
Aspidophorus humeralis, Blackb.*

PARNIDÆ.

- Elmis* Tasmanicus, Blackb.

LUCANIDÆ.

- Lamprima** rutilans, Er.*
Lissotus cancroides, Fab.
 curvicornis, Boi.
 forcipula, Westw.
 Launcestoni, Westw.
 latidens, Westw.
 obtusatus, Westw.
 opacus, Parry.
 subcrenatus, Westw.
 subtuberculatus, Westw.
Hoplogonus Simsoni, Parry.
Syndesus cornutus, Fab.*
Ceratognathus niger, Westw.*
 Westwoodi, Thoms.*
Mastochilus dilatatus, Dalm.*

SCARABÆIDÆ.

- Onthophagus** anisocerus, Er.
 auritus, Er.*
 australis, Guer.*
 evanidus, Har.
 fuliginosus, Er.
 mutatus, Har.*
 posticus, Er.*
 pronus, Er.*
Proctophanes sculptus, Hope.*
Phycochus graniceps, Broun.
 (occurs also in New Zealand).
Aphodius erosus, Er.
 Howitti, Hope.*
 Tasmaniæ, Hope.
Ataenius Frenchi, Blackb.*
 mendax, Blackb.*
Bolboceras Kirbyi, Westw.*
 proboscideus, Schreib.*
Trox Australasiæ, Er.*
Phyllotocus assimilis, Macl.*
 bimaculatus, Er.
 Lottoni, Boi.
 Macleayi, Fisch.*
 rufipennis, Boi.*
Diphucephala colaspidoides, Gyll.*
Mæchidius corrosus, Wath.
Xylonychus nigrescens, Blanch.
 piliger, Blanch.

- Liparetrus** atratus, Burm.
 basalis, Blanch.
 concolor, Er.
 discipennis, Guer.*
 pruinosis, Burm.
 salebrosus, Macl.*
 ubiquitosus, Macl.*
 vestitus, Blanch.
Automolus angustulus, Burm.
Scitala geminata, Boi.*
 nigrolineata, Boi.*
 sericans, Er.
Colpocheila obesa, Boi.*
Haplonycha scutalis, Blanch.*
Heteronyx australis, Guer.
 dimidiatus, Er.
 diversipes, Blackb.
 fumatus, Er.
 glabratus, Er.
 jubatus, Blackb.*
 nigellus, Er.
 ovatus, Blanch.*
 præcox, Er.
 striatipennis, Blanch.
 tempestivus, Er.
 unicolor, Blanch.
Caulobius pubescens, Er.
 rufescens, Blanch.
Telura vitticollis, Er.*
Nepytis russula, Er.
Rhizotrogus Tasmanicus, Burm.
Anoplognathus suturalis, Boi.*
Saulostomus villosus, Wath.*
Cheiroplatys maelius, Er.
Pimelopus porcellus, Er.
Pseudopimelopus Lindi. Blackb.*
Cryptodus anthracinus, Er.
 Tasmanius, Westw.
Microvalgus Lapeyrousei, G. & P.*

BUPRESTIDÆ.

- Cyria** imperialis, Don.*
Chalcophora albivittis, Hope.*
Nascio carissima, Wath.*
 Parryi, Hope.*

- Melobasis gloriosa*, L. & G.*
 hypocrita, Er.
 intricata, Blackb.
 monticola, Blackb.*
 nervosa, Boi.*
 prisca, Er.
 simplex, Germ.*
 splendida, Don.*
Conognatha navarchis, Thoms.
Stigmodera Australasiæ, L. & G.*
 Bremei, Hope.*
 erythromelas, Boi.
 insularis, Blackb.
 jubata, Blackb.
 Mitchelli, Hope.*
 ocelligera, L. & G.
 rufipennis, Kirby.*
 Thomsoni, Saund.*
 undulata, Don.*
 virginea, Er.
 Wilsoni, Saund.*
Cisseis cupreicollis, Hope.*
 maculata, L. & G.*
Neospades Westwoodi, L. & G.
Discoderes Tasmanicus, Germ.
Agrilus hypoleucus, L. & G.*

TRIXAGIDÆ.

- Aulonothroscus elongatus*, Bonv.*

EUCNEMIDÆ.

- Phænocerus subclavatus*, Bonv.
Galbodema Mannerheimi, Cast.

ELATERIDÆ.

- Lacon caliginosus*, Guer.*
 guttatus, Cand.*
 humilis, Er.
 pictipennis, Cand.*
 variabilis, Cand.*
 Victoriæ, Cand.*
Glyphochilus furvus, Er.
 lucidus, Er.
 Tasmanicus, Cand.

- Monocrepidius* Australasiæ, Boi.*
 cerdo, Er.*
 Cordieri, L. & G.*
 coxalis, Cand.
 fabrilis, Er.*
 fuscicornis, Er.
 rutilicornis, Er.
 tabidus, Er.
 viduus, Cand.
Elater *perplexus*, Cand.*
Horistonotus *humilis*, Cand.
Corymbites *Tasmanicus*, Cand.
Chrosis *trisulcata*, Er.
Crepidomenus *decoratus*, Er.*
 fulgidus, Er.
 tæniatus, Er.
Anilicus 4 *guttatus*, Er.
Acroniopus *humilis*, Er.
 infimus, Er.

RHIPIDOCERIDÆ.

- Rhipidocera* *femoralis*, Kirby.*

DASCILLIDÆ.

- Helodes* *Atkinsoni*, Wath.
 australis, Er.
 maculatus, Wath.
Macrohelodes *Tasmanicus*, Blackb.

MALACODERMIDÆ.

- Metriorrhynchus* *atratus*, Fab.*
 erythropterus, Er.*
 hæmorrhoidalis, Wath.*
 insignipennis, Blackb.
 marginatus, Er.
 rufipennis, Fab.*
 salebrosus, Wath.*
Trichalus *discoideus*, Er.
Calopteron *Goryi*, Le G.
Eros *scutellaris*, Er.
Telephorus *nobilitatus*, Er.*
 pulchellus, Macl.*
 tricolor, Cast.*
Selenurus *tricolor*, Lea.*
Hypattalus *abdominalis*, Er.
Dasytes *fuscipennis*, Hope.*

CLERIDÆ.

- Cylidrus basalis*, Macl.*
 centralis, Pasc.*
 nigrinus, White.*
Tillus hilaris, White.
Opilo 6 notatus, Westw.
 var. pulcher, White.
Thanasimus accinctus, Newm.*
Natalis cribricollis, Spin.*
 porcata, Fab.*
Aulicus corallipes, Chev.
 instabilis, Newm.*
Tarsotenus zonatus, Blanch.*
Eburiphora patricia, Klug.
Eleale intricata, Klug.
 lanata, Chev.
 simplex, Newm.*
 speculum, Chev.
 Tasmaniæ, Chev.
Lemidia hilaris, Newm.*
 malthinus, Newm.
 nitens, Newm.*
 pictipes, Blackb.*
 pulchella, Blackb.*
 simulans, Blackb.*
 subænea, Gorh.*
 Tasmaniæ, White.
Tenerus abbreviatus, White.*
Pylus fatuus, Newm.*
Paratillus carus, Newm.*
Necrobia pinguis, Westw.
 ruficollis, Fab.*†
 rufipes, De Geer.*†

LYMEXYLONIDÆ.

- Lymexylon australe*, Er.
Atractocerus Victoriensis, Blackb.*

CUPESIDÆ.

- Cupes varians*, Lea.*

PTINIDÆ.

- Ptinus exulans*, Er.*
 fur, Linn.*†
 tectus, Boield.*†
Anobium domesticum, Linn.*†
 paniceum, Linn.*†

CIOIDÆ.

- Lyctus brunneus*, Steph.*†
 costatus, Blackb.
Cis munitus, Blackb.

BOSTRYCHIDÆ.

- Xylodoleis obsipa*, Germ.*
Xylion cylindricus, Macl.*
 collaris, Er.*
Xylopsocus gibbicollis, Macl.*
 elongatula, Macl.*
 Leai, Lesne.
Xylopsocus gibbicollis, Macl.*

TENEBRIONIDÆ.

- Cotulades fascicularis*, Pasc.
Docalis funerosa, Hope.
Prionotus serricollis, Hope.*
Edylius canescens, Champ.
Scymena amphilia, Pasc.*
Sphargeris physodes, Pasc.*
Cestrinus aversus, Pasc.*
 obscurus, Er.
 punctatissimus, Pasc.
 trivialis, Er.*
Ecripsis pubescens, Pasc.
Dipsaconia australis, Hope.*
Ulodes verrucosus, Er.*
Caanthus gibbicollis, Champ.
Latometus pubescens, Er.
Elascus crassicornis, Pasc.*
 lunatus, Pasc.*
Ganyme sapphira, Newm.*
Ennebæus australis, Champ.
 ovalis, Wath.
Ennebæopsis pruinosis, Champ.
Lyphia Tasmanica, Champ.
Platydema limacoides, Pasc.*
 tetraspilota, Hope.*
Tribolium ferrugineum, Fab.*†
Paratoxicum iridescens, Champ.
Uloma ovalis, Perr.
Alphitobius mauritanicus, Luc.*†
Toxicum punctipenne, Pasc.*
Pterohelæus Guerini, Breme.
 Reichei, Breme.*

- Saragus infelix*, Pasc.
 laevicollis, Oliv.*
 peltatus, Er.*
Promethis angulata, Er.*
Menepphilus colydioides, Er.*
 corvinus, Er.*
 humilis, Er.
 longipennis, Hope.*
 ruficornis, Champ.
Meneristes australis, Boi.*
 servulus, Pasc.*
Tenebrio obscurus, Linn.*†
Tanylypa morio, Pasc.
Decialma Erichsoni, Champ.
Chartopteryx nitida, Er.
Lepispilus sulcicollis, Boi.*
Titæna alcyonea, Er.*
 columbina, Er.*
 Tasmanica, Champ.
Melytra ovata, Pasc.
Hymæa succinifera, Pasc.
Adelium abbreviatum, Boi.
 commodum, Pasc.*
 elongatum, Er.
 latum, Pasc.*
 licinoides, Kirby.
 neophyta, Pasc.*
 nodulosum, Champ.
 obesum, Pasc.*
 porcatum, Fab.*
 Tasmanicum, Champ.
 tenebrioides, Er.
Seirottrana catenulata, Boi.*
Brycopia tuberculifera, Champ.
Dinoria cælioides, Pasc.*
 picta, Pasc.
Coripera deplanata, Boi.
Licinoma pallipes, Blackb.*
Phænnis fasciculata, Champ.
Chalcopterus Howitti, Pasc.*
 iridicolor, Bless.*

CISTELIDÆ.

- Pseudocistela ovalis*, Blackb.*
Licymnius bicolor, Blackb.*
Chromomea nigriceps, Champ.

Nypsius æneopiceus, Champ.
 foveatus, Champ.
Apellatus Tasmanicus, Champ.
Allecula luctuosa, Champ.
Homotrysis bicolor, Champ.
Nocar latus, Blackb.*

PYTHIDÆ.

Lissodema hybridum, Er.*
Notosalpingus ornatus, Blackb.*

MELANDRYIDÆ.

Dircæa velutina, Champ.
 venusta, Champ.
Talayra elongata, Macl.*
Ctenoplectron agile, Champ.*
Orchesia austrina, Champ.*
Mystes planatus, Champ.*
Trichosalpingus fumatus, Champ.*
Lagrioida australis, Champ.*
Scraptia australis, Champ.
 laticollis, Champ.
 punctatissima, Champ.

LAGRIIDÆ.

Lagria grandis, Gyll.*

XYLOPHILIDÆ.

Xylophilus impressicollis, Lea.*
 inconspicuus, Blackb.*
 pectinicornis, Champ.

ANTHICIDÆ.

Tomoderus vinctus, Er.
Anthicus australis, King.*
 brevicollis, King.*
 floralis, Linn.*†
 glaber, King.*
 Mastersi, Macl.*
 rarus, King.*
 strictus, Er.*
 Tasmanicus, Champ.
Formicomus Denisoni, King.*

MORDELLIDÆ.

- Mordella** albosparsa, Germ.*
 bella, Wath.*
 communis, Wath.*
 felix, Wath.*
 fulvonotata, Champ.*
 graphiptera, Champ.*
 humeralis, Wath.*
 leucosticta, Germ.*
 parva, Champ.*
 promiscua, Er.*
 pygmæa, Champ.*
 ruficollis, Wath.*
 tristis, Lea.*
 trivialis, Wath.*
 Waterhousei, Champ.*
Mordellistena jucunda, Champ.*

RHIPIDOPHORIDÆ.

- Nephrites** nitidus, Shuck.
Rhipidius pectinicornis, Thunb.*†

CANTHARIDÆ.

- Zonitis** cyanipennis, Pasc.*
 tricolor, Le G.*
Sitarida minor, Champ.*

CEDEMERIDÆ.

- Copidita** Macleayi, Champ.*
 nigronotata, Boh.*
 punctum, Macl.*
Nacerdes melanura, Linn.*†
Asclera Atkinsoni, Wath.*
 sublineata, Wath.*
Dohrnia miranda, Newm.*
 simplex, Champ.*
Pseudolychnus cinctus, Guer.*
 hæmorrhoidalis, Fab.*
Techmessa ruficollis, Champ.*

CURCULIONIDÆ.

- Rhadinus** Lacordairei var. *Tasmanicus*, Blackb.
Prostomus scutellaris, Fab.*
Euthyphasis acuta, Pasc.*
Maleuterpes spinipes, Blackb.*

- Otiorhynchus scabrosus*, Marsh.*†
 sulcatus, Fab.*†
Merimnetes oblongus, Blanch.
Leptops tribulus, Fab.*
Amisallus nodosus, Er.*
Ethemaia sellata, Pasc.*
Psalidura impressa, Boi.
Talaurinus exasperatus, Er.*
 penicillatus, Macl.
Sclerorrhinus bubalus, Oliv.
 tristis, Boi.
Tetralophus sculpturatus, Wath.*
Mandalotus crudus, Er.
 hoplostethus, Pasc.
 sterilis, Er.
Steriphus solidus, Er.
Perperus insularis, Boh.*
 languidus, Er.
Methypora postica, Pasc.*
Oxyops fasciata, Boi.*
Pantoreites illuminatus, Lea.
Syarbis alcyone, Lea.
Gonipterus exaratus, Fahrs.*
 scutellatus, Gyll.*
 turbidus, Pasc.
Prophæsia confusa, Pasc.
Strongylorrhinus ochraceus, Sch.*
Aromagis echinatus, Pasc.*
Atelicus abruptus, Pasc.
 atrophus, Pasc.
 guttatus, Pasc.
 inæqualis, Wath.*
Aterpus cultratus, Fab.*
 rubus, Boh.
Pelororrhinus margaritaceus, Er.*
Rhinaria costata, Er.*
 granulosa, Fahrs.*
 perdix, Pasc.*
 transversa, Boi.*
Orthorhinus aethiops, Boi.*
 cylindirostris, Fab.*
 Klugi, Boh.*
 lepidotus, Er.
Lixus Mastersi, Pasc.*
Aoplocnemis phaleratus, Er.*
 rufipes, Boh.*
 Tasmanicus, Blackb.

- Anorthorhinus apicalis*, Lea.*
 pictipes, Blackb.*
Desiantha maculata, Blackb.*
 vittata, Blackb.*
Storeus monticola, Blackb.*
Encosmia cornuta, Blackb.
Misophrice parallela, Black.*
 variabilis, Blackb.*
Cryptoplus perdix, Er.
Rhaciodes bicaudatus, Boi.*
 dentifer, Boh.*
 granulifer, Chev.*
 multidentatus, Chev.
Meriphus fullo, Er.*
Eristus setosus, Blackb.*
Myositta cirrifera, Pasc.*
Belus bidentatus, Don.*
 bimaculatus, Pasc.*
 filum, Jekel.*
 Grayi, Jekel.
 irroratus, Jekel.
 rubicundus, Lea.*
Pachyura australis, Hope.*
 dermestiventris, Boi.*
 minima, Blackb.*
Rhinotia hæmoptera, Kirby.*
Eurhynchus quadridens, Er.
 quadrinodosus, Er.
Auletes melaleucæ, Lea.*
 melanocephalus, Er.
 suturalis, Wath.*
Diapelmus mendax, Er.
Læmosaccus carinicollis, Lea.*
 ocularis, Pasc.*
 rufipennis, Lea.*
 subsignatus, Boh.
Platyurus brevicornis, Blanch.
Haplonyx albofasciatus, Chev.
 fasciculatus, Bohem.*
 frontalis, Chev.
 Kirbyi, Fahrs.*
 mediocinctus, Chev.
 nigrirostris, Chev.*
 Spencei, Gyll.*
 vicinus, Chev.*
Rhamphus acaciæ, Lea.*

- Pseudostoreus placitus*, Lea.*
Cyllorhamphus tuberosus, Er.
Melanterius maculatus, Lea.*
 porcatus, Er.*
Poropterus abstersus, Boh.
 antiquus, Boh.
 conifer, Er.*
 satyrus, Pasc. (Gen. Dub.).
 succisus, Er.
 zopherus, Lea.
Microporopterus tumulosus, Pasc.*
Acalles acerosus, Er. (Gen. Dub.).
 rubetra, Er. (Gen. Dub.).
Euthyrrhinus meditabundus, Fab.*
Ephrycus obliquus, Pasc.*
Isax gallinago, Pasc.*
Achopera lachrymosa, Pasc.*
Tychreus camelus, Pasc.
Exithius capucinus, Pasc.
 cariosus, Er.
 morbillosus, Pasc.
 musculus, Pasc.
Cryptorrhynchus antares, Er. (Gen. Dub.).
 infulatus, Er. (Gen. Dub.).
 sirius, Er. (Gen. Dub.).
 solidus, Er. (Gen. Dub.).
Ampagia femoralis, Er.
Tyrtæosus ustulatus, Pasc.*
Aphela algarum, Pasc.*
Pentarthrum nigrum, Woll.
Pentamimus canaliculatus, Woll.
Cossonus præustus, Redt.*
Tasmanica myrmecophila, Lea.
Rhyncolus polixus, Er. (Gen. Dub.).
 australis, Er. (Gen. Dub.).

SCOLYTIDÆ.

- Cryphalus pilosellus*, Er.
Xyleborus truncatus, Er.*

BRENTHIDÆ.

- Cyphagogus delicatus*, Lea.*
Cordus hospes, Germ.*

ANTHRIBIDÆ.

- Anthribus bispinus*, Er.
Tropideres albuginosus, Er.
musivus, Er.

BRUCHIDÆ.

- Bruchus rufimanus*, Boh.*†

CERAMBYCIDÆ.

- Cnemoplites australis*, Er.
Toxeutes arcuatus, Fab.*
Enneaphyllus æneipennis, Thoms.
Pœcilus metallicus, Newm.*
Phacodes obscurus, Fab.*
 personatus, Er.*
Phoracantha fallax, Pasc.*
 quinaria, Newm.*
 senio, Newm.*
 semipunctata, Fab.*
 synonyma, Newm.*
Tryphocharia Mastersi, Pasc.*
 superans, Pasc.
Epithora dorsalis, Macl.*
Allotisis unifasciata, Hope.*
Coptocercus rubripes, Boi.*
Sisyrium plagiatum, Gahan.
Acyrusa Tasmanica, Gahan.
Bethelium Blackburni, Gahan.
 signiferum, Newm.*
Notoceresium impressiceps, Blackb.
Callidiopis præcox, Er.*
 scutellaris, Fab.*
Phlyctaenodes fasciatus, Gahan.
 pustulatus, Hope.
 pustulosus, Newm.*
 tristis, Fab.
Tessaromma sericans, Er.*
 undatum, Newm.*
Gracilia pygmaea, Fab.*†
Strongylurus ceresiodes, Pasc.
 scutellatus, Hope.
Lygesis mendica, Pasc.*
Uracanthus bivittatus, Newm.*
 pallens, Hope.
Rhinophthalmus nasutus, Newm.*
Tritocosmia paradoxa, Pasc.*

- Tropis oculifera*, Newm.
Pterostenus concolor, Macl.*
 suturalis, Oliv.*
Syllitus microps, Blackb.
 rectus, Newm.*
Macrones acicularis, Pasc.*
 exilis, Newm.*
Enchoptera apicalis, Saund.
Brachopsis concolor, Saund.
Pseudocephalus arietinus, Newm.
Zoedia divisa, Pasc.*
 triangularis, Pasc.*
 V-album, Boi.
Earinus mimula, Pasc.*
Mecynopus cothurnatus, Er.
Hesthesis cingulata, Kirby.*
Distichocera par, Newm.*
Pytheus latebrosus, Newm.*
Brachytria gulosa, Newm.*
Omophæna tæniata, Pasc.*
Ochyra coarctata, Pasc.
Homæmota Walkeri, Gahan.
Amphirhoe decora, Newm.*
Tragocerus Spencei, Hope.*
Dorcadida biocularis, White.
 Walkeri, Gahan.
Microtragus luctuosus, Shuck.
Zygocera cænosa, Er.*
 lugubris, Pasc.*
Probatodes piliger, Macl.*
Ancita crocogaster, Boi.*
 marginicollis, Boi.*
 sparsa, Pasc.*
Rhytiphora Simsoni, Blackb.
Acanthocinus plumula, Newm.
Pentacosmia scoparia, Newm.*
Illæna exilis, Er.

CHRYSOMELIDÆ.

- Microdonacia incerta*, Blackb.*
Ditropidus lentulus, Chp.*
 ochropus, Er.
 ruficollis, Saund.
 rufipes, Saund.
 subæneus, Chp.
Lachnabothra Saundersi, Baly.*

- Cadmus** *australis*, Boi.*
 cognatus, Saund.*
 crucicollis, Boi.*
 dorsalis *var.* *Ewingi*, Saund.*
 ferrugineus, Fairm.*
 pacificus, Suff.*
 rufescens, Saund.*
 strigillatus, Chp.*
 Tasmanicus, Saund.
Cryptocephalus *albilinea*, Saund.*
 apicalis, Saund.*
 ater, Saund.*
 consors, Boi.*
 erosus, Saund.*
 hæmatodes, Boi.*
 Jacksoni, Guer.*
 rufescens, Saund.*
 subfasciatus, Saund.*
 var. *melanocephalus*, Saund.
 vermicularis, Saund.*
 viridipennis, Saund.*
 viridis, Saund.*
Loxopleurus *Tasmanicus*, Saund.*
Noda *Tasmanica*, Jac.
Agetinus *jugularis*, Er.
Tomyris *elegantula*, Laf.
 proxima, Er.
 viridula, Er.
Phyllocharis *cyanicornis*, Fab.*
Chalcolampra *ænea*, Boi.*
 constricta, Er.*
 luteicornis, Er.
 pacifica, Er.
 thoracica, Baly.*
Calomela *Curtisi*, Kirby.*
 maculicollis, Boi.*
Paropsis *agricola*, Chp.
 atomaria, Oliv.*
 aurea, Blackb.
 bimaculata, Oliv.*
 Calliope, Blackb.
 comma, Blackb.
 decolorata, Chp.*
 delicatula, Chp.*
 ferrugata, Chp.
 hamadryas, Stal.*
 var. *flavitarsis*, Chp.

- Paropsis* *hectica*, Boi.*
 hera, Stal.
 lachesis, Stal.*
 laesa, Germ.*
 lepida, Er.
 lignea, Er.
 lineata, Marsh.*
 lutea, Marsh.*
 morio, Fab.*
 nobilitata, Er.
 nucea, Er.
 obliterata, Er.
 obovata, Chp.*
 orphana, Er.
 papulenta, Chp.
 papulosa, Er.
 picea, Oliv.*
 porosa, Er.*
 reticulata, Marsh.*
 rufipes, Fab.*
 rugosa, Chp.*
 serpiginosa, Er.
 Simsoni, Blackb.
 subcostata, Chp.
 subfasciata *var. planior*, Blackb.
 Tasmanica, Baly.
 trimaculata, Chap.*
 umbrosa, Chp.*
 variicollis, Chp.*
 venusta, Er.
Arsipoda *bifrons*, Er.
 Erichsoni, Baly.
 variegata, Wath.
Graptodera *corrusca*, Er.
Haltica *australis*, Blackb.*
 ignea, Blackb.*
 pagana, Blackb.*
Chætocnema *Erichsoni*, Baly.
Psylliodes *chlorophana*, Er.
Ellopiæ *pedestris*, Er.*
Monolepta *alpina*, Blackb.*
 nigricornis, Blackb.*
 subsuturalis, Blackb.*
Euryspa *vittata*, Baly.*
Monochirus *fimbriatus*, Chp.

EROTYLIDÆ.

- Thallis compta*, Er.*
 femoralis, Blackb.
 janthina, Er.*
 vinula, Er.*
Episcaphula australis, Boi.*

ENDOMYCHIDÆ.

- Daulis cimicoides*, Er.

COCCINELLIDÆ.

- Leis conformis*, Boi.*
Coccinella transversalis, Fab.*
Halyzia Mellyi, Muls.*
Alesia frenata, Er.*
Orcus Australasiæ, Boi.*
 bilunulatus, Boi.*
Novius cardinalis, Muls.*
Rhizobius alphabeticus, Lea.*
 Boucardi, Crotch.*
 calomeloides, Lea.
 discolor, Er.*
 hirtellus, Crotch.*
 Lindi, Blackb.*
 pulcher, Blackb.*
 tricolor, Lea.
 ventralis, Er.*
 virgatus, Lea.
Scymnus flavifrons, Blackb.*
 trilobus, Lea.
 vagans, Blackb.*
Pharus strangulatus, Er.
Bucolus obscurus, Lea.
Serangium nigrum, Lea.
Cycloscymnus minutus, Blackb.*
Epilachna Tasmanica, Crotch
 11 variolata, Boi.

CORYLOPHIDÆ.

- Corylophus fasciatus*, Er.
 thoracicus, Er.
-



Lea, A. M. 1903. "List of the described Coleoptera of Tasmania." *Papers and proceedings of the Royal Society of Tasmania* 1–26.

View This Item Online: <https://www.biodiversitylibrary.org/item/54707>

Permalink: <https://www.biodiversitylibrary.org/partpdf/335376>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.