fur had sloughed off. I tentatively identified it as an opossum (*Didelphis virginiana*) and removed the head for further checking.

Upon presenting the skull to the Royal Ontario Museum, Mr. S. C. Downing informed me that it definitely was an opossum skull and that my original identification had been correct.

This incident might raise the interesting question as to the possibility of an opossum, dead or alive, crossing Lake Erie from Ohio to Ontario, by land and water, aided by lake currents, through the Erie Island Archipelago.

— C. HAROLD ZAVITZ, Aylmer, Ont.

An Indigo Bunting in Alberta.—The Indigo Bunting, Passerina cyanea, must be a very rare visitor to Alberta, since Taverner, in his "Birds of Canada" mentions only one record for this province and one for Saskatchewan. Professor W. Rowan informs me that he had a bird of this species obtained at Sullivan Lake, Alberta, and this record is presumably additional to that mentioned by Taverner.

In view of these facts the following recent observation of an Indigo Bunting seems worthy of being reported. On June 21, 1952, while staying at Elkwater, at the foot of the Cypress Hills in southeastern Alberta, I twice caught brief glimpses of a bird which appeared, to the naked eye, blue above and whitish below. I returned to the spot, an area of bushes and trees, with 8 x 30 binoculars and soon had another good view of the bird. It appeared to be a little larger than a Yellow Warbler, was blue all over, darker above than below, except for the wings which were a very dark brown. The bill was dark grey and was about the shape of a Song Sparrow's. The bird was clearly a male Indigo Bunting, probably not quite mature in view of the wing colour. Its call was a sharp "tsit." I looked for the bird again later the same day and the following morning, but did not see it again. It would hardly appear to be possible to confuse this species with any other, but I may add that I am quite familiar with the Mountain Bluebird and have seen the Lazuli Bunting, the only western birds which at all resemble the Indigo Bunting in the field.— E. O. HOHN, Department of Physiology, University of Alberta.

New Records of Millipeds from Southern Ontario.—It was recently my privilege to identify the millipeds in the collection of the Royal Ontario Museum of Zoology and Palaeontology. The following list, although

representing only part of that collection, is of interest because the records are new for the localities indicated. More extensive collections, made especially during the late summer and early fall months and with care to get small specimens, should yield interesting information about the northern limit of distribution of Canadian species, some of which are known as far south as Texas and Tennessee.

Cleidogona sp. Fort Severn, Ont., July 21, 1940, larvae, willow swale.

Dixidesmus branneri (Bollman 1887). Pottageville, York Co., Ont., June 8, 1934.

Scytonotus granulatus (Say 1821). Peterborough, Ont.

Oriulus venustus Wood (1864). Palermo, Ont., Sept. 26, 1936; Kettleby Kabin, York Co., Ont., June 3, 1934.

Aniulus bollmani Causey 1952. Palermo, Ont., Sept. 26, 1936; Seaforth, Huron Co., Oct. 29, 1940, sugar maple woods. This species has been incorrectly referred to as Aniulus impressus (Say) by many writers.

Uroblaniulus immaculatus (Wood 1864). Palermo, Sept. 26, 1936; King Twopence, York Co., Ont., Sept. 20, 1941; Palermo, Ont., Sept. 26, 1936; Rattlesnake Point, Milton, Halton Co., Ont., Nov. 1, 1941; Cache Lake, Algonquin Park, Nipissing Dist., Ont., July 1935 and Aug. 8, 1936.

Uroblaniulus canadensis (Newport 1844). Turkey Point, Norfolk Co., Ont., Aug. 25, 1940; Seaforth, Huron Co., Ont., Sept. 29, 1940.

Uroblaniulus sp. Sanfield, Manitoba, July 16, 1939, larvae; Manitoulin Is., Ont., larvae.

Ptyoiulus sp. Rattlesnake Point, Milton, Halton Co., Ont., June 29,1940.

Polyzonium bivirgatum (Wood 1864). Rattlesnake Point, Milton, Halton Co., Ont., Nov. 1, 1941; Cache Lake, Algonquin Park, Nipissing Dist., Ont., July 1935 and Aug. 8, 1936.

Polyzonium mutabile Causey 1951. Minesing, Ont., May 19, 1934. This species is known to occur also in Illinois and Wisconsin.

—NELL B. CAUSEY, Fayetteville, Arkansas.

The Clay-colored Sparrow in Southeastern Ontario.—On July 1, 1951, while watching a pair of Field Sparrows (Spizella pusilla) at their nest in an old, bushy pasture near Merrickville on the Rideau River (Lanark County), my wife drew attention to an unfamiliar song and we soon traced the source to a Clay-colored Sparrow (Spizella pallida) perched in the top of a hawthorn bush about twelve feet from the ground. It continued to



Causey, Nell B. 1952. "New records of millipeds from southern Ontario." *The Canadian field-naturalist* 66(5), 145–145. https://doi.org/10.5962/p.341447.

View This Item Online: https://www.biodiversitylibrary.org/item/89102

DOI: https://doi.org/10.5962/p.341447

Permalink: https://www.biodiversitylibrary.org/partpdf/341447

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Ottawa Field-Naturalists' Club

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.