LYCOPODIACEAE

Lycopodium adpressum (Chapm.) Lloyd & Underw.—Southold in a sandy bog. No. 3455.

L. obscurum L.—Moist woods at Orient and Southold. (To be continued)

NEW COMBINATIONS FOR PHANEROGAMIC NAMES

By J. C. ARTHUR

In order to secure uniformity in citing the names of hosts for species of Uredinales the following new combinations are proposed. So far as the writer can ascertain these combinations have not been made before, and in coming to this conclusion he has had the kindly assistance of a number of correspondents.

Cnidoscolus urens (L.) comb. nov. (*Jatropha urens* L. Sp. Pl. 1007. 1753). A common plant of tropical America, bearing *Uromyces oaxacanus* Diet. & Holw.

Adenoropium angustifolium (Griseb.) comb. nov. (Jatropha angustifolia Griseb.; Goett. Nachr. 171. 1865). A Cuban species bearing the imperfectly known rust Uredo jatrophicola Arth.

Vincetoxicum bifidum (Hemsl.) comb. nov. (Gonolobus bifidus Hemsl., Biol. Centr. Am. Bot. 2: 330. 1879).

Vincetoxicum erianthum (Decaisne) comb. nov. (Gonolobus erianthus Decaisne; DC. Prodr. 8: 592. 1844).

Vincetoxicum uniflorum (H.B.K.) comb. nov. (*Gonolobus uniflorus* H.B.K. Nov. Gen. Sp. 3: 207. 1818). These three Mexican species of Vincetoxicum, belonging to the Asclepiadaceae, bear the very common tropical rust *Puccinia obliqua* Berk. & Curt.

Sphaeralcea arcuata (Greene) comb. nov. (Malvastrum arcuatum Robinson; A. Gray, Synop. Fl. N. Am. 1¹: 311. 1878).

Sphaeralcea fasciculata (Nutt.) comb. nov. (Malva fasciculata Nutt.; T. & G. Flora N. Am. 1: 225. 1838). These two Californian species belonging to Malvaceae bear the common western rust *Puccinia Sherardiana* Körn. **Madronella viridis** (Jepson) comb. nov. (*Monardella viridis* Jepson, Flora W. Mid. Calif. 465. 1901). A plant of western California bearing *Puccinia Monardellae* Dudl. & Thomp., a distinctively Californian rust.

Coleosanthus megalodontus (Greenm.) comb. nov. (*Brickellia megalodonta* Greenm. Proc. Am. Acad. **40**: 34. 1904). A Mexican plant bearing the rust *Puccinia Brickelliae* Peck.

Purdue University, Lafayette, Indiana

SHORTER NOTES

Notes on Hemerocallis, II.—A previous note (Amer. Mid. Nat. 1914–15) dealt with the nomenclature, specific description, and the distribution of the North American members of this genus, H. fulva and H. flava. In 1917, the writer conducted experiments upon H. fulva, obtaining results which appear to be of interest if only from a negative standpoint, since the experimental procedure involved seems somewhat similar to the more probable physiological forces at work in the conditions under which the plant forms mature seeds.

Referring to Knuth's Handbook of Flower Pollination, we read that, "according to Sprengel's assertion which Kerner confirms, the plant (H. fulva) never sets fruit here, so it is highly probable that in its original home in E. Asia, it is pollinated by such insects as are not to be found in Europe. Maximowicz states that artificial pollination is also ineffective, the flowers do not produce mature seeds in Europe. Sprengel, who pollinated the flowers artificially with their own pollen, also obtained no fruits, etc."

No such limitations affect H. flava, indeed Linnaeus believed H. flava and H. fulva (commonly known as the yellow lily and day lily respectively) to form a composite type species (H. lilio-asphodelus), for the genus, and that one was really a variety of the other, a fact readily comprehensible when their great anatomical, if not physiological resemblance, be kept in mind.



Biodiversity Heritage Library

Arthur, Joseph Charles. 1921. "NEW COMBINATIONS FOR PHANEROGAMIC NAMES." *Torreya* 21(1), 11–12.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/100133</u> Permalink: <u>https://www.biodiversitylibrary.org/partpdf/348310</u>

Holding Institution New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection. Rights: <u>https://www.biodiversitylibrary.org/permissions/</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.