patterns and breeding territory philopatry. Ph.D. dissertation, University of Minnesota, St. Paul.

Gostomski, T. J., and D. C. Evers. 1998. Time-activity budget for Common Loon, *Gavia immer*, nesting on Lake Superior. Canadian Field-Naturalist 112: 191-197.

McIntyre, J. W. 1975. Biology and behavior of the Common Loon (*Gavia immer*) with reference to its adaptability in the man-altered environment. Ph.D. dissertation, University of Minnesota, Minneapolis.

McIntyre, J. W. 1988. The Common Loon: Spirit of northern lakes. University of Minnesota Press, Minneapolis, Minnesota. 288 pages.

Paruk, J. D. 2000. Incubating roles and patterns in Common Loons (*Gavia immer*). Pages 50-54 in Loons: Old history and new findings. *Edited by J. W. McIntyre* and D. C. Evers. Proceedings of a Symposium from the 1997 meeting, American Ornithologists' Union. North American Loon Fund, Holderness, New Hampshire.

Sjolander, **S.**, and **G. Agren.** 1972. Reproductive behavior of the Common Loon. Wilson Bulletin 84: 296-308.

Taylor, K. 1974. The loon. Adirondack Life 5: 30-37.

Received 8 November 2004 Accepted 30 August 2005

Short-tailed Shrew, *Blarina brevicauda*, Apparently Killed by Red Squirrel, *Tamiasciurus hudsonicus*

ROBERT W. NERO

446 Coventry Road, Winnipeg, Manitoba R3R 1B6

Nero, Robert W. 2005. Short-tailed Shrew, *Blarina brevicauda*, apparently killed by Red Squirrel, *Tamiasciurus hudsonicus*. Canadian Field-Naturalist 119(2): 000-000.

On 2 November 2003, a freshly killed Short-tailed Shrew found beneath a bird feeder was likely the victim of an aggressive locally-resident Red Squirrel. The minimal amount of snow cover at the time is hypothesized to have prevented an escape such as had been observed in an encounter between these species in a previous year.

Key Words: Short-tailed Shrew, Blarina brevicauda, Red Squirrel, Tamiasciurus hudsonicus, aggression, Manitoba.

In mid-afternoon on 2 November 2003, I found a freshly-killed Short-tailed Shrew, *Blarina brevicauda*, lying on the seed-strewn ground beneath one of our bird feeders which is fastened to the trunk of a large oak tree. I could hardly have failed to notice the shrew had it been there earlier as the site is readily visible from out living-room windows. The shrew was lying on bare grass which two days earlier I had shovelled clear of a thin layer of new snow. Up to this time, I had not noticed any shrew sign. The dead shrew, a surprisingly thin female, had fresh bloody bite marks on the back of its neck, on one shoulder, and on the side of its head.

As I could think of no other explanation, I presumed that the shrew, which was possibly attracted by the bird seed, had been attacked and killed not long before I returned home from a short outing, as it was still bleeding. I guessed that the killer was one of our two resident Red Squirrels. One, in particular, an aggressive creature that established residence here in the previous spring, claimed this oak tree as one of its primary sites,

regularly driving away other Red Squirrels and Grey Squirrels (*Sciurus carolinensis*); it also frequently harassed birds of nearly all species. Nevertheless, partly because we have two other nearby bird-feeding sites, songbirds do regularly visit here.

Previous observations of a Red Squirrel (not this particular one) showing similar belligerence have been of some interest. In this same general area, Nero (1996) noted that in early December 1995 a Red Squirrel was observed attacking a Short-tailed Shrew. That shrew struggled fiercely and then escaped its attacker by diving into a burrow in the snow. In the 2003 incident, owing to the minimal amount of snow in the vicinity, the shrew had no escape route.

Literature Cited

Nero, R. W. 1996. Red Squirrel, *Tamiasciurus hudsonicus*, Short-tailed Shrew, *Blarina brevicauda*, brief interaction. Canadian Field-Naturalist 110: 712.

Received 18 December 2004 Accepted 17 April 2005



Nero, Robert W. 2005. "Short-tailed Shrew, Blarina brevicauda, Apparently Killed by Red Squirrel, Tamiasciurus hudsonicus." *The Canadian field-naturalist* 119(3), 456–456. https://doi.org/10.22621/cfn.v119i3.165.

View This Item Online: https://www.biodiversitylibrary.org/item/109674

DOI: https://doi.org/10.22621/cfn.v119i3.165

Permalink: https://www.biodiversitylibrary.org/partpdf/352551

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Ottawa Field-Naturalists' Club

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.