(2) Additional comments have been received from Professor B. J. Kaston (Department of Zoology, College of Science, San Diego State University, San Diego, CA 92182, U.S.A.) and Professor Konrad Thaler (Institut für Zoologie, Universität Innsbruck, Universitätstrasse 4, A-6020 Innsbruck, Austria. Professor Kaston supports Levi's application (Bull. zool. Nom. vol. 42, pp. 81–84) with regard to both Argyrodes Simon, 1864 and Robertus. Professor Thaler agrees so far as Argyrodes is concerned, but prefers Ctenium Menge, 1871 to Robertus O. Pickard-Cambridge, 1879 on the grounds of priority and because Menge described and illlustrated Ctenium in detail whereas Robertus was described less precisely.

P. K. TUBBS Executive Secretary

FURTHER COMMENT ON THE PROPOSED CONSERVATION OF LASPEYRESIA HÜBNER, [1825] (INSECTA, LEPIDOPTERA). Z.N.(S.)2421 (see vol. 41, pp. 110–113; vol. 42, pp. 8–10)

(1) By I. M. Kerzhner & V. I. Kuznetsov (Zoological Institute, Academy of Sciences of the U.S.S.R., Leningrad, U.S.S.R.)

We are unable to interpret the figures in the comment by Bradley et al. It would be incorrect to judge from them that usage of Cydia predominated in 1973–1984, especially in the U.S.S.R.. From papers reviewed in 1973 in Review of applied entomology Series A (apparently the same as the CAB database) 64 used Laspeyresia and only 3 used Cydia. For 1983 corresponding figures are 41 and 46. From papers reviewed in 1983, Laspeyresia was used alone in the U.S.S.R. (8 papers), Poland (4), G.D.R. (2), Netherlands (2), Bulgaria (2), Sweden (2), Greece (2), Romania (1) and Israel (1). It was dominant also in F.R.G. (5:1) and France (3:1). Usage was equal in Italy, Switzerland, Hungary and Canada. Cydia was used alone in U.K. (6), Australia (4), India (4), Czechoslovakia (3), Nigeria (3), New Zealand (2), Finland (1), Yugoslavia (1) and Senegal (1) and was dominant in the U.S.A. (13:4). It seems that Cydia reached slightly preferential usage in 1982 or 1983 only.

(2) By J. D. Bradley (c/o British Museum (Natural History) and C. J. Hamilton (Commonwealth Institute of Entomology)

We give below the latest figures from the CAB database, i.e. everything in the Review of applied entomology Series A from January 1973 to May 1985. We give figures for citations:

- (a) anywhere in the work reviewed, i.e. a single count, whether in title or text
- (b) citations in the titles of papers only.

The second set of figures seems to support our case even more strongly than the first:

	Soviet (%)	Non-Soviet (%)	Total
Laspeyresia	The State of the Park	in the relation to the second second	an it bear
anywhere	74 (9.9)	671 (90.1)	745
in title	41 (15.8)	218 (84.2)	259
Cydia			
anywhere	253 (14.6)	1480 (85.4)	1733
in title	5 (3.3)	145 (96.7)	150
Laspeyresia and/or Cydia			
anywhere	254 (14.6)	1482 (85.4)	1736
in title	44 (11.1)	353 (88.9)	397
Laspeyresia and Cydia			
anywhere	73 (9.8)	669 (90.2)	742
in title	2 (16.7)	10 (83.3)	12
Laspeyresia not Cydia			
anywhere	1 (33.3)	2 (66.7)	3
in title	39 (15.8)	208 (84.2)	247
Cydia not Laspeyresia			
anywhere	180 (18.2)	811 (81.8)	991
in title	3 (2.2)	135 (97.8)	138

## COMMENT ON THE PROPOSED CONSERVATION OF HYLA LACTEA DAUDIN, 1803 (AMPHIBIA). Z.N.(S.)2341 (see Vol. 41, pp. 122–124)

By Hobart M. Smith (EPOB, University of Colorado, Boulder, CO 80309, U.S.A.)

Despite Stimson's (Vol. 42, pp. 6–7) arguments to the contrary, a reasonable case exists for conservation of *Hyla lactea* Daudin, 1803. Stimson's case for suppression of *Hyla lactea* Laurenti, 1768, solely for purposes of the Principle of Priority, and not of Homonymy, appears to be premised upon a key objective of the Code to promote stability of nomenclature. Failure of suppression of *Hyla lactea* Laurenti, 1768, for purposes of the Principle of Homonymy, would eliminate Daudin's homonym, making its subjective junior synonym *Sphaenorhynchus eurhostus* Rivero, 1969 the valid name for the species. On the contrary, suppressing Laurenti's *Hyla lactea* for purposes of the Principle of Homonymy (as well as of Priority, to which Stimson agrees), as proposed by Lynch and Duellman, would leave it as a valid name, of which both *Hyla aurantiaca* Daudin, 1803, and *S. eurhostus* Rivero, 1969, are invalid subjective junior synonyms.



Bradley, J. D. and Hamilton, C J. 1986. "Further Comment On The Proposed Conservation Of Laspeyresia Hubner," *The Bulletin of zoological nomenclature* 43, 8–9. <a href="https://doi.org/10.5962/bhl.part.354">https://doi.org/10.5962/bhl.part.354</a>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/45868">https://www.biodiversitylibrary.org/item/45868</a>

**DOI:** https://doi.org/10.5962/bhl.part.354

Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/354">https://www.biodiversitylibrary.org/partpdf/354</a>

## **Holding Institution**

Natural History Museum Library, London

## Sponsored by

Natural History Museum Library, London

## **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: <a href="http://creativecommons.org/licenses/by-nc-sa/3.0/">http://creativecommons.org/licenses/by-nc-sa/3.0/</a>

Rights: <a href="https://biodiversitylibrary.org/permissions">https://biodiversitylibrary.org/permissions</a>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <a href="https://www.biodiversitylibrary.org">https://www.biodiversitylibrary.org</a>.