

*HYMENOSOMA LAEVE* TARGIONI TOZZETTI, 1877 (CRUSTACEA, BRACHYURA): PROPOSED SUPPRESSION UNDER THE PLENARY POWERS. Z.N.(S.) 2014

By J. S. Lucas (*James Cook University of North Queensland, Townsville, 4810 Australia*)

I am engaged in a revision of the crab family Hymenosomatidae, and have discovered a senior synonym which would seem to be an unused senior synonym.

Targioni Tozzetti (1877) described a new species, *Hymenosoma laeve*, from Victoria, Australia. I have reviewed the literature extensively, and to my knowledge, there have only been two references to this name, since the original description. Kemp (1917) mentioned it as a probable species of *Haliscarcinus* White, 1846 and Tesch (1918) included it in his hymenosomatid monograph as a "*species incertae sedis*". Therefore the specific name *laeve* has not been used since 1918.

Haswell (1882 a & b) described the same taxon as *Hymenosoma australe* and this junior synonym has been used in the primary zoological literature in all other references to this species, except Kemp (1917). I know of fifteen references by more than five authors from 1906 to date in which Haswell's name is used. These are listed below in chronological order.

I have examined the hymenosomatid material in all the Australian Museums and in no case are specimens identified as *laeve*. Further, the Curator of the Museo Zoologico de "La Specola", Firenze, Italy, informs me that the type-specimen of *Hymenosoma laeve* is not extant, having been destroyed in World War II.

Therefore, I duly request the International Commission on Zoological Nomenclature to:

- (1) use its plenary powers to suppress the specific name *laeve* Targioni Tozzetti, 1877, as published in the binomen *Hymenosoma laeve*, for the purposes of the Law of Priority but not for those of the Law of Homonymy;
- (2) place the specific name suppressed in (1) above, on the Official Index of Rejected and Invalid Specific Names in Zoology.

#### REFERENCES

- \*References marked with an asterisk are those which mention *australe*.
- TARGIONI TOZZETTI, A. 1877. Crostacei Brachiuri e Anomouri. In: "*Zoologia del Viaggio intorno al Globo della R. pirocorvetta Magenta*". Firenze. 257 pp., 13 pls.
- HASWELL, W. A. 1882a. On some new Australian Brachyura. *Proc. Linn. Soc. N.S.W.* 6 : 540-551, 750-763
- 1882b. *Catalogue of the Australian stalk- and sessile-eyed Crustacea*. Australian Museum, Sydney. 326 pp.
- \*FULTON, S. W. and GRANT, F. E. 1906. Census of Victorian decapod Crustacea. Part 1 (Brachyura). *Proc. R. Soc. Vict.* (ser 2) 19 : 16-20
- \*TESCH, J. J. 1918. The Decapoda Brachyura of the Siboga Expedition. I. Hymenosomidae, Retroplumidae, Ocypodidae, Grapsidae and Gecarcinidae. *Siboga Exped.* 39c (82) : 1-148



- \*MONTGOMERY, S. K. 1921. Some Hymenosomidae from the Swan River. *J. R. Soc. W. Aust.* 6 : 93-96
- \*—— 1931. Report on the Crustacea Brachyura of the Percy Sladen Expedition to the Abrolhos Islands under the leadership of Prof. W. J. Dakin in 1913, along with other crabs from Western Australia. *J. Linn. Soc. (Zool.)* 37 : 405-465
- \*HALE, H. M. 1927. *The Crustaceans of South Australia*. Part 1. Govt Printer, Adelaide. 201 pp.
- \*THOMPSON, J. M. 1946. The fauna of the algal zone of the Swan River estuary. A preliminary survey of Freshwater Bay with notes on the chief species. *J. R. Soc. W. Aust.* 30 : 55-73
- \*DAKIN, W. J., BENNETT, I. and POPE, E. 1952. *Australian Seashores*. Angus & Robertson, Sydney. xxii, 372 pp.
- \*SERVENTY, D. L. 1955. The fauna of the Swan River estuary: 70-77. In: *Swan River Reference Committee, Report by subcommittee on pollution of Swan River*. Govt Printer, Perth
- \*SNELLING, B. 1959. The distribution of intertidal crabs in the Brisbane River. *Aust. J. mar. Freshwat. Res.* 10 : 67-83
- \*SERENE, R. 1968. The Brachyura of the Indo-West Pacific Region: 33-112 In: Serene, R. (Ed.) *Prodromus for a check list of the (non-planctonic) marine fauna of South East Asia*. Singapore National Academy of Science, Special Publication No. 1, 120 pp.
- \*LUCAS J. S. 1970. Breeding experiments to distinguish two sibling species of *Haliscarcinus* (Crustacea, Brachyura). *J. Zool.* 160 : 267-278
- \*—— 1971. The larval species of some Australian species of *Haliscarcinus* (Crustacea, Brachyura, Hymenosomatidae). I. Morphology. *Bull. Mar. Sci.* 21 : 471-490
- \*—— 1972. [As above.] II. Physiology. *Bull. Mar. Sci.* 22 : 834-840
- \*LUCAS, J. S. and HODGKIN, E. P. 1970. Growth and reproduction of *Haliscarcinus australis* (Haswell) (Crustacea, Brachyura) in the Swan estuary, Western Australia. I. Crab instars. *Aust. J. mar. Freshwat. Res.* 21 : 149-162
- \*—— 1970. [As above.] II. Larval stages. *Aust. J. mar. Freshwat. Res.* 21 : 163-173



Lucas, J S. 1974. "Hymenosoma laeve Targioni Tozzetti, 1877 (Crustacea, Brachyura): proposed suppression under the plenary powers. Z.N.(S.) 2014." *The Bulletin of zoological nomenclature* 31, 142–143.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/44473>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/35899>

#### **Holding Institution**

Natural History Museum Library, London

#### **Sponsored by**

Natural History Museum Library, London

#### **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.