

MONARCHA TRIVIRGATA.

Fig. 1.

Mon. fronte, gulá, margine oculari, auriculisque, intensè nigris; corpore superiore nigrescenti-griseo; caudá nigrá, rectricibus externis tribus ad apicem albis; genis, pectore lateribusque rufis; abdomine crissoque albis; rostro plumbeo; pedibus nigris.

Long. tot. $6\frac{1}{4}$ unc.; rostri, $\frac{3}{4}$; alæ, 3; caudæ, 3; tarsi, $\frac{3}{4}$.

Forehead, throat, space round the eye, and the ears, jet black; upper surface dark grey; tail black, the three outer feathers on each side largely tipped with white; cheeks, chest and flanks rufous; abdomen and tail-coverts white; bill lead colour; feet black.

SYN. *Drymophila trivirgata*, Temm. Pl. Col. 418. f. 1.

Habitat. Australia.

MONARCHA CARINATA, Vig. & Horsf.

Fig. 2.

Mon. fronte, loris, et gutture intensè nigris; corpore superiore griseo; alis caudâque fuscis; lateribus colli pectoreque pallidè cinereis; abdomine crissoque rufis; rostro plumbeo; pedibus fuscis.

Long. tot. 7 unc.; rostri, $\frac{3}{4}$; alæ, $3\frac{5}{8}$; caudæ, 3; tarsi, $\frac{3}{4}$.

Forehead, lores, and throat jet black; all the upper surface grey; wings and tail brown; sides of the neck and the chest light grey; abdomen and under tail-coverts rufous; bill bluish horn colour; feet blackish brown.

SYN. *Muscipeta carinata*, Swains. Zool. Ill., 1st ser., pl. 147.

Drymophila carinata, Temm. Pl. Col. 418. f. 2.

Monarcha carinata, Vig. and Horsf. in Linn. Trans., vol. xv. p. 255.

Habitat. Australia: locality, New South Wales.

MONARCHA INORNATA.

Fig. 3.

Mon. capite, gutture, corpore superiore, caudâque, cinereis; alis fuscis, pogoniis externis rufo tinctis; loris cinerascentibus; abdomine crissoque rufis; rostro plumbeo; pedibus nigris.

Long. tot. 7 unc.; rostri, $\frac{7}{8}$; alæ, $3\frac{5}{8}$; caudæ, 3; tarsi, $\frac{3}{4}$.

Head, throat, all the upper surface, and the tail, grey; wings brown, the outer edge of the feathers tinged with rufous; lores greyish white; abdomen and under tail-coverts rufous; bill lead colour; feet black.

SYN. *Muscicapa inornata*, Garnot in Duperrey's Voy. autour du Monde, p. 591., and Atlas to ditto, pl. 16. f. 1.?

Remark. Although we have followed M. Garnot in describing this bird as distinct from *Monarcha carinata*, we think it probable that it may ultimately prove to be only the female of that species.

Habitat. Australia: locality, New South Wales.



1



2



3

1. *Monarcha trivirgata*.
 2. *carinata*.
 3. *inornata*



Gould, John and Gould, Elizabeth. 1837. "Monarcha inornata." *A synopsis of the birds of Australia, and the adjacent islands* (2), –.

<https://doi.org/10.5962/p.363606>.

View This Item Online: <https://www.biodiversitylibrary.org/item/172464>

DOI: <https://doi.org/10.5962/p.363606>

Permalink: <https://www.biodiversitylibrary.org/partpdf/363606>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.