

c. Brown variety.

This resembles the last, but there is little or no trace of the blue mottling on the ventrals which are almost uniform brown. Two examples from the Andamans in the Indian Museum.

d. Uniform or banded variety.

Colour uniform light reddish or dusky or with regular white transverse bands; scales in 21 rows.

This is the variety described by Stoliczka under the name of *T. mutabilis*, and is found on both the Andamans and Nicobars.

e. Green above, lighter below, resembling the typical variety found in Assam and Burma, scales in 21-25 rows.

This variety occurs on the Andamans, Cocos and Nicobars.

All the above varieties with the exception of the first seem to be referable to *T. gramineus* rather than to *T. purpureomaculatus*.

EXPLANATION OF PLATE VI.

- Fig. 1. *Ablabes stoliczkae*, sp. nov. × 2.
 2. *Simotes woodmasoni*, sp. nov.
 3. *Zaoccys tenasserimensis*, sp. nov.
 4. *Tropidonotus pealii*, sp. nov.
 5. *Tropidonotus nicobaricus*, sp. nov. × 2.

XI.—Catalogue of the Diptera of the Oriental region by MONS. J. M. F. BIGOT. PART I. Communicated by the SUPERINTENDENT OF THE INDIAN MUSEUM.*

[Received Feb. 26th, 1891. Read March 3rd, 1891.]

Order DIPTERA.

Suborder HOMALOCERATI.

J. Bigot, *adhuc ined.*

Division NEMATOCERATÆ.

J. Bigot, *adhuc ined.* : Nematocera, Meigen, *Syst. Beschr.*, i, 1818.

Family CULICIDÆ.

J. Bigot, *adhuc ined.* : Culiciformes, Meigen *Syst. Beschr.* i, 1818 : Culicidæ, Latr. *Fam. Natur.* 1825 : Macquart, *S. à Buff. Dipt.* i, 1834 : Culicinæ, Zetterst., *Ins. Laponica* : Culicinæ Rondani, *Prodr.* i, 1856 : Culicina, Schiner, *Faun. Austr. Fliegen* 1864.

* This Catalogue was drawn up by M. Bigot at the suggestion of the late Mr. Atkinson and was to have formed part of the series of Catalogues of the Insecta of the Oriental Region, which have been discontinued since Mr. Atkinson's death.

Genus ANOPHELES.

- Meigen, *Syst. Beschr.* i, 1818, p. 10 : *Culex*, pt., Linn.
annularis, V. der Wulp, *Notes Leyden Mus.*, vi, 1884, p. 249.
 Hab. Java.
barbirostris, id. *ibid.*, p. 248.
 Hab. Java.
sinensis, Wiedem., *Auss. Europ. Zweifl. Ins. Hamm.* 1828, i, p. 47.
 Hab. China.

Genus MEGARHINUS.

- Rob.-Desvoidy, (*alias Megarhina*) *Essai sur les Tipul.* : *Culex*, pt.
splendens, (*Culex*) Wiedem., *Zool. Magaz.* iii, p. 2.
 Hab. Java.

Genus CULEX.

- Linn., *Faun. Suec.* 1761 : Meigen, *Illig. Magaz.* ii, p. 260, (auct).
laniger, Wiedem., *Auss. Europ. Zweifl. Ins. Hamm.*, 1828, p. 5.
 Hab. Java.
fuscanus, id. *ibid.*, p. 6.
 Hab. India.
fatigans, id. *ibid.*, p. 10.
 Hab. India.
molestus, id. *ibid.*, p. 542.
 Hab. Sumatra.
sitiens, id. *ibid.*, p. 543.
 Hab. Sumatra.
vagans, id. *ibid.*, p. 545.
 Hab. China.
amboinensis, (*Melius Megarhina*) Doleschall *Natuur. Tijdschr. Nederl. Indië.* xiv, 1857, p. 381.
 Hab. Amboina.
aureostriatus, id. *ibid.*, p. 385.
 Hab. Amboina.
eingulatus, id. *Natuur. Tijdschr. Nederl. Indië, Batavia.* x, 1856, p. 405.
 Hab. Java.
subulifer, id. *ibid.*, xiv, 1857, p. 382.
 Hab. Amboina.
nero, id. *ibid.*, xiv, 1857, p. 383.
 Hab. Java.

setulosus, id. ibid., xiv, 1857, p. 384.

Hab. Java.

luridus, id. ibid., xiv, 1857, p. 384.

Hab. Java.

variegatus, id. ibid., xvii, 1858, p. 77.

Hab. Amboina.

annulipes, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 6.

Hab. Singapore.

imprimens, id. ibid., v, 1861, p. 144.

Hab. Amboina.

ventralis, id. ibid., v, 1861, p. 144.

Hab. Amboina.

dives, Schiner *Novara Reise* 1868, p. 31.

Hab. Batavia.

longipalpis, V. der Wulp, *Tijdschr. Ent.* xxii, blz. lxxvii, p. 9.

Hab. Sumatra.

crassipes, id. ibid., p. 9.

Hab. Sumatra.

Family CHIRONOMYDI.

J. Bigot, *adhuc ined.* : Chironomydæ, Schiner *Faun. Austr. Flieg.*, ii, 1864, p. 574 : Chironomides Westw., *Introd. Entom.* 1840 : Tipul. Culiciform Macquart. S. à Buff. *Dipt.* i, 1834 : Chironomides, Macquart, *Dipt. Exot.*, 1838, p. 36.

Genus CERATOPOGON.

Meigen, *Illig. Magaz.* ii, 1803, p. 261 : Culex pt. Linn. : Chironomus pt. Fabr, Fallen : Culicides, Latr. ; Palpomyda, Prionomyda, Ceratopogon pt., Rossi.

trichopus, Thomson, *Eugenie Resa*, 1868, p. 444.

Hab. China.

agax, Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 462.

Hab. Borneo.

Genus CHIRONOMUS.

Meigen, *Illig. Magaz.* ii, 1803, p. 260 ; Thalassomyia, pt. Schiner : Tipula, pt. Linn.

venustus, Wiedem., *Auss. Europ. Zweifl. Ins. Hamm.* 1828, i, p. 547.

Hab. China.

vicarius, Walker, *Ins. Saunders. Dipt. London*, 1856, p. 423.
Hab. India.

cubiculorum, Doleschall, *Natuur. Tijdschr. Nederl. Indie, Batavia*, x, 1856, p. 405.
Hab. Java.

pictus, id. ibid., xiv, 1857, p. 386.
Hab. Java.

socius, Walker, *List Dipt. Ins. Brit. Museum London*, 1848, pt. 1, p. 16.
Hab. India.

Genus TANYPUS.

Meigen, *Illig. Magaz.* ii, 1803, p. 261 : *Tipula* pt. Linn., Degeer : *Chironomus* pt. Fabr.

pardalis, Doleschall, *Naturk. Tijdschr. Nederl. Indie, Batavia*, v, 1856, p. 405.
Hab. Java.

melanurus, id. ibid., p. 405.
Hab. Java.

cyanomaculatus, id. ibid., p. 406.
Hab. Java.

nigrocinetus, id. ibid., p. 406.
Hab. Java.

ornatus, id. ibid., xiv, 1857, p. 385.
Hab. Java.

crux, Wiedem. *Anal. Entom.* 10, id., *Ausser Europ. Zweifl. Ins.* i, Hamm, 1828, p. 10.
Hab. India.

Genus MACROPEZA.

Meigen, *Syst., Beschr.*, i, 1818, p. 87 : Wiedem., Macq., Walker, Schiner, Rondani, (et auct.).

gibbosa, Wiedem., *Ausser Europ. Zweifl. Ins. pt. i*, Hamm. 1828, p. 20.
Hab. India.

Family CECIDOMYDI.

Bigot, *adhuc ined.* 1891 : *Tipulariae Gallicoloe*, Gallmücken, Meigen, *Syst. Beschr.* 1818, i, p. xxxiv : *Cecidomyida*, Westw. *Introd. Entom.* 1840 : *Cecidomyidae*, Schiner, *Faun. Austr. Fliegen*, ii, Wien, 1864, p. xviii.

Genus CECIDOMYIA.

Meigen, *Illig. Magaz.* ii, 1803, p. 261, Latr., Wiedem., Macq., Schiner, Rondani, V. de Wulp, Walker, (et auct.) : *Tipula*, pt. Degeer : *Dasyneura* pt. Rondani : *Oligotrophus*, pt. Latr.

deferenda, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 105.
Hab. Sarawak.

oryzae, Wood-Mason, *Indian Museum Notes*, i, p. 103, pl. vi, fig. 6.
Hab. Bengal.

Genus LASIOPTERA.

Meigen, *Syst. Beschr.* i, p. 88, 1818: *Cecidomyia* pt. Meigen: *Tipula* pt. Linn., Degeer.

bryonicæ, Schiner, *Novara Reise* 1868, p. 5.
Hab. Madras.

Family DIXADI.

Bigot, *adhuc ined.* 1891.

Genus DIXA.

Meigen, *Syst. Beschr.* i, 1818, p. 216.

guttipennis, Thomson, *Eugenie Resa* 1868 p. 448.
Hab. China.

Family TIPULIDI.

Tipulidæ, Leach, *in Sam. Comp.* 1819: Tipulidæ, Schiner, *Faun. Austr. Fliegen* ii, 1864, p. 495: Tipulariæ, Latr. *Hist. Nat. Ins.* 1802: Tipularides, Leach *Edinb. Encycl.* 1815: Tipulides, Westw. *Introd. Mod. Class. Insects*, 1840.

Genus CTENOPHORA.

Meigen, *Illig. Magaz.* ii, 1803, p. 263: Wiedem., Macq., Schiner, Zetterst., Rondani, Ost.-Sacken pt.: Pselliophora, pt. Ost.-Sacken. *Berlin Ent. Zeitschr.* 1886, xxxi. p. 168: Tanyptera, Latr.: Dictenidia et Xyphura, pt. Brullé.: Ceroctena et Xyphura pt. Rondani.

melanura, Walker, *List Dipt. Ins. Brit. Museum London*, i, 1848, p. 78.
Hab. Nepal.

xanthomelana, id. *ibid.*, p. 77.
Hab. India.

melanura, id. *ibid.*, p. 78.
Hab. Nepal.

Genus PSELLIOPHORA.

Ost-Sacken, *Berlin Entom. Zeitschr.* 1886, xxx, p. 168: Ctenophora pt. Meigen loeta (*Ctenophora*) Wiedem., *Ausser. Europ. Zweifl. Ins.* i, p. 40: (*Tipula* id. Fabr.) Hab. India.

ardens, (*Ctenophora*), id. *ibid.*, p. 39.
Hab. Java.

compedita, (*Ctenophora*) id. *ibid.*, p. 39.
Hab. Java.

taprobanes, (*Ctenophora*) *Walker List. Dipt. Ins. Brit. Mus. London*, 1848, i, p. 77.
Hab. Ceylon.

fumiplena, (*Ctenophora*) *Walker Ins. Saunders. Dipt. i, London*, 1856, p. 449.
Hab. China.

javanica, (*Ctenophora*) *Doleschall, Natuurk. Tijdschr. Nederl. Indie, Batavia*, x, 1856, p. 406.
Hab. Borneo, Java.

chrysophila, (*Ctenophora*) *Walker Journ. Proceed. Linn. Soc. Lond. i*, 1857, p. 6.
Hab. Singapore.

curvipes, (*Ctenophora*) *V. der Wulp, Notes Leyden Mus. vi*, 1884, p. 254.
Hab. Gorontalo, Java?

annulosa, (*Ctenophora*) id. *ibid.*, vii, p. 1.
Hab. Java.

rubra, Ost.-Sacken, *Berlin. Entom. Zeitschr. xxx*, 1886, p. 171.
Hab. Laos.

Genus PRIONOTA.

V. de Wulp, *Notes Leyd. Mus. vii*, 1885 p. 1.
nigriceps, V. der Wulp, id. *ibid.*, p. 2.
Hab. Java.

Genus OLIGOMERA.

Doleschall, *Natuurk. Tijdschr. Nederl. Indie, Batavia* xiv, 1857, p. 387,
Eriocera, pt. Maquart.

javensis, Doleschall, *ibid.* p. 387: Eriocera acrostacta, V. der Wulp.
Hab. Java.

Genus PACHYRHINA.

Macquart, *S. à. Buff. Dipt. i*, 1834, p. 88: *Tipula* pt. : *Nephrotoma*, pt.
Olivier, *Eneycl. Method.*

bombayensis, Macquart *Dipt. Exot. Paris*, 1855, 5th Suppl. p. 15.
Hab. Bombay.

delecta, Walker, *Ins. Saunders. Dipt. Lond.* 1856, p. 445, *Tipula* id. Macq.
Hab. India.

quadrivittata, V. der Wulp, *Notes Leyden Mus.* vi, 1885, p. 9.

Hab. Java.

triplasia, id. *ibid.*, p. 10.

Hab. Java.

fasciata, Macquart, *S. à Buff. Dipt.*, i, Paris, 1834, p. 90.

Hab. Java.

doleschalli, (*Nomen Novum*), *Tipula javensis*, *Doleschall Natuur. Tijdschr. Nederl. Indie, Batavia.* x, 1856, p. 406: Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 399: P. *fasciata*? Macq. (Vid. Suppl.).

Hab. Java.

Genus TIPULA.

Linn., *Faun. Suec.* 1761, p. 430 (et auct.).

praepotens, Wiedem., *Auss. Europ. Zweifl. Ins.* i, *Hamm.*, 1828, p. 40.

Hab. Java.

monochroa, id. *ibid.*, p. 41.

Hab. Java.

pedata, Wiedem., *Dipt. Exot.* i, p. 23.

Hab. Java.

umbrina, Wiedem., *Auss. Europ. Zweifl. Ins.* i, *Hamm.*, 1828, p. 49: T. *congrua*, Walker.

Hab. Java.

javana, id. *Dipt. Exot.* i, 1821, p. 27.

Hab. Java.

castanea, Macq. *Dipt. Exot.* i, 1838, p. 54.

Hab. Java.

venusta, Walker, *List Dipt. Ins. British Museum*, i, 1848, p. 64.

Hab. Sylhet.

fulvipennis, id. *ibid.*, p. 67.

Hab. Nepal.

reposita, id. *ibid.*, p. 67.

Hab. Nepal.

melanomera, id. *ibid.*, p. 68.

Hab. Nepal.

nova, id. *ibid.*, p. 71.

Hab. Hong-Kong.

vicaria, id. *Ins. Saunders. Dipt. Lond.* 1856, pt. i. p. 445.

Hab. India.

javensis, Doleschall, *Natuur. Tijdschr. Nederl. Indie, Batavia*, x, 1856, p. 406.

Hab. Java.

longicornis, id. ibid. xvii, 1858, p. 79.
Hab. Amboina.

vilis, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 108.
Hab. Borneo.

fumifinis, id. ibid., v, 1861, p. 145.
Hab. Amboina.

serrata, V. der Wulp, *Notes Leyden Mus.* vii, 1885, p. 5.
Hab. Serahan?

pilosula, id. ibid., p. 5.
Hab. Java.

leucopyga, id. ibid., p. 6.
Hab. Java.

brobdignagia, Westwood, *Trans. Ent. Soc. Lond.* 1876, p. 504.
Hab. N. China.

Genus CONOSIA.

V. der Wulp, *Tijdschr. Entom.* 1880, p. 159 : *Limnobia*, pt. Wiedem.

irrorata, V. der Wulp, *loc. cit.* p. 161 : *Limnobia* id. Wiedem. *Ausser Europ. Zweifl. Ins. i, Hamm.* 1828, p. 574.
Hab. Java.

erux, id. ibid., p. 161 : (*Limnophila*) Doleschall, *Natuur. Tijdschr. Nederl. Indie, Batavia*, xiv, 1858, p. 388.
Hab. Java.

Genus LIMNOPHILA.

Macquart, *S. à Buff. Dipt.* i, 1834, 95 : *Limnobia* pt. Meigen (et auctor).
Limnomyia, Rondani *Prodr.* 1861, vi, p. 11.

basilaris, Macquart, *Dipt. Exot. i, Paris*, 1838, p. 66 : *Limnobia* id. Wiedem. *Auss. Europ. Zweifl. Ins. i, Hamm.* 1828, p. 27.
Hab. Java.

bicolor, id. ibid., p. 66 : *Eriocera* id. Ost.-Sacken.
Hab. Bengal.

Genus ERIOCERA.

Macquart, *Dipt. Exot. pt. v, Paris*, 1838, p. 74, *Pterocosmus* pt. Walker :
Allarithmia, Loew, *Bernst. Faun.* 1850, p. 38 : *Physecrania*? pt. Bigot,
Ann. Soc. Ent. France, (3) vii, 1859, p. 123 : *Arrhenica*, pt. Ost.-
Sacken, *Proceed. Acad. N. Sci. Philadelphia* 1859, p. 243.

selene, Ost.-Sacken *Ann. Mus. Civ. Genova*, xvi, 1881, p. 406.
Hab. Sumatra.

humberti, Ost.-Sacken, *Berlin. Ent. Zeitschr.* xxxi, 1887, p. 221.
Hab. Ceylon.

meleagris, id. ibid., p. 222.
Hab. Ceylon.

pachyrrhina, id. ibid., p. 222.
Hab. Ceylon.

crystalloptera, id. ibid., p. 222.
Hab. Ceylon.

albonotata, id. ibid., p. 223 : *Limnobia*, id. Loew, *Peter's Reise*, p. 1.
Hab. Ceylon.

acrostacta, V. der Wulp, *Notes Leyden Mus.* vi, 1884 p. 11 : *Limnobia*, id. Wiedem.
Dipt. Exot. p. 1 : *Cylindrotoma*, id. Macquart, *Dipt. Exot.*, i, p. 168, *Suppl.* iii,
p. 7 : *Oligoneura javensis*, Doleschall.
Hab. Java.

albipunctata, V. der Wulp, *Tijdschr. Entom.* xxiii, p. 158.
Hab. Java.

ferruginosa, id. *Notes Leyden Mus.* vii, 1885, p. 13.
Hab. Java.

lunata, Westwood, *Trans. Ent. Soc. London*, 1881, pt. iii, p. 367.
Hab. Sarawak.

Genus PTEROCOSMUS.

Walker, *List Dipt. Ins. Brit. Mus.* pt. 1, *Lond.* 1848, p. 78 : *Eriocera*, pt.
V der Wulp.

velutinus, Walker, *loc. cit.* p. 79.
Hab. Nepal.

hilpa, id. ibid., p. 79 : *Eriocera* id., V. der Wulp, *Notes Leyden Mus.* vii, 1885
p. 12.
Hab. Hong-kong.

lunigerus, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 107.
Hab. Borneo.

infixus, id. ibid., p. 107.
Hab. Borneo.

optabilis, id. ibid., p. 107.
Hab. Borneo.

combinatus, id. ibid., p. 107.
Hab. Borneo.

dilutus, id. ibid., p. 108.
Hab. Borneo.

Genus LIMNOBIA.

Meigen, *Syst. Besch.* 1818, p. 116: *Tipula*, pt. Linn., Fabr.: *Limonia*, Meigen, *Illig. Magaz.*, 1803: *Dicranomyia*, pt. et *Limnobia*, pt. Ost.-Sacken: *Limnomyza*, Rondani, *Prodr.* i, 1856: *Glochina*, pt. Meigen, Staeger.

diana, Macq., *S. à Buff. Dipt. Paris*, 1834, p. 107.
Hab. Bengal.

sorbillans, Wiedem., *Auss. Europ. Zweifl. Ins. Hamm*, 1828, p. 551.
Hab. Sumatra.

trentepohlii, id. ibid, p. 551.
Hab. Sumatra.

apicalis, id. ibid., p. 551.
Hab. Sumatra.

bibula, id. ibid., p. 552.
Hab. China.

mesopyrrha, id. ibid., p. 26.
Hab. Java.

costalis, id. ibid., p. 37.
Hab. India.

sumatrensis, Macquart, *Dipt. Exot. Paris, Suppl.*, iv, 1850, p. 16.
Hab. Sumatra.

atterima, Walker, *Ins. Saunders, Dipt. London*, 1856, p. 434.
Hab. India.

substituta, id., *List Dipt. Ins. Brit. Mus. London*, i, 1848, p. 39.
Hab. China.

sanguinea, Doleschall, *Natuur. Tijdschr. Nederl. Indie*, xiv, Batavia, 1857, p. 391.
Hab. Java.

impressa, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 106.
Hab. Borneo.

rubescens, id. ibid., p. 106.
Hab. Borneo.

pyrrhocroma, id. ibid., p. 106.
Hab. Borneo.

argentocineta, id. ibid., p. 107.
Hab. Borneo.

leucotelus, id. ibid., p. 6.
Hab. Singapore.

pleciooides, id. *ibid.*, p. 6.

Hab. Singapore.

vittifrons, id. *ibid.*, v, 1861, p. 144.

Hab. Amboina.

Genus CYLINDROTOMA.

Macquart, *S. à Buff. Dipt. Paris*, 1834, p. 107 : *Limnobia*, pt. (auctor.)

albitarsis, Doleschall, *Naturk. Tijdschr. Nederl. Indie* xiv, *Batavia*, 1857, p. 391.

Hab. Java.

Genus PŒCILOSTOLA.

Loew, *Wien. Entom. Monatschr.*, vii, 1863, p. 222.

pallens, V. der Wnlp, *Notes Leyden Mus.* vii, 1885, p. 13.

Hab. Java.

Genus TANYDERUS.

Philippi, *Verh. K. K. Z. B. Gesellsch. Wien*, 1865, p. 780.

ornatissimus, Ost.-Sacken, *Berlin. Ent. Zeitschr.* xxxi, 1887, p. 228 : *Cylindrotoma*
id., Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, *Batavia*, 1858, p. 80.

Hab. Amboina.

Genus MEGISTOCERA.

Wiedem., *Auss. Europ. Zweifl. Ins.* i, *Hamm*, 1828, p. 55 : *Nematocera*, olim

Wiedem., *Dipt. Exot.* i, 1821, p. 29 : Macquart, Schiner, Ost.-Sacken,
etc.

fusca, Wiedem. *loc. cit.* p. 55 : *Nematocera*, id., Wiedem., *Dipt. Exot.* i, 1821.

Hab. Java.

verticalis, id. *ibid.*, p. 56.

Hab. Java

atra, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, *Batavia*, 1858, p. 80.

Hab. Amboina.

Genus TRICHOCERA.

Meigen, *Illig. Magaz.* ii, 1803, p. 262 : *Tipula*, pt. (auctor.) : *Limonia*,
Latr., Macq., Walker, Schiner, Rondani, Ost.-Sacken, etc.

ocellata, Walker, *Ins. Saunders. Dipt. London*, 1856, p. 433.

Hab. India.

Genus DICRANOMYIA.

Stephens *Catal. Brit. Ins.* 1829.**saltens**, Ost.-Sacken, *Berlin. Ent. Zeitschr.* xxxi, 1887, p. 172 : Limnobia id.*Doleschall, Naturk. Tijdschr. Nederl. Indie, xiv, Batavia, 1857*, p. 390.

Hab. Java.

Genus LIBNOTES.

Westwood, *Trans. Ent. Soc. London*, 1876, p. 505.**thwaitesiana**, Westw. *loc. cit.* p. 505.

Hab. Ceylon.

Genus MONGOMA.

Westwood, *Trans. Ent. Soc. London*, 1881, p. 364.**simplex**, Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 402.

Hab. Ternate.

pœciloptera, id. *ibid.*, p. 403.

Hab. Sumatra.

aurantiaca, id. *Berlin. Ent. Zeitschr.* xxxi, 1887, p. 181 : Limnobia id. Doleschall, *Naturk. Tijdschr. Nederl. Indie, Batavia*, xvii, 1859, p. 78.

Hab. Java.

Genus TEUCHOLABIS.

Osten-Sacken, *Proceed. Acad. Nat. Sci. Philadelphia*, 1859, p. 222.**bicolor**, Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 404.

Hab. Sumatra.

fenestrata, id. *Berlin. Ent. Zeitschr.* xxxi, 1887, p. 188.

Hab. Ceylon.

determinata, id. *ibid.*, p. 188.

Hab. Sula.

Family MYCETOPHILIDI.

J. Bigot, *adhuc ined.* 1891 : Mycetophilidae, Schiner, *Faun. Austr. Dipt.* ii, Wien, 1864, p. 416 : Mycetophilides, Westwood, *Introd. Modern Class. Ins.* 1840 : Tipul. Fungicolæ, Latr. : Tipul. Fungivoræ, Meigen.

Genus MYCETOPHILA.

Meigen, *Illig. Magaz.* ii, 1803, p. 263 : Sciara pt. Fabr.**bimaculata**, Walker, *List Dipt. Ins. Brit. Museum*, i, London, 1848, p. 100.

Hab. India.

262 Mons. J. M. F. Bigot—*Catalogue of Oriental Diptera.* [No. 3,
pennipes, Osten-Sacken, *Berlin. Entom. Zeitschr.* xxxi, 1887, p. 204.
Hab. Borneo.

Genus PLATYURA.

Meigen, *Illig. Magaz.* ii, 1803, p. 264 : *Sciophila*, pt. Meigen : *Sciara*, pt. Fabr. : *Ceroplatus*, pt. Fabr., Latr. : *Asindulum*, pt. Latr.
aenusta, Walker, *Ins. Saunders. Dipt.* i, London, 1856, p. 421.
Hab. India.

Genus GLAPHYROPTERA.

Winnertz, *Verhandl. K. K. z. b. Gesellsch. Wien*, xiii, 1863, p. 781 : *Leia* pt. *winthemi*, Lehmann, V. der Wulp, *Reisen in Midden Sumatra* iv, *Natuurlijke Histoire, Diptera*, p. 7.
Hab. Sumatra. Borneo ?

Genus SCIOPHILA.

Meigen, *Syst. Beschr.* i, 1818, p. 245 : *Platyura*, pt. Fabr., Meig. : *Asindulum*, pt. Latr.
tropica, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xiv, *Batavia*, 1857, p. 392.
Hab. Java.

Genus SCIARA.

Meigen, *Illig. Magaz.* ii, 1803, p. 263 : *Tipula*, pt. Linn., Fabr. : *Hirtea*, Fabr. : *Molobrus*, Latr. : *Planetes*, pt. Walker : *Planetella*, pt. Westwood.
femoralis, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, *Batavia*, 1858, p. 78.
Hab. Amboina.
indica, Walker, *Ins. Saunders. Dipt.* i, London, 1856, p. 418.
Hab. India.
laticornis, id. *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 105.
Hab. Borneo.
solita, id. *ibid.*, p. 105.
Hab. Borneo.
rufithorax, V. der Wulp, *Reisen in Midden Sumatra*, iv, *Natuurlijke Histoire, Diptera*, p. 7.
Hab. Sumatra.
thomæ, id. *ibid.*, p. 7.
Hab. Sumatra.
sulcata, id. *Tijdschr. Entom.* xxx, 1886-87, p. 177.
Hab. Java.

Family RHYPHIDI.

J. Bigot, *adhuc ined.* 1891 : Rhypidæ Schiner, *Faun. Austr. Flieg.* ii, Wien., 1864, p. xxiv.

Genus RHYPHUS.

Latr. *Diction.* iv, 1804 : *Tipula* pt. Scopoli : *Sciara, Rhagio*, pt. Fabr. : *Anisopus (olim) Meigen.*

maculipennis. V. der Wulp, *Notes Leyden Mus.* vii, 1885, p. 14.

Hab. Java.

Family BIBIONIDI.

J. Bigot, *adhuc. ined.* 1891 : Bibionidæ, Schiner, *Faun. Austr. Flieg.*, 1864, p. xvi : Bibionides, Westwood, *Introd. Mod. Class. Ins.* 1840 : *Tipulariæ florales*, Latr. : *Tip. Muscæformes et Latipennes Meig.*

Genus SCATHOPSE.

Geoffroy, *Hist. d. Ins.* ii, 1764, p. 545 : *Tipula* pt. Liun., De Geer, Fabr. : *Hirtea* pt. Fabr. (Meig. *olim*) : *Ceria, Scopoli* : *Aspistes, Ruth.* pt.

pusilla, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, x, Batavia, 1859, p. 407.

Hab. Java.

Genus PLECIA.

Wiedem., *Auss. Europ. Zweifl. Ins.*, i, Hamm. 1828, p. 72 : *Crapitula*, pt. Gimmerth. *Bull. Moscou*, 1845 : *Penthetria*, pt. Meig. *Illig. Magaz.* ii, 1803, p. 264.

melanaspis, Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 307 : *Penthetria*, id. Wiedem., *Auss. Europ. Zweifl. Ins.* 1828, i, p. 72 : *Penth. japonica*, id. ibid., p. 618. : *Plecia ignicollis*, Walker, *List. Dipt. Ins. Brit. Mus. London*, 1848, p. 116. Hab. Nepal.

fulvicollis, V. der Wulp, *Tijdschr. Entom.* xxiii, p. 156 : *Hirtea* id. Fabr., *Syst. Antl.* p. 53 : *Plecia* id., Wiedem., *Auss. Europ. Zweifl. Ins.* p. 73 : *Penthethria* id. Wiedem. *Dipt. Exot.* i, p. 31 : *Plecia* id. Macquart, *S. à Buff. Dipt.* i, p. 176 : *Plecia* id. Doleschall *Natuur. Tijdschr. Nederl. Indie*, x, Batavia, 1839, p. 407 : *Plecia*, id. Rondani, *Ann. Mus. Civ. Genova*, vii, p. 462 : *Plecia dorsalis*, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 5.

Hab. Sumatra and Malay Peninsula.

tergorata, Rondani, *Ann. Mus. Civ. Genova* vii, 1875, p. 462.

Hab. Borneo.

forcipata, Ost.-Sacken *Ann. Mus. Civ. Genova*, xvi, 1881, p. 397.

Hab. Sumatra.

subvarians, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 105.
Hab. Sarawak.

tristis, V. der Wulp, *Notes Leyden Mus.* vi, 1884, p. 251.
Hab. Java.

Genus BIBIO.

- Geoffroy, *Hist. Ins.* ii, 1764, p. 571: Tipula pt. De Geer, Linn., Schin.
Hirtea, pt. Fabr., Panzer., Meig., (*olim*), Zetterst., etc.
- bicolor**, Walker, *List. Dipt. Ins. Brit. Mus.* pt. i, London, 1848, p. 121.
Hab. India.
- rubicundus**, V. der Wulp, *Notes Leyden Mus.* vi, 1884, p. 251.
Hab. Java.

Genus SIMULIUM.

- Latreille, Buffon, *Hist. Nat. Crust. et Ins.* xiv, 1805, p. 294.
- indicum**, Becher *Journ. Asiat. Soc. Bengal*, liii, 1884, p. 199, pl. xiv.
Hab. Assam.

Division BRACHYCERATÆ.

J. Bigot, *adhuc ined.* 1891.

Sub-division EMPODIATA.

J. Bigot, *adhuc ined.* 1891.

Family TABANIDI.

J. Bigot, *adhuc ined.* 1891: Tabanii, Latr., 1802, Meigen, Macquart,
Zetterst., Loew: Tabanidæ, Leach, 1819, Schiner, 1862: Tabanides,
Latr. 1829: Tabanina, Tabaninæ, Rondani, 1846: Tabanidæ, West-
wood, Walker: Tabanidii, J. Bigot (*olim*): Anthracina, Rafinesque:
Sclerostoma, Dumèril: Tabanica, Burmeist.: Tabanites, Newman.

Genus CHRYSOPS.

- Meigen, *Illig. Magaz.*, ii, 1803, p. 267: Tabanus pt.
- ligatus**, Walker, *List Dipt. Ins. Brit. Museum, Lond.*, i, 1848, p. 195.
Hab. Bengal.

terminalis, id. *ibid.*, p. 195.

Hab. India.

semicirculus, id. *ibid.*, p. 196.

Hab. India.

stimulans, id., *Ins. Saunders. Dipt. London*, i, 1856, p. 73.

Hab. India.

pellucidus, Fabr. *Syst. Antl.*, p. 113.

Hab. Tranquebar.

dispar, Fabr., *Entom. System. Suppl.*, p. 567.

Hab. India.

fasciatus, Wiedem., *Dipt. Exot.*, i, p. 103.

Hab. Java.

translucens, Macquart, *Dipt. Exot. pt. i*, 1838, p. 158.

Hab. Java.

flaviventris, id. *ibid.*, *Suppl. i*, 1846, p. 44.

Hab. India.

rufitarsis, id. *ibid.*, *Suppl. ii*, 1847, p. 14.

Hab. Java.

fixissimus, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 112.

Hab. Borneo.

unizonatus, Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 459.

Hab. Borneo.

albicinctus, V. der Wulp, *Tijdschr. Entom.*, xi, 1868, p. 103.

Hab. Salawatti.

striatus, id., *Notes Leyden Mus.*, vii, 1885, p. 79.

Hab. Amoy, China.

clavicrus, Thomson, *Eugenie Resa, Stockholm*, 1858-68, p. 452.

Hab. Malacca.

Genus PANGONIA.

Latr., *Hist. Nat. Crust. et Ins.*, iii, 1794, p. 437: *Tanyglossa*, Meigen
Klassif. p. 174: *Tabanus* pt. Linn., Rossi, Fabr.: *Bombylius*, pt. Olivier,
Encycl. Method.

amboinensis, Fabr., *Syst. Antl.*, p. 91.

Hab. Amboina, Himalayas.

longirostris, Walker, *List Dipt. Ins. Brit. Museum, London*, 1854, pt. v, *Suppl.*
p. 139.

Hab. India.

taprobanes, id. ibid., *Addenda*, 1854, p. 324.
Hab. Ceylon.

rufa, Macquart, *Dipt. Exot. Suppl.* pt. iv, *Paris*, 1850, p. 18.
Hab. Bombay.

Genus SILVIUS.

Meigen, *Syst. Besch.* ii, 1820, p. 27, Wiedem., Macq.: *Tabanus* pt.
dimidiatus, V. der Wulp, *Tijdschr. Entom.*, xi, 1868, p. 102.
Hab. Salawatti.

Genus HÆMATOPOTA.

Meigen, *Illig. Magaz.* ii, 1803, p. 267: *Tabanus* pt.
cana, Walker, *List Dipt. Ins. Brit. Mus. London*, pt. i, 1848, p. 207.
Hab. Bengal.

atomaria, id. *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 112.
Hab. Borneo.

irrorata, Macquart, *Dipt. Exot.* pt. i, 1838, p. 163.
Hab. Java.

lunulata, id. ibid., *Suppl.* ii, *Suites*, 1847, p. 15.
Hab. Java.

roralis, Fabr. *Syst. Antl.*, p. 107.
Hab. Tranquebar, Madras Pr.

javana, Wiedem. *Ausser. Europ. Zweifl. Ins.* i, *Hamm*, 1828, p. 218.
Hab. Java.

cingulata, id. ibid., p. 216.
Hab. Java.

borneana, Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 461.
Hab. Borneo.

pungens, Doleschall, *Natuur. Tijdschr. Nederl. Indie*, x, *Batavia*, 1856, p. 407.
Hab. Java.

cilipes, J. Bigot, *Nouv. Archives Mus. Paris*, (3) ii, 1890, p. 205.
Hab. Laos.

pachycera, id. ibid., p. 206.
Hab. Laos.

macrocera, id. ibid., p. 207.
Hab. Laos.

Genus RHINOMYZA.

Wiedemann, *Nov. Dipt. Gener.*, 1820, p. 8.*fusca*, Wiedem. *ibid.* p. 8.

Hab. Java.

Genus DITYLOMYIA.

J. Bigot, *Rev. et Mag. Zool. Guérin*, (2) xi, 1859, p. 305.*ornata*, J. Bigot, *ibid.* p. 306.

Hab. Ceylon.

Genus TABANUS.

Linn, *Faun. Suec.* ii, 1761, p. 462, et auct.: Therioplectes pt. Zeller, *Isis Agelanius*, pt. Rondani, 1863 : Atylotus, pt. Ost.-Sacken, 1876.*auricinctus*, Macquart, *Dipt. Exot.* pt. i, *Paris*, 1838, p. 130.

Hab. Indian Archipelago.

pusillus, id. *ibid.*, p. 127.

Hab. China.

albilateralis, id. *ibid.*, p. 129.

Hab. Java.

cœrulescens, id. *ibid.*, p. 128.

Hab. Java.

basalis, id. *ibid.*, p. 126.

Hab. India.

brunneus, id., *S. à Buff. Dipt. i*, *Paris*, 1834, p. 203.

Hab. Java.

sumatrensis, id. *ibid.*, p. 201.

Hab. Sumatra.

consanguineus, id., *Dipt. Exot.* pt. i, 1838, p. 127.

Hab. Malabar.

servillei, id. *ibid.*, p. 128.

Hab. India.

rubicundus, id. *ibid.*, *Supplém.*, 1846, p. 32.

Hab. India.

dorsolinea, Wiedem., *Analect. Entomol.* p. 22 : *T. striatus* ? Fabr.

Hab. India.

virgo, id. *ibid.*, p. 22.

Hab. India.

orientalis, id. *ibid.*, p. 21.

Hab. India.

rubidus, id., *Dipt. Exot.*, i, p. 69.

Hab. Bengal.

ardens, id. *ibid.*, p. 78.

Hab. Java.

immanis, id. *Ausser Europ. Zweifl. Ins.*, i, *Hamm*, 1828, p. 123.

Hab. Java.

hybridus, id. *ibid.*, p. 557.

Hab. Macao, China.

striatus, Fabr., *Entom. System.*, iv, p. 371 : *T. dorsolinea?* Wiedem.

Hab. China ; Java.

rufiventris, id. *ibid.*, p. 96.

Hab. India.

javanus, id. *Syst. Antl.*, p. 103.

Hab. Java.

tenebrosus, Walker, *List Dipt. Ins. Brit. Mus. London*, v, *Suppl.* p. 242.

Hab. Malabar.

pyrausta, id., *Zoologist*, vii, 1849, *Append.* p. lxv.

Hab. Java.

vagus, id. *ibid.*, *Append.* p. lxviii.

Hab. Hong-Kong.

megalops, id. *List Dipt. Ins. Brit. Mus. London*, v, *Suppl.* i, 1854, p. 247.

Hab. Java.

aurotestaceus, id. *ibid.*, p. 247.

Hab. Shanghai.

orientis, id., *List Dipt. Ins. Brit. Mus.*, pt. i, 1848, p. 152, and v, *Suppl.* i, 1854
Addenda, p. 328.

Hab. Sikkim and Nepal.

explicatus, id., *ibid.* v, *Suppl.* i, 1854 *Addenda*, p. 328.

Hab. Sikkim.

univentris, id. *ibid.*, i, 1848, p. 151.

Hab. Borneo.

auriflamma, id. *ibid.*, p. 155.

Hab. Silhet, Assam.

inscitus, id. *ibid.*, p. 161.

Hab. Silhet, Assam.

mentitus, id. *ibid.*, p. 162.

Hab. China.

sinicus, id. *ibid.*, p. 163.

Hab. Hong-Kong.

amoenus, id. *ibid.*, p. 163.

Hab. Hong-Kong.

internus, id. *ibid.*, p. 164.

Hab. Silhet.

jucundus, id. *ibid.*, p. 187.

Hab. Hong-Kong.

albulus, id. *Ins. Saunders. Dipt.* i, *London*, 1856, p. 46.

Hab. India.

pyrrhus, id. *ibid.*, p. 47.

Hab. India.

albimedius, id. *ibid.*, p. 48.

Hab. India.

tenens, id. *ibid.*, p. 49.

Hab. India.

hilaris, id. *ibid.*, p. 49.

Hab. India.

crassus, id. *ibid.*, p. 50.

Hab. India.

vagus, id. *ibid.*, p. 50.

Hab. India, Java.

rubiginosus, id. *ibid.*, p. 51.

Hab. India.

umbrosus, id. *ibid.*, p. 52.

Hab. India.

hirtus, id. *ibid.*, p. 52.

Hab. India.

puella, id. *ibid.*, p. 53.

Hab. India.

sanguineus, id. *ibid.*, p. 54.

Hab. Java.

obconicus, id. *ibid.*, p. 54.

Hab. India.

consocius, id. *ibid.*, p. 56.

Hab. India.

perlinea, id. *ibid.*, p. 56.

Hab. India.

nigropictus, Macquart, *Dipt. Exot. Suppl.*, v, Paris, 1855, p. 24.

Hab. India.

yao, id. *ibid.*, p. 24.

Hab. North China.

clausicella, (*Bellardia*, Rondani), id. *ibid.*, p. 25.
Hab. China.

confucius, id. *ibid.*, p. 26.
Hab. China.

hoang, id. *ibid.*, p. 27.
Hab. China.

bubali, Doleschall, *Natuur. Tijdschr. Nederl. Indie*, Batavia, x, 1856, p. 407.
Hab. Java.

monoculus, id. *ibid.*, xvii, 1858, p. 85.
Hab. Java.

cinnamomeus, id. *ibid.*, xvii, 1858, p. 84.
Hab. Amboina.

furunculigenus, id. *ibid.*, xvii, 1858, p. 84.
Hab. Amboina.

abscondens, Walker, *Trans. Ent. Soc. London*, v, 1860, p. 275.
Hab. Burmah.

univentris, (*nomen bis lectum*) id. *ibid.*, i, 1857, p. 9.
Hab. Mt. Ophir; Borneo.

partitus, id. *ibid.*, i, 1857, p. 9.
Hab. Singapore.

nexus, id. *ibid.*, i, 1857, p. 110.
Hab. Borneo.

fumifer, id. *ibid.*, i, 1857, p. 110.
Hab. Borneo.

optatus, id. *ibid.*, i, 1857, p. 111.
Hab. Borneo.

simplicissimus, id. *ibid.*, i, 1857, p. 111.
Hab. Borneo.

serus, id. *ibid.*, vi, 1862, p. 20.
Hab. Ceram.

justorius, Rondani, *Ann. Mus. Civ. Genova*, 1875, p. 455.
Hab. Sarawak.

alboscutatus, id. *ibid.*, p. 456.
Hab. Sarawak.

pauper, id. *ibid.*, p. 456.
Hab. Sarawak.

ignobilis, id. *ibid.*, p. 457.
Hab. Sarawak.

- dives**, id. *ibid.*, p. 457.
Hab. Sarawak.
- fulvissimus**, id. *ibid.*, p. 458.
Hab. Sarawak.
- variegatus**, id. *ibid.*, p. 458.
Hab. Sarawak.
- apicalis**, id. *ibid.*, p. 459.
Hab. Sarawak.
- geniculatus**, V. der Wulp, *Midden Sumatra*, iv, *Natuurlijke Histoire, Diptera*, p. 16.
Hab. Sumatra.
- incultus**, id. *ibid.*, p. 17.
Hab. Sumatra.
- tristis**, id. *ibid.*, p. 17.
Hab. Sumatra.
- fumipennis**, id. *ibid.*, p. 18.
Hab. Sumatra.
- minimus**, id. *ibid.*, p. 18.
Hab. Sumatra.
- equestris**, id., *Notes Leyden Mus.*, vii, 1885, p. 77.
Hab. Sumatra, Java and Borneo.
- felderi**, id. *ibid.*, p. 78.
Hab. Ning-po, China.
- bucolicus**, Schiner, *Novara Reise*, 1868, p. 81.
Hab. Hong-Kong.
- nicobarensis**, id. *ibid.*, p. 81.
Hab. Nicobar Islands.
- mandarinus**, id. *ibid.*, p. 83.
Hab. Hong-Kong.
- administrans**, id. *ibid.*, p. 83.
Hab. Hong-Kong.
- ceylanicus**, id. *ibid.*, p. 93.
Hab. Ceylon.
- leucosparsus**, J. Bigot *N. Archives Mus. Paris*, (3) ii, 1890, p. 203.
Hab. Laos.
- nigrotectus**, (*Bellardia*, Rondani), id. *ibid.*, p. 204.
Hab. Laos.

melanognathus, (*Atylotus*, Ost.-Sacken), id. *ibid.*, p. 204.
Hab. Laos.

laotianus, (*Atylotus*, Ost.-Sacken), id. *ibid.*, p. 205.
Hab. Laos.

Family STRATIOMYDÆ.

J. Bigot, *adhuc ined.*, 1891: *Stratiomydæ*, Latr. 1802: *Xylophagei*, Fall. 1810: *Notachanta*, Latr. 1817: id. Macquart, 1834: *Notachantæ*, Brauer 1882: *Stratiomydæ*, Leach, 1819: id. Rondani, 1856: *Stratiomydinæ*, Rondani, 1856: *Stratiomydes* Latr. 1802: *Xylophagi*, Meigen, 1820: *Xylophagidæ* Steph., 1829: id. Rondani, 1856: id. Bigot.: *Xylophagina*, Rondani, 1836: *Xylophagi*, Walker, 1848: *Beridæ*, Westwood, 1840: *Beridina*, Rondani, 1836: *Cœnomydæ*, Westwood, 1840: *Cenomyna*, Rondani, 1836: *Sicarii*, Latr., 1825: id. Macq. 1834: *Polychœta*, Zetterstedt.

Genus XYLOPHAGUS.

Meigen, *Illig. Magaz.*, ii, 1803, p. 266.

brunneus, Wiedem., *Auss. Europ. Zweifl. Ins.* pt. iv, *Hamm.*, 1828, p. 85.
Hab. India.

Genus ANTIDOXION.

Sneller V. Vollenhoven, *Versl. en Med. K. Akad. Wetensch.* xv, 1863.

flavicornis, id. *ibid.*
Hab. Java.

Genus ACRASPIDEA.

Schiner in *lit.*, V. Brauer *Zweifl. K. Mus. Wien.*, 1882, p. 75-19.

felderi, id. *ibid.*, p. 76-20.
Hab. Ceylon.

Genus SUBULA.

Meigen, *Syst. Beschr.* ii, 1820, p. 15: *Xylophagus*, pt.

calopodata, J. Bigot, *Ann. Soc. Ent. France*, (5) ix, 1879, p. 195.
Hab. Ternate.

flavipes, Doleschall, *Natuur. Tijdschr. Nederl. Indie*, xvii, 1858, p. 85.
Hab. Amboina.

vittata, id. *ibid.*, p. 86.
Hab. Amboina.

inamœna, (*Solva*) Walker, *Journ. Proceed. Linn. Soc. London* iv, 1860, p. 98 : Ost.-Sacken, *Ann. Mus. Genova*, xvi, p. 407.
Hab. Java ; Celebes.

Genus THYLACOSOMA.

Schiner in lit., V. Brauer, *Zweifl. Mus. Wien.*, 1882, p. 77 : ? Ruba, pt. Walker,
amboinense, Schiner in lit., V. Brauer, *loc. cit.*, p. 77.
Hab. Amboina.

Genus ENGONIA.

Schiner, in lit., V. Brauer, *Zweifl. Mus. Wien*, 1882, p. 76 : Negritomyia ?
J. Bigot, *Ann. Soc. Ent. France*, (5) ix, 1877, *Bulletin*, p. lxxiv.
aurata, Schiner, in lit., v. Brauer, *loc. cit.*, p. 76.
Hab. Amboina.

Genus NEGRITOMYIA.

J. Bigot, *Ann. Soc. Ent. France*, 1877, *Bulletin*, p. lxxiv.
bilineata, (*Stratiomys*) Fabr. *Syst. Antl.* p. 79 : V. der Wulp, *Notes Leyd. Mus.* vii. p. 59.
Hab. Java.

Genus CLITELLARIA.

Meigen, *Illig. Magaz.*, ii, 1803, p. 265 : Ephippium, Latr., 1802 : Rhaphiocera pt. Macq. : Stratiomys, pt. Fabr. *Syst. Antl.*
heminopla, Wiedem., *Auss. Europ. Zweifl. Ins.* ii, Hamm, 1830, p. 48 : id., *Zool. Mag.* iii, p. 30.
Hab. Tranquebar, Madras Pr.
varia, Walker, *List Dipt. Ins. Brit. Mus.*, pt. v, Suppl. i, London, 1854, p. 63.
Hab. Java.
angusta, id. loc. cit., p. 62 : Ephippium id., Macq. S. à Buff. *Dipt.* i, 1834, p. 252.
Hab. Java.
tenebrica, id., loc. cit., iii, 1849, p. 522.
Hab. Java.
notabilis, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 108.
Hab. Borneo.
bivittata, Wiedem., *Auss. Europ. Zweifl. Ins.*, ii, Hamm, 1830, p. 46 : Stratiomys
bilineata, Fabr. *Syst. Antl.* : Ephippium spinigerum ? Dolesch. : Rhaphiocera
spinithorax Macq. *Dipt. Ex.*
Hab. Java.

274 Mons. J. M. F. Bigot—*Catalogue of Oriental Diptera.* [No. 3,

spinigerum, (*Ephippium*) Doleschall, *Natuur. Tijdschr. Nederl. Indie.*, x, 1856,
p. 407 : Engonia, id. Schin., Brauer.
Hab. Java.

nigerrimum, (*Ephippium*) Doleschall, *loc. cit.*, xvii, 1858, p. 81.
Hab. Java.

flaviceps, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 7.
Hab. Singapore.

Genus BERIS.

Latr. *Hist. Nat. Crust. et Ins.* iii, 1802, p. 340 : Stratiomys, pt. Fabr., Fall. :
Actina, pt. Meig.

javana, Macquart, *Dipt. Exot.* i, pt. ii, Paris, 1838, p. 188.
Hab. Java.

Genus CULCUA.

Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 109.

simulans, Walker, *ibid.*, p. 109.
Hab. Borneo, Malacca.

Genus CYCLOGASTER.

Macquart, *S. à Buff. Dipt.* i, Paris, 1834, p. 256.

radians, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 7.
Hab. Singapore.

Genus HERMETIA.

Latr. *Dict. Hist. Nat.* xxiv, p. 192, Fabr., Wied., Macq. : Nemotelus, pt.
Degeer. : Bibio, Syrphus, Mydas, pt. auctor. : Xylophagus, pt. Lamarck.

melanæsiæ, Bigot, *Ann. Soc. Ent. France*, (5) ix, 1879, p. 202 : H. batjanensis,
V. der Wulp, *Tijdschr. Entom.*, xxiii, p. 161 : Massicyta cerioides Walker. ?
Hab. Indian Archipelago.

rufiventris, (*Nomen bisectum*) Walker, *Journ. Proceed. Linn. Soc. London*, v, 1861,
p. 145.
Hab. Amboina.

Genus PHYLOPHORA.

Macquart, *Dipt. Exot.* i, pt. i, Paris, 1838, p. 178.

angusta, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 7.
Hab. Singapore.

Genus TINDA.

Walker, *Journ. Proceed. Linn. Soc. London*, iv, 1860, p. 101.

indica, V. der Wulp, *Notes Leyd. Mus.*, vii, 1885, p. 57 : Biartes id. Walker, *Ins. Saunders. Dipt.*, i, London, 1856, p. 87 : *Tinda modifera*, Walker, *Journ. Proceed. Linn. Soc. London*, iv, 1860, p. 101 : *Phyllophora bispinosa*, Thomson, *Eugenie Resa*, p. 454.

Hab. Java, Manilla.

Genus EVAZA.

Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 109.

bipars, Walker, *ibid.*, p. 110.

Hab. Borneo.

flavipes, J. Bigot, *Ann. Soc. Ent. France*, (5) ix, 1879, p. 219.

Hab. India.

argyroceps, id. *ibid.*, p. 219.

Hab. The Moluccas.

fulviventris, id. *ibid.*, p. 220.

Hab. The Moluccas.

Genus NERNA.

(*nec Nerua*) Walker, *Journ. Proceed. Linn. Soc. London*, iii, 1859, p. 81.

mollis, Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 415.

Hab. Sumatra.

Genus PTILOCERA.

Wiedem., *Auss. Europ. Zweifl. Ins.* ii, Hamm, 1830, p. 58 : *Stratiomys*, pt.

quadridentata, Wiedem., *loc. cit.*, p. 59.

Hab. Java.

continua, Walker, *Ins. Saunders. Dipt. London*, 1856, pt. i, p. 84.

Hab. Java.

smaragdina, Snellen v. Vollenhoven, *Mem. Entomol. Pays-Bas*, i, 1858, p. 92.

Hab. Celebes.

amethystina, id. *ibid.*, p. 92.

Hab. Amboina, Java and Celebes.

fastuosa, Gerstaecker, *Linn. Ent.* xi, 1857, p. 333.

Hab. Ceylon.

Genus WALLACEA.

Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, Batavia, 1858, p. 82.

argentea, Doleschall, *loc. cit.*, p. 82.

Hab. Amboina.

Genus ACRASPIDEA.

Brauer, *Zweifl. Kais. Mus. Wien*, 1882, p. 19.

felderi, Brauer, *loc. cit.*, p. 20.

Hab. Ceylon.

Genus ACANTHINA.

Wiedem., *Auss. Europ. Zweifl. Ins.* ii, Hamm, 1830, p. 50.

azurea, Gerstaecker, *Linn. Ent.*, xi, 1857, p. 335.

Hab. Ceylon.

Genus ELASMA.

Jaennicke, *Neu. Exot. Dipter. Frankfurt*, 1867, p. 14.

acanthinoidea, Jaennicke, *loc. cit.*, p. 15.

Hab. Java.

Genus PACHYGASTER.

Meigen, *Illig. Magaz.*, ii, 1803, p. 266: Nemotelus, pt. Panzer: Sargus, pt. Fall.: Vappo, pt. Latr.

rufitarsis, Macquart, *Dipt. Exot. Paris, Suppl.* 1846, p. 57.

Hab. Pondicherry.

Genus TOXOCERA.

Macquart, *Dipt. Exot. Suppl.* iv, *Paris*, 1850, p. 44.

limbiventris, Macq., *loc. cit.*, p. 45.

Hab. Java.

Genus MASSICYTA.

Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 8.

bicolor, Walker, *loc. cit.*, p. 8.

Hab. Singapore.

Genus RHACHICERUS.

Haliday, *List Dipt. Ins.* 1848, p. 154.

zonotus, Ost. Sacken, *Ann. Mus. Genova*, xvi 1881, p. 408.

Hab. Sumatra.

Genus STRATIOMYS.

Geoffr. *Hist. Nat. Ins.* ii, 1764: Hirtea, pt. Scopoli: Hoplomyia, Zeller,
Loew.

barca, Walker, *List Dipt. Ins. Brit. Museum, London*, 1849, p. 530.

Hab. China.

garatas, id. *ibid.*, p. 532.

Hab. China.

apicalis, id. *ibid.*, Part v, 1854, p. 53.

Hab. North China.

lutatius, id. *ibid.*, 1849, p. 532.

Hab. Malacca.

solemnis, id., *Ins. Saunders. Diptor. London*, i, 1856, p. 79.

Hab. India.

inanimis, id., *Trans. Ent. Soc. London*, iv, 1857, p. 121.

Hab. China.

viridana, Wiedem., *Auss. Europ. Zweift. Ins.*, ii, *Hamm*, 1830, p. 66.

Hab. Bengal.

minuta, Fabr., *Entom. System.*, iv, p. 268.

Hab. Tranquebar, Madras Pr.

pusilla, id. *ibid.*, p. 271

Hab. Tranquebar, Madras Pr.

rufipennis, Macquart, *Dipt. Exot. Suppl.* v. *Paris*, 1855, p. 42.

Hab. South China.

flavoscutellata, V. der Wulp, *Notes Leyd. Mus.* vii, 1885, p. 60.

Hab. Java.

Genus ODONTOMYIA.

Meigen, *Klassific.* i, 1804, p. 123: Stratiomys, pt. apud V. der Wulp.

viridana, Wiedem., *Analect. Entom.*: Macquart *Dipt. Exot. Suppl.*, iv, 1850, p. 48.
Hab. Bengal.

consobrina, Macquart, *Dipt. Exot. Suppl.*, ii, *Paris*, 1847, p. 16.

Hab. Java.

diffusa (*Stratiomys*) Walker, *List Dipt. Ins. Brit. Mus.*, part v, *London*, 1854, p. 53.
Hab. Java.

mutica, V. der Wulp, *Notes Leyd. Mus.* vii, 1885, p. 62.

Hab. Ternate.

Genus CAMPEPROSOPA.

Macquart, *Dipt. Exot. Suppl.*, iv, 1850, p. 46.*flavipes*, Macquart, *loc. cit.*, p. 46.

Hab. Java.

mundula, Osten-Sacken, *Ann. Mus. Civ. Genova*, 1881, p. 409.

Hab. Sumatra.

Genus CHRYSOCHLORA.

Latr. *Fam. Natuur.*, 1825, Macquart: Sargus, pt.*baccoides*, Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 454.

Hab. Sarawak.

vitripennis, Doleschall, *Natuur. Tijdschr. Nederl. Indie.*, x, 1856, p. 408.

Hab. Java.

Genus MICROCHRYZA.

Loew, *Verhandl. K. K. z. b. Gesellsch. Wien*, 1855, p. 146: Sargus, pt.*gemma*, J. Bigot, *Ann. Soc. Ent. France*, (5) ix, 1879, p. 231.

Hab. Ceylon.

Genus TRICHOCHÆTA.

J. Bigot, *Ann. Soc. Ent. France*, (5) ix, *Bullet.* 1878 p. xxii, et errata.*nemoteloides*, id. *ibid.*, p. xxii.

Hab. Ternate.

Genus RAPHIOCERA.

Macquart, *S. à Buff. Dipt.*, i, 1834, p. 253.*spinithorax*, Macquart, *Dipt. Exot. Suppl.* ii, Paris, 1847, p. 17: *Stratiomys bilineata*, Fabr.: *Clitellaria bivittata* Wiedem.: *Ephippium spinigerum*, Doleschall: Hab. Java.

Genus PTECTICUS.

Loew, *Verhandl. K. K. z. b. Gesellsch. Wien.*, v, 1855, p. 142.*apicalis*, Loew, *loc. cit.*, p. 142.

Hab. Pinang.

cingulatus, id. *ibid.*, p. 143.

Hab. Pinang.

australis, Schiner, *Novara Reise*, 1868, p. 65.
Hab. Nicobar Islands.

illistris, id. ibid., p. 65.
Hab. Nicobar Islands.

apicalis, (*nom. bisiectum*), V. der Wulp, *Notes Leyden Museum*, vii, 1885, p. 62.
Hab. Sumatra, Borneo.

brevipennis, V. der Wulp, *loc. cit.*, p. 63 : Sargus id. Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 454.
Hab. Borneo, Java.

latifascia, V. der Wulp, *loc. cit.*, p. 64 : Sargus, id. Walker *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 110.
Hab. Borneo, Java.

Genus SARGUS.

Fabr. *Entom. System. Suppl.*, 1798, p. 566 : Rhagio pt. Schranck : Nemotelus pt. Degeer.

gemmafer, Walker, *List Dipt. Ins. Brit. Mus.* iii, *London*, 1849, p. 516.
Hab. Sylhet, Assam.

tenebrifer, id. ibid., p. 517.
Hab. China.

aurifer, id. ibid., v. *Suppl. i*, *London*, 1854, p. 96.
Hab. India, China.

luridus, id. *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 8.
Hab. Singapore.

quadrifasciatus, id. ibid., v, 1861, p. 146.
Hab. Amboina.

metallinus, Fabr., *Syst. Antl.*, p. 258 : V. der Wulp, *Notes Leyd. Mus.* vii, 1885, p. 65.
Hab. Bengal ; Java.

longipennis, Wiedem., *Analect. Entomol.*, p. 31.
Hab. Java.

insignis, Macquart, *Dipt. Exot. Suppl.*, v, *Paris*, 1855, p. 16.
Hab. China.

viridiceps, id. ibid., 1856, p. 110 : Ptecticus id. V. der Wulp.
Hab. China.

pallipes, Bigot, *Ann. Soc. Ent. France*, (5) xi, 1879, p. 222.
Hab. Ceylon.

magnificus, id. ibid., p. 222.
Hab. Assam.

rufus, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, Batavia, 1858, p. 83.
Hab. Amboina.

ferrugineus, id. ibid., p. 83.
Hab. Amboina.

formicæformis, id. ibid., xiv, 1857, p. 403 : Sarg. metallinus, V. der Wulp.
Hab. Amboina.

leoninus, Rondani, *Ann. Mus. Civ. Genova*, vii, 1875, p. 454.
Hab. Sarawak.

brevipennis, id. ibid., p. 454 : Ptecticus id., V. der Wulp.
Hab. Sarawak.

laetus, V. der Wulp, *Notes Leyden Mus.* vii, 1885, p. 66.
Hab. Sumatra.

rubescens, id. ibid., p. 67.
Hab. Gorontalo.

Genus CHRYSMYIA.

Macquart, *S. à Buff. Dipt. Paris*, 1834, p. 262 : Sargus, pt. et Nemotelus,
pt. Degeer.

flaviventris, Wiedem., *Analect. Entom.*, p. 31 : Sargus id., Macquart, *Dipt. Exot.* :
Microchryza id., Ost.-Sacken, 1881.
Hab. India, Java.

affinis, id. ibid., p. 31 : Sargus id., Macquart, *Dipt. Exot.*
Hab. India.

Genus EUDMETA.

Wiedem., *Auss. Europ. Zweifl. Ins. Hamm*, 1830, p. 43 : Hermetia, pt.

marginata, Wiedem., *loc. cit.*, p. 45 : Hermetia, id. Fabr., *Syst. Antl.* p. 63 : Hermetia cingulata (vel cingulalis,) Guerin, *Icon. Regn. Anim.*, p. 543.
Hab. Amboina, Java.

Family NEMESTRINIDI.

J. Bigot, *adhuc ined.* : Nemestrinidæ, Macquart, *S. à Buff. Dipt.*, i, *Paris*, 1834, p. 370 : Anthracii et Bombyliarii, Latr. : Nemestrinidæ, Schiner *Faun. Austr., Flieg.*, i, 1862, *Wien.*, p. 44.

Genus NEMESTRINA.

Latr. *Hist. Nat. Crust. et Ins.* xiv, 1804, p. 319.

javana, Macquart *Dipt. Exot.* ii, pt., i, *Paris*, 1840, p. 17.
Hab. Java.

Genus COLAX.

Wiedem., *Analecta Entomol.*, 1824.

javanus, Wiedem., *loc. cit.*, 1824, p. 18.

Hab. Java.

variegatus, Westwood, *Cabinet of Orient. Entomol.*, London, p. 38.

Hab. China.

Family LEPTIDI.

J. Bigot, *adhuc ined.*: Leptides, Meigen, *Syst. Beschr.* ii, 1820 : Leptidæ, Westw., *Introd. Entom.*, 1840 : Schiner, *Faun. Austr. Flieg.*, i, Wien, 1862, p. 170.

Genus LEPTIS.

Fabr., *Syst. Antl.*, 1806, p. 9 : Nemotelus, pt. Degeer : Rhagio, pt. Latr., Olivier, Walker.

decisa, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 15.

Hab. Malacca.

uniguttata, Ost.-Sacken, *Ann. Mus. Civ. Genova*, xvi, 1881, p. 422.

Hab. Sumatra.

Genus HELIOMYIA.

Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xiv, Batavia, 1857, p. 402, Chrysopyla ? pt.

ferruginea, Doleschall, *loc. cit.*, p. 402.

Hab. Amboina.

Genus ATERIX.

Meigen, *Illig. Magaz.*, 1803, p. 271 : Rhagio pt. Fabr. : Bibio, pt. Fabr. : Leptis, pt. Fabr., Fall. : Ibisia, pt. Rondani.

nigritarsis, Doleschall, *Naturk. Tijdschr. Nederl. Indie*, xvii, Batavia, 1858, p. 92.
Hab. Amboina.

labiatus, Bigot, *Bull. Soc. Zool. France*, xii, Paris, 1887, p. 21.

Hab. Ceylon.

Genus CHRYSOPILA.

Macquart, *Dipt. Nord. France*, i, 1827 : Leptis, pt. Meigen : Rhagio, pt. Latr., Walker : Atherix, pt. Fabr.

maculipennis, Walker, *Journ. Proceed. Linn. Soc. London*, i, 1857, p. 118.
Hab. Borneo.



Bigot, J.-M.-F. 1892. "XI.—Catalogue of the Diptera of the Oriental region. Part I." *The journal of the Asiatic Society of Bengal* 60(III), 250–281.

View This Item Online: <https://www.biodiversitylibrary.org/item/101486>

Permalink: <https://www.biodiversitylibrary.org/partpdf/368307>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.