

from Mendoza, which I have no doubt belong to this species, but they are in such worn and abraded condition that it is quite impossible to be certain. Five of them were collected by Herr Weishaupt in February 1871 and were catalogued by Dr. Sharpe as *E. olivascens*, Cat. B. Brit. Mus. xii. p. 759—specimens *b-g*.

II.—*Index-List of the Coloured Plates of Birds in 'The Ibis,' 1859 to 1917.* By Dr. E. HOPKINSON, D.S.O., M.A., M.B., M.B.O.U.

[NOTE.—The following is a list of the coloured plates of birds only, and does not include any others (eggs, anatomy, etc.), maps, or photographs.]

THE order followed is that of the British Museum in Sharpe's Hand-list of Birds, five volumes, published 1899, 1900, 1901, 1903, and 1909 respectively.

The figures after the names of the genera refer to the volume and page of the Hand-list; those preceding the specific names are the species-numbers of these volumes. Species (and on occasion genera) without these numbers are those described since the issue of the Hand-list and therefore not included therein. These can thus be distinguished at a glance by this absence of any numerical prefix, and are followed as well by the original describer's name. Where a second name, having any reference to the plate, appears in the Hand-list, it also appears here (in brackets) below the principal name.

Where the name used on or in the description of the plate differs from the Hand-list name, this difference, to facilitate reference, is shown by the inclusion of the original 'Ibis' name in inverted commas after the plate-reference.

Casuariidæ.

Casuarus (i. 3).

8. unipendiculatus. 1860, 402, Pl. xiv.

claudii (*Ogilvie-Grant*, 1911). New Guinea Supplement, 1915, 325, Pl. viii. ♂.

Tetraonidæ.

Lagopus (i. 18).

5. rupestris. 1885, 378, Pl. ix. ♂ in autumn plumage.

Tetrao (i. 19).

- urogallus lugens (
- Lonnb.*
- 1905). 1906, 317, Pl. xvi.

Tetrastes (i. 21).

3. griseiventris. 1884, 430, Pl. xi. "Tetrao griseiventris."

Phasianidæ.

Francolinus (i. 23).

17. lorti. 1898, 425, Pl. x.

22. castaneicollis. 1890, 350, Pl. xi.

24. crawshayi. 1896, 482, Pl. xii.

32. griseostriatus. 1890, 349, Pl. x.

35. gedgei. 1892, 551, Pl. xiv.

- harwoodi (
- Blund. & Lovat*
-). 1900, 335, Pl. vi.

- hildebrandti altumi (
- Finsch & Rchw.*
-). 1915, 16, Pl. ii. ♀.

- tetraoninus (
- Blund. & Lovat*
-). 1900, 336, Pl. v.

48. jacksoni. 1892, 51, Pl. i.

Arboricola (i. 29).

4. ardens. 1893, 436, Pl. xii.

8. gingica. 1892, 395, Pl. ix.

13. hyperythra.

- (erythrophrys
- Sharpe*
-). 1890, 139, Pl. iv. "Bambusicola erythrophrys."

- campbelli (
- Robinson*
-). 1905, 165, Pl. iv.

Hæmatortyx (i. 30).

1. sanguiniceps. 1894, 377, Pl. x.

Ithagenes (i. 33).

- | | |
|--|-----------------------|
| 1. cruentus | } 1915, 122, Pl. iii. |
| tibetanus (<i>Stuart Baker</i> , 1914) | |
| kuseri (<i>Beebe</i> , 1912) | |

(heads).

Lophophorus (i. 33).

4. chambanus. 1884, 421, Pl. x.

Crossoptilum (i. 35).

5. harmani. 1881, 399, Pl. xiii.

Pucrasia (i. 36).

- joretiana (
- Courtois*
- , 1912). 1913, 14, Pl. iii.

Phasianus (i. 37).

6. zerafshanicus. 1910, 472, Pl. viii.

Calophasis (i. 38).

mikado (*O.-Grant*, 1906). 1908, 606, Pl. xiii. ♂ ♀.

Polyplectrum (i. 39).

1. chinquis. 1883, 136, Pl. v. "P. helenæ (*Oates*)."

Turnicidæ.

Turnix (i. 48).

15. saturata. 1882, 428, Pl. xii.

17. ocellata. 1889, 469, Pl. xiv.

Pteroclididæ.

Syrrhaptes (i. 50).

1. paradoxus. 1860, 105, Pl. iv.

Treronidæ.

Sphenocercus (i. 51).

seimundi (*Robinson*, 1910). 1910, 672, Pl. x. ♂ ♀.

Leucotreron (i. 55).

15. leclancheri. 1862, 342, Pl. xii. "L. gironieri."

Ptilopus (i. 56).

6. richardsi. 1882, 139, Pl. v. "P. rhodostictus."

13. porphyraceus. 1891, 579, Pl. xi. "P. clementinæ."

Zonophaps (i. 65).

3. mindorensis. 1896, 476, Pl. xi.

Columbidæ.

Columba (i. 68).

53. palumboides. 1873, 315, Pl. xiii. "Ianthœnas palumboides."

59. griseigularis. 1872, 104, Pl. vi. "Ianthœnas griseigularis."

Chalcopelia (i. 83).

chalcospilos (*Wagl.*). 1912, 34, Pl. i.

1. afra. 1912, 34, Pl. i.

Haplopelia (i. 85).

4. johnstoni. 1893, 28, Pl. iii.

Geotrygon (i. 87).

8. veraguensis. 1874, 328, Pl. xii.

Phlogœnas (i. 88).

keayi (*Eagle Clarke*). 1900, 359, Pl. viii.

7. tristigma. 1865, 393, Pl. ix. "P. tristigmata."

Otidiphaps (i. 90).

2. cervicalis. 1880, 364, Pl. xi. "O. regalis."

Rallidæ.

Hypotœnidia (i. 95).

14. sulcirostris. 1880, 311, Pl. vi.

Ocydromus (i. 98).

1. australis.

2. earli.

"Gallirallus townsoni." 1914, 295, Pl. xi. (? an albinism of one of the above).

Aphanapteryx (i. 98).

1. broeckii (extinct). 1869, 306, Pl. viii.

Porzana (i. 101).

10. spiloptera. 1877, 194, Pl. iii.

Rallicula (i. 103).

klossi (*O.-Grant*, 1913). New Guinea Suppl. 1915, 290, Pl. vii. ♂ ♀.

Ortygops (i. 104).

2. exquisita. 1875, 135, Pl. iii. "Porzana exquisita."

4. ayresi. 1877, 352, Pl. vii. "Coturnicops ayresi."

Amaurornis (i. 106).

2. akool. 1892, 495. Pl. xii. "Gallinula coccineipes."

Notornis (i. 109).

5. albus (extinct). 1873, 295, Pl. x.

Podicipedidæ.

Podiceps (i. 113).

15. taczanowskii. 1894, 109, Pl. iv.

Colymbidæ.

Colymbus (i. 115).

5. adamsi. 1894, 273, Pl. viii.

Spheniscidæ.

Pygoscelis (i. 118).

3. antarctica. 1906, 145, Pl. iv. (young).

Puffinidæ.

Œstrelata (i. 125).

12. *brevipes*. 1891, 413, Pl. ix. "*Œ. torquata*."

Pagodroma (i. 127).

1. *nivea*. 1906, 145, Pl. iii. (young).

Diomedeidæ.

Thalassogeron (i. 129).

5. *eximius*. 1914, 504, Pl. xix. (head).

Alcidæ.

Fratercula (i. 133).

2. *glacialis*. 1865, 199, Pl. vi.

Laridæ.

Pagophila (i. 143).

1. *eburnea*. 1888, 440, Pl. xiii. (nestling & egg). "*Larus eburneus*."

Chionididæ.

Chionis (i. 145).

1. *alba*. 1906, 145, Pl. iii. (young).

Charadriidæ.

Hæmatopus (i. 147).

- niger meade-waldoi* (*Bannerman*). 1914, 71, Pl. vi.

Euhyas (i. 151).

1. *leucura*. 1865, 459, Pl. x. "*Chætusia leucura*."

Ochthodromus (i. 152).

4. *geoffroyi*. 1870, 378, Pl. xi. "*Ægialitis geoffroyi*."
7. *asiaticus*. 1870, 202, Pl. v. "*Eudromias asiaticus*."
8. *veredus*. 1870, 209, Pl. vi. "*Eudromias veredus*."

Oxyechus (i. 154).

4. *forbesi*. 1883, 56, Pl. xiv. "*Ægialitis forbesi*."

Ægialitis (i. 154).

15. *pecuaria*. 1873, 262, Pl. viii. "*Æ. varius*."
16. *sanctæ-helenæ*. 1873, 266, Pl. ix.

Thinornis (i. 155).

1. *novæ-zealandiæ*. 1893, 528, Pl. xv. (young).

Anarhynchus (i. 156).

1. *frontalis*. 1869, 306, Pl. viii.

Recurvirostra (i. 157).

4. *andina*. 1874, 242, Pl. ix.

Macrorhamphus (i. 159).

2. *taczanowskii*. 1909, 420, Pl. vii. ♂ ♀. "Pseudo-scolopax taczanowskii."

Pseudoglottis (i. 161).

1. *guttifer*. 1883, 135, Pl. iv. "Totanus haughtoni."

Eurynorhynchus (i. 163).

1. *pygmæus*. 1869, 432, Pl. xii. ♂ in breeding plumage.

Heteropygia (i. 163).

1. *maculata*. 1907, 57, Pl. xii. (young).
2. *acuminata*. 1893, 183, Pl. v.

Gallinago (i. 165).

22. *pusilla*. 1893, 529, Pl. xv. (young).

Cursoriidæ.

Rhinoptilus (i. 170).

4. *cinctus*. 1863, 31, Pl. i. "Hemerodromus cinctus."

Glareolidæ.

Glareola (i. 170).

2. *melanoptera*. 1868, 254, Pl. viii. "G. nordmanni."

Otididæ.

Neotis (i. 174).

5. *heuglini*. 1859, 344, Pl. xi. "Otis heuglini."

Lissotis (i. 175).

- lovati* (*O.-Grant*). 1902, 453, Pl. xi.

Psophiidæ.

Psophia (i. 181).

6. *obscura*. 1898, 520, Pl. xi.

Ibididæ.

Ibis (i. 184).

1. *æthiopica*. 1878, 450, Pl. xii. (young and egg).

Thaumatibis (i. 185).

1. *gigantea*. 1911, 17, Pl. i.

Theristicus (i. 186).

- branickii* (*Berlep. & Stolz.*). 1900, 515, Pl. ix.

Ciconiidae.

Dissoura (i. 190).

2. stormi. 1903, 145, Pl. v. "D. mortoni."

Ardeidae.

Hemigarzetta.

eulophotis (*Swinhoe*). 1914, 541, Pl. xxi.

= *Demiogretta sacra* (Hand-list, i. 198, part).

Mathews, B. Austr. iii. 1914, p. 448.

Butorides (i. 199).

crawfordi (*Nicoll*). 1906, 696, Pl. xxi.

Erythrocnus (i. 201).

1. rufiventris. 1871, 265, Pl. ix. "*Ardea rufiventris*."

Nannocnus (i. 203).

1. eurythmus. 1873, 74, Pl. ii. "*Ardea eurythma*."

Phœnicopteridæ.

Phœnicopterus (i. 205).

2. roseus. 1884, 89, Pl. iv. "Flamingos on nest."

Anatidæ.

Anser (i. 211).

3. neglectus. }

7. fabalis. }

1897, 8, Pl. ii. (bills).

..... "*A. segetum*."

Merganser (i. 229).

4. squamatus. 1900, 602, Pl. xii. ♂ ♀.

Plotidæ.

Plotus (i. 236).

1. rufus. 1886, 43, Pl. iii. ♂. "*P. levaillanti*."

Sulidæ.

Sula (i. 236).

4. cyanops. 1859, 340, Pl. x. "*S. melanops*."

Pelecanidæ.

Pelecanus (i. 238).

8. thagus. 1914, 403, Pl. xiii. (heads).

Falconidæ.

Ibycter (i. 244).

6. carunculatus. 1861, 22, Pl. i. "*Milvago carunculatus*."

Circus (i. 245).

- 4. *spilonotus*. 1863, 198, Pl. v. ♂ ♀.
- 5. *maillardi*. 1863, 163, Pl. iv. ♂ ♀.
- 9. *melanoleucus*. 1874, 266, Pl. x. (young).

Urotriorchis (i. 247).

- 1. *macrurus*. 1870, 52, Pl. iii. "*Astur macrurus*."

Astur (i. 248).

- 24. *griseiceps*. 1864, 184, Pl. v.
- 36. *franciscæ*. 1864, 292, Pl. vii. "*Accipiter francesi (Smith)*." "*Astur francesi (Smith)*, Sh. B. Afr. i. 152."
- 38. *poliocephalus*. 1860, 322, Pl. x. "*Accipiter poliocephalus*."
- 40. *haplochrous*. 1859, 275, Pl. viii. "*Accipiter haplochrous*."
- 43. *albigularis*, 1881, 259, Pl. viii. (immature). "*Urospizias albigularis*."
- 46. *jardinii*. 1887, 96, Pl. iii. "*Urospizias jardinei*."
- 50. *pectoralis*. 1861, 313, Pl. x. "*Accipiter pectoralis*."

Accipiter (i. 252).

- 5. *granti*. 1890, 439, Pl. xiv.
- 16. *ovampensis*. 1875, 367, Pl. vi.
- 19. *collaris*. 1860, 148, Pl. vi.
- 33. *virgatus*. 1863, 447, Pl. xi. "*A. stevensoni*."
- 37. *rufotibialis*. 1889, 68, Pl. ii.

Buteo (i. 255).

- 5. *hypospodius*. 1876, 76, Pl. iii.
- 18. *brachypterus*. 1862, 265, Pl. viii.
- 20. *solitarius*.

Onychotes gruberi (Ridgw.). 1881, 396, Pl. xii.

Leucopternis (i. 258).

- 2. *plumbea*. 1872, 239, Pl. viii.

Morphnus (i. 259).

- 2. *tæniatus*. 1879, 237, Pl. vii.

Aquila (i. 260).

- 12. *rapax*. 1865, 166, Pl. v. "*A. nævioides*."

Eutolmaëtus (i. 262).

- 2. *spilogaster*. 1862, 149, Pl. iv. "*Spizaëtus ayresi*."

Lophotriorchis (i. 262).

1. kieneri. 1868, 1, Pl. i. "Spizaëtus nanus (Wallace)
'near kieneri.'"

Dryotriorchis (i. 264).

1. spectabilis. 1878, 88, Pl. ii.

Circaëtus (i. 265).

1. gallicus. 1860, 410, Pl. xv. "C. zonurus."
4. beaudouini. 1862, 208, Pl. vii.
5. fasciolatus. 1862, 25, Pl. iii.

Pithecophaga (i. 265).

1. jefferyi. 1897, 214, Pl. v.; 1910, 285, 758, Pl. iv.

Baza (i. 271).

11. leucopais. 1890, 43, Pl. ii.

Microhierax (i. 272).

3. latifrons. 1879, 237, Pl. vii.

Poliohierax (i. 273).

1. semitorquatus. 1861, 346, Pl. xii. "Hypotriorchis
castanonotus."

Spiziapteryx (i. 273).

1. circumcinctus. 1862, 23, Pl. ii. "Falco circumcinctus."

Falco (i. 273).

3. peregrinator. 1882, 293, Pl. x. "F. atriceps."
6. punicus. 1887, 276, Pl. viii.
10. babylonicus. 1861, 217, Pl. vii.
35. eleonoræ. 1869, 445, Pl. xvi. "Hypotriorchis
eleanoræ."
37. richardsoni. 1896, 226, Pl. vi.

Cerchneis (i. 276).

13. alopex. 1861, 69, Pl. iii. "Tinnunculus alopex."
14. newtoni. 1863, 34, Pl. ii.

Erythropus (i. 278).

2. amurensis. 1868, 40, Pl. ii. ♂ ♀ & young.

Dissodectes (i. 278).

2. dickinsoni. 1864, 301, Pl. viii. "Falco dickinsoni."

Bubonidæ.

Scotopelia (i. 281).

1. peli. 1859, 445, Pl. xv.
4. ussheri. 1871, 414, Pl. xii.

Bubo (i. 282).

14. milesi. 1886, 163, Pl. vi.

23. blakistoni. 1884, 183, Pl. vi.

Huhua (i. 283).

5. poensis. 1869, 194, Pl. iv.

Scops (i. 284).

45. brookei. 1893, 417, Pl. xi.

holerythra. 1904, 105, Pl. ii. "*Pisorhina holerythra*
(*Sharpe*)."

Heteroscops (i. 290).

1. luciae. 1889, 77, Pl. iii.

Gymnoscops (i. 290).

1. insularis. 1880, 458, Pl. xiv.

Ninox (i. 290).

3. affinis. 1874, 129, Pl. v.

25. obscurus. 1874, 129, Pl. iv.

39. rudolfi. 1882, 233, Pl. vi.

Syrnium (i. 293).

4. biddulphi. 1881, 423, Pl. xiv.

18. whiteheadi. 1888, 196, Pl. iii.

bartelsi (*Finsch*). 1906, 401, Pl. xvii. .

Athene (i. 296).

chiaradriae (*Finsch*). 1903, 1, Pl. i.

Gymnasio (i. 297).

1. nudipes. 1859, 64, Pl. i. "*Gymnoglaux nudipes*."

Glaucidium (i. 297).

5. gnoma. 1875, 38, Pl. i.

10. griseiceps. } 1875, 41, Pl. ii.

11. pumilum. }

15. jardinii. 1876, 14, Pl. i.

albiventer (*Alex.*). 1902, 371, Pl. ix.

Strigidae.

Strix (i. 300).

21. aurantia. 1882, 132, Pl. ii. "*S. aurantiaca*."

Loriidae.

Calliptilus (ii. 4).

1. solitarius. 1912, 293, Pl. v. ♂ ♀.

Vinia (ii. 4).

stepheni (*North*). 1913, 346, Pl. ix. "Vini stepheni."

Coriphilus (ii. 4).

cyaneus (*Finsch*). 1907, 379, Pl. viii.

Hypocharmosyna (ii. 6).

9. pygmæa. 1873, 31, Pl. i. "Trichoglossus pygmæus."

Charmosynopsis (ii. 7).

2. margaritæ. 1879, 442, Pl. xii. "Charmosyna margaritæ."

multistriata (*Roths.* 1911). New Guinea Suppl. 1915, 231, Pl. v. ♀.

Oreopsittacus (ii. 7).

arfaki major (*O.-Grant*). New Guinea Suppl. 1915, Pl. v.

Cyclopsittacidæ.

Neopsittacus (ii. 8).

musschenbroeki alpinus (*O.-Grant*, 1914). New Guinea Suppl. 1915, 236, Pl. vi. ♂.

Cyclopsittacus (ii. 8).

godmani (*O.-Grant*). New Guinea Suppl. 1915, 237, Pl. vi. ♂.

Psittacidæ.

Conurus (ii. 14).

12. finschi. 1871, 91, Pl. iv.

Leptopsittaca (ii. 16).

1. branickii. 1894, 402, Pl. xi.

Pyrrhura (ii. 17).

9. egregius. 1881, 130, Pl. iv. "Conurus egregius."

16. hypoxantha. 1900, 671, Pl. xiv.

Bolborhynchus (ii. 18).

6. panychlorus. 1883, 211, Pl. ix. "Brotogerys panychlorus."

Brotogerys (ii. 19).

8. gustavi. 1889, 181, Pl. viii. ("Rostro pallide corneo" in text, but violet on plate.)

Amazona (ii. 20).

14. ochroptera. 1893, 328, Pl. ix. "Chrysotis ochroptera."

15. rothschildi. 1893, 328, Pl. ix. "Chrysotis rothschildi."

Pionopsittacus (ii. 23).5. *hæmatotis*. 1860, 405, Pl. xiii. "*Pionus hæmatotis*."*Eclectus* (ii. 27).3. *roratus*. 1890, 26, Pl. i. (young).*Palæornis* (ii. 31).5. *wardi*. 1876, 282, Pl. vi. ♂ ♀.14. *exsul*. 1875, 342, Pl. vii. ♀.*Prioniturus* (ii. 29).4. *verticalis*. 1894, 248, Pl. vi. ♂ ♀.*Psittacella* (ii. 34).4. *picta*. 1897, 58, Pl. iii. ♂ ♀.*Agapornis* (ii. 35).5. *lilianæ*. 1894, 466, Pl. xii.*Loriculus* (ii. 35).5. *chrysonotus*. 1872, 324, Pl. xi.13. *bonapartei*. 1891, 50, Pl. iii.*Barnardius* (ii. 38).*macgillivrayi*. 1902, 610, Pl. xv. "*Platycercus* (*Barnardius*) *macgillivrayi* (*North*)."**Podargidæ.***Ægotheles* (ii. 44).2. *insignis*. } 1896, 375, Pl. vi.8. *affinis*. }13. *savesi*. 1881, 132, Pl. v.**Coraciidæ.***Coracopitta* (ii. 46).1. *pittoides*. 1862, 265, Pl. ix. "*Atelornis pittoides*."**Alcedinidæ.***Corythornis* (ii. 51).*thomensis* (*Salvad.*). 1902, 565, Pl. xiii. (adult & young).*Alcyone* (ii. 52).6. *websteri*. 1899, 278, Pl. iii.7. *richardsi*. 1882, 134, Pl. iv.*Ceyx* (ii. 52).15. *cyanipectus*. 1884, 332, Pl. ix.20. *gentiana*. 1879, 438, Pl. xi.

Halcyon (ii. 56).

28. farquhari. 1900, 339, Pl. vii.

50. tristrami. 1880, 459, Pl. xv.

Bucerotidæ.

Ptilolæmus (ii. 67).

1. tickelli. 1864, 173, Pl. iii. "Tockus tickelli."

Irrisoridæ.

Irrisor (ii. 70).

damarensis (*O.-Grant*). }
somalensis (*O.-Grant*). } 1902, 434, Pl. x.

Scoptelus (ii. 71).

brunneiceps (*Sharpe*). 1904, 610, Pl. xii. (adult & young).

Meropidæ.

Melittophagus (ii. 72).

variegatus bangweolensis (*C. Grant*). 1915, 297, Pl. iv.

6. oreobates. 1902, 620, Pl. xvi.

Todidæ.

Todus (ii. 78).

2. subulatus. 1874, 351, Pl. xiii.

4. pulcherrimus. 1874, 353, Pl. xiii.

Caprimulgidæ.

Eurostopus (ii. 80).

3. nigripennis. 1882, 134, Pl. iii. "Caprimulgus nobilis."

Cosmetornis (ii. 82).

1. vexillarius. 1864, 114, Pl. ii.

Caprimulgus (ii. 84).

19. fulviventris. 1912, 249, Pl. iv. fig. 2.

accræ (*Shelley*). 1912, 247, Pl. iv. fig. 1.

batesi (*Sharpe*). 1909, 25, Pl. i.

27. eximius. 1892, 279, Pl. vi.

31. nubicus. 1866, 72, Pl. ii. "C. tamaricis."

37. stellatus. 1900, 311, Pl. iv.

Cypselidæ.

Cypseloides (ii. 93).

2. brunneitorques. 1860, 28, Pl. iii. "*Chætura rutila*."

Tachornis (ii. 94).

4. infumatus. 1871, 355, Pl. x. "*Cypselus infumatus*."

Aeronautes (ii. 94).

1. melanoleucus. 1887, 151, Pl. v. "*Micropus melanoleucus*."

Trochilidæ.

Campylopterus (ii. 101).

7. phainopeplus. 1880, 171, Pl. iv.

Chlorestes (ii. 111).

2. hypocyanus.

(pyropygia, *S. & G.*). 1881, 596, Pl. xvi. "*Eucephala pyropygia*."

Oxypogon (ii. 133).

3. cyanolæmus. 1880, 172, Pl. iv.

Rhamphomicron (ii. 134).

2. dorsale. 1880, 172, Pl. v.

Trogonidæ.

Pyrotrogon (ii. 150).

6. whiteheadi. 1888, 395, Pl. xii. "*Harpactes whiteheadi*."

Musophagidæ.

Turacus (ii. 152).

12. ruspolii. 1913, 1, Pl. i.

Gallirex (ii. 153).

- johnstoni (*Sharpe*). 1902, 112, Pl. v.

Gymnoschizorhis (ii. 154).

2. leopoldi. 1881, 117, Pl. ii. "*Schizorhis leopoldi*."

Cuculidæ.

Cacomantis (ii. 159).

13. passerinus. 1872, 14, Pl. i. "*Polyphasia passerina*"
on plate; "*P. nigra*" in text.

Eudynamis (ii. 164).

3. orientalis. 1869, 343, Pl. x. "*E. ransomi*."

Centropus (ii. 166).

40. andamanensis. 1873, 305, Pl. xi. "Centrocoecyx andamanensis."

Geococcyx (ii. 174).

1. mexicanus. 1885, 286, Pl. vii. (head). "G. californianus."

Indicatoridæ.

Indicator (ii. 176).

- willcocksi (*Alex.*). 1902, 364, Pl. viii.

Prodotiscus (ii. 177).

- peasi (*O.-Grant*). 1901, 667, Pl. xiii.

Capitonidæ.

Erythrobucco (ii. 178).

1. rolleti. 1861, 121, Pl. v. "Pogonorhynchus rolleti."

Lybius (ii. 178).

5. macclouni. 1899, 377, Pl. vi. "Melanobucco macclouni."

6. leucocephalus. 1861, 121, Pl. v. "Pogonorhynchus leucocephalus."

- tsanæ (*O.-Grant*). 1904, 273, Pl. vi.

Tricholæma (ii. 179).

5. blandi. 1898, 415, Pl. ix.

11. diadematum. 1861, 121, Pl. v. "Pogonorhynchus diadematum."

Smilorhis (ii. 180).

3. whytei. 1893, 11, Pl. i.

4. sowerbyi. 1898, 572, Pl. xii.

Barbatula (ii. 181).

9. xanthoschista. 1900, 308, Pl. iii.

14. jacksoni. 1902, 635, Pl. xvi.

Stactolæma (ii. 182).

2. olivaceum. 1880, 334, Pl. vii. "Barbatula olivacea."

3. woodwardi. 1897, 404, Pl. x.

Cyanops (ii. 184).

8. pulcherrima. 1888, 393, Pl. xi. "Megalæma pulcherrima."

12. nuchalis. 1870, 97, Pl. iv. "Megalæma nuchalis."

13. faber. 1870, 96, Pl. iv. "Megalæma faber."

Mesobucco (ii. 185).

2. eximius. 1892, 324, 441, Pl. xi.

Trachyphonus (ii. 186).

- emini (*Reichw.*). 1915, 449, Pl. v. ♂ ♀.

5. shelleyi. 1886, 105, Pl. v.

6. margaritatus. 1861, 121, Pl. v. "Trachyphonus squamiceps (*Heugl.*) may be the same as 'margaritatus.'"

Capito (ii. 187).

2. maculicoronatus. 1862, 1, Pl. i. ♂ ♀.

4. squamatus. 1876, 494, Pl. xiv.

Semnornis (ii. 188).

1. rhamphastinus. 1861, 184, Pl. vi. "Tetragonops rhamphastinus."

2. frantzii. 1864, 371, Pl. xi. "Tetragonops frantzii."

Picidæ.

Campothera (ii. 205).

14. capricorni. 1869, 323, Pl. ix.

Dendrocopus (ii. 213).

46. atratus. 1876, 343, Pl. ix. "Picus atratus."

Dendropicus (ii. 218).

11. gabonensis. 1883, 444, Pl. xii.

13. lugubris. 1883, 445, Pl. xiii.

Sapheopipo (ii. 223).

1. noguchii. 1887, 178, Pl. vii. "Picus noguchii."

Celeus (ii. 226).

3. kerri. 1892, 136, Pl. iii.

Chrysocolaptes (ii. 227).

9. xanthocephalus. 1872, 99, Pl. iv.

Thriponax (ii. 231).

9. hargitti. 1884, 317, Pl. viii.

11. richardsoni.

(*kalinowskii Tacz.*). 1892, 242, Pl. v.

Picumnus (ii. 233).

37. chinensis. 1881, 228, Pl. vii. "Vivia chinensis."

Iynx (ii. 236).

3. pulchricollis. 1884, 28, Pl. iii.

Eurylæmidæ.

Calyptomena (iii. 1).

2. *hosei*. 1892, 438, Pl. x.

4. *whiteheadi*. 1888, 231, Pl. v.

Pteroptochidæ.

Rhinocrypta (iii. 7).

2. *fusca*. 1874, 198, Pl. viii. ("fulva" on plate.)

Formicariidæ.

Thamnophilus (iii. 10).

35. *simplex*. 1873, 387, Pl. xv.

Terenura (iii. 27).

4. *humeralis*.
5. *spodioptila*. } 1881, 270, Pl. xi.

Rhamphocænus (iii. 27).

7. *collaris*. 1883, 96, Pl. iii. "*Microbates collaris*."

Grallaria (iii. 40).

14. *ruficeps*. 1877, 444, Pl. viii.

17. *flavotincta*. 1877, 445, Pl. ix.

Dendrocolaptidæ.

Aphrastura (iii. 51).

2. *masafueræ*. 1871, 180, Pl. vii. "*Oxyurus masafueræ*."

Synallaxis (iii. 53).

23. *whitii*. 1881, 599, Pl. xvii.

Xenerpestes (iii. 62).

1. *minlosi*. 1886, 54, Pl. iv.

Berlepschia (iii. 63).

1. *rikeri*. 1889, 351, Pl. xi.

Thripophaga (iii. 64).

4. *sclateri*. 1883, 490, Pl. xiii.

Picolaptes (iii. 83).

18. *layardi*. 1873, 386, Pl. xiv.

Tyrannidæ.

Mecocerculus (iii. 94).

5. *calopterus*. 1875, 383, Pl. ix. "*Serpophaga leucura*."

Cnipolegus (iii. 96).

9. *orenocensis*. 1884, 455, Pl. xiii.

11. *cinereus*. 1880, 357, Pl. xi.

Anæretes (iii. 112).

3. fernandezianus. 1871, 179, Pl. vii.

Myiopagis (iii. 116).

1. placens. 1859, 122, Pl. iv. fig. 2. "Elainia placens."

Ornithion (iii. 119).

6. imberbe. 1859, 444, Pl. xiv. "Camptostoma imberbe."

Tyranniscus (iii. 121).

4. vilissimus. 1859, 122, Pl. iv. "Elainea vilissima."

Hirundinea (iii. 130).

1. ferruginea.

3. bellicosa.

rupestris (*Max.*). } 1869, 196, Pl. v.

Mitrephanes (iii. 136).

1. phæocercus. 1859, 442, Pl. xiv. "Mitrephorus phæocercus."

Pipridæ.

Pipra (iii. 153).

16. suavissima. 1882, 79, Pl. i. ♂ ♀.

23. opalizans. 1898, 60, Pl. ii.

- exquisita (*Hellmayr*). 1906, 35, Pl. i.

Machæropterus (iii. 156).

4. deliciosus. 1862, 175, Pl. vi.

Cotingidæ.

Platypsaris (iii. 163).

6. aglaia. 1859, 394, Pl. xiii. "P. affinis."

Pachyrhamphus (iii. 164).

2. griseigularis. 1885, 302, Pl. viii.

Lathria (iii. 166).

5. streptophora. 1884, 448, Pl. xvi.

Pipreola (iii. 172).

6. frontalis. 1878, 169, Pl. vi.

13. whitelyi. 1887, 502, Pl. xiii. ♂ ♀.

Carpodectes (iii. 174).

2. antonia. 1884, 27, Pl. ii.

Cephalopterus (iii. 177).

2. penduliger. 1859, 114, Pl. iii.

Gymnoderus (iii. 177).

1. *foetidus*. 1901, 714, Pl. xiv. (head of adult).

Chasmorhynchus (iii. 178).

4. *tricarunculatus*. 1865, 90, Pl. iii.

Pittidæ.

Pitta (iii. 179).

5. *megarhyncha*. 1870, 414, Pl. xii. "Brachyurus megarhynchus."

reichenowi (*Mad.*).
longipennis (*Reichw.*). } 1903, 91, Pl. iv.

8. *nympha*. 1870, 415, Pl. xiii. "Brachyurus oreas."

49. *cucullata*. 1870, 415, Pl. xiii. "Brachyurus bankana."

Xenicidæ.

Xenicus (iii. 186).

1. *longipes*. 1905, 592, Pl. xii. (adult ♂).

2. *gilviventris*. 1905, 592, Pl. xii. (adult ♂ & juv.).

"X. *stokesi* (*Gray*)=*gilviventris*" (*Scl.*).

Traversia (iii. 186).

1. *lyalli*. 1895, 237, Pl. vii. "Xenicus insularis."

Hirundinidæ.

Chelidonaria (iii. 187).

4. *dasypus*. 1874, 151, Pl. vii. fig. 1. "Chelidon blakistoni."

5. *lagopus*. 1874, 152, Pl. vii. fig. 2. "Chelidon whitelyi."

Hirundo (iii. 192).

38. *monteiri*. 1862, 340, Pl. xi.

Petrochelidon (iii. 200).

8. *spilodera*. 1868, 135, Pl. iv. "Hirundo alfredi."

Muscicapidæ.

Hemichelidon (iii. 204).

5. *ferruginea*.

(*cinereiceps*, *Sharpe*). 1889, 194, Pl. vii.

Stizorhina (iii. 209).

1. *fraseri*.
2. *finschi*. } 1870, 52, Pl. ii.

Cyornis (iii. 214).

2. *vivida*. 1866, 393, Pl. xi.
 33. *erythaca*. 1888, 199, Pl. iv. "*Siphia erithacus*."

Chasiempis (iii. 232).

1. *sandwicensis*. 1885, 18, Pl. i. ♂ ♀.

Hyliota (iii. 237).

2. *australis*. 1882, 258, Pl. viii.
 4. *nehrkorni*. 1892, 373, Pl. viii.

Diaphorophya (iii. 245).

3. *blissetti*. 1873, 173, Pl. iv.
 chlorophrys (*Alexander*). }
 ansorgei (*Hartert*). } 1907, 449, Pl. x.

Platystira (iii. 246).

3. *peltata*. 1873, 160, Pl. iv.
 5. *jacksoni*. 1892, 301, Pl. vii.

Pseudobias (iii. 246).

1. *wardi*. 1870, 498, Pl. xv.

Smithornis (iii. 247).

- sharpei* (*Alexander*). 1903, 384, Pl. vii.

Trochocercus (iii. 251).

- megalolophus* (*Swynn.*). 1908, 96, Pl. ii. ♂ ♀.
 4. *albonotatus*. 1892, 303, Pl. vii.
vivax (*Neave*). 1910, 130, Pl. i. ♂ ♀.

Terpsiphone (iii. 263).

26. *corvina*. 1867, 335, Pl. iv. "*Tchitrea corvina*."

Rhinomyias (iii. 266).

8. *gularis*. 1889, 201, Pl. vii.
 10. *insignis*. 1895, 446, Pl. xii.
 goodfellowi (*O.-Grant*). 1906, 482, Pl. xviii.

Cryptolopha (iii. 272).

2. *ricketti*. 1897, 174, Pl. iv.
 13. *ruficapilla*. 1862, 149, Pl. v. "*Pindalus ruficapillus*."
 15. *maeckenziana*. 1901, 91, Pl. iii.
 24. *montis*. 1889, 203, Pl. viii.

Abroornis (iii. 275).

4. *nigrorum*. 1891, 47, Pl. ii. "*Cryptolopha nigrorum*."
 5. *olivacea*. 1891, 47, Pl. ii.
 6. *schwaneri*. 1889, 203, Pl. viii. "*Cryptolopha schwaneri*."

Stoparola (iii. 285).

10. nigrimentalis. 1894, 507, Pl. xiv.

Pseudocalyptomena.

graueri (*Roths.*). 1909, 690, Pl. x.

Campophagidæ.

Chlamydochera (iii. 297).

1. jefferyi. 1887, 439, Pl. xiii.

Lobotus (iii. 298).

oriolinus (*Bates*). 1911, 535, Pl. viii.

Pericrocotus (iii. 299).

johnstoniæ (*O.-Grant*). 1906, 480, Pl. xix. ♂ ♀.

Lalage (iii. 302).

17. rufiventer. 1866, 278, Pl. vii. ♂ ♀ et juv. "Oxynotus typicus."

18. newtoni. 1866, 278, Pl. viii. ♂ ♀. "Oxynotus newtoni."

Pycnonotidæ.

Ægithina (iii. 306).

1. viridissima. 1877, 304, Pl. v.

Chloropsis (iii. 307).

11. kinabaluensis. 1899, 272, Pl. ix. ♂ ♀.

Irena (iii. 308).

2. ellæ. 1891, 313, Pl. viii. ♂ ♀.

Hypsipetes (iii. 309).

4. perniger. 1870, 251, Pl. ix.

Hemixus (iii. 311).

6. castanonotus. 1870, 250, Pl. ix.

Cerasophila (iii. 312).

1. thompsoni. 1903, 592, Pl. xii.

Criniger (iii. 316).

8. gularis. 1871, 169, Pl. vi.

Alophoixus (iii. 319).

1. phæocephalus. 1871, 169, Pl. vi. "Criniger phæocephalus."

Trichophoropsis (iii. 319).

1. typicus. 1872, 377, Pl. xii. "Setornis criniger."

Bleda (iii. 320).

9. milanjensis. 1894, 9, Pl. i. "Xenocichla milanjensis."

12. fusciceps. 1894, 10, Pl. i. "Xenocichla fusciceps."

Phyllostrophus (iii. 326).

8. cerviniventris. 1894, 10, Pl. ii.

Molpastes (iii. 328).

6. intermedius. 1909, 304, Pl. v.

magrathi (*Whitehead*). 1909, 302, Pl. v.

Pycnonotus (iii. 329).

13. taivanus. 1894, 337, Pl. ix.

Otocompsa (iii. 333).

4. leucotis. 1909, 304, Pl. v. "Molpastes leucotis."

Oreoctistes (iii. 334).

1. leucops. 1888, 388, Pl. ix.

Timeliidæ.

Trochalopteron (iv. 6).

22. ripponi. 1901, 529, Pl. xi.

Ianthocincla (iv. 10).

7. cinereiceps. 1887, 167, Pl. vi. "Trochalopteron cinereiceps."

Argya (iv. 11).

16. aylmeri. 1885, 404, Pl. xi.

Pomatorhinus (iv. 13).

3. schisticeps. 1878, 132, Pl. iii.

9. ochraceiceps. 1877, 465, Pl. xiii.

15. ferruginosus. 1878, 134, Pl. iv. fig. 1.

16. phayrei. 1878, 135, Pl. iv. fig. 2.

17. albigularis. 1878, 135, Pl. v. fig. 1.

18. stenorhynchus. 1878, 135, Pl. v. fig. 2.

19. musicus. 1863, 250, Pl. vi.

Allocotops (iv. 19).

1. calvus. 1889, 413, Pl. xiii.

Crateropus (iv. 22).

kordofanicus (*Butler*). 1905, 330, Pl. vii.

Androphilus (iv. 28).

1. accentor. 1888, 390, Pl. ix.

Pseudotharrhaleus (iv. 29).

1. caudatus. 1895, 448, Pl. xiii.

Pellorneum (iv. 29).

4. subochraceum. 1877, 452, Pl. x.

Turdinus (iv. 32).

1. abbotti. 1877, 452, Pl. xi. "Trichostoma abbotti."
4. celebensis. 1876, 378, Pl. xi. "Trichostoma celebense."
5. finschi. 1876, 378, Pl. xi. "Trichostoma finschi."
27. batesi. 1902, 94, Pl. iv.

Amaurocichla (iv. 36).

- kempi (*Sharpe*). 1905, 231, Pl. v.

Drymocataphus (iv. 36).

7. tickelli. 1877, 452, Pl. xi.

Aethostoma (iv. 38).

1. rostratum. 1877, 308, Pl. vi. fig. 2. "Brachypteryx
buxtoni."

Ptilocichla (iv. 40).

2. basilanica. 1891, 312, Pl. vii.

Proparus (iv. 45).

5. fucatus. 1899, 295, Pl. iv.

Schoenoparus (iv. 46).

6. variegatus. 1899, 299, Pl. iv.

Zosterornis (iv. 51).

1. striata. 1895, 110, Pl. iv.
2. whiteheadi. 1894, 510, Pl. xv.
3. pygmæa. 1897, 232, Pl. vi.
7. dennistouni. 1896, 118, Pl. iii.

Brachypteryx (iv. 55).

5. erythrogyna. 1888, 389, Pl. x.
6. poliogyna. 1895, 446, Pl. xii.

Heteroxenicus (iv. 56).

3. saturata. 1883, 251, Pl. x. "Brachypteryx saturata."

Lioptila (iv. 59).

6. auricularis. 1866, 109, Pl. iv.

Actinodura (iv. 60).

2. ramsayi. 1877, 464, Pl. xii.
morrisoniana (*O.-Grant*). 1908, 604, Pl. xii. ♂.

Ixulus (iv. 63).

3. humilis. 1894, 481, Pl. xiii. fig. 2.
4. clarki. 1894, 481, Pl. xiii. fig. 1.

Herpornis (iv. 64).

2. *tyrannulus*. 1870, 347, Pl. x. "Herphoris" on plate.

Liocichla (iv. 64).

1. *steerei*. 1877, 474, Pl. xiv.

Paradoxornis (iv. 68).

3. *heudei*. 1914, 181, Pls. viii. & ix. (uncoloured).

Suthora (iv. 69).

6. *craddocki*. 1903, 586, Pl. xi.

8. *davidiana*. 1897, 172, Pl. iv.

9. *thompsoni*. 1903, 56, Pl. xi.

15. *bulomachus*. 1866, 300, Pl. ix.

- morrisoniana* (*O.-Grant*). 1908, 604, Pl. xii. ♂.

Troglodytidae.

Cistothorus (iv. 86).

11. *brunneiceps*. 1881, 129, Pl. iii.

Anorthura (iv. 91).

2. *hirtensis*. 1885, 80, Pl. iii. "Troglodytes *hirtensis*."

Elachura (iv. 92).

1. *formosa*.

(*punctata* *Blyth*). 1892, 62, Pl. ii.

2. *haplonota*. 1892, 62, Pl. ii.

Microcerculus (iv. 97).

13. *tæniatus*. 1881, 130, Pl. iii.

15. *ustulatus*. 1883, 204, Pl. ix.

Orthnocichla (iv. 98).

2. *whiteheadi*. 1889, 410, Pl. xii.

Cinclidæ.

Cinclus (iv. 100).

15. *ardesiacus*. 1867, 109, Pl. vi.

Turdidæ.

Entomedestes (iv. 114).

2. *coracinus*. 1901, 311, Pl. viii. "Myiadestes *coracinus*."

Merula (iv. 117).

12. *leucops*. 1878, 57, Pl. i. "Turdus *brunneus* *Lawr.*"

(= ♀, teste B. M. Cat.)

22. *ludovicicæ*. 1896, 78, Pl. ii.

23. *pritzbueri*. 1879, 187, Pl. v. "Turdus *pritzbueri*."

34. euryzona. 1861, 277, Pl. viii. "Turdus fulviventris."
 37. protomelana. 1872, 136, Pl. vii. "Turdus dissimilis."
 (Geocichla dissimilis in text.)
 83. javanica. 1875, 346, Pl. viii. "Turdus javanicus."
 88. albiceps. 1866, 135, Pl. v. "Turdus albiceps."

Geocichla (iv. 130).

- batesi. 1908, 123, Pl. iii.
 6. gurneyi. 1864, 346, Pl. ix. "Turdus gurneyi."

Turdus (iv. 138).

7. naumanni. 1862, 319, Pl. x.
 10. hortulorum. 1874, 444, Pl. xiv. "Turdus chrysopleurus."

Hylocichla (iv. 141).

- Redwing $\times$ Fieldfare hybrid. 1898, 317, Pl. vii.

Tharrhaleus (iv. 146).

5. koslowi.
 (pallidus *Menzb.*). 1887, 299, Pl. ix.
 7. fulvescens. 1882, 281, Pl. viii.
 fagani (*O.-Grant*). 1917, 162, Pl. iv. "Accentor fagani."

Hydrocichla (iv. 149).

3. frontalis. 1872, 259, Pl. ix. "Henicurus frontalis."

Chimarrhornis (iv. 150).

2. bicolor. 1894, 509, Pl. xv.

Diplootocus (iv. 152).

1. moussieri. 1860, 364, Pl. xi. "Ruticilla moussieri."

Erithacus (iv. 154).

- swynnertoni (*Shelley*). 1907, 61, Pl. i.

Ianthia (iv. 156).

- johnstoniæ (*O.-Grant*). 1907, 175, Pl. iv. ♂ ♀. "In the plate the under tail-coverts of the female should be white" (*O.-G. Ibis*, 1912, 649).
 goodfellowi (*O.-Grant*). 1912, 649, Pl. xiv. ♂ ♀.

Larvivora (iv. 157).

- ruficeps (*Hartert*). 1907, 621, Pl. xiii.

Callene (iv. 158).

8. cynorthopsis. 1902, 95, Pl. iv. fig. 1.

Copsychus (v. 159).

2. seychellarum. 1865, 332, Pl. viii.

Cittocincla (iv. 161).

10. *albiventris*. 1873, 307, Pl. xii. "*Kittacincla albiventris*."

Cossypha (iv. 162).

12. *bartteloti*. 1890, 159, Pl. v.
19. *modesta*. 1897, 539, Pl. xii. "*Bessonornis modesta*."

Irania (iv. 165).

1. *gutturalis*. 1867, 73, Pl. i. "*Bessornis albigularis*."

Pratincola (iv. 171).

- dacotiæ murielæ* (*Bannerman*). 1914, 75, Pl. v. "*Saxicola dacotiæ murielæ*."

Cercomela (iv. 174).

2. *melanura*. 1896, 24, Pl. i. "*Myrmecocichla melanura*."
3. *asthenia*.
(*yerburyi Sharpe*). 1896, 24, Pl. i. "*Myrmecocichla yerburyi*."

Saxicola (iv. 175).

24. *seebohmi*. 1882, 563, Pl. xiv.
25. *phillipsi*. 1885, 404, Pl. xii.
37. *cumingi*. 1902, 59, Pl. iii.
38. *mæsta*. 1859, 299, Pl. ix. ♂ ♀. "*S. philothamna*."

Zeledonia (iv. 183).

1. *coronata*. 1905, 24, Pl. i.

Sylviidæ.*Locustella* (iv. 185).

4. *ochotensis*. 1876, 332, Pl. viii. "*Arundinax blakistoni*."
6. *certhiola*. 1876, 41, Pl. ii. "*Calamodyta doriæ*."

Acrocephalus (iv. 187).

8. *stentoreus*. 1864, 97, Pl. i.
22. *mendanæ*. 1883, 43, Pl. i.
23. *pistor*. 1883, 44, Pl. ii.
27. *vaughani*. 1904, 55, Pl. i. "*Tatare vaughani*."

Orthotomus (iv. 192).

1. *frontalis*. 1877, 112, Pl. ii.
3. *cinereiceps*. 1877, 112, Pl. ii.
8. *chloronotus*. 1896, 117, Pl. iii.
10. *cineraceus*. 1876, 41, Pl. ii. "*O. borneoensis*."
13. *erythropterus*. 1869, 93, Pl. i. "*Cisticola iodoptera*."

Cisticola (iv. 194).

- 11. *cinerascens*. 1869, 97, Pl. ii. "*Drymœca concolor*."
- 18. *nigriloris*. 1897, 536, Pl. xii.
- 21. *rufa*. 1870, 476, Pl. xiv. "*Drymœca brachyptera*."
- 22. *troglodytes*. 1869, 106, Pl. iii. "*Drymœca ferruginea*."
- 30. *terrestris*. 1863, 330, Pl. vii. fig. 2. "*C. ayresi*."
1869, 106, Pl. iii. (both figures). "*Hemipteryx oligura*" and "*Drymœca eximia*."
- 31. *aridula*. 1902, 16, Pl. i.
- 32. *hindei*. 1898, 580, Pl. xii.
- 38. *marginalis*. 1869, 93, Pl. i. "*Drymœca marginalis*."
1869, 97, Pl. ii. "*D. flaveola*."

Eremiornis (iv. 203).

- 1. *carteri*. 1902, 608, Pl. xiv.

Cryptillas (iv. 203).

- 1. *victorini*. 1866, 139, Pl. vi. "*Phlexis layardi*."

Bradypterus (iv. 204).

- 5. *barratti*. 1876, 202, Pl. iv.

Calamonastes (iv. 206).

- 1. *simplex*. 1901, 54, Pl. ii.

Sylvia (iv. 209).

- 22. *nana*. 1859, 340, Pl. x. "*S. delicatula*."

Herbivocula (iv. 212).

- 1. *schwarzi*. 1899, 1, Pl. i. "*Lusciniola schwarzi*."

Sericornis (iv. 220).

- balstoni* (*O.-Grant*). 1909, 677, Pl. ix.

Apalis (iv. 222).

- ruddi* (*C. Grant*). 1911, 306, Pl. iv. ♂.
- claudoi* (*W. Schl.*). 1911, 305, Pl. iv. ♂.
- 6. *pulchra*. 1892, 155, Pl. iv.
- 7. *jacksoni*. 1892, 156, Pl. iv. "*Dryodromas jacksoni*."

Euprinodes (iv. 223).

- 4. *cinereus*. 1901, 65, Pl. iii.
- 7. *lopezi*. 1903, 373, Pl. ix. "*Apalis lopezi*."
- 13. *viridiceps*. 1899, 71, Pl. ii. fig. 1. "*Apalis viridiceps*."

Urolais (iv. 225).

- 1. *mariae*. 1903, 375, Pl. viii.

Dryodromas (iv. 225).

1. *fulvicapilla*. 1863, 330, Pl. viii. "*Camaroptera natalensis*."
 pearsoni (*Neave*). 1910, 150, Pl. ii. ♂ ♀.

Sylviella (iv. 226).

8. *pallida*. } 1900, 75, Pl. i.
 9. *maxima*. }

Eremomela (iv. 228).

23. *nigriceps*. 1902, 320, Pl. vii. ♂ ♀. "*Apalis nigriceps*."

Parmoptila (iv. 233).

1. *woodhousei*. 1909, 67, Pl. ii.
 3. *jamesoni*. 1890, 163, Pl. v. "*Pholidornis jamesoni*."

Stiphrornis (iv. 234).

- xanthogaster* (*Sharpe*). 1905, 476, Pl. ix.

Scotocerca (iv. 234).

1. *inquieta*. 1909, 296, Pl. iv.

Urosphena (iv. 238).

1. *squamiceps*. 1877, 205, Pl. iv.

Suya (iv. 238).

5. *superciliaris*.
 (*albigularis* *Hume*). 1883, 250, Pl. x.

Burnesia (iv. 241).

1. *flaviventris*. 1877, 311, Pl. vi. "*P. rafflesi* (*Tweedd.*)."

Malurus (iv. 243).

9. *leuconotus*. 1917, 589, Pl. x. "*Hallornis cyonotus*."
 bernieri (*O.-Grant*). 1909, 676, Pl. x. ♂ ♀.

Stipiturus (iv. 245).

- malachurus hartogi* (*Carter*, 1916). 1917, 597, Pl. xi.
 ♂ ♀.
 2. *ruficeps*. 1899, 399, Pl. vii. ♂ ♀.

Vireonidæ.*Vireo* (iv. 247).

- lauræ* (*Nicoll*). 1904, 563, Pl. xi.

Pachysylvia (iv. 253).

5. *muscapina*. 1881, 299, Pl. x. }
 12. *fuscapilla*. 1881, 303, Pl. x. } "*Hylophilus*."
 14. *brunneiceps*. 1881, 305, Pl. xi. }
 18. *ferrugineifrons*. 1881, 307, Pl. xi. }

Vireolanius (iv. 256).

2. leucotis. 1878, 445, Pl. xi.

Cyclorhis (iv. 257).

17. altirostris. 1887, 324, Pl. x.

Artamidæ.

Pseudochelidon (iv. 262).

1. eurystomina. 1861, 321, Pl. xi.: misprinted "Psalidoprogne cypselina" on plate.

Prionopidæ.

Hypocolius (iv. 275).

1. ampelinus. 1868, 181, Pl. v.

Laniidæ.

Lanius (iv. 279).

8. mollis. 1882, 374, Pl. xi.

Fiscus (iv. 284).

9. mackinnoni. 1891, 596, Pl. xiii. "Lanius mackinnoni."

Enneoctonus (iv. 285).

3. raddei. 1889, 89, Pl. v. "Lanius raddei."

7. tigrinus. 1866, 211, Pl. vi. ♂ ♀. "Lanius magnirostris."

Otomela (iv. 288).

4. cristata. 1867, 211, Pl. v. "Lanius phœnicurus."

5. isabellina. 1867, 211, Pl. v. "Lanius isabellinus."

Chlorophoneus (iv. 290).

5. manningi. 1899, 369, Pl. v. "Malaconotus manningi."

16. maraisi. 1901, 183, Pl. vi. "Laniarius maraisi."

17. bertrandi. 1894, 15, Pl. ii. "Laniarius bertrandi."

Laniarius (iv. 293).

1. ruficeps. 1885, 402, Pl. x. "Dryoscopus ruficeps."
mufumbiri (*O.-Grant*). 1912, 332, Pl. vi.

Dryoscopus (iv. 296).

2. nandensis. 1901, 41, Pl. ii.

Pomatorhynchus (iv. 299).

13. jamesoni. 1885, 403, Pl. x. "Telephonus jamesoni."

Pachycephala (iv. 303).

27. *littayei*. 1879, 190, Pl. vi.

85. *leucostigma*. New Guinea Suppl. 1915, 95, Pl. iv.
♂ ad., ♂ juv.

Eulacestoma (iv. 314).

1. *nigripectus*. 1904, 373, Pl. ix.

Paridæ.

Periparus (iv. 324).

1. *ledouci*. 1871, 86, Pl. iii. "Parus ledoucii."

5. *atlas*. 1903, 207, Pl. vi. "Parus atlas."

6. *cypriotes*. 1888, 119, Pl. ii. "Parus cypriotes."

ater *ptilosus* (*O.-Grant*). 1912, 646, Pl. xiii. fig. 2.
"Parus ater *ptilosus*."

8. *britannicus* } 1911, 552, Pl. x. "Parus."
 hibernicus (*O.-Grant*). }

Machlolophus (iv. 327).

4. *holsti*. 1895, 211, Pl. v. "Parus holsti."

Parus (iv. 328).

10. *sarawacensis*.

(*cinerascens Slater*). 1885, 327, Pl. iv.

Pentheres (iv. 330).

2. *funereus*.

(*nigricinereus Jackson*). 1899, 638, Pl. xiii. "Parus
 nigricinereus."

20. *thruppi*. 1885, 406, Pl. xi. "Parus thruppi."

Penthornis (iv. 333).

1. *semilarvatus*. 1879, 301, Pl. ix. "Melaniparus semi-
 larvatus."

Cyanistes (iv. 333).

5. *ombriosus*. 1890, 433, Pl. xiii. "Parus ombriosus."

6. *palmensis*. 1889, 512, Pl. xvi. "Parus palmensis."

Ægithalus (iv. 337).

12. *tephronotus*. 1865, 95, Pl. iv. "Orites tephronotus."

Anthoscopus (iv. 340).

1. *minutus*. } 1904, 313, Pl. viii.
2. *smithi*. }

Regulidæ.**Regulus** (iv. 343).goodfellowi (*O.-Grant*). 1907, 167, Pl. iii. ♂ ♀.**Sittidæ.****Sitta** (iv. 346).

8. magna. 1897, 3, Pl. i. ♂.

23. krueperi. 1865, 306, Pl. vii.

24. whiteheadi. 1885, 28, Pl. ii. ♂ ♀.

Dendrophila (iv. 350).

7. mesoleuca. 1895, 111, Pl. iv.

Neositta (iv. 351).magnirostris (*Ingram*). 1908, 473, Pl. ix. ♂ ♀.**Daphœnositta** (iv. 353).

1. miranda. 1898, 208, Pl. iv.

Certhiidæ.**Rhabdornis** (iv. 356).

3. inornata. 1897, 235, Pl. vi.

Zosteropidæ.**Zosterops** (v. 1).

14. poliogastra. 1861, 357, Pl. xiii.

15. anjuanensis.

(prætermissa *Tristr.*). 1887, 370, Pl. x i.

43. metcalfei. 1894, 29, Pl. iii.

59. siamensis. 1876, 350, Pl. x.

71. rendovæ. 1894, 30, Pl. iii.

92. minuta. 1879, 186, Pl. iv.

106. kikuyuensis. 1891, 594, Pl. xii.

116. clara. 1890, 287, Pl. viii.

145. inornata. 1879, 186, Pl. iv.

153. hovarum. 1887, 370, Pl. xi.

Chlorocharis (v. 20).

1. emiliæ. 1888, 392, Pl. xi.

Hypocryptadius (v. 21).

1. cinnamomeus. 1906, 473, Pl. xviii.

Woodfordia (v. 632, Addenda).

1. superciliosa. 1916, 121, Pl. iii.

Dicaeidae.**Dicaeum (v. 21).**

- 18. *monticola*. 1890, 287, Pl. viii. ♂ ♀.
- 47. *hypoleucum*. 1894, 252, Pl. vii.
- 49. *trigonostigma*. 1876, 350, Pl. x. ♀.
- 58. *sibutense*. 1894, 251, Pl. vii. ♂ ♀.
- formosum* (*O.-Grant*). 1912, 652, Pl. xiii. fig. 1.

Prionochilus (v. 30).

- 4. *johannæ*. 1888, 201, Pl. iv.

Acmonorhynchus (v. 31).

- 1. *vincens*. 1874, 2, Pl. i. "Prionochilus vincens."

Piprisoma (v. 32).

- 1. *squalidum*. 1867, 430, Pl. x. "Piprisoma agile."

Pachyglossa (v. 32).

- 1. *melanoxantha*. 1874, 3, Pl. i. "Prionochilus melanoxanthus."

Nectariniidae.**Æthopyga (v. 37).**

- 25. *flavipectus*. 1895, 111, Pl. v.

Eudrepanis (v. 40).

- 3. *jefferyi*. 1895, 111, Pl. v.

Urodrepanis (v. 40).

- 1. *christinæ*. 1870, 18, Pl. i. "Æthopyga christinæ."
- 2. *latouchii*. 1891, 43, Pl. i. ♂ ♀. "Æthopyga latouchii."

Leptocoma (v. 41).

- 3. *henkei*.
(*whiteheadi O.-Grant*). 1894, 514, Pl. xiv. "Cinnyris whiteheadi."
- 6. *grayi*. 1870, 18, Pl. i. "Nectarophila grayi."

Cinnyris (v. 44).

- 11. *shelleyi*. 1899, 556, Pl. xi. ♂ ♀.
- 21. *osea*. 1865, 67, Pl. ii. "Nectarinia osea."
- 46. *reichenowi*. 1891, 593, Pl. ii.
- 46 *b.* *neergaardi* (v. 634, Addenda). 1911, 274, Pl. iii. ♂ ♀.

Cyanomitra (v. 53).

- 17. *ursulæ*. 1903, 342, Pl. ix.

Arachnothera (v. 58).

14. juliae. 1887, 451, Pl. xiv.

Anthothreptes (v. 60).

5 a. carruthersi (v. 636, Addenda). 1908, 285, Pl. v. ♂ ♀.

Meliphagidæ.

Ptilotis (v. 79).

8. gracilis. 1898, 56, Pl. i.

salvadorii utakwensis (*O.-Grant*). New Guinea Suppl.

1915, 75, Pl. ii. ♂.

præcipua lorenzi (*van Oort*). New Guinea Suppl, 1915,

75, Pl. iii. ♂.

Ptilopleura (v. 86).

1. erythropleura. New Guinea Suppl. 1915, 75, Pl. iii. ♂.

Pycnopygius (v. 96).

1. stictocephalus. New Guinea Suppl. 1915, 79, Pl. ii. ♂.

Mniotiltidæ.

Dendroeca (v. 102).

56. crawfordi. 1904, 586, Pl. xi.

Catharopeza (v. 111).

1. bishopi. 1880, 73, Pl. i.

Granatellus (v. 118).

2. francescæ. 1874, 307, Pl. xi. ♂ ♀.

Myioborus (v. 120).

6. albifrons. 1878, 318, Pl. viii. "Setophaga albifrons."

7. flavivertex. 1887, 130, Pl. iv. "Setophaga flavivertex."

8. bairdi. 1878, 317, Pl. viii. "Setophaga bairdi."

10. rufocoronatus. 1878, 316, Pl. vii. "Setophaga ruficoronata."

12. chrysops. 1878, 314, Pl. vii. "Setophaga chrysops."

Drepanididæ.

Chlorodrepanis (v. 131).

4. stejnegeri. 1890, 192, Pl. vi. ♂. "Hemignathus stejnegeri."

Heterorhynchus (v. 135).

1. hanapepe. 1890, 192, Pl. vi. ♂. "Hemignathus hanapepe."

Loxioides (v. 136).

1. *bailloui*. 1879, 90, Pl. ii. ("bailleni" in text.)

Telespiza (v. 137).

1. *cantans*. 1890, 341, Pl. ix.

Motacillidæ.*Motacilla* (v. 137).

8. *lugens*. 1878, 345, Pl. ix. "*M. amurensis*."

Xanthocorys (v. 151).

1. *nattereri*. 1878, 366, Pl. x. "*Anthus nattereri*."

Macronyx (v. 153).

5. *sharpei*, 1905, 102, Pl. iii.

Alaudidæ.*Certhilauda* (v. 154).

4. *somalica*. 1905, 512, Pl. x.

Otocorys (v. 157).

4. *atlas*. 1898, 604, Pl. xiii.

35. *berlepschi*. 1892, 523, Pl. xiii.

Pseudalæmon (v. 163).

1. *fremantlei*. 1898, 415, Pl. ix. fig. 2.

Spizocorys (v. 165).

1. *conirostris*. 1874, 103, Pl. iii. "*Alauda conirostris*."

5. *razæ*. 1898, 107, Pl. iii.

Mirafra (v. 170).

7. *degeni*. 1904, 261, Pl. v.

22. *simplex*.

(*marginata Hawker*). 1899, 64, Pl. ii. fig. 2.

27. *africana*. 1863, 322, Pl. ix. "*Megalophonus rostratus*."

Ammomanes (v. 183).

17. *erythrochlamys*. 1874, 103, Pl. iii. "*Megalophonus erythrochlamys*."

Eremopteryx (v. 186).

7. *signata*.

(*harrisoni O.-Grant*). 1901, 286, Pl. vii. "*Pyrrhulauda harrisoni*."

Fringillidæ.

Sporophila (v. 207).

27. *nigrorufa*. 1871, 6, Pl. i. ♂ ♀. "*Spermophila nigrorufa*."
 28. *pileata*. 1871, 6, Pl. i. ♂. "*Spermophila pileata*."
 46. *ocellata*. 1871, 14, Pl. ii. ♂. "*Spermophila ocellata*."
 ("♀" in error on plate.)
 50. *aurita*. 1871, 14, Pl. ii. ♂. "*Spermophila aurita*."

Dolospingus (v. 215).

1. *nuchalis*. 1871, 402, Pl. xi.

Fringilla (v. 225).

2. *polatzeki*. 1912, 614, Pl. xii. "*F. teydea polatzeki*."
 7. *palmæ*. 1890, 71, Pl. iii. ♂ ♀.

Rhynchostruthus (v. 241).

2. *louisæ*. 1898, 398, Pl. viii.

Carpospiza (v. 245).

1. *brachydactyla*. 1868, 206, Pl. viii. "*Petronia brachydactyla*."

Passer (v. 245).

36. *moabiticus*. 1867, 360, Pl. vii. ♂ ♀.

Poliospiza (v. 254).

12. *whytei*. 1897, 528, Pl. ii. "*Serinus whytei*."

Serinus (v. 257).

21. *syriacus*. 1868, 204, Pl. vii. "*Serinus aurifrons*."

Pseudacanthis.

- yemenensis* (*O.-Grant*). 1917, 145, Pl. iv.

Sycalis (v. 261).

7. *lutea*. 1872, 46, Pl. ii.
 12. *chrysops*. 1872, 45, Pl. ii.

Propasser (v. 266).

2. *rhodochlamys*. 1881, 156, Pl. vi. ♂ ♀. "*P. rhodometopus*."
 5. *blythi*. 1882, 283, Pl. ix. ♂ ♀.
 10. *waltoni*. 1906, 225, Pl. xiv. ♂ ♀.

Pyrrhula (v. 271).

9. *leucogenys*. 1895, 455, Pl. xiv.
 10. *murina*. 1866, 97, Pl. iii.
 15. *erithacus*. 1863, 440, Pl. x.

Emberiza (v. 276).

1. *schœniclus*.
(*passerina* *Pall.*). 1879, 39, Pl. i.
3. *pyrrhulina*. 1876, 332, Pl. viii. "*Schœniclus pyrrhulinus*."
8. *yessoensis*. 1879, 39, Pl. i.
25. *citrinella*.
(*brehmi* *Popham*). 1901, 453, Pl. x. "*E. citrinella brehmi*."
26. *erythrogeus*.
(*mollesoni* *Sarudny*). 1901, 453, Pl. x. "*E. citrinella mollesoni*."
33. *semenovi*.
(*citriniventris* *Scl.*). 1906, 313, Pl. xv.
45. *castaneiceps*. 1889, 294, Pl. x. "*E. cioides*."
47. *jankowskii*. 1888, 317, Pl. viii.
51. *siemenseni*. 1913, 277, Pl. vi. "*Junco siemenseni*."

Incapiza (v. 299).

- pulchra*. 1886, 259, Pl. viii. "*Hæmophila pulchra*."

Compsospiza (v. 299).

1. *garleppi*. 1893, 208, Pl. vi.

Poospiza (v. 301).

7. *melanoleuca*. 1880, 354, Pl. ix.
11. *erythrophrys*. 1891, 599, Pl. xvii.

Brachyspiza (v. 309).

6. *strigiceps*. 1877, 47, Pl. i. "*Zonotrichia strigiceps*."
8. *canicapilla*. 1877, 47, Pl. i. "*Zonotrichia canicapilla*."

Pseudochloris (v. 325).

6. *aurantiiventris*. 1872, 47, Pl. iii. ♂ ♀. "*Sycalis aurantiiventris*."

Nesospiza (v. 326).

2. *goughensis*. 1905, 255, Pl. vi.
3. *jessiae*. 1905, 257, Pl. vi.

Idiopsar (v. 329).

1. *brachyurus*. 1884, 241, Pl. vii.

Lophospingus (v. 331).

1. *pusillus*. 1880, 354, Pl. ix. "*Coryphospingus pusillus*."

Buarremon (v. 336).

- | | |
|------------------|---------------------|
| 13. melanolæmus. | } 1879, 425, Pl. x. |
| 14. latinucha. | |

Cœrebidæ.

Cœreba (v. 341).

- luteola major (*Cab.*). 1912, 508, Pl. viii.
 chloropyga majuscula (*Cab.*). 1912, 505, Pl. viii.

Diglossa (v. 345).

6. pectoralis. 1875, 212, Pl. iv.
 15. albilateralis. 1875, 216, Pl. v.

Dacnis (v. 349).

13. venusta. 1863, 311, Pl. vii.

Tanagridæ.

Chlorochrysa (v. 361).

4. fulgentissima.
 (hedwigæ *Berlep. & Stolz.*). 1901, 716, Pl. xiv. ♂ ♀.
 5. nitidissima. 1875, 466, Pl. x.

Calospiza (v. 363).

12. johannæ. 1901, 595, Pl. xii. ♂ ♀. "Calliste johannæ."
 43. emiliæ. 1901, 595, Pl. xii. "Calliste emiliæ."
 56. cabanisi. 1868, 71, Pl. iii. "Calliste cabanisi."
 palmeri (*Hellmayr*). 1910, 331, Pl. v.
 57. dowi. 1863, 450, Pl. xii. "Calliste dowi."
 70. melanotis. 1876, 409, Pl. xii. "Calliste melanotis."
 71. cyanotis. 1876, 409, Pl. xii. "Calliste cyanotis."
 80. whitelyi. 1884, 455, Pl. xiii. "Calliste whitelyi."

Iridornis (v. 373).

2. reinhardti. 1865, 495, Pl. xi.

Pœcilothraupis (v. 374).

8. melanogenys. 1880, 120, Pl. iii,

Spindalis (v. 380).

4. pretrei. 1916, 33, Pl. i.
 8. benedicti. 1916, 33, Pl. i. "S. exsul."
 9. salvini. 1916, 33, Pl. i.

Pyranga (v. 384).

12. roseigularis. 1873, 126, Pl. iii.

Tachyphonus (v. 392).

2. luctuosus.

(*Lanio lawrencei* *Scl.* = ♂ juv.). 1885, 272, Pl. vi.

9. nattereri. 1885, 273, Pl. vi.

Nesospingus.

speculiferus. 1875, 383, Pl. ix. "Chlorospingus?
speculiferus."

Ploceidæ.

Drepanoplectes (v. 412).

1. jacksoni. 1891, 246, Pl. v. ♂ ♀.

Pyromelana (v. 414).

14. aurea. 1886, 354, Pl. ix.

Nigrita (v. 419).

4. emiliæ. 1869, 384, Pl. xi.

12. uropygialis. 1869, 384, Pl. xi.

Pseudonigrita (v. 421).

4. cabanisi. 1888, 292, Pl. vi. "Philæterus cabanisi."

Nesocharis (v. 424).

1. shelleyi. 1915, 514, Pl. vii. ♂ ♀.

Paludipasser.

locustella (*Neave*). 1910, 251, Pl. iii.

Hypargus (v. 427).

3. schlegeli. 1870, 482, Pl. xiv. "Pytelia schlegeli."

4. nitidulus. 1910, 681, Pl. xi. ♂ ♀. "Pytelia nitidula."

5. dybowski. 1915, 514, Pl. vii. ♂ ♀. "Lagonosticta
dybowski."

Munia (v. 439).

20. hunsteini. 1886, 1, Pl. i. "Donacicola hunsteini."

Erythrura (v. 448).

5. serena. }
6. regia. } 1881, 544, Pl. xv.

Estrilda (v. 450).

27. ochrogaster.

(*margaritæ O.-Grant*). 1900, 130, Pl. iii. "Sporægin-
thus margaritæ."

29. atricapilla. 1886, 330, Pl. ix.

Malimbus (v. 460).

- 3. *cassini*. 1876, 461, Pl. xiii.
- 10. *scutatus*. 1887, 41, Pl. ii. "*M. rubropersonatus*."
- 14. *coronatus*. 1908, 352, Pl. vii.

Anaplectes (v. 462).

- 1. *rubriceps*. 1876, 466, Pl. xiii. fig. 2. "*Malimbus rubriceps*."
1882, 353, Pl. vii. fig. 2. "*Sharpia ayresi*."
("*Sharpea* " on plate.)
- 2. *gurneyi*. 1887, 17, Pl. i. "*Ploceus gurneyi*."

Notiospiza (v. 463).

- 1. *angolensis*. 1887, 18, Pl. i. "*Ploceus angolensis*."

Phormoplectes (v. 464).

- 1. *insignis*. 1891, 253, Pl. vi. fig. 1 (♀). "*Sycobrotus insignis*."
1917, 73, Pl. ii. (head). "*Heterophantes insignis*."
- 4. *auricomis*. 1917, 72, Pl. ii. (head). }
- 5. *dorsimaculatus*. 1917, 73, Pl. ii. (head). } "*Heterophantes*..."

Othyphantes (v. 465).

- 6*a*. *batesi* (v. 645, Addenda). 1910, 435, Pl. vi. ♂ ♀.

Heterophantes (v. 466).

- 1. *stephanophorus*. 1891, 253, Pl. vi. fig. 2. ♂.

Sitagra (v. 472).

- 3. *jacksoni*. 1882, 293, Pl. vii. "*Ploceus jacksoni*."
- 6. *capitalis*. 1887, 34, Pl. ii. "*Ploceus capitalis*."
- 16. *bertrandi*. 1893, 23, Pl. ii. "*Hyphantornis bertrandi*."
- 17. *velata*. 1868, 466, Pl. x. "*Hyphantornis mariquensis*."

Ploceus (v. 480).

- 3. *megarhynchus*. 1901, 32, Pl. i. figs. A & B.

Icteridæ.*Ostinops* (v. 485).

- 4. *salmoni*. 1883, 153, Pl. vii.
- 7. *oleaginus*. 1883, 154, Pl. vii.

Agelæus (v. 491).

- 18. *cyanopus*. 1884, 13, Pl. i. ♂ ♀.

Icterus (v. 498).

- 16. *oberi*. 1882, 487, Pl. xiii.
- 32. *grace-annæ*. 1883, 368, Pl. xi.

Megaquiscalus (v. 508).

7. *tenuirostris*. 1884, 157, Pl. v. ♂ ♀. "*Quiscalus tenuirostris*."

Sturnidæ.

Spodiopsar (v. 515).

8. *andamanensis*. 1873, 313, Pl. xii. "*Sturnia andamanensis*."

Æthiopsar (v. 520).

6. *albocinctus*. 1880, 72, Pl. i. "*Acridotheres albocinctus*."

Basileornis (v. 521).

1. *celebensis*. }
3. *corythaix*. } 1861, 283, Pl. ix.

Cinnyricinclus (v. 525).

3. *sharpei*. 1899, 590, Pl. xii. (ad. et juv.). "*Pholidauges sharpei*."

Galeopsar (v. 534).

1. *salvadorii*. 1891, 241, Pl. iv.

Onychognathus (v. 536).

8. *walleri*. 1880, 335, Pl. viii. "*Amydrus walleri*."

Heteropsar (v. 542).

2. *albicapillus*. 1860, 246, Pl. vii. "*Notauges albicapillus*."

Paramythiidae.

Paramythia (v. 545).

1. *montium*. 1893, 244, Pl. vii.

Oriolidæ.

Oriolus (v. 546).

4. *notatus*. 1870, 218, Pl. vii.
34. *meneliki*. 1900, 122, Pl. ii.
42. *brachyrhynchus*. 1870, 226, Pl. viii., both figures.
43. *nigripennis*. 1870, 228, Pl. vii.
45. *chlorocephalus*. 1896, 183, Pl. iv.
46. *cruentus*. 1881, 33, Pl. i. "*Analcipus cruentus*."
47. *consanguineus*. 1881, 33, Pl. i. ♂ ♀. "*Analcipus consanguineus*."
49. *hosei*. 1893, 393, Pl. x.
50. *ardens*. 1862, 363, Pl. xiii. "*Psarolophus ardens*."

Dicruridæ.

Dicrurus (v. 556).

4. *mirabilis*. 1872, 103, Pl. v.

Paradiseidæ.

Parephephorus (v. 568).

1. *duivenbodei*. 1890, 419, Pl. xii. "Craspedophora
duivenbodei."

Paradisea (v. 572).

4. *decora*. 1883, 202, Pl. viii.
9. *minor*. 1905, 431, Pl. viii. (final stage of the display).

Paradisornis (v. 574).

1. *rudolfi*. 1886, 252, Pl. vii.

Cicinnurus (v. 575).

1. *regius*. 1907, 227, Pl. v. (in full display).

Semioptera (v. 578).

1. *wallacei*. 1860, 26, Pl. ii. ♂ ♀.

Paradigalla (v. 581).

- brevicauda* (*Roths. & Hart.*). 1912, 109, Pl. ii.

Ptilonorhynchidæ.

Macgregoria (v. 581).

1. *pulchra*. 1897, 251, Pl. viii.

Parotia (v. 581).

3. *wahnesi*. 1911, 356, Pl. vi. ♂ ♀.
4. *duivenbodei*. 1911, 355, Pl. v.

Loria (v. 583).

1. *loriæ*. 1895, 344, Pl. viii. ♂ ♀. "Loria *mariaæ*."

Cnemophilus (v. 584).

1. *macgregori*. 1891, 414, Pl. x.

Xanthomelus (v. 585).

2. *ardens*. New Guinea Suppl. 1915, 31, Pl. i.

Corvidæ.

Dendrocitta (v. 607).

8. *cinerascens*. 1879, 250, Pl. viii.
9. *bayleyi*. 1874, 145, Pl. vi. ("baylei" on plate.)

Cissa (v. 608).

4. *jefferyi*. 1889, 84, Pl. iv.

Garrulus (v. 611).

14. *brandti*. 1867, 193, Pl. iii.

Cyanolyca (v. 623).

9. *viridicyanea*. 1917, 465, Pl. viii. “*Cyanolyca* v. *viridicyanea*.”

viridicyanea cuzcoensis (*W. L. Schl.* 1917). 1917, 465, Pl. viii.

Picathartes (v. 626).

1. *gymnocephalus*. 1874, 67, Pl. ii. (adult & young).

III.—*Notes on the Nidification of some Indian Falconidæ.*

III. *The Genera Ictinaëtus and Microhierax.* By E. C. STUART BAKER, M.B.O.U.

(Plate II.)

Ictinaëtus malayensis (Reinw.).

The Black Eagle.

UP to the time Oates wrote the second volume of the ‘Catalogue of the Birds’ Eggs in the British Museum’ the only existing account of the nesting of this fine Eagle was that of Hume in ‘Nests and Eggs of Indian Birds,’ and it is not quite certain that the eggs described by him are those of this Eagle.

In the first place, the nests are described as having been built on ledges on the faces of cliffs, whereas all nests taken since have, without exception, been found on trees; again, in one of these supposed Black Eagles’ nests there were three eggs, but no one else has ever found more than two in a nest, and very rarely more than one. The colour of—or want of colour in—the fourth single egg almost certainly shows that it was not that of the Black Eagle, which lays very richly-coloured eggs. Finally, the lining membrane in the eggs described by Hume is paler and more yellow than in any of those since obtained.

Probably the first authentic egg of the Black Eagle is



Baker, E. C. Stuart. 1918. "II.—Index—List of the Coloured Plates of Birds in The Ibis' 1859 to 1917." *Ibis* 6(1), 10–51.

<https://doi.org/10.1111/j.1474-919x.1918.tb00769.x>.

View This Item Online: <https://www.biodiversitylibrary.org/item/55021>

DOI: <https://doi.org/10.1111/j.1474-919x.1918.tb00769.x>

Permalink: <https://www.biodiversitylibrary.org/partpdf/377778>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.