

OPINION 2069 (Case 3215)**E.L. Holmberg (1917, 1918) 'Las especies argentinas de *Coelioxys*' (Insecta, Hymenoptera): 139 genus-group names applied to groups of species suppressed**

Abstract. The Commission has ruled that 139 names which were published by E.L. Holmberg in 1917–1918 for divisions and subdivisions of the megachilid bee genus *Coelioxys* Latreille, 1809 (family MEGACHILIDAE) are suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy. Although they have never been used as names for taxa, these names are available as genus-group names.

Keywords. Nomenclature; taxonomy; Hymenoptera; Apoidea; MEGACHILIDAE; *Coelioxys*; bees; Argentina.

Ruling

- (1) Under the plenary power it is hereby ruled that 139 names which were published by E.L. Holmberg in 1917–1918 for divisions and subdivisions of the megachilid bee genus *Coelioxys* Latreille, 1809 (family MEGACHILIDAE) are suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy.
- (2) The following names are hereby placed on the Official Index of Rejected and Invalid Generic Names in Zoology:

The page number for each name refers to its publication in Holmberg (1917) or (1918) referring to the two works by Holmberg listed in the Original References.

- | | |
|--------------------------------------------------|------------------------------------------------|
| <i>Acraspedon</i> Holmberg, 1917, p. 561 | <i>Augopette</i> , Holmberg, 1918, p. 153 |
| <i>Acrodontomeros</i> Holmberg, 1917, p. 548 | <i>Aulacotetartos</i> Holmberg, 1917, p. 571 |
| <i>Acrolepis</i> Holmberg, 1917, p. 573 | <i>Autodon</i> Holmberg, 1917, p. 559 |
| <i>Alethodiastictos</i> Holmberg, 1917, p. 576 | <i>Autogoniodes</i> Holmberg, 1917, p. 590 |
| <i>Allodiastictopelte</i> Holmberg, 1917, p. 549 | <i>Bathycoelios</i> Holmberg, 1917, p. 554 |
| <i>Alloliopelte</i> Holmberg, 1917, p. 549 | <i>Brachyepiodonta</i> Holmberg, 1917, p. 582 |
| <i>Allotropoglyptos</i> Holmberg, 1917, p. 554 | <i>Brachymesodon</i> Holmberg, 1917, p. 560 |
| <i>Amaurocraspedon</i> Holmberg, 1917, p. 581 | <i>Brachyparataxis</i> Holmberg, 1917, p. 569 |
| <i>Amauropoda</i> Holmberg, 1917, p. 564 | <i>Canonicacros</i> Holmberg, 1917, p. 579 |
| <i>Amblyptyche</i> Holmberg, 1917, p. 558 | <i>Canonicopempton</i> , Holmberg, 1918, p. 2 |
| <i>Anacanthomeros</i> Holmberg, 1917, p. 548 | <i>Catabrachys</i> Holmberg, 1917, p. 567 |
| <i>Analogodonta</i> Holmberg, 1917, p. 574 | <i>Catadolichos</i> Holmberg, 1917, p. 567 |
| <i>Anamictochromata</i> Holmberg, 1917, p. 565 | <i>Cerasionotos</i> Holmberg, 1917, p. 586 |
| <i>Anepiodonta</i> Holmberg, 1917, p. 558 | <i>Choristochromata</i> Holmberg, 1917, p. 564 |
| <i>Ankyloptyche</i> Holmberg, 1917, p. 559 | <i>Colobopempton</i> Holmberg, 1917, p. 587 |
| <i>Apediopelte</i> Holmberg, 1917, p. 561 | <i>Cryptocraspedon</i> Holmberg, 1917, p. 569 |
| <i>Aphanes</i> , Holmberg, 1918, p. 146 | <i>Cryptoptycha</i> Holmberg, 1917, p. 558 |
| <i>Aponaulax</i> Holmberg, 1917, p. 571 | <i>Deuteros</i> Holmberg, 1917, p. 581 |
| <i>Apophaneros</i> , Holmberg, 1918, p. 145 | <i>Deuterythros</i> Holmberg, 1917, p. 567 |
| <i>Atelemelanos</i> Holmberg, 1917, p. 563 | <i>Diaphoroglyptos</i> Holmberg, 1917, p. 581 |
| <i>Atelerythros</i> Holmberg, 1917, p. 567 | <i>Diastictopelte</i> Holmberg, 1917, p. 553 |
| <i>Atelerythros</i> Holmberg, 1917, p. 578 | <i>Diatelerythros</i> Holmberg, 1917, p. 583 |

- Dichromatopoda* Holmberg, 1917, p. 564
Didiastictopelte Holmberg, 1917, p. 558
Diestecodonta Holmberg, 1917, p. 573
Digymnoptyche Holmberg, 1917, p. 547
Dileueocraspedon Holmberg, 1917, p. 582
Diliopelte Holmberg, 1917, p. 558
Dipephricoptycha Holmberg, 1917, p. 548
Diplotritaenia Holmberg, 1917, p. 584
Dolichomesodon Holmberg, 1917, p. 560
Eleuthrobothrios Holmberg, 1917, p. 548
Engycampyle Holmberg, 1917, p. 578
Epicolobos Holmberg, 1917, p. 547
Epidiodonta Holmberg, 1917, p. 557
Erythrobasis, Holmberg, 1917, p. 546
Erythronotos Holmberg, 1917, p. 557
Erythropleurae Holmberg, 1917, p. 553
Exechoparatasia Holmberg, 1917, p. 570
Gymnoptyche Holmberg, 1917, p. 553
Haematonotos Holmberg, 1917, p. 546
Hegumenerythros Holmberg, 1917, p. 575
Hemistilpnos Holmberg, 1917, p. 566
Heptodonta Holmberg, 1917, p. 585
Hexodonta Holmberg, 1917, p. 586
Holochromatogaster Holmberg, 1917, p. 562
Holomeros Holmberg, 1917, p. 573
Horatocraspedon Holmberg, 1917, p. 553
Hypanodonta Holmberg, 1917, p. 567
Hypobrachys Holmberg, 1917, p. 585
Hypodolichos Holmberg, 1917, p. 585
Hypodontophora Holmberg, 1917, p. 560
Hypomonodon Holmberg, 1917, p. 559
Hypotriodonta Holmberg, 1917, p. 559
Ioetidopoda Holmberg, 1917, p. 562
Ioetidospilos Holmberg, 1917, p. 565
Labidiopempton Holmberg, 1917, p. 546
Lagochilos, Holmberg, 1918, p. 2
Leucocraspedon Holmberg, 1917, p. 561
Liopelte Holmberg, 1917, p. 557
Lioteropelte Holmberg, 1917, p. 549
Melanerythronotos Holmberg, 1917, p. 553
Melanobasis Holmberg, 1917, p. 549
Melanomesonotos Holmberg, 1917, p. 587
Melanonotos Holmberg, 1917, p. 546
Melanopleurae Holmberg, 1917, p. 554
Melanospilos Holmberg, 1917, p. 565
Menoiderythros Holmberg, 1917, p. 566
Mesodonta Holmberg, 1917, p. 579
Metadiaeopes Holmberg, 1917, p. 573
Metentomes Holmberg, 1917, p. 573
Monochromatopoda Holmberg, 1917, p. 562
Opisthocoronis Holmberg, 1917, p. 548
Orthocolobos Holmberg, 1917, p. 558
Orthoptycha Holmberg, 1917, p. 559
Oxyepiptyche Holmberg, 1917, p. 547
Oxyeschatia Holmberg, 1917, p. 560
Palinanalogodonta Holmberg, 1917, p. 582
Palindeuteros Holmberg, 1917, p. 583
Palinanalogodonta Holmberg, 1917, p. 582
Palindiestecodontia Holmberg, 1917, p. 582
Pantelochroma Holmberg, 1917, p. 578
Pantelomelas Holmberg, 1917, p. 567
Pantelostilpnos Holmberg, 1917, p. 566
Panterythromera Holmberg, 1917, p. 579
Paradoxotetartos Holmberg, 1917, p. 548
Pediopelte Holmberg, 1917, p. 561
Penerythros Holmberg, 1917, p. 562
Pephricoptyche Holmberg, 1917, p. 553
Phaenodonta Holmberg, 1917, p. 582
Phanocraspedon Holmberg, 1917, p. 568
Phaneroptyche Holmberg, 1917, p. 559
Phlyctenopelte Holmberg, 1917, p. 576
Platyctapiesis Holmberg, 1917, p. 578
Platyeschatia Holmberg, 1917, p. 560
Pleonclasoncolobos Holmberg, 1917, p. 579
Pleurodonta Holmberg, 1917, p. 581
Plusierythra Holmberg, 1917, p. 566
Porrhocampyle Holmberg, 1917, p. 576
Porrhodontion Holmberg, 1917, p. 559
Proteros Holmberg, 1917, p. 579
Proterythromera Holmberg, 1917, p. 579
Proterythros Holmberg, 1917, p. 567
Protomonon Holmberg, 1917, p. 583
Pycnocrossos Holmberg, 1917, p. 553
Pycnodiaastictopelte Holmberg, 1917, p. 549
Pycnotrematos Holmberg, 1918, p. 153
Täpinotetartos Holmberg, 1917, p. 572
Tetarterythros Holmberg, 1917, p. 583
Tridiaastictopelte Holmberg, 1917, p. 562
Triliopelte Holmberg, 1917, p. 561
Trimononerythros Holmberg, 1917, p. 583
Trioidomera Holmberg, 1917, p. 578
Tritaenia Holmberg, 1917, p. 567
Ukanomalos Holmberg, 1917, p. 547
Utritios Holmberg, 1917, p. 579

History of Case 3215

An application to suppress 139 genus-group names published by E.L. Holmberg in 1917–1918 for divisions and subdivisions of the genus *Coelioxys* Latreille, 1809 (family MEGACHILIDAE) was received from Charles D. Michener (*Natural History Museum and Biodiversity Research Center, Snow Hall, University of Kansas, Lawrence, KS, U.S.A.*) on 7 August 2001. After correspondence the case was

published in BZN 59: 121–124 (June 2002). The title, abstract and keywords of the case were published on the Commission's website. No comments on this case were received.

Decision of the Commission

On 1 September 2003 the members of the Commission were invited to vote on the proposals published in BZN 59: 122. At the close of the voting period on 1 December 2003 the votes were as follows: 21 Commissioners voted FOR the proposals, 1 Commissioner (Alonso-Zarazaga) voted AGAINST, no vote was received from Eschmeyer. Böhme and Patterson were on leave of absence.

Voting against, Alonso-Zarazaga commented that each name proposed by Holmberg should be treated independently on its own merits, avoiding a general suppression. Overlooking works written in any other language but English is not a reason for suppression. Holmberg's works should be considered for their value and contribution to systematics and nomenclature outside the general trends. Michener adopted Schrottky's (1920) approach as a comfortable way of removing inconvenient names.

Original References

The following are the original references to the names placed on an Official Index by the ruling given in the present Opinion:

Holmberg, E.L. 1917. *Anales del Museo Nacional de Historia Natural de Buenos Aires*, **28**: 541–591.

Holmberg, E.L. 1918. *Physis* (Buenos Aires), **4**: 1–13, 145–166.



International Commission on Zoological Nomenclature. 2004. "(Case 3215). E. L. Holmberg (1917, 1918) 'las Especies Argentinas De Coelioxys' (Insecta, Hymenoptera): 139 Genus group Names Applied To Groups Of Species Suppressed." *The Bulletin of zoological nomenclature* 61, 67–69.

View This Item Online: <https://www.biodiversitylibrary.org/item/107002>

Permalink: <https://www.biodiversitylibrary.org/partpdf/42714>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.