PROCEEDINGS

OF THE

BIOLOGICAL SOCIETY OF WASHINGTON

SAEDELEERIA, NEW GENUS OF THE FAMILY ALLOGROMIIDAE (FORAMINIFERA)

By Alfred R. Loeblich, Jr. and Helen Tappan California Research Corporation, La Habra, California and University of California at Los Angeles

The genus *Diplogromia* was described by Rhumbler (1904: 214) as differing from *Gromia* Dujardin in the character of the pseudopodia, and in having a double walled shell. Included in *Diplogromia* were the species *Gromia brunneri* Blanc, 1886, and *Gromia gemma* Penard, 1889. No type was originally cited for the genus, and Cushman (1928: 60) selected *Gromia brunneri* Blanc as type by subsequent designation.

De Saedeleer (1932: 67) emended *Diplogromia*, apparently overlooking Cushman's earlier type designation, and restricted *Diplogromia* to include only *Gromia gemma*. He proposed the new genus *Allelogromia*, with *Gromia brunneri* Blanc as type species. Thus *Allelogromia* is a junior objective (isogenotypic) synonym of *Diplogromia* Rhumbler, 1904.


In recent publications *Diplogromia* has been included as a synonym of *Gromia* by some authors (Jírovec, 1953: 329; Kudo, 1954: 472), but both *Diplogromia* and *Allelogromia* were recognized by Deflandre (1953: 140), with *Gromia gemma* included in *Diplogromia*, and *Gromia brunneri* in *Allelogromia*. No comment was made as to the type species of *Diplogromia* or *Allelogromia* however.


Inasmuch as *Gromia brunneri* had been fixed as the type of *Diplogromia* in 1928 (Cushman) and *Allelogromia* De Saedeleer, 1932, is thus a junior synonym, the generic taxon including *Gromia gemma* is left nameless, and *Saedeleeria* Loeblich and Tappan, new genus, is hereby proposed for it.

Diplogromia Rhumbler, 1904, type species Gromia brunneri

29—Proc. Biol. Soc. Wash., Vol. 73, 1960

(195)





Blanc, fixed by subsequent designation by Cushman (1928: 60) contains the additional species *Gromia squamosa* Penard, 1888, and *G. nigricans* Penard, 1902.

Gromia linearis Penard, originally included in Allelogromia by De Saedeleer, was made the type species of Penardogromia Deflandre (1953: 140).

Saedeleeria Loeblich and Tappan, new genus

Diplogromia Rhumbler of DE SAEDELEER, 1934 (not Diplogromia Rhumbler, 1904), Mus. Roy. d'Hist. Nat. Belgique, Mém. 60: 67.

Type species: Gromia gemma Penard, 1889. Monotypic.

Granulo-reticulose pseudopodia, asymmetrically developed as a pseudopodial "peduncle" in the apertural region; single chambered test with thick double-layered wall, outer layer with granular inclusions, inner layer homogeneous and hyaline; aperture rounded, with asymmetrical inverted neck.

LITERATURE CITED

- Cushman, J. A. 1928. Foraminifera Their Classification and Economic Use. Cushman Lab. Foram. Research, Spec. Publ. No. 1, pp. 1–401.
- Deflandre, G. 1953. In Grassé, P., Traité de Zoologie, 1(1): 97–148. Jírovec, O. 1953. Protozoologie. Naklad. Česk. Akad. Věd, Praha, 1–643.
- Kudo, R. R. 1954. Protozoology. 4th Ed., C. C. Thomas and Co., Springfield, Ill., pp. 1–966.
- Rhumbler, L. 1904. Systematische Zusammenstellung der recenten Reticulosa. Archiv. fur Protist., 3: 181–294.
- De Saedeleer, H. 1934. Beitrag zur Kenntnis der Rhizopoden: morphologische und systematische Untersuchungen und ein Klassifikationsversuch. Mus. Roy. d'Hist. Nat. de Belgique, Mém. No. 66, pp. 1–112.



Loeblich, Alfred R., Tappan, Helen Niña, and Loeblich, Alfred R. 1960. "Saedeleeria, new genus of the family Allogromiidae (Foraminifera)." *Proceedings of the Biological Society of Washington* 73, 195–196.

View This Item Online: https://www.biodiversitylibrary.org/item/107739

Permalink: https://www.biodiversitylibrary.org/partpdf/46163

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Biological Society of Washington

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.