

DESIGNATION OF TYPE SPECIES FOR THE GENERA OF AUSTRALIAN PAROPSINE BEETLES (COLEOPTERA: CHRYSOMELIDAE)

PETER G KELLY

16 Roberts Street, East Brunswick, Victoria 3057, Australia
(pgkelly@melbpc.org.au)

C.A.M. REID

CSIRO Entomology, GPO Box 1700, Canberra, ACT 2601, Australia
(Chris.Reid@ento.csiro.au)

Abstract

Kelly, P.G. and Reid, C.A.M., 1999. Designation of type species for the genera of Australian paropsine beetles (Coleoptera: Chrysomelidae). *Memoirs of Museum Victoria* 57: 263–266.

Type species are listed for all Australian genera in the subtribe Paropsina, including necessary first designations for *Chrysophtharta* Weise, *Faex* Weise, *Notoclea* Marsham, *Pyrgoides* gen. nov., *Sterromela* Weise, *Trachymela* Weise and *Trochalodes* Weise. The synonymy of *Notoclea* with *Paropsis* Olivier, and *Pyrgoides* with *Acacicola* Lea are confirmed. A new species synonym is recorded: *Paropsis hamadryas* Stål = *Acacicola tristis* Lea.

Introduction

The paropsine chrysomelids are among the most diverse and taxonomically intricate group of beetles associated with natural vegetation in Australia. A few paropsines have in recent years become serious pests in eucalypt plantations in Australia, New Zealand and South Africa. Many of the 450 described species have been allocated uncritically to genus and the genera themselves have not always been delineated clearly. This paper is a start towards resolving these taxonomic problems.

The genus *Paropsis* was erected by Olivier (1807) for 14 Australian chrysomelid species. Marsham (1808) erected the genus *Notoclea* with 20 species which were incorporated into *Paropsis* by Olivier (1825). Subsequently, Boisduval (1835), Erichson (1842), Germar (1848), Boheman (1858), Stål (1860), Clark (1864, 1866), Baly (1864), Chapuis (1877) and Blackburn (1890–1901) added large numbers of species to the genus, so that by 1916, 406 species were listed from Australia (Weise, 1916). Since 1916, a number of species have been described by Weise (1817, 1923), Lea (1924), Gressitt (1963) and Selman (1983), and the current total is about 450 species.

This large number of rather similar species, many with quite inadequate descriptions, has

made identification by later workers very difficult. Several attempts have been made to split *Paropsis* into smaller groups. Motschulsky (1960) split three genera from *Paropsis*, namely *Dicranosterna*, *Niliosoma*, and *Paropsisterna*. Blackburn, in a series of papers (1897a–1901) arranged *Paropsis* into five “groups” and a number of “subgroups” while still retaining the genus *Paropsis* for all species. Weise (1901–1915) split *Paropsis* into nine genera: *Sterromela* Weise, *Trochalodes* Weise, and *Dicranosterna* Motschulsky in the tribe Dicranosternini Weise and *Paropsis* Olivier, *Paropsisterna* Motschulsky, *Chrysophtharta* Weise, *Trachymela* Weise, *Faex* Weise, *Procris* Weise, *Philhydronopa* Weise and *Pyrgo* Weise in the tribe Paropsinini Weise. Most of these genera are poorly diagnosed with no accompanying illustrations. Some are defined only by the species that Weise placed in them and most lack designated type species.

Daccordi (1994) presented a checklist of world chrysomeline genera and made several new synonymic designations in the paropsine genera, thus at present 15 Australian genera are considered valid.

For this paper type specimens were examined for most designated type species and where none was available specimens named by Blackburn or Lea were used. The validity of these genera is not discussed here.

**Australian generic names in the Paropsina
(sensu Daccordi, 1994), with designated type
species**

The name *Coccinelloides* Latreille is not listed below. Selman (1963) following Weise (1916) claimed that this is an available generic-rank name based on a species, "australasiae", without authorship. He then decided that *Chrysomela australasiae* Fabricius was the intended species and declared this to be the type species. We believe that the phrase "coccinelloides australasiae" of Latreille (1807:58) was never meant to be generic but was merely descriptive and this is clearly how Latreille uses the term 'coccinelloides' in a later work (1825: 10).

***Acacicola* Lea, 1902: 392**

Type species. *Acacicola tristis* Lea, 1903 by monotypy.

***Chondromela* Weise, 1915: 435**

Type species. *Chondromela mjoeborgi* Weise, 1915 by monotypy.

***Chrysophtharta* Weise, 1901: 165**

Type species. Weise (1901) did not nominate a type species but listed six species. The first of these, *Paropsis nobilitata* Erichson, 1842, is here designated type species.

***Dicranosterna* Motschulsky, 1860: 193**

Type species. *Paropsis picca* Olivier, 1807 by original designation.

***Faex* Weise 1901: 165**

Type species. Weise (1901) did not designate a type species but listed three species names. The first, *Paropsis notatipennis* Chapuis, 1877 is here designated type species.

***Niliosoma* Motschulsky, 1860: 194**

Type species. *Paropsis testacea* Olivier, 1807 by original designation. This species is unrecognisable and the type is apparently lost. *Niliosoma* is therefore a *nomen dubium* and unusable, but in any case it has always been ignored by Australian workers.

***Notoclea* Marsham, 1808: 283**

Type species. Marsham described 20 species in this genus but failed to designate a type. *Notoclea obsoleta* Marsham, 1808 is hereby designated type species. *Notoclea obsoleta* is a junior

synonym and homonym of *Paropsis obsoleta* Olivier, 1808 therefore synonymy of the two genera is confirmed (Daccordi, 1994).

***Novacastria* Selman, 1983a: 179**

Type species. *Novacastria nothofagi* Selman, 1983 by original designation and monotypy.

***Paropsides* Motschulsky, 1860: 192**

Type species. *Paropsis duodecimpustulata* Gebler, 1825 by original designation.

***Paropsis* Olivier, 1807: 596**

Type species. *Paropsis obsoleta* Olivier, 1807 by subsequent designation (Selman, 1963).

***Paropsisterna* Motschulsky, 1860: 192**

Type species. *Notoclea sexpustulata* Marsham, 1808 by original designation.

***Philhydronopa* Weise, 1901: 166**

Type species. *Paropsis aeneipennis* Chapuis, 1877 by original designation.

***Procrisina* Aslam, 1968: 129**

Procris Weise, 1901: 165, nec Fabricius, 1807 (junior homonym).

Clorindina Jolivet, 1957: 170, nec Khodalerich, 1930 (junior homonym).

Clorindiella Jolivet, 1971: 382 (unnecessary nom. nov.).

Type species. *Paropsis pictipennis* Boheman, 1858 by original designation (Weise, 1901).

***Pyrgoides* gen. nov.**

Pyrgo Weise 1901: 166, nec DeFrance, 1824 (junior homonym).

Pyrgoides Aslam, 1968: 129 (nomen nudum, no type species)

Type species. The name *Pyrgoides* was proposed by Aslam (1968) as a replacement name for the preoccupied *Pyrgo* Weise. Published after 1930 Aslam's name is unavailable as no type species was designated (ICZN Article 13(b)). We make it available here. Weise (1901) did not designate a type species of *Pyrgo* but listed a number of species to be included in his genus. *Paropsis hamadryas* Stål, 1860, one of these, is hereby designated type species. This species is a senior synonym of *Acacicola tristis* Lea (**syn. nov.**; types examined), thereby confirming synonymy of *Pyrgoides* with *Acacicola* Lea (Daccordi, 1994).

***Rhaebosterna* Weise, 1917: 124**

Type species. Rhaebosterna sciola Weise, 1917 by monotypy.

***Sterromela* Weise, 1915: 436**

Type species. Weise (1915) placed four species of *Paropsis* in *Sterromela* without designating a type species. The first named of these, *Paropsis subcostata* Chapuis, 1877 is here designated type species.

***Trochalodes* Weise, 1901: 167**

Type species. No type species was designated by Weise (1901) but three species were named, two erroneously. The first and only correctly named species, *Paropsis circe* Stål, 1860 is here designated the type species.

***Trachymela* Weise, 1908: 8**

Type species. No type species was designated by Weise but he listed three species names and, by inference, all species in Blackburn's Group III of *Paropsis*. One of the listed names, *Paropsis sloanei* Blackburn 1897, is here designated type species.

***Xanthogramma* Weise, 1923: 63**

Type species. Xanthogramma pellucida Weise, 1923 by monotypy.

Acknowledgements

We are grateful to Dr T. New (LaTrobe University, Melbourne), Dr K. Walker (Museum Victoria, Melbourne) and Dr E. Matthews (South Australian Museum, Adelaide) for access to collections and helpful discussion. This work was completed with assistance to PGK from the Science and Industry Endowment Board.

References

- Aslam, N.A., 1968. Nomenclatorial notes on Chrysomeloidea (Coleoptera). *Journal of Natural History* 2: 127–129.
- Baly, J.S., 1864. Descriptions of the species belonging to the genus *Paropsis*. *Journal of Entomology* 2: 291–310.
- Blackburn, T., 1890. Further notes on Australian Coleoptera, with descriptions of new genera and species. *Transactions of the Royal Society of South Australia* 13(2): 121–160.
- Blackburn, T., 1892b. Further notes on Australian Coleoptera, with descriptions of new genera and species. *Transactions of the Royal Society of South Australia* 15(2): 207–261.
- Blackburn, T., 1894. Further notes on Australian Coleoptera, with descriptions of new genera and species. *Transactions of the Royal Society of South Australia*, 18: 200–240.
- Blackburn, T., 1896. Coleoptera. *Report of the Horn Expedition to Central Australia* 2 (Zoology): 254–308.
- Blackburn, T., 1897a. Revision of the genus *Paropsis*. Part I. *Proceedings of the Linnean Society of New South Wales* 21(4): 637–693.
- Blackburn, T., 1897b. Revision of the genus *Paropsis*. Part II. *Proceedings of the Linnean Society of New South Wales* 22(1): 166–189.
- Blackburn, T., 1898. Revision of the genus *Paropsis*. Part III. *Proceedings of the Linnean Society of New South Wales* 23 (2): 218–263.
- Blackburn, T., 1899a. Revision of the genus *Paropsis*. Part IV. *Proceedings of the Linnean Society of New South Wales* 23(4): 656–700.
- Blackburn, T., 1899b. Revision of the genus *Paropsis*. Part V. *Proceedings of the Linnean Society of New South Wales* 24(3): 482–521.
- Blackburn, T., 1901. Revision of the genus *Paropsis*. Part VI. *Proceedings of the Linnean Society of New South Wales* 26(1): 159–196.
- Boheman, C.H., 1858. *Kongliga Svenska Fregatten Eugénies Resa omkring Jorden åren, 1851–1853*. Vol. 2 (Zoology I, Insecta): 113–218. Stockholm.
- Boisduval, J.B.A., 1835. *Voyage de découvertes de l'Astrolabe. Faune Entomologique* 2. Coléoptères et autres ordres. Tastu: Paris. vii+716 pp.
- Chapuis, F., 1877. Synopsis des espèces du genre *Paropsis*. *Annales de la Société entomologique de Belgique* 20: 67–101.
- Clark, H., 1864. Descriptions of new Australian Phytophaga. *Journal of Entomology* 2: 247–263.
- Clark, H., 1866. Descriptions of new Phytophaga from Western Australia. *Transactions of the Entomological Society of London* (3) 2: 401–421.
- Daccordi, M., 1994. Notes for phylogenetic study of Chrysomelinae, with descriptions of new taxa and a list of all the known genera (Coleoptera: Chrysomelidae, Chrysomelinae). Pp. 60–84 in Furth, D.G. (ed.) *Proceedings of the Third International Symposium on the Chrysomelidae, Beijing*, 1992. Backhuys: Leiden.
- Erichson, W.F., 1842. Beitrag zur Fauna von Vandiemensland, mit besonderer Rücksicht auf die geographische Verbreitung der Insecten. *Archiv für Naturgeschichte* 8(1): 83–287.
- Germar, E.F., 1848. Beiträge zur Insektenfauna von Adelaide. *Linnæa entomologica* 3: 153–247.
- Gebler, F., 1825. Pp. 54–55 in Hummel (ed.) *Essais Entomologiques*. 4. St Petersburg.
- Gressitt, J.L., 1963. Economic chrysomelid beetles from New Guinea, with new species. *Papua and New Guinea Agricultural Journal* 16(2&3): 105–116.
- Jolivet, P., 1957. Recherches sur l'aile des Chrysomeloidea (Coleoptera). Deuxième partie. *Mémoires de l'Institut Royale des Sciences Naturelles de Belgique* 2(51): 1–180.

- Jolivet, P., 1971. Rectifications de nomenclature chez les Chrysomelidae (Col.): le genre *Procris*. *Bulletin et Annales Société Royale Entomologique de Belgique* 107: 382.
- Latreille, P.A., 1807. *Genera crustaceorum et insectorum secundum ordinem in familias disposita, iconibus exemplisque plurimis explicata*. Vol. 2. Paris.
- Latreille, P.A., 1825. *Encyclopédie méthodique. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes*. Volume 10. Paris.
- Lea, A.M., 1903. Descriptions of some new species of Australian and Tasmanian Chrysomelidae. *Proceedings of the Australian Association for the Advancement of Science* (D)9(1902): 384–431.
- Lea, A.M., 1924. On Australian Coleoptera. Part V. *Records of the South Australian Museum* 2(4): 523–545.
- Marshall, T., 1808. Description of *Notoclea*, a new genus of coleopterous insect from New Holland. *Transactions of the Linnean Society, London* 9: 283–295.
- Motschulsky, V., 1860. Coléoptères de la Sibirie orientale et un particulier des rives de l'Amour. Pp. 77–257 in Schrenk (ed.), *Reisen und Forschungen im Amurlande*. Vol. 2. St Petersburg.
- Olivier, A.G., 1807. *Entomologie, ou histoire naturelle des insectes, avec leur caractères generiques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères*. Vol. V. Paris.
- Olivier, A.G., 1925. Paropside. *Encyclopedia Methodique Historie Naturelle. Insects* Vol. 10: 10–12.
- Selman, B.J., 1963. A reappraisal of the genus *Paropsis* Ol. (Chrysomelidae, Coleoptera), with particular reference to the species introduced into New Zealand. *Annals and Magazine of Natural History* (13) 6: 43–7.
- Selman, B.J., 1983a. The biology and herbivory rates of *Novacastria nothofagi* Selman (Coleoptera: Chrysomelidae), a new genus and species on *Nothofagus moorei* in Australian temperate rainforests. *Australian Journal of Zoology* 31: 179–191.
- Selman, 1983b. The naming of the Tasmanian species of *Paropsis* Olivier (Coleoptera: Chrysomelidae). *Journal of the Australian entomological Society* 22: 333–339.
- Stål, C., 1860. Till kännedomen om Chrysomelidae. *Öfversigt af Kongl Vetenskaps- Akademiens Förhandlingar* 9: 455–470.
- Weise, J., 1901. Ein Beitrag zur Kenntniss von *Paropsis* Oliv. *Archiv für Naturgeschichte* 67: 164–174.
- Weise, J., 1903. *Paropsisterna striata* nov. spec. *Deutsche entomologische Zeitschrift*, 1903: 108.
- Weise, J., 1908. Chrysomeliden und Coccinelliden. *Die Fauna Südwest-Australiens* 2(1)(1908): 1–13.
- Weise, J., 1915. Übersichte der Chrysomelini. *Deutsche entomologische Zeitschrift*, 1915: 434–436.
- Weise, J., 1916. Chrysomelidae: 12. Chrysomelinae. *Coleopterorum Catalogus* 68: 1–255.
- Weise, J., 1917. Über australische Chrysomelinen. *Achiv für Naturgeschichte* 82: 124–141.
- Weise, J., 1923. Results of Dr E. Mjöberg's Swedish scientific expeditions to Australia, 1910–1913. 31. Chrysomeliden und Coccinelliden aus Queensland. *Arkiv för Zoologi* 15(12): 1–150.



Kelly, Peter G and Reid, C A M. 1999. "Designation of type species for the genera of Australian paropsine beetles (Coleoptera: Chrysomelidae)." *Memoirs of Museum Victoria* 57, 263–266.

View This Item Online: <https://www.biodiversitylibrary.org/item/123000>

Permalink: <https://www.biodiversitylibrary.org/partpdf/50695>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Museums Victoria

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.