LIST OF GENERIC TERMS PROPOSED FOR BIRDS DURING
THE YEARS 1890 TO 1900, INCLUSIVE, TO WHICH ARE
ADDED NAMES OMITTED BY WATERHOUSE IN HIS
"INDEX GENERUM AVIUM."

By CHARLES W. RICHMOND,
Assistant Curator, Division of Birds.

Mr. F. H. Waterhouse's *Index Generum Avium*, comprising a list of the generic and subgeneric terms proposed in the class Aves from the time of Linnæus down to the summer of 1889, is a work of much value to the systematic ornithologist, and one of unusual accuracy—every reference, with a half dozen exceptions, having been verified by its author.

The continued activity of workers in this branch of zoology during the past decade, both in the introduction of new names and the resurrection of old and forgotten ones, has rendered necessary the publication of a supplementary list. In compiling such a list the present writer has made use of a card catalogue¹ now in course of preparation in the Division of Birds of the United States National Museum, which contains references to most of the genera and species described in recent years, as well as to many of earlier date.

Out of about 675 names enumerated in the following pages 475 have been instituted as new since the appearance of the Index; the remainder consist of terms overlooked by Waterhouse, or used by him either without proper citation or as homonyms of other genera (e. g., *Piculus*). No effort has been made to swell the list of names omitted in the Index, but the fact that nearly two hundred names² here given were used

¹This card catalogue was begun in 1889 and has been carried along more or less actively since 1893. It now contains over twenty thousand entries, and is intended eventually to contain a reference to every described avian genus and species, including both living and fossil forms. In the case of species the type locality, collector, date, sex, and location of the type specimen are given; on generic cards are indicated the class of data followed in the ensuing list.

²Not including terms based on "bird tracks," of which there are numbers, such as *Ambloonyx*, *Ancyropus*, *Argozoum*, *Batrachopus*, *Brontozoum*, *Calopus*, *Eubrontes*, *Fulicopus*, *Grallator*, *Harpedactylus*, *Ornithopus*, *Palamopus*, *Platypterna*, *Plectropus*, *Sauropus*, *Sillimanius*, *Steropoides*, *Triænopus*, *Tridentipes*, and *Typopus*, all proposed by Hitchcock.

prior to 1889, and overlooked in that work, shows that much patient research remains to be done before a complete list of the generic names of birds may be attempted.

In order to enhance the usefulness of the present list the type species of each genus has been added, as well as various cross references of interest. The family in which each genus belongs is indicated, and, it is believed, the differentiation of fossil genera (by means of a †) will also prove of value. To facilitate the finding of genera in any particular family a list of genera arranged alphabetically under families has been appended.

For various names and references, which would otherwise have been overlooked, the writer is under obligations to Drs. L. Stejneger, and T. S. Palmer, and Mr. H. C. Oberholser.

Abbottornis RICHMOND, Proc. U. S. Nat. Mus., XIX, May 13, 1897, p. 692.

New name for *Leptopterus* Bonaparte, 1854 (not *Leptoptera* Boissduval, 1842) ----- [*Laniidæ*.]

Named for Dr. W. L. Abbott.

Abeltera HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 351.

New name for *Sula* Brisson, on grounds of purism. --- [*Sulidæ*.]
 'Αβέλτερος, silly, stupid.

Abelterus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 227.

New name for *Eubucco* Bonaparte, on grounds of purism.
 [Capitonidæ.]

'Αβέλτερος, silly, stupid.

Acmonorhynchus OATES, Fauna of Brit. India (Birds), II, 1890, p. 381.

Type, *Prionochilus vincens* Selater ----- [*Dicæidæ*.]
 "Ακμων, anvil; ρύγχος, bill, beak.

Actia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 329.

New name for *Arquatella* Baird, on grounds of purism.
 [Scolopacidæ.]

"Ακτιος, of the seashore.

†**Actiornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 56.

Type, *Actiornis anglicus* Lydekker ----- [*Phalacrocoracidæ*.]
 "Ακτιος, of the seashore; ὄρνις, bird.

Actophilus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Phyllopezus* Sharpe, 1896 (not *Phyllopezus* Peters, 1877) ----- [*Jacanicæ*.]

'Ακτή, beach; φιλέω, I love.

Adelonetta HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 346.

New name for *Puananetta* Bonaparte, on grounds of purism.

[*Anatidæ*.]

"*Ἀδελος*, unknown, obscure; *νήττα*, a duck.

Aegialodes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 327.

New name for *Gambetta* Kaup, on grounds of purism.

[*Scolopacidæ*.]

Αἰγιαλώδης, found on or near the shore.

†**Ægialornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 183.

Type, *Ægialornis gallicus* Lydekker.

[*Ægialornithidæ*.]

Αἰγιαλός, beach, seashore; *ὄρνις*, bird.

Aerocharis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Euryceros* Lesson.

[*Prionopidæ*.]

'*Ἄηρ*, air; *χάρις*, grace.

Æronautes HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 459.

Type, *Cypselus melanoleucus* Baird [*Micropodidæ*.]

'*Ἄηρ*, air; *ναύτης*, a sailor.

Æthiopsar SHARPE MS., OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 539.

Type, *Pastor fuscus* Wagler [*Sturnidæ*.]

(A subgenus of *Acridotheres*.)

Αἰθίοψ, an Ethiop, a negro; *ψάρ*, starling.

Agriocharis CHAPMAN, Bull. Amer. Mus. Nat. Hist., VIII, Dec. 11, 1896, p. 288.

Type, *Meleagris ocellata* Cuvier [*Phasianidæ*.]

"*Ἀγριος*, wild; *χάρις*, grace.

Agropsar OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 530.

Type, *Gracula sturnia* Pallas [*Sturnidæ*.]

'*Ἀγρός*, field; *ψάρ*, starling.

Alcatras HERMANN, Tabula Affin. Anim., 1783, p. 156, note; p. 235.

Type, *Alcatraz* (Journ. de Physique, 1779, p. 475).

[*Incertæ sedis*.]

Alcatraz, a pelican or sea bird (Spanish).

Alcidius BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 3), Sept. 1895, p. 345.

Type, *Orthorhynchus estellæ* d'Orbigny [*Trochilidæ*.]

Named for Alcide Dessalines d'Orbigny.

Aleator GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Pogonias* Illiger [*Capitonidæ*.]

Alector GLOGER, Hand- und Hilfsbuch, I, 1842, p. 384.

New name for *Gallus* Brisson [*Phasianidæ*.]

Alectromorphnus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 271.

New name for *Buteogallus* Lesson, on grounds of purism.

[*Falconidæ*.]

'*Αλεκτρυνών*, a cock; *μόρφνος*, dark, like an eagle, hence an eagle.

Allenia CORY, Auk, VIII, Jan., 1891, p. 42.

Type, *Turdus montanus* Lafresnaye [*Mimidæ*.]

Named for Dr. J. A. Allen.

Allocotops SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 389.

Type, *Allocotops calvus* Sharpe [*Timaliidæ*.]

'*Αλλόκοτος*, unusual; *ὤψ*, face.

Alopecœnas FINSCH MS., SHARPE, Hand-list of Birds, I, 1899, p. 90.

Type, *Phlogœnas hoedti* Schlegel [*Peristeridæ*.]

'*Αλώπηξ*, a fox; *οινάς*, wild pigeon.

Alophoixus OATES, Fauna of Brit. India (Birds) I, Dec., 1889, p. 259.

Type, *Ixos phæocephalus* Hartlaub [*Timaliidæ*.]

"*Αλοφος*, without a crest; + *Ixus* (*ἰξός*, sticky, also a miserly fellow).

Alopochen STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 141.

New name for *Chenalopex* Stephens, preoccupied [*Anatidæ*.]

'*Αλωπός*, fox-colored; *χήν*, a goose.

Alticeps GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.

New name for *Cephalopterus* Geoffroy St.-Hilaire [*Cotingidæ*.]

Altus, high; *ceps* (*caput*), head.

Amalocichla DE VIS, Ann. Report Brit. New Guinea (1890-91), 1892, App. CC, p. 95.

Type, *Amalocichla sclateriana* De Vis [*Timaliidæ*.]

'*Αμαλός*, soft, feeble; *κίχλη*, a thrush-like bird.

Amaurocichla SHARPE, Proc. Zool. Soc. Lond., Aug., 1892, p. 228.

Type, *Amaurocichla bocagii* Sharpe [*Timaliidæ*.]

'*Αμαυρός*, dark; *κίχλη*, a thrush, or thrush-like bird.

Amaurœnas SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.

Type, *Columba polleni* Schlegel [*Columbidæ*.]

(A subgenus of *Columba*).

'*Αμαυρός*, dark; *οινάς*, a wild pigeon.

Amaurolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan 26, 1893, p. xxviii.

Type, *Rallus concolor* Gosse [*Rallidæ*.]

'*Αμαυρός*, dark; *λιμνάς* (*λιμναῖος*), marshy, of the water.

Amazilia LESSON, L'Écho du Monde Savant, ser. 2, VIII, No. 32, Oct. 22, 1843, col. 757.

Type¹ [*Trochilidæ*.]

Amazilia, a heroine of the Incas.

¹Proposed as a "race" or subgenus of *Ornismya*, with the following species: *O. lumachella* Lesson, *O. eximia* Delattre, *O. cinnamomea* Lesson, *O. clarisse* Longuemare.

†**Ameghinia** SHARPE, Hand-list of Birds, I, 1899, p. 184.

New name for *Pseudolarus* Ameghino, on grounds of purism!

[*Stereornithes*.]

Named for Dr. Florentino Ameghino.

Amnicola GERBE, in Degland and Gerbe, Ornith. Européenne, I, 1867, p. 526.

Type, *Sylvia melanopogon* Temminck [*Turdidæ*.]

Amnis, a stream, river; *incola*, an inhabitant.

†**Amphipelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 68.

Type, *Amphipelargus majori* Lydekker [*Ciconiidae*.]

Ἀμφί, on both sides; *πελαργός*, a stork.

Amytornis STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 499.

New name for *Amytis* Lesson, preoccupied [*Timaliidae*.]

Amytis ("Ἀμυτις), a daughter of Astyages; ὄρνις.

Anacrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, X.

New name for *Paradoxornis* Gould [*Paridae*?]

Ἀνα, + *κριτής*, a judge, umpire.

Androphilus SHARPE, Ibis, ser. 5, VI, Oct. 1888, p. 390.

Type, *Androphilus accentor* Sharpe [*Timaliidae*.]

Ἀνὴρ (ἄνδρ-), a man; *φιλέω*, I love.

†**Anisolornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.

Type, *Anisolornis excavatus* Ameghino [*Stereornithes*.]

Ἀνίσος, unequal; ὅλος, whole, entire; ὄρνις, bird.

Anomalophrys SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 156.

Type, *Lobivanellus superciliosus* Reichenow [*Charadriidae*.]

Ἀνώμαλος, unusual; ὄφρὺς, brow, eyebrow.

†**Anomalornis** HUTTON, Trans. New Zealand Inst., XXIX, June, 1897, p. 546.

New name for *Anomalopteryx* Reichenbach, preoccupied.

[*Dinornithidae*.]

Ἀνώμαλος, unusual; ὄρνις, bird.

Anopaia HALDEMAN, Proc. Acad. Nat. Sci. Phila., I, 1842, p. 188.

New name for "*Harpyia* Cuvier" (= *Harpia* Vieillot), preoccupied [*Falconidae*.]

Ἀνοπαῖα, unnoticed.

Antichromus RICHMOND, Auk, XVI, Apr., 1899, p. 187.

New name for *Bocagia* Shelley, preoccupied [*Laniidae*.]

Ἀντί, against, opposite to; *χρῶμα*, color.

Antrochelidon BALDAMUS, Journ. für Orn., Nov., 1869, p. 406.

Type, *Hirundo nigricans* Vieillot [*Hirundinidae*.]

Ἄντρον, a cavern; *χελιδών*, swallow.

Anurolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Porzana castaneiceps* Sclater and Salvin [*Rallidae*.]

Ἄν, without; οὐρά, tail; *λιμνάς* (λιμναῖος), marshy, of the mere.

- Aphanolimnas** SHARPE, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xx.
 New name for *Kittlitzia* Hartlaub, preoccupied ---- [*Rallidæ*.]
 'Αφανής, unseen, obscure; λιμνάς (λιμναῖος), marshy, from the mere.
- Aphelocephala** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 214.
 New name for *Xerophila* Gould, preoccupied ----- [*Paridæ*.]
 'Αφελής, smooth; κεφαλή, head.
- Aphrastura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 211.
 New name for *Oxyurus* Swainson, preoccupied -- [*Furnariidæ*.]
 "Αφραστός, wonderful; οὐρά, tail.
- Araclanga** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 193.
 New name for *Ara* Brisson, on grounds of purism [*Psittacidæ*.]
 'Αρά (*Ara*); κλαγγή, screaming.
- Aramidopsis** SHARPE, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.
 Type, *Rallus plateni* Blasius ----- [*Rallidæ*.]
Aramides, + ὄψις, appearance.
- † **Archaeotrogon** MILNE-EDWARDS, Comptes-Rendu Second Congrès Ornith. Int., II, 1892, p. 64.
 Type, *Archaeotrogon venustus* Milne-Edwards ---- [*Trogonidæ*.]
 'Αρχαῖος, ancient; + *Trogon*.
- † **Ardeacites** HAUSHALTER, Murkwürdige fossile Thierüberreste aus der Algäuer Molasse, 1855, p. 11.
 Type, *Ardeacites molassicus* Haushalter ----- [*Ardeidæ*.]
Ardea, a heron, + *ites*.
- Areortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 290.
 New name for *Areoturnix* Bonaparte, on grounds of purism. [*Turnicidæ*.]
- † **Argillornis** OWEN, Quart. Journ. Geol. Soc., XXXIV, Jan., 1878, p. 124.
 Type, *Argillornis longipennis* Owen ----- [*Phalacrocoracidæ*.]
 "Αργίλλος, white clay, chalk; ὄρνις, bird.
- Arinia** MULSANT, "Ann. Soc. Linn. Lyon, 1877, Oct. 12" [exists as a separate paper only].
 Type, *Arinia boucardi* Mulsant ----- [*Trochilidæ*.]
- Arquata** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. 92.
 New name for *Numida* Linnæus ----- [*Phasianidæ*.]
- Arremonops** RIDGWAY, Manual N. A. Birds, ed. 2, Apr., 1896, p. 605.
 Type, *Embernagra rufivirgata* Lawrence ----- [*Fringillidæ*.]
Arremon (ἀρρήμων, silent); + ὤψ.
- Asarcia** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 86.
 Type, *Parra variabilis* Linnæus ----- [*Jacanicæ*.]
 "Ασαρκος, without flesh, lean.

Asarcornis SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 59.

Type, *Anas scutulata* S. Müller [*Anatidæ*.]

"*Ἀσαρκος*, lean; *ὄρνις*, bird.

Ascalaphia ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 4.

Type, *Ascalaphia savignii* Isid. Geoffroy St.-Hilaire.

[*Bubonidæ*.]

"*Ἀσκάλαφος*, a bird supposed to be an owl.

Aspatha SHARPE, Catal. Birds Brit. Mus., XVIII, 1892, p. 331.

Type, *Prionites gularis* Lafresnaye [*Momotidæ*.]

"*Ἀ*, without; *σπάθη*, a blade.

† **Asthenopterus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 443.

New name for *Lagopterus* Moreno and Mercerat, preoccupied.

[*Falconidæ*.]

"*Ἀσθενής*, weak; *πτερόν*, wing.

Atalochrous ELLIOT, Ibis, ser. 3, VI, Oct., 1876, p. 464.

Type, *Malimbus rachelia* Cassin [*Ploceidæ*.]

(A subgenus of *Malimbus*.)

"*Ἀταλός*, tender, delicate; *χρῶς*, color.

Atopornis REICHENOW and NEUMANN, Ornith. Monatsb., III, May, 1895, p. 74.

Type, *Atopornis* [= *Nigrita*] *diabolicus* Reichenow and Neumann [*Muscicapidæ* (= *Ploceidæ*).]

"*Ἀτοπος*, unusual, out of place; *ὄρνις*, bird.

† **Badiostes** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 600.

Type, *Badiostes patagonicus* Ameghino [*Strigidæ*.]

† **Barornis** MARSH, Amer. Journ. Sci., ser. 3, XLVIII, Oct., 1894, p. 344.

Type, *Barornis regens* Marsh [*Incertæ sedis*.]

Βαρύς, heavy; *ὄρνις*, bird.

Bathmisyrma REICHENOW, Ornith. Monatsb., V, Oct., 1897, p. 161.

Type, *Bathmisyrma rufum* Reichenow [*Muscicapidæ*.]

Βαθμός, a step; *σύρμα*, a trailing robe, something trailed along.

Bathmocercus REICHENOW, Ornith. Monatsb., III, July, 1895, p. 113.

Type, *Bathmocercus rufus* Reichenow [*Timaliidæ*.]

Βαθμός, a step; *κέρκος*, tail.

Bellona MULSANT and VERREAUX, Mém. Soc. Imp. Sci. Nat. Cherbourg, XII, 1866, p. 219.

Type, *Trochilus cristatus* Linnæus [*Trochilidæ*.]

Named for Bellona, a goddess of war.

† **Belornis** MILNE-EDWARDS, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.

New name for *Tachyornis* Milne-Edwards, preoccupied.

[*Incertæ sedis*.]

Βέλος, an arrow, dart; *ὄρνις*, bird.

Blacops RICHMOND, Auk, XVI, Apr., 1899, p. 186.

New name for *Blax* Reichenow, preoccupied (= *Verreauxia* Hartlaub) ----- [*Picidæ*.]

Blax (βλάξ, lazy); ὤψ.

Blax REICHENOW, Ornith. Monatsb., II, Aug., 1894, p. 126.

Type, *Blax gymnophthalmus* Reichenow (see *Blacops*).

[*Capitonidæ* (= *Picidæ*).]

Βλάξ, lazy, sluggish.

Bleda BONAPARTE, Revue et Mag. de Zool., Feb., 1857, p. 50.

Type, *Dasycephala syndactyla* Swainson ----- [*Timaliidæ*.]

Named for Bleda, brother of Attila.

Bocagia SHELLEY, Bull. Brit. Orn. Club, III, May 26, 1894, p. xliii.

Type, *Telephonus minutus* Hartlaub (first species mentioned) (see *Antichromus*) ----- [*Laniidæ*.]

Named for Prof. José Vicente Barboza du Bocage.

Bolbopsittacus SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 503.

Type, *Psittacus lunulatus* Scopoli ----- [*Psittacidæ*.]

Βολβός, a bulb; ψίττακος, a parrot.

Bonapartia BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15, 1896, p. 58.

New name for *Gymnocrotaphus* Büttikofer, preoccupied.

[*Timaliidæ*.]

Named for Charles-Lucien-Jules-Laurent Bonaparte.

Bostrycholophus BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15, 1896, p. 58.

New name for *Centrolophus* Büttikofer, preoccupied.

[*Pycnonotidæ*.]

Βόστρυχος, a curl; λόφος, crest.

Bowdleria ROTHSCILD, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.

Type, New Zealand group of *Sphenæacus* ----- [*Timaliidæ*.]

Named for Dr. R. Bowdler Sharpe.

Brachycope REICHENOW, Journ. für Ornithologie, April, 1900, p. 249.

Type, *Brachycope anomala* Reichenow ----- [*Ploceidæ*.]

Brachypteryx OWEN, Descr. Catal. Osteol. Series Mus. Roy. College of Surgeons, I, 1853, p. 238.

Type, *Rallus australis* Sparrman ----- [*Rallidæ*.]

Brachypus SWAINSON, Zool. Journ., I, Oct., 1824, p. 305.

Type, "Le Curouge" Levillant (= *Turdus cafer* Linnæus).

[*Pycnonotidæ*.]

Βραχύς, short; πούς, foot.

Brachyryncus de SELYS-LONGCHAMPS, in Vander Maelen's Dict. Géogr.

Prov. Liège, 1831, Appendice, p. 36.

Type, *Parus caudatus* (= *Mecistura rosea* Blyth) ----- [*Paridæ*.]

Βραχύς, short; ῥύγχος, beak.

Brachyspiza RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.

Type, *Fringilla capensis* P. L. S. Müller ----- [*Fringillidæ*.]

Βραχύς, short; σπιζα, a finch.

Brewsteria MAYNARD, Birds Eastern North Amer., ed. 2, Pt. 40, 1896, p. 691.

Type, *Falco ferrugineus* Lichtenstein ----- [*Falconidæ*.]

Named for Mr. William Brewster.

† **Brontornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 37.

Type, *Brontornis burmeisteri* Moreno and Mercerat.

[*Stereornithes*.]

Βροντή, thunder; ὄρνις, bird.

Buleites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.

New name for *Stenorhynchus* Gould ----- [*Mimidæ*.]

Βουλευτής, one who sits in council, a senator.

Calamodromus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 322.

New name for *Rougetius* Bonaparte, on grounds of purism.

[*Rallidæ*.]

Κάλαμος, a reed; δρόμος, a course, race.

Calastrapia SHARPE, Monogr. Paradiseidæ, Part VIII, 1898, p. xiii.

Type, *Astrapia splendidissima* Rothschild ----- [*Paradiseidæ*.]

Καλός, beautiful; + *Astrapia* (ἀστράπιος, of lightning).

Callaeops GRANT, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xviii.

Type, *Callaeops periophthalmica* Grant ----- [*Muscicapidæ*.]

Κάλλαιον, a cock's comb; ὤψ, eye.

† **Callornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 574.

Type, *Callornis giganteus* Ameghino ----- [*Stereornithes*.]

Κάλλος, beauty; ὄρνις, bird.

Calobamon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 123.

New name for *Pittasoma* Cassin, on grounds of purism.

[*Formicariidæ*.]

Καλός, beautiful; βᾶμα (βῆμα), a step, pace.

Calopelia SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 522.

Type, *Columba puella* Schlegel ----- [*Peristeridæ*.]

Καλός, beautiful; πέλεια, a dove.

Calopezus RIDGWAY, Proc. Biol. Soc. Wash., II, Apr. 10, 1884, p. 97.

New name for *Calodromas* Sclater and Salvin, preoccupied.

[*Tinamidæ*.]

Καλός, beautiful; πεζός, walking.

Calvifrons DAUDIN, Annales du Mus. d'Hist. Nat., III, 1804, p. 146.

Type, *Chauvard* (= *Corvus calvus* Linnæus) (see *Perissocephalus*) ----- [*Cotingidæ*.]

Calvus, bald, hairless; *frons*, forehead.

†*Camaskelus* AYMARD, Congrès Scientifique de France, 1856, I, pp. 233, 267.

Type, *Camaskelus palustris* Aymard ----- [*Charadriiformes*.]

Κάμαξ, a pole, stake; σκέλος, the leg.

Caprornis KAUP, in Jardine's Contrib. Orn. for 1849, p. 112 (note).

Type, *Vultur pileatus* Burchell ----- [*Vulturidæ*.]

Carnifex SUNDEVALL, K. Vet.-Akad. Handl. (1835), 1836, p. 78.

Type, *Ampelis carnifex* Linnæus ----- [*Cotingidæ*.]

Carnifex, a public executioner.

Cassidix BONAPARTE, Conspectus Generum Avium, I, 1849, p. 90.

Type, *Buceros cassidix* Temminck (first species mentioned).

[*Bucerotidæ*.]

Cassida, *cassis*, a helmet.

Castanolimnas SHARPE, Bull. Brit. Orn. Club., I, Jan. 26, 1893, p. xxviii.

Type, *Euryzona canningi* Blyth ----- [*Rallidæ*.]

Κάστανος, the chestnut; λιμνάς (λιμναῖος), marshy, from the mere.

Cataphania GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for "*Oxyptera* Cuvier" ----- [*Artamidæ*.]

Καταφάνεια, clearness, transparency.

Cataponera HARTERT, Novitates Zoologicae, III, Mar. 14, 1896, p. 70.

Type, *Cataponera turdoides* Hartert ----- [*Timaliidæ*.]

Καταπονέω, I tire out.

Centrolophus BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 230.

Type, *Brachypus leucogenys* Gray (see *Bostrycholophus*).

[*Pycnonotidæ*.]

Κέντρον, spur; λόφος, a crest.

†*Centrornis* ANDREWS, Ibis, ser. 7, III, July, 1897, p. 344.

Type, *Centrornis majori* Andrews ----- [*Anatidæ*.]

Κέντρον, spur, spine; ὄρνις, bird.

Cerasophila BINGHAM, Ann. Mag. Nat. Hist., ser. 7, V, no. 28, Apr., 1900, p. 358.

Type, *Cerasophila thompsoni* Bingham ----- [*Pycnonotidæ*.]

Κέρασος, a cherry tree; φιλέω, I love.

Certhiaxis LESSON, Compl. Œuvres de Buffon (éd. Lévêque), XX, Apr., 1847, p. 287.¹

Type, *Certhia cinnamomea* Gmelin ----- [*Furnariidæ*.]

Certhia (κέρθιος, a creeper); + [*Synall*] *axis*.

¹This work is usually cited "Descr. mam. et ois.," or "Descr. mam. et ois. réc. découv.," but is correctly quoted as above. It appeared as the last (20th) volume of the Lévêque edition of Buffon, and was published in April, 1847. It was also issued as a separate work, under the title "Description de mammifères et d'oiseaux récemment découverts," etc., with the same ostensible date, and later formed the second part of Tome VII of the Didier edition, in 10 volumes, also bearing date of 1847. All were printed from the same type, the Didier edition even preserving the Lévêque signature marks.

Cetupa LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 15.

Emendation of *Ketupa* Lesson -----[*Bubonidæ*.]

Ketupa, native name of a Javan owl.

Chalcopsar SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 158.

New name for *Megalopterus* Smith, preoccupied ---[*Sturnidæ*.]

Χαλκός, copper; *ψάρ*, starling.

Chelidonaria REICHENOW, Journ. für Orn., Apr., 1889, p. 187.

Type, *Hirundo urbica* Linnæus -----[*Hirundinidæ*.]

Chelidon (χελιδών, a swallow).

Chema REICHENOW, Journ. für Orn., Apr., 1889, p. 188.

Emendation of *Xema* Leach -----[*Laridæ*.]

Χήμη, yawning, gaping.

†**Chenornis** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 364.

Type, *Chenornis graculoides* Portis -----[*Anatidæ*.]

Χήν, goose; *ὄρνις*, bird.

Chersophilus SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 525.

Type, *Alauda duponti* Vieillot -----[*Alaudidæ*.]

Χέρσος, dry land; *φιλέω*, I love.

Chlorocharis SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 392.

Type, *Chlorocharis emiliæ* Sharpe -----[*Timaliidæ*.]

Χλωρός, green; *χάρις*, grace.

Chlorodrepanis PERKINS, in Wilson and Evans, Aves Hawaiienses, Pt. 7, June, 1899, p. xxi.

Type, *Himatione stejnegeri* Wilson (first species mentioned).

[*Drepanidæ*.]

Χλωρός, green; + *Drepanis* (δρεπάνη, a sickle).

†**Chosornis** DE VIS, Proc. Roy. Soc. Queensl., VI, 1889, p. 55.

Type, *Chosornis præteritus* De Vis -----[*Megapodidæ*.]

Χῶσις, heaping up of earth; *ὄρνις*, bird.

Chrysomitridops WILSON, Proc. Zool. Soc. Lond., Apr., 1890, p. 445.

Type, *Chrysomitridops cæruleirostris* Wilson ----[*Drepanidæ*.]

Chrysomitris (χρυσομήτρις, the goldfinch); + ὦψ.

†**Cimolopteryx** MARSH, Amer. Journ. Science, ser. 3, XXXVIII, July, 1889, p. 83.

Type, *Cimolopteryx rarus* Marsh -----[*Incertæ sedis*.]

Κιμωλία, white earth, chalk; *πτέρυξ*, wing.

Ciridops "WILSON," A. NEWTON, Nature, XLV, Mar. 17, 1892, p. 469.

Type, *Fringilla anna* Dole -----[*Drepanidæ*.]

[*Emberiza*] *ciris*; + ὦψ.

Cirulus BREDOW, Archiv für Naturgesch., III, Pt. 1, 1837, p. 413.

Type, *Cirulus pratensis* Bredow (= *Sturnella magna meridionalis*) -----[*Icteridæ*.]

†**Cladornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 584.

Type, *Cladornis pachypus* Ameghino -----[*Cladornithidæ*.]

Κλάδος, branch, or shoot of a tree; *ὄρνις*, bird.

Proc. N. M. vol. xxiv—01—43

Cladurus REICHENOW, Journ. für Orn., Jan., 1877, p. 17.

New name for *Xylobucco* Bonaparte -----[*Capitonidæ*.]

Κλάδος, branch; οὐρός, guard.

Clamator KAUP, Naturl. Syst., 1829, p. 53.

Type, *Cuculus glandarius* Linnæus -----[*Cuculidæ*.]

Claravis OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.

New name for *Peristera* Swainson, preoccupied --[*Peristeridæ*.]

Clarus, clear; *avis*, bird.

Claudia HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 469.

Type, *Cypselus squamatus* Cassin -----[*Micropodidæ*.]

Named for Mrs. Ernst Hartert.

Cleptornis OUSTALET, Le Naturaliste, ser. 2, III, Nov. 1, 1889, p. 260.

Type, *Ptilotis marcheii* Oustalet -----[*Meliphagidæ*.]

Κλέπτω, I steal; ὄρνις, bird.

Clibanus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.

New name for *Tanagroides* Bonaparte -----[*Fringillidæ*.]

Κλίβανος (κλιβανίτης, baked under a pot or pan), with reference to its tropical habitat?

Clytospiza SHELLEY, Birds of Africa, I, 1896, p. 32.

Type, *Pytelia monteiri* Hartlaub -----[*Ploceidæ*.]

Κλυτός, famous; σπίζα, a finch.

Cnemophilus DE VIS, Ann. Report Brit. New Guinea (1888-89), 1890, App. G, p. 61.

Type, *Cnemophilus macgregorii* De Vis ----[*Ptilonorhynchidæ*.]

Κνημός, slope of a mountain; φιλέω, I love.

Coccyzenas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 278.

New name for *Reinwardtæna* Bonaparte, on grounds of purism.
[*Columbidæ*.]

Κόκκυξ, cuckoo; οινάς, a wild pigeon.

Cocornis TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July, 1895, p. 123.

Type, *Cocornis agassizi* Townsend -----[*Fringillidæ*.]

Cocos, name of an island; ὄρνις, bird.

Coelotreron HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 275.

New name for *Palumbæna* Bonaparte, on grounds of purism.

[*Columbidæ*.]

Κοῖλος, hollow; τρήρων, a dove.

Colinus GOLDFUSS, Handbuch der Zoologie, II, 1820, p. 220.

Type, *Tetrao mexicana* Linnæus -----[*Phasianidæ*.]

Colymbetes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 364.

New name for *Poliocephalus* Selby -----[*Colymbidæ*.]

Κολυμβητής, a diver, swimmer.

- Compsortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 292.
New name for *Excalfactoria* Bonaparte, on grounds of purism. [Phasianidæ.]
Κομφός, elegant; ὄρνυξ, a quail.
- Compsospiza** BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 207.
Type, *Compsospiza garleppi* Berlepsch [Fringillidæ.]
Κομφός, elegant; σπιζα, finch.
- Compsotis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 325.
New name for *Afrotis* Bonaparte, on grounds of purism. [Otidadæ.]
Κομφός, elegant; ὠτίς, a bustard.
- † **Coniornis** MARSH, Amer. Journ. Sci., ser. 3, XLV, Jan., 1893, p. 81.
Type, *Coniornis altus* Marsh [Hesperornithidæ.]
Κόνις, dust; ὄρνις, bird.
- Conuropsis** SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 203.
Type, *Psittacus carolinensis* Linnæus [Psittacidæ.]
Conurus (κῶνος, a cone; οὐρά, tail); + ὄψις, aspect.
- Coracocichla** SHARPE, Catal. Birds Brit. Mus., XVII, 1892, p. 7 (note).
New name for *Coracopitta* Sclater (not *Corapitta* Bonaparte) (see *Mellopitta*) [Pittidæ.]
Κόραξ (κόρακ-), raven; κίχλη, thrush.
- Cornix** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 5.
Type, *Corvus graculus*, *C. monedula* Linnæus [Corvidæ.]
- Corydon** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 264.
New name for *Melanocorypha* Boie [Alaudidæ.]
Κορυδών, a lark.
- Coryphænas** R. G. W. RAMSAY, Ibis, ser. 6, Apr., 1890, p. 246.
Type, *Turacænas crassirostris* Gould [Columbidæ.]
Κορυφή, head, top; οινάς, a wild pigeon.
- Cosmophoneus** NEUMANN, Journ. für Orn., July, 1899, p. 392.
Type, *Laniarius multicolor* Gray (first species mentioned). [Laniidæ.]
Κόσμος, ornament; φονεύς, a murderer, slayer.
- † **Creccoides**¹ SHUFELDT, Proc. Amer. Phil. Soc., XXX, No. 137, Apr. 14, 1892, p. 125.
Type, *Creccoides osbornii* Shufeldt [Rallidæ.]
Κρέξ, a crake; εἶδος, form.
- Crecopsis** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Crex egregia* Peters [Rallidæ.]
Κρέξ, a crake; ὄψις, aspect.

¹ Emended to *Creccoides* Shufeldt, Journ. Acad. Nat. Sci. Phila., IX, pt. 3, 1892, p. 412 (note).

Crocomorphus HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 439.

Type, *Picus flavus* P. L. S. Müller -----[*Picidæ*.]

Κρόκος, saffron; μορφή, form, shape, figure.

Cryptillas OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 212.

New name for *Phlexis* Hartlaub, preoccupied -----[*Timaliidæ*.]

Κρυπτός, hidden; ἰλλάς, a thrush.

Cryptophaps SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 219.

Type, *Carpophaga pæcilorrhoea* Brüggemann -----[*Treronidæ*.]

(Subgenus of *Carpophaga*.)

Κρυπτός, hidden; φάψ, a pigeon.

†**Cryptornis** MILNE-EDWARDS, Recher. Ois. Foss. France, II, 1870, p. 371.

Type, *Centropus? antiquus* Gervais -----[*Incertæ sedis*.]

Κρυπτός, hidden; ὄρνις, bird.

Cumana COUES, Auk, XVII, Jan., 1900, p. 65.

New name for *Pipile* Bonaparte (vs. *Pipilo* Vieillot) --[*Cracidæ*.]

From Cumaná, a town in Venezuela.

Curotreron HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 280.

Emendation of *Kurutreron* Bonaparte -----[*Treronidæ*.]

Κυρόω, I make valid, sure; + *Treron* (τρήρων, a dove).

Cyanerpes OBERHOLSER, Auk, XVI, Jan., 1899, p. 32.

Type, *Certhia cyanea* Linnæus -----[*Cærebidæ*.]

Κύανος, dark blue; ἔρπης (ἔρπω, I creep, crawl).

Cyanolesbia STEJNEGER, Auk, II, Jan., 1885, p. 47.

Type, *Trochilus forficatus* Linnæus -----[*Trochilidæ*.]

Κύανος, dark blue; + *Lesbia*.

Cyanopitta GOULD, Monograph Pittidæ, Pt. 1, 1880, pl. viii.

Type, *Brachyurus steerii* Sharpe -----[*Pittidæ*.]

Κύανος, dark blue; + *Pitta*.

Cymatobolus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 363.

New name for *Majaqueus* Reichenbach, on grounds of purism.
[*Puffinidæ*.]

Κυματόω, I rise in waves; βόλος, a throw.

Cymindus HALDEMAN, Proc. Acad. Nat. Sci. Phila. I, 1842, p. 191.

Substitute for *Cymindis* Cuvier, preoccupied -----[*Falconidæ*.]

Κύμινδις, a hawk-like bird mentioned by Aristotle.

Cyphorhina LESSON, L'Écho du Monde Savant, ser. 2, VII, June 15, 1843, col. 1068.

Type, *Podargus papuensis* Quoy and Gaimard -----[*Podargidæ*.]

Κυφός, bent; ρίς, ρίν, nose.

Dactylortyx GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 429.

Type, *Ortyx thoracicus* Gambel -----[*Phasianidæ*.]

Δάκτυλος, finger; ὄρτυξ, a quail.

Dafilula COUES, Auk, XIV, Apr., 1897, p. 207.

Type, *Querquedula eatoni* Sharpe.....[*Anatidæ*.]

Dafilula, dim. of *Dafila*.

Dammeria HARTERT, Bull. Brit. Orn. Club, VIII, July 4, 1899, p. lvii.

Type, *Dammeria henrici* Hartert.....[*Muscicapidæ*.]

From Dammer, an island in the Banda Sea.

Daphænositta DE VIS, Ibis, ser. 7, III, July, 1897, p. 380.

Type, *Daphænositta miranda* De Vis.....[*Sittidæ*.]

Δαφαινός, bloody, blood-red; + *Sitta* (*σίττη*, a kind of wood-pecker).

† **Darwinornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 60.

Type, *Darwinornis copei* Moreno and Mercerat (first species mentioned).....[*Stereornithes*.]

Named for Charles Robert Darwin.

Deconychura CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 338.

Type, *Deconychura typica* Cherrie.....[*Dendrocolaptidæ*.]

Δέκα, ten; *ὄνυξ*, claw; *οὐρά*, tail.

Deltarhynchus RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.

Type, *Myiarchus flammulatus* Lawrence.....[*Tyrannidæ*.]

(A subgenus of *Myiarchus*.)

Δέλτα, delta; *ῥύγχος*, bill, from its Δ-shaped bill.

Dendrophaps BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 855.

Type¹.....[*Columbidæ*?]

Δένδρον, a tree; *ψάψ*, pigeon.

Dendrophassa GLOGER, Hand- und Hilfsbuch, I, 1842, p. 359.

Type, *Columba aromatica* Gmelin.....[*Treronidæ*.]

Δένδρον, a tree; *ψάσσα*, a wood pigeon.

Dendrophila HODGSON, Madras Journ. Lit. and Science, V, Apr., 1837, p. 432.

New name for *Arborophila* Hodgson, on grounds of purism.

[*Phasianidæ*.]

Δένδρον, a tree; *φιλέω*, I love.

Dendrotreron "HODGSON," BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 867 (note).

Type, *Columba nipalensis* Hodgson (= *C. hodgsoni* Vigors).

[*Columbidæ*.]

Δένδρον, a tree; + *Treron* (*τρήρων*, a dove).

¹"At least three subgenera occur [of *Carpophaga*, as known at that time], at the head of which may be placed *Lopholaimus*, G. R. Gray, founded on the *Col. antarctica*, Shaw (v. *dilopha*, Temminck), of Australia; then follow the ordinary *Dunkuls*, of which the two Indian species are characteristic; and finally a short-winged type, with bill and feet as in the former, and colouring as in the division *Chalcophaps* (of the next subfamily), to which I apply the name *Dendrophaps*."

Dialiptila SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 243.

Type, *Columba guinea* Linnaeus (first species mentioned)

(A subgenus of *Columba*)-----[*Columbidae*.]

Διαλύω, I part asunder; *πτίλον*, a feather.

Dialis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Drepanis* Temminck-----[*Drepanidae*.]

Dialis, ethereal, aerial.

† **Diaphorapteryx** FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.

Type, *Aphanapteryx hawkinsi* Forbes-----[*Rallidae*.]

Διάφορος, different, *Apteryx* (ἀ, priv. + πτέρυξ, wing).

Diaphorillas OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 212.

New name for *Amytis* Lesson, preoccupied. (See *Amytornis*.)

[*Timaliidae*.]

Διάφορος, different; *ιλλάς*, a thrush.

Diaphoropterus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 214.

New name for *Symmorphus* Gould, preoccupied.

[*Campephagidae*.]

Διάφορος, different; *πτερόν*, wing.

† **Diatropornis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.

New name for *Tapinopus* Milne-Edwards, preoccupied.

[*Incertæ sedis*.]

Διάτροπος, different; *ὄρνις*, bird.

Diatropura OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.

New name for *Chera* Gray, preoccupied-----[*Ploceidae*.]

Διάτροπος, different; *οὐρά*, tail.

Dichrognathus REICHENOW, Journ. für Orn., 1881, p. 255.

New name for *Psittinus* Blyth-----[*Psittacidae*.]

Δίχρους, two-colored; *γνάθος*, jaw.

Dictæa GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Emberizoides* Bonaparte-----[*Fringillidae*.]

Dictæus, of Dicte, Dictæan.

Dilobus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 335.

New name for *Lobipluvia* Bonaparte, on grounds of purism.

[*Charadriidae*.]

Δίς, double; *λοβός*, a lobe.

Dinorhamphus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 228.

New name for *Tucanus* Cassin, on grounds of purism.

[*Ramphastidae*.]

Δεινός, mighty; *ράμφος*, beak.

Diplocercus "BLYTH," JERDON, Birds of India, III, 1864, p. 737.

Type, *Tantalus leucocephalus* Forster ----- [*Ciconiidae*.]
Διπλόος, double; *κέρκος*, tail.

Diplura "BLYTH," JERDON, Birds of India, III, 1864, p. 737.¹

Type, *Tantalus leucocephalus* Forster ----- [*Ciconiidae*.]
Διπλόος, double; *οὐρά*, tail.

Dipsaleon GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Planetis* Wagler ----- [*Laridae*.]

Dissemurulus OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 322.

Type, *Dicrurus lophorinus* Vieillot ----- [*Dicruridae*.]
Dissemurulus, dim. of *Dissemurus*.

Dolychoeix KAUP, Thierreich, II, Pt. 1, 1836, p. 139.

No type mentioned; a *nomen nudum* here ----- [*Incertæ sedis*.]

Donacias HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 321.

New name for *Lewinia* Bonaparte, on grounds of purism.

[*Rallidae*.]

Δόναξ, a reed, with suffix > *ias*.

Donacophilus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Laterallus* Bonaparte, on grounds of purism.

[*Rallidae*.]

Δόναξ, a reed; *φιλέω*, I love.

Doriponus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.

New name for *Agamia* Reichenbach, on grounds of purism.

[*Ardeidae*.]

Δορίπονος, toiling with the spear.

Drepananax SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Drepanornis bruijnii* Oustalet ----- [*Paradiseidae*.]
Δρεπάνη, a sickle; *ἄναξ*, a lord, king.

Drepanoplectes SHARPE, Ibis, ser. 6, III, Apr., 1891, p. 246.

Type, *Drepanoplectes jacksoni* Sharpe ----- [*Ploceidae*.]
Δρεπάνη, a sickle; *Plectes* (n. l. < *πλεκτός*, woven), a weaver.

Drepanorhamphus ROTHCHILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, p. 163.

Type, *Drepanis funerea* Newton ----- [*Drepanidae*.]
Δρεπάνη, a sickle; *ράμφος*, a curved beak.

Drepanorhynchus DUBOIS, Mem. Zool. Soc. France, VII, 1894, p. 400.

Type, *Drepanorhynchus schistaceus* Dubois (see *Spermophilopsis*) ----- [*Fringillidae*.]
Δρεπάνη, a sickle; *ρύγχος*, a beak.

¹ This name has precedence (anteriority) over *Diplocercus*.

Drepanorhynchus ROTHSCILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, pl. LXII.

Type, *Drepanis funerea* Newton (see *Drepanorhamphus*).

[*Drepanidæ*.]

Δρεπάνη, a sickle; *ρόγχος*, a beak.

Dryocolaptes GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. 86.

Type, *Picus tridactylus* Linnæus.....[*Picidæ*.]

Dryolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Rallus cuvieri* Pucheran.....[*Rallidæ*.]

Δρύος, a copse, thicket; *λιμνάς*, marshy, of the mere.

† **Dryornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 59.

Type, *Dryornis pampeanus* Moreno and Mercerat.

[*Stereornithes*.]

Δρῦς, a tree, an oak; *ὄρνις*, a bird.

Dupetor HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.

New name for *Ardeiralla* Bonaparte.....[*Ardeidæ*.]

Δουπήτωρ, a clatterer.

Dybowskia OUSTALET, Le Naturaliste, ser. 2, VI, Sept. 15, 1892, p. 218.

Type, *Dybowskia kemoensis* Oustalet.....[*Timaliidæ*.]

Named for Jean Dybowski.

† **Dynamopterus** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 64.

Type, *Dynamopterus velocæ* Milne-Edwards.....[*Cuculidæ*.]

Δύναμις, power, force; *πτερόν*, wing.

Ecmeles GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Hydrocorax* Vieillot.....[*Phalacrocoracidæ*.]

Ἐκμελής, out of tune, irregular, unbridled.

Einalia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 358.

New name for *Laroides* Brehm, on grounds of purism.

[*Laridæ*.]

Εἰνάλιος, of the sea.

Elachura OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 339.

Type, *Troglodytes punctatus* Blyth.....[*Troglodytidæ*.]

(see *Spiloptera*.)

Ἐλαχύς, small; *οὐρά*, tail.

† **Elaphrocnemus** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 77.

Type, *Elaphrocnemus phasianus* Milne-Edwards (first species mentioned).....[*Ralliformes*.]

Ελαφρός nimble, swift; *κνήμη*, the leg.

Elasas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 263.

New name for *Elanoides* Vieillot, on grounds of purism.

[*Falconidæ*.]

Ἐλασαῖς, an unknown bird.

Elasmonetta SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 287.

Type, *Anas chlorotis* Gray ----- [*Anatidæ*.]

Ἐλασμός, a thin plate; νῆπτα, a duck.

Elathea GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.

New name for "*Brachypus* Gould" ----- [*Pycnonotidæ*.]

Electron GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.

New name for "*Crypticus* Bonaparte" ----- [*Momotidæ*.]

Ἡλεκτρον, something bright and beaming.

†**Elornis** AYMARD, Congrès Sci. de France, 1856, I, p. 234.

Type, *Elornis antiquus* Aymard ----- [*Phænicopteridæ*.]

Ἐλος, low ground bordering rivers, a marsh; ὄρνις, a bird.

Emarginata SHELLEY, Birds of Africa, I, 1896, p. 89.

Type, *Luscinia sinuata* Sundevall ----- [*Turdidæ*.]

Emarginatus, emarginate.

†**Enaliornis** SEELEY, Index to Fossil Remains of Aves, etc., 1869, p. xvii (*nomen nudum* here); Quart. Journ. Geol. Soc., XXXII, 1876, pp. 496-510.

New name for *Pelagornis* Seeley (not Lartet). [*Enaliornithidæ*.]

Ἐνάλιος, living in the sea; ὄρνις, bird.

Endomychura OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.

New name for *Micruria* Grant, preoccupied ----- [*Alcidæ*.]

Ἐνδόμυχος, concealed; οὐρά, tail.

Entomyzon SWAINSON, Zool. Journ., I, Jan., 1825, p. 480 (note).

Type, the "blue-faced Grackle of Latham" (= *Gracula cyanotis* Latham) ----- [*Meliphagidæ*.]

Ἐντός, within, inside; μύζω, I suck.

Enygrotheres HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 353.

New name for *Sticticarbo* Bonaparte, on grounds of purism.

[*Phalacrocoracidæ*.]

Ἐνυγρος, in the water, aquatic; θηράω, I hunt, pursue.

†**Eoneornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 593.

Type, *Eoneornis australis* Ameghino ----- [*Anatidæ*.]

Ἡώς, dawn, νέος, new; ὄρνις, bird.

Eremiornis NORTH, Victorian Naturalist, XVII, Aug., 1900, p. 78.

Type, *Eremiornis carteri* North ----- [*Timaliidæ*.]

Ἐρημία, desert; ὄρνις, bird.

Eremopterix KAUP, Thierreich, II, Pt. 1, 1836, p. 139.

Type, *Fringilla otoleucus*, *F. cruciger* Temminck . . . [Alaudidæ.]

Eribates RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.

Type, *Myiobius magnirostris* Gray . . . [Tyrannidæ.]

(A subgenus of *Myiarchus*.)

Ἐρι, intensive particle; βᾶτης, one that treads or covers.

Erythrobucco SHELLEY, Ibis, ser. 6, I, Oct. 1889, p. 475.

Type, *Pogonias rolleti* Defilippi . . . [Capitonidæ.]

Ἐρυθρός, red; + *Bucco* (*bucco*, a babbling, foolish fellow).

Erythrocnus SHARPE, Bull. Brit. Orn. Club, iii, Apr. 30, 1894, p. xxxix.

Type, *Ardea rufiventris* Sundevall . . . [Ardeidæ.]

Ἐρυθρός, red; ὄκνος, bittern.

Erythrolimnas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Rufirallus* Bonaparte, on grounds of purism.

[Rallidæ.]

Ἐρυθρός, red; λιμνᾶς (λιμναῖος) marshy, of the mere.

Erythrophox SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.

Type, *Ardeiralla woodfordi* Grant . . . [Ardeidæ.]

Ἐρυθρός, red; φῶυξ, a kind of heron.

Erythrotriorchis "GURNEY MS.", SHARPE, Proc. Zool. Soc. Lond., 1875, p. 337.

Type, *Falco radiatus* Latham . . . [Falconidæ.]

Ἐρυθρός, red; τριόρχος, a kite.

Etoimus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Mirafra* Horsfield . . . [Alaudidæ.]

Ἐτοῖμος, ready, prepared, real, actual.

Eucorax SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Manucodia comrii* Sclater . . . [Paradisidæ.]

Εὐ, well; κόραξ, a raven.

Eugralla LESSON, Actes Soc. Linn. Bordeaux, XII, no. 41, Sept., 1842, p. 197.

Type, *Troglodytes paradoxus* Kittlitz, and *Megalonyx nanus* Lesson. Should replace *Triptorhinus*! . . . [Pteroptochidæ.]

(A subgenus of *Megalonyx*.)

Euhierax WEBB and BERTHELOT, Hist. Nat. Canaries, II, Ornith., 1838-1844, p. 5.

Type, *Falco peregrinus* Linnæus (first species mentioned).

[Falconidæ.]

Εὐ, well; ἰέραξ, a hawk.

Euhyas SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 736.

New name for *Eurypterus* Sharpe, preoccupied (see *Zapterus*).

[*Charadriidæ*.]

Eû, well; + *Hyas*.

Eulacestoma DE VIS, Ann. Report Brit. New Guinea (1893-94), 1894, App. EE, p. 102.

Type, *Eulacestoma nigropectus* De Vis ----- [*Laniidæ*.]

Εὐλάκα, a plowshare; *στόμα*, mouth.

Eulipoa GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 462.

Type, *Megapodius wallacei* Gray ----- [*Megapodidæ*.]

Eû, well; + *Lipoa*.

Eumathes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 110.

New name for *Mino* Lesson, on grounds of purism. [*Sturnidæ*.]

Εὐμαθής, quick at learning.

† **Eupterornis** LEMOINE, Recher. Ois. Foss. Environs de Reims, Pt. 1, 1878, p. 56.

Type, *Eupterornis remensis* Lemoine ----- [*Incertæ sedis*.]

Eû, well; *πτερόν*, wing; *ὄρνις*, bird.

Eurhinospiza OUSTALET, Ann. Sci. Nat. (Zool.), ser. 7, XII, 1891, p. 293.

Type, *Eurhinospiza henrici* Oustalet ----- [*Fringillidæ*.]

Eû, well; *ρίς* (*ρίν*-), nose; *σπίζα*, finch.

Eurillas OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 7, 1899, p. 15.

Type, *Andropadus virens* Cassin ----- [*Timaliidæ*.]

Εὐρύς, broad; *ιλλάς*, a thrush.

† **Euryonotus** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No. V, May, 1897, p. 238.

Type, *Euryonotus brachypterus* Mercerat (first species mentioned) ----- [*Rallidæ?*]

Εὐρύς, broad; *νωτός*, back.

Eurypterus SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 171.

Type, *Charadrius leucurus* Lichtenstein (see *Euhyas*).

[*Charadriidæ*.]

Εὐρύς, broad; *πτερόν*, wing.

† **Eutelornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 594.

Type, *Eutelornis patagonicus* Ameghino ----- [*Anatidæ*.]

Εὐτελής, cheap, paltry, worthless; *ὄρνις*, bird.

Falcinellus CUVIER, Règne Animal, I, 1817, p. 486.

Type, *Scolopax pygmæa* Gmelin ----- [*Scolopacidæ*.]

Falcinellus, dim. of *fals*, a sickle.

Fedoa STEPHENS, General Zoology, XII, Pt. 1, 1824, p. 70.

Type, *Fedoa americana* Stephens (= *Scolopax fedoa* Linnæus).

[*Scolopacidæ*.]

- † **Filholornis** MILNE-EDWARDS, *Compte-Rendu Second Congrès Ornith. Int.*, II, 1892, p. 67.
 Type, *Filholornis paradoxa* Milne-Edwards (first species mentioned) -----[*Incertæ sedis.*]
 Named for M. Henri Filhol.
- † **Flacourtia** ANDREWS, *Novitates Zoologicae*, II, Feb. 1, 1895, p. 25.
 Type, *Mullerornis rudis* Milne-Edwards and Grandidier. [*Apyornithidæ.*]
 Named for Étienne de Flacourt, an early governor of Madagascar.
- † **Foetopterus** MORENO and MERCERAT, *Anales Mus. La Plata (Paleon. Argen., I)*, 1891, p. 66.
 Type, *Foetopterus ambiguus* Moreno and Mercerat. --[*Falconidæ.*]
 ?*Fœtus*, offspring; *πτερόν*, wing.
- Formicicapa** DAUDIN, *Ann. Mus. d'Hist. Nat.*, III, 1804, p. 146 (*nomen nudum* here?)
 Type, "*Gobe-fourmi*" (a *nomen nudum* here?) --[*Formicariidæ.*]
Formica, an ant; *capere*, to take.
- Galeolimnas** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 320.
 New name for *Mustelirallus* Bonaparte, on grounds of purism. [*Rallidæ.*]
Γαλέη, a weasel; *λιμνάς*, of the mere, marshy.
- Galeopsar** SHARPE, *Ibis*, ser. 6, III, Apr., 1891, p. 241.
 Type, *Galeopsar salvadorii* Sharpe -----[*Sturnidæ.*]
Γαλέη, a weasel; *ψάρ*, starling.
- Galeripitta** ELLIOT, *Monogr. Pittidæ*, ed. 2, Pt. 5, 1895, p. xvii (introd.).
 Type, *Pitta cucullata* Hartlaub -----[*Pittidæ.*]
 (A subgenus of *Pitta*.)
Galerum, a helmet; + *Pitta*.
- Galgulus** WAGLER, *Systema Avium*, I, 1827, p. 326.
 Type, *Corvus gymnocephalus* Temminck -----[*Corvidæ.*]
Galgulus, a name applied to a thrush-like bird.
- Gallina** LINNÆUS, in Hasselquist, *Reise nach Palæstina*, 1762, p. 327.
 Type, *Phasianus meleagris* Linnæus -----[*Phasianidæ.*]
Gallina, a hen, fowl.
- † **Gallinuloides** EASTMAN, *Geol. Mag.*, Feb., 1900, p. 54.
 Type *Gallinuloides wyomingensis* Eastman. --[*Rallidæ* (= *Craces*).]
Gallinula, + *εἶδος*, form.
- Gambetta** KAUP, *Natürl. Syst.*, 1829, p. 54.
 Type, *Tringa calidris* Linnæus -----[*Scolopacidæ.*]
Gambetta, an Italian name for a sandpiper.
- Gavia**, Gloger, *Hand-und Hilfsbuch*, I, 1842, p. 433.
 New name for *Vanellus* Brisson -----[*Charadriidæ.*]

Geniates HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 225.

New name for *Chotorea* Bonaparte, on grounds of purism.

[*Capitonidæ*.]

Γενειάτης, bearded.

Gennadas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 262.

New name for *Gennaia* Kaup, 1847, (not *Gennæus* Wagler, 1832).

[*Falconidæ*.]

Γεννάδας, of noble birth.

Gennaeochen HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 343.

New name for *Radjah* Reichenbach, on grounds of purism.

[*Anatidæ*.]

Γενναῖος, high born; χήν, goose.

†**Genyornis** STIRLING and ZEITZ, Trans. Roy. Soc. S. Austr., XX, 1896, p. 171.

Type, *Genyornis newtoni* Stirling and Zeitz. — [*Dromornithidæ*.]

Γένυς, chin, jaw; ὄρνις, bird.

Geospiza GLOGER, Hand-und Hilfsbuch, I, 1842, p. 254.

Type, *Fringilla nivalis* Linnæus. — [*Fringillidæ*.]

†**Geranopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 166.

Type, *Geranopsis hastingsiæ* Lydekker. — [*Gruvidæ*.]

Γέρανος, a crane; ὄψις, aspect.

†**Geranopterus** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 66.

Type, *Geranopterus alatus* Milne-Edwards. — [*Coraciidæ*.]

Γέρανος, a crane; πτερόν, wing.

Glaucrodus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 307.

New name for *Florida* Baird, on grounds of purism. — [*Ardeidæ*.]

Γλαυκός, bluish green, gray; ἐρωδιός, a heron.

Gmelinius BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 1), Mar., 1894, p. 108.

Type, *Trochilus bicolor* Gmelin. — [*Trochilidæ*.]

Named for Johann Friedrich Gmelin.

Granatina SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 403.

Type, *Fringilla granatina* Linnæus. — [*Ploceidæ*.]

Granatina, dim. of *granatus*.

Gripeus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 352.

New name for "*Graculus* Rehb., 1853" (type, *Pelecanus graculus*

Linnæus). — [*Phalacrocoracidæ*.]

Γριπέυς, a fisherman.

- †**Griphornis** OWEN MS., Woodward, Intellectual Observer, II, Dec., 1862, p. 317.
Type, *Griphornis longicaudatus* Owen MS., Woodward.
[*Archæopteryges*.]
Γριφός, riddle; ὄρνις, bird.
- †**Griphosaurus** WAGNER, Sitzungsberichte bay. Akad., II, 1861, p. 153.
Type, *Griphosaurus* (= *Archæopteryx*)-----[*Archæopteryges*.]
Γριφός, riddle; σαῦρος, a lizard.
- Gymnocrotaphus** BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 245.
Type, *Brachypus tygus* Bonaparte (see *Bonapartia*).
[*Timaliidæ*.]
Γυμνός, naked; κρόταφος, side of the face.
- Gymnogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1037.
Type, *Vultur californianus* Shaw-----[*Cathartidæ*.]
(A subgenus of *Vultur*).
Γυμνός, naked; γύψ, a vulture.
- Gymnolæmus** GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 370.
Type, *Anthracoseros marchii* Oustalet-----[*Bucerotidæ*.]
Γυμνός, naked; λαιμός, throat, gullet.
- Gymnops** SPIX, Avium Species Novæ, I, 1824, p. 10.
Type, *Gymnops fasciatus* Spix-----[*Falconidæ*.]
Γυμνός, naked; ὤψ, face.
- Hagiopsar** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 168.
Type, *Amydrus tristrami* Sclater-----[*Sturnidæ*.]
"Ἅγιος, sacred; ψάρ, starling.
- Halinertus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 267.
New name for *Haliastur* Selby, on grounds of purism.
[*Falconidæ*.]
"Ἄλιος, of the sea; νέρτος, a bird of prey.
- Halobates** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Hydrobates* Boie-----[*Procellaridæ*.]
- Haploenas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 278.
New name for *Turacæna* Bonaparte, on grounds of purism.
[*Columbidæ*.]
"Ἀπλούς, simple, plain; οἰνάς, a wild pigeon.
- Haplopyga** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvi.
Type, *Loxia astrild* Linnæus-----[*Ploceidæ*.]
"Ἀπλούς, simple; πυγή, rump.

Heliobucco SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 476.

Type, *Gymnobucco bonapartii* Hartlaub -----[*Capitonidæ*.]

"*Ἡλιος*, the sun; + *Bucco*.

Heliocorys SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 623.

Type, *Galerida modesta* Heuglin -----[*Alaudidæ*.]

"*Ἡλιος*, the sun; *κόρυς*, a lark.

Heliopais SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.

Type, *Podica personata* Gray -----[*Heliornithidæ*.]

"*Ἡλιος*, sun; *παῖς*, a child.

Hemithraupis RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.

Type, *Aglaia cyanocephala* Lafresnaye -----[*Tanagridæ*.]

"*Ἡμισυς* (*ἡμι*-), half; *θραυπίς*, a small bird.

Herophilus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.

New name for *Cecropis* Boie -----[*Hirundinidæ*.]

"*Ἡρώς*, a hero; *φίλος*, loving.

Heterhyphantes SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 414.

Type, *Malimbus nigricollis* Vieillot (first species mentioned).

[*Ploceidæ*.]

"*Ἑτερος*, other, different; + *Hyphantes* (*ὕφάντης*, a weaver).

Heterocnus SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiv.

Type, *Tigrisoma cabanisi* Heine -----[*Ardeidæ*.]

"*Ἑτερος*, different; *ὄκνος*, a bittern.

Heteropsar SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 185.

Type, *Lamprocolius acuticaudus* Bocage (first species mentioned) -----[*Sturnidæ*.]

"*Ἑτερος*, different; *ψάρ*, starling.

Heteroptilorhis SHARPE, Monogr. Paradiseidæ, Pt. 8, 1898, p. x.

Type, *Craspedophora mantoui* Oustalet -----[*Paradiseidæ*.]

"*Ἑτερος*, different; + *Ptilorhis* (*πτίλον*, a feather; *ῥίς*, nose).

Heterospingus RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.

Type, *Tachyphonus rubrifrons* Lawrence -----[*Tanagridæ*.]

"*Ἑτερος*, different; *σπίγγος* (= *σπίνος*), a small bird, a finch.

Heterotetrax SHARPE, Catal. Birds Brit. Mus., XXIII, 1894, p. 296.

New name for *Heterotis* Sharpe, preoccupied -----[*Otididæ*.]

"*Ἑτερος*, different; + *Tetrax* (*τέτραξ*, a pheasant).

Heterotis SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.

Type, *Otis vigorsi* Smith (see *Heterotetrax*) -----[*Otididæ*.]

"*Ἑτερος*, different; + *Otis* (*ὠτίς*, a kind of bustard).

Heterotrogon RICHMOND, Proc. U. S. Nat. Mus., XVII, May 11, 1895, p. 602.

Type, *Hapaloderma vittatum* Shelley -----[*Trogonidæ*.]

"*Ἑτερος*, different; + *Trogon*.

- Hilarocichla** OATES, Fauna British India (Birds), I, Dec., 1889, p. 243.
 Type, *Pteruthius rufiventris* Blyth -----[*Muscicapidæ*.]
 Ἰλαρός, cheerful, gay; κίχλη, a thrush.
 “*Hirundolanus* Clarke.” This name is referred to by Count Salvadori as having been omitted from Waterhouse’s “Index.” It, however, appears to have no standing; it was not printed in the Trans. N. Z. Inst., XIII, 1881, p. 454, and was quoted by Buller (Birds New Zealand, ed. 2, I, 1888, p. 119) only to be discredited.
- Histriophaps** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 529.
 Type, *Columba histrionica* Gould -----[*Peristeridæ*.]
Histrion, an actor; + *Phaps* (φάψ, a pigeon).
- Homopelia** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 409.
 Type, *Columba picturata* Temminck -----[*Peristeridæ*.]
 (A subgenus of *Turtur*.)
 Ομός, the same, like; πέλεια, a dove.
- Horizocerus** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899, p. 28.
 Type, *Toccos hartlaubi* Gould -----[*Bucerotidæ*.]
 Ὀρίζω, I limit; κέρας, a horn.
- Horizopus** OBERHOLSER, Auk, XVI, Oct., 1899, p. 331.
 New name for *Contopus* Cabanis, 1855, not *Contipus* de Marseul, 1853 -----[*Tyrannidæ*.]
 Ὀρίζω, I limit; πούς, foot.
- Horizorhinus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.
 New name for *Cuphopterus* Hartlaub, preoccupied -----[*Turdidæ*.]
 Ὀρίζω, I limit; ῥίς, nose.
- Houbaropsis** SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.
 Type, *Otis bengalensis* Gmelin -----[*Otididæ*.]
Houbara, native name of a bustard; + ὄψις, aspect.
- Houppifer** GUÉRIN-MÉNEVILLE, Icon. Règne Anim. Ois., 1829–1838, p. 26.
 Type, *Phasianus erythrophthalmus* Raffles -----[*Phasianidæ*.]
Houpe, tuft, topknot; *fero*, to bear.
- Hydranassa** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 306.
 Type, *Ardea rufa* Boddaert -----[*Ardeidæ*.]
 Ὑδωρ (ὕδρ-), water; ἄνασσα, queen.
- Hydrobates** TEMMINCK, Planches Coloriées, V (livr. 68), 1826, pl. 406.
 Type, *Anas lobata* Shaw -----[*Anatidæ*.]
- Hydrocorax** VIEILLOT, Analyse, Apr., 1816, p. 63.
 Type, “Cormoran Buff.” (= *Pelecanus carbo* Linnæus).
 [Phalacrocoracidæ.]
 Ὑδωρ (ὕδρ-), water; κόραξ, a raven.

Hyetoceryx HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 336.

New name for *Pluviorhynchus* Bonaparte, on grounds of purism.
[*Charadriidæ*.]

Ἑτος, rain; κήρυξ, herald.

Hylaërops GLOGER, Hand-und Hilfsbuch, I, 1842, p. xxxv.

Type, *Galbula tridactyla* Vieillot.....[*Galbulidæ*.]

Hylike GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Leistes* Vigors.....[*Icteridæ*.]

Ἑλική, material, worldly.

Hylorchilus NELSON, Auk, XIV, Jan., 1897, p. 71.

Type, *Catherpes sumichrasti* Lawrence.....[*Troglodytidæ*.]

Ἑλη, forest; ὄρχιλος, wren.

Hyperanthus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Euplectes* Swainson.....[*Ploceidæ*.]

Ἑπέρ, over, excess; ἄνθος, a flower, gay color.

Hyphantospiza REICHENOW, Berichte Allgem. Deutsche Ornith. Ges., Feb., 1892, p. 6.

Type, *Coccothraustes olivaceus* Fraser.....[*Fringillidæ*.]

Ἑφάντης, a weaver; σπίζα, finch.

Hypocharmosyna SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 72.

Type, *Psittacus placentis* Temminck.....[*Loriidæ*.]

Ἑπό, under; + *Charmosyna* (χαρμόσυνος, joyful, glad).

Hypocrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Kittacincla* Gould.....[*Timaliidæ*.]

Ἑποκριτής, one who answers, an interpreter, an actor.

†**Hypselornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 354.

Type, *Hypselornis sivalensis* Lydekker.....[*Casuariidæ*.]

Ἑψηλός, lofty, towering; ὄρνις, bird.

†**Ibidopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 74.

Type, *Ibidopsis hordwelliensis* Lydekker.....[*Plataleidæ*.]

Ἰβίς (ἰβιδ-), ibis; ὄψις, appearance.

†**Idiornis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Orthocnemus* Milne-Edwards, preoccupied.

[*Incertæ sedis*.]

Ἰδιος, distinct; ὄρνις, bird.

Ifrita ROTHSCHILD, Bull. Brit. Orn. Club, VII, May 25, 1898, p. liii.

Type, *Ifrita coronata* Rothschild.....[*Timaliidæ*.]

Ἰφρίτ, a demon (Arabian).

Ilyonetta HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 347.

New name for *Nyroca* Fleming, on grounds of purism.

[*Anatidæ*.]

Ἰλύς, mud; νῆττα, a duck.

Incaspiza RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.

Type, *Aimophila pulchra* Sclater -----[*Fringillidæ*.]

Inca, an ancient Peruvian; σπιζα, finch.

Insignipitta ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Pitta ellioti* Oustalet -----[*Pittidæ*.]

(A subgenus of *Pitta*.)

Insignis, notable; + *Pitta*.

Ipnodomus GLOGER, Hand- und Hilfsbuch, I, 1842, p. 304.

Type, *Turdus figulus* Lichtenstein -----[*Furnariidæ*.]

Ἰπνός, an oven; δόμος, house.

Itys WAGLER, Isis, 1831, p. 535.

New name for *Ocypetes* Wagler (not *Ocypeta* Leach, 1814).

[*Thinocoridæ*.]

Ixidia BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.

New name for *Ixodia* Blyth -----[*Timaliidæ*.]

Ixodes BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.

Type, same as *Ixodia* Blyth? -----[*Timaliidæ*.]

Ἰξώδης, like birdlime; stingy.

Jaco LESSON, Manuel d'Ornithologie, II, June, 1828, p. 151; De Filippi, Museum Mediolanense, 1847, p. 20.

Type, "*Le perroquet gris*" (= *Psittacus erythacus* Linnæus).

[*Psittacidæ*.]

(A subgenus of *Psittacus*.)

Jaco, a poll parrot (French).

Janthothorax BÜTTIKOFER, Notes Leyden Museum, XVI, Mar. 15, 1895, p. 163.

Type, *Janthothorax bensbachi* Büttikofer -----[*Paradiseidæ*.]

Ἴον, violet; ἄνθος, flower; θώραξ, breastplate.

Jonocicca SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, III, 1887, p. 236.

Type, *Porphyrio alleni* Thomson -----[*Rallidæ*.]

Ἴον, violet; κίκκα, cock.

Kakatoe CUVIER, Leçons d'Anatomie Comparée, I, Apr., 1800, 2d tableau.

Type, "*Kakatoës*" -----[*Cacatuidæ*.]

Kakatoës, cockatoo (French).

Kittlitzia HARTERT, Katalog Vogelsammlung Mus. Senckenb., 1891, p. 75.

Type, *Calornis corvina* Kittlitz -----[*Sturnidæ*.]

Named for Friedrich von Kittlitz.

Kittlitzia HARTLAUB, Abhandl. Nat. Ver. Bremen, XII, 1892, p. 391.

Type, *Rallus monasa* Kittlitz (see *Aphanolimnas*)---[*Rallidæ*.]

Named for Friedrich von Kittlitz.

Laceryzon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 109.

New name for *Gracupica* Lesson, on grounds of purism.

[*Sturnidæ*.]

Λακέρυζα, one that cries.

†**Lagopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 66.

Type, *Lagopterus minutus* Moreno and Mercerat---[*Falconidæ*.]

(See *Asthenopterus*.)

Lambruschinia SALVADORI, Atti Soc. Ital. Sci. Nat., VI, 1864, p. 487.

Type, *Larus gelastes* Lichtenstein-----[*Laridæ*.]

Named for Luigi(?) Lambruschini.

Lamprothorax Meyer, Abhandl. und Berichte Mus. Dresden, V, No. 2, 1894, p. 3.

Type, *Lamprothorax wilhelminæ* Meyer-----[*Paradisidæ*.]

Λαμπρός, shining; *θώραξ*, breastplate.

Lanioturdinus BÜTTIKOFER, Notes Leyden Museum, XVII, 1895, p. 72.

Type, *Corythocichla crassa* Sharpe-----[*Timaliidæ*.]

Lanius + *Turdinus*.

Laticauda¹ LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 758.

Type, *Trochilus tyrianthinus* Loddiges-----[*Trochilidæ*.]

(A subgenus of *Ornismyia*.)

Latus, broad; *cauda*, tail.

Lawrencius BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 3), Sept. 1894, p. 173.

Type, *Eupherusa cupreiceps* Lawrence-----[*Trochilidæ*.]

Named for George Newbold Lawrence.

Lecythoplastes REICHENOW, Ornith. Monatsb., VI, July, 1898, p. 115.

Type, *Lecythoplastes preussi* Reichenow-----[*Hirundinidæ*.]

Λήκυθος, an oil vase; *πλαστής*, a molder, modeler.

Leptomyza STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 535.

New name for *Leptornis* Hombron & Jacquinot, preoccupied.

[*Meliphagidæ*.]

Leptopelia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.

New name for *Talpacotia* Bonaparte, on grounds of purism.

[*Peristeridæ*.]

Λεπτός, delicate; *πέλεια*, a dove.

¹This name has priority over and should replace *Metallura* Gould, 1847.

Leptosittaca BERLEPSCH and STOLZMANN, Ibis, ser. 6, VI, July, 1894, p. 402.

Type, *Leptosittaca branickii* Berlepsch and Stolzmann.

[*Psittacidæ*.]

Λεπτός, delicate; *σιττάκη*, a parrot.

Leptourus SWAINSON, Birds of Western Africa, II, 1838, p. 184.

Type, *Zanclostomus flavirostris* Swainson [*Cuculidæ*.]

(A subgenus of *Zanclostomus*.)

Leucocarbo BONAPARTE, Consp. Gen. Avium, II, 1855, p. 176.

Type, *Carbo bougainvillii* Lesson (first species mentioned).

[*Phalacrocoracidæ*.]

(A subgenus of *Urile*.)

Λευκός, white; + *Carbo* (*carbo*, coal, charcoal).

Leucœnas SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 242.

Type, *Columba grisea* Gray [*Columbidæ*.]

(A subgenus of *Columba*.)

Λευκός, white; *οινάς*, a wild pigeon.

Leucophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxix.

Type, *Ardea candidissima* Gmelin [*Ardeidæ*.]

Λευκός, white; *φώυξ*, a species of heron.

Leucuria BANGS, Proc. Biol. Soc. Wash., XII, Oct. 31, 1898, p. 173.

Type, *Leucuria phalerata* Bangs [*Trochilidæ*.]

Λευκός, white; *οὐρά*, tail.

Lignobucco REICHENOW, Journ. für Orn., July, 1887, p. 309.

Type, *Lignobucco consobrinus* Reichenow [*Capitonidæ*.]

Lignum, wood; + *Bucco*.

Limnætus BOWDICH, Excursions in Madeira and Porto Santo, 1825, p. 56.

Type, the *Manta* (= *Falco buteo* Linnæus) [*Falconidæ*.]

Λίμνη, a pool, marsh; *ἀετός*, eagle.

Limnogeranus SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.

Type, *Ardea americana* Linnæus [*Gruidæ*.]

Λίμνη, a pool, marsh; *γέρανος*, a crane.

Limoneres REICHENOW, Journ. für Orn., July, 1885, p. 372.

New name for *Dinemellia* Reichenbach, on grounds of purism.

[*Ploceidæ*.]

Λειμωνήρης, belonging to a meadow.

Lioparus OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 174.

Type, *Proparus? chrysæus* Hodgson [*Timaliidæ*.]

Λεῖος, smooth; + *Parus* (a titmouse).

†**Liornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 570.

Type, *Liornis floweri* Ameghino [*Stereornithes*.]

Λεῖος, smooth; *ὄρνις*, bird.

†**Liptornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 597.

Type, *Liptornis hesternus* Ameghino [*Pelecanidæ?*]

- †**Lithophaps** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 121.
Type, *Lithophaps ulnaris* De Vis -----[*Treronidæ*.]
Λίθος, stone; *φάψ*, a pigeon.
- Lobibyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 334.
Type, *Tringa lobata* Latham -----[*Charadriidæ*.]
- Loboparadisea** ROTHSCILD, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xv.
Type, *Loboparadisea sericea* Rothschild -----[*Paradiseidæ*.]
Λοβός, a lobe; + *Paradisea*.
- Lobospingus** DE VIS, Ibis, ser. 7, III, July, 1897, p. 389.
Type, *Lobospingus sigillifer* De Vis -----[*Ploceidæ*.]
Λοβός, a lobe; *σπίγγος* (= *σπίνος*), a small bird, a kind of finch.
- Lochmophasis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 298.
New name for *Gallophasis* Hodgson, on grounds of purism.
[*Phasianidæ*.]
Λόχμη, a thicket; *φᾶσις*, the Phasian bird, pheasant.
- †**Lophiornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.
Type, *Lophiornis obliquus* Ameghino -----[*Stereornithes*.]
Λοφιά, a ridge, mane; *ὄρνις*, bird.
- Lophobasileus** PLESKE, Wiss. Result. Przew. Reis., Zool. Th., 1891, pp. 95–96.
Type, *Leptopæcile elegans* Przewalski -----[*Turdidæ*.]
Λόφος, crest; *βασιλεύς*, a king, prince.
- Lophomyia** FITZINGER, Sitzungsber. Ak. Wissensch. Wien, XLVI, Pt. 1, 1863, p. 235.
Type, *Trochilus magnificus* Vieillot -----[*Trochilidæ*.]
- Lophophalaris** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.
New name for *Lupha* Reichenbach, on grounds of purism.
[*Rallidæ*.]
Λόφος, crest; *φλαρίς*, a coot.
- Lophozosterops** HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 567.
Type, *Lophozosterops dohertyi* Hartert -----[*Timaliidæ*.]
Λόφος, crest; + *Zosterops* (ζωστήρ, a girdle; ὤψ, eye).
- Loria** SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, XIV, May 15, 1894, p. 151.
Type, *Loria loriae* Salvadori (= *Cnemophilus*?).
[*Ptilonorhynchidæ*.]
- Named for Dr. Lamberto Loria.

- †**Loxornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 595.
Type, *Loxornis clivus* Ameghino [*Incertæ sedis*.]
Λοξός, crosswise, slanting; *ὄρνις*, bird.
- Lybius** HERMANN, Tabula Affinitatum Animalium, 1783, pp. 217, 235.
Type, "*Le Guifso Balito*" Buffon (= *Loxia tridactyla* Gmelin).
[*Capitonidæ*.]
(See *Melanobucco*.)
- Λιβυός*, a kind of bird mentioned by Aristotle.
- Lychnospiza** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvii.
Type, *Estrilda melanogaster* Heuglin [*Ploceidæ*.]
Λυχνίς (*λυχνιδ-*), a plant with a bright scarlet flower; *σπίζα*, a finch.
- Lysurus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Buarremon crassirostris* Cassin [*Fringillidæ*.]
Λύειν (*λυσ-*), to loose; *οὐρά*, tail.
- Macgregoria** DE VIS, Ibis, ser. 7, III, Apr., 1897, p. 251.
Type, *Macgregoria pulchra* De Vis [*Paradiseidæ*.]
Named for Lady McGregor, wife of the first governor of British New Guinea.
- Machlostomus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 228.
New name for *Tucaius* Bonaparte, on grounds of purism.
[*Ramphastidæ*.]
Μάχλος, wanton, lustful; *στόμα*, mouth.
- Malacorhynchus** WAGLER, Isis, 1832, p. 1235.
Type, *Anas malacorhynchus* Forster [*Anatidæ*.]
- Manikup** DESMAREST, Hist. Nat. Tangaras, etc., 1805, text to pl. 66.
Type, *Pipra albifrons* Gmelin [*Formicariidæ*.]
Manikin + *huppe*.
- Marisca** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
New name for *Cossypha* Vigors [*Timaliidæ*.]
Marisca, a kind of fig.
- †**Megalapteryx** HAAST, Trans. Zool. Soc. Lond., XII, Pt. 5, Dec., 1886, p. 161.
Type, *Megalapteryx hectori* Haast [*Dinornithidæ*.]
Μέγας (*μεγαλ-*), great; + *Apteryx* (*ἄ*, priv. + *πτέρυξ*, wing).
- Melanobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 476.
Type, *Bucco bidentatus* Shaw (= *Lybius* Hermann).
[*Capitonidæ*.]
Μέλας (*μελαν-*), black; + *Bucco*.
- Melanocarbo** BERNSTEIN, in Musschenbroek, Dagboek van Dr. H. A. Bernstein's laatste Reis van Ternate, etc., 1883, p. 119.
Type, *Hydrocorax melanoleucus* Vieillot [*Phalacrocoracidæ*.]
Μέλας (*μελαν-*), black; + *Carbo* (*carbo*, coal, charcoal).

Melanolarus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 359.

New name for *Melagavia* Bonaparte, on grounds of purism.

[*Laridæ*.]

Μέλας (μελαν-), black; + *Larus* (λάρος, a gull).

Melanophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.

Type, *Ardea calceolata* Du Bus (= *Ardea ardesiaca* Wagler).

[*Ardeidæ*.]

Μέλας (μελαν-), black; *φώυξ*, a species of heron.

Melanospiza RIDGWAY, Proc. U. S. Nat. Mus., XIX, Mar. 15, 1897, p. 466 (note).

Type, *Loxigilla richardsoni* Cory -----[*Fringillidæ*.]

Μέλας (μελαν-), black; *σπιζα*, a finch.

Melanosterna BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 373.

Type, *Sterna anæthetus* Scopoli -----[*Laridæ*.]

Μέλας (μελαν-), black; + *Sterna*.

Melignomon REICHENOW, Ornith. Monatsb., VI, Feb., 1898, p. 22.

Type, *Melignomon zenkeri* Reichenow -----[*Indicatoridæ*.]

Μέλι, honey; *γνώμων*, an inspector, guardian.

Mellopitta STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 466.

New name for *Melampitta* Schlegel, preoccupied ---[*Pittidæ*.]

(See *Coracocichla*.)

Mel (mell-), honey; + *Pitta*.

† **Mesembriornis** MORENO, Breve Reseña Prog. Mus. La Plata, segundo semestre 1888, 1889, p. 29.

Type, *Mesembriornis milne-edwardsii* Moreno --[*Stereornithes*.]

Μεσημβρία, the south; *ὄρνις*, bird.

Mesolophus BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 247.

Type, *Vanga flaviventris* Tickell -----[*Timaliidæ*.]

Μέσος, middle; *λόφος*, crest.

Mesophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.

Type, *Ardea intermedia* Wagler. [*Ardeidæ*.]

Μέσος, middle; *φώυξ*, a species of heron.

† **Mesopteryx** HUTTON, Trans. New Zealand Inst., XXIV, May, 1892, p. 129.

Type, *Dinornis didiformis* Owen -----[*Dinornithidæ*.]

Μέσος, middle; + *Apteryx* (ἄ, priv. + *πτέρυξ*, wing).

Mesoscolopax SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 371.

Type, *Numenius minutus* Gould -----[*Scolopacidæ*.]

Μέσος, middle; + *Scolopax* (σκολόπαξ, a woodcock).

Metallococcyx REICHENOW, Ornith. Monatsb., IV, Apr., 1896, p. 54.

Type, *Cuculus smaragdinus* Swainson -----[*Cuculidæ*.]

Μέταλλον, a metal; *κόκκυξ*, a cuckoo.

- †**Metapteryx** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 453.
 Type, *Metapteryx bifrons* De Vis [*Apterygidae*.]
Μετά, beyond; + *Apteryx* (ἄ, priv. + πτέρυξ, wing).
- Mezobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 477.
 Type, *Bucco duvauceli* Lesson [*Capitonidae*.]
Μέσος, middle; + *Bucco*.
- Mezotreron** SHARPE, Hand-list of Birds, I, 1899, p. 56.
 Type, *Ptilopus dohertyi* Rothschild [*Treronidae*.]
Μέσος, middle; + *Treron* (τρήρων, a dove).
- Micranous** SAUNDERS, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xix.
 Type, *Sterna tenuirostris* Temminck [*Laridae*.]
Μικρός, small; + *Anous* (ἄνοος, silly, stupid).
- Micropelia** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.
 New name for *Scardafella* Bonaparte, on grounds of purism.
 [*Peristeridae*.]
Μικρός, small; πέλεια, a dove.
- Microsarcops** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 133.
 Type, *Pluvianus cinerea* Blyth [*Charadriidae*.]
Μικρός, small; σάρξ, flesh; ὤψ, face.
- Microstictus** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 489.
 New name for *Lichtensteinipicus* Bonaparte, on grounds of purism [*Picidae*.]
Μικρός, small; στικτός, marked, spotted.
- Microtribonyx** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxix.
 Type, *Gallinula ventralis* Gould [*Rallidae*.]
Μικρός, small; + *Tribonyx* (τρίβειν, to rub; ὄνυξ, claw).
- Micruria** GRANT, Catal. Birds Brit. Mus., XXVI, 1898, p. 594.
 Type, *Brachyramphus hypoleucus* Xantus (first species mentioned). (See *Endomychura*) [*Alcidae*.]
Μικρός, small; + *Uria*.
- †**Milnea** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 169.
 Type, *Milnea gracilis* Lydekker [*Ædicnemidae*.]
 Named for Alphonse Milne-Edwards.
- Mimetes** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 303.
 New name for *Mimus* Boie [*Mimidae*.]
Μιμητής, an imitator.
- Mitrospingus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
 Type, *Tachyphonus cassini* Lawrence [*Tanagridae*.]
Μίτρα, a miter; σπίγγος (= σπίνος), a kind of finch.
- †**Moa** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
 Type, *Dinornis giganteus* Owen [*Dinornithidae*.]
Moa, its New Zealand name.

- Monedula** LINNÆUS, in Hasselquist, Reise nach Palæstina, 1762, p. 294.
Type, *Upupa pyrrhocorax* Linnæus ----- [*Corvidæ*.]
Monedula, a jackdaw.
- Monilipitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xvii (introd.).
Type, *Pitta arquata* Gould ----- [*Pittidæ*.]
(A subgenus of *Pitta*.)
Monile, a necklace, collar; + *Pitta*.
- †**Movia** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
Type, *Dinornis ingens* Owen ----- [*Dinornithidæ*.]
From *Moa*, its New Zealand name.
- Mülleria** BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 96.
Type, *Napothera bivittata* Bonaparte ----- [*Timaliidæ*.]
Named for Salomon Müller.
- †**Mullerornis** MILNE-EDWARDS and GRANDIDIER, Comptes-Rendus Acad. Sci., CXVIII, 1894, p. 125.
Type, *Mullerornis betsilei* Milne-Edwards and Grandidier (first species mentioned) ----- [*Epyornithidæ*.]
Named for M. Georges Muller.
- Musciparus** REICHENOW, Ornith. Monatsb., V, Feb., 1897, p. 25.
Type, *Musciparus tappenbecki* Reichenow ----- [*Muscicapidæ*.]
Musca, a fly; + *Parus* (*parus*, a titmouse).
- Mustoxydes** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Francolinus* Stephens ----- [*Phasianidæ*.]
- Mychrorynchus** LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.
Type ¹ ----- [*Trochilidæ*.]
Μικρός, small; *ῥύγχος*, beak.
- Myiopagis** SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, Dec., 1888, p. 26.
Type, *Elainea placens* Sclater ----- [*Tyrannidæ*.]
Μυῖα, a fly; *παγίς*, a trap.
- Myiosobus** REICHENOW, Journ. für Orn., Apr., 1891, p. 210.
Type, *Myiosobus fulvicauda* Reichenow ----- [*Muscicapidæ*.]
Μυῖα, a fly; *σοβέω*, to drive away.
- Myospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
Type, *Fringilla manimbe* Lichtenstein ----- [*Fringillidæ*.]
Μῦς, a mouse; *σπίζα*, a finch.
- Myrmochanes** ALLEN, Bull. Amer. Mus. Nat. Hist., II, Mar. 22, 1889, p. 95.
Type, *Myrmochanes hypoleucus* Allen ----- [*Formicariidæ*.]
Μύρμηξ, an ant; *χαίνω*, I gape, yawn, snap.

¹ Proposed as a subgenus or "race" of *Ornismyia*, with the following species: *O. heteropogon* Boissonneau, *O. iris* Lesson ("Or. cupripennis, Bourcier.??"), *O. phæbe* Lesson and Delattre, *O. rhami* Lesson, *O. parzudaki* Lesson, *O. michroryncha* Boissonneau.

Mystrorhamphus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 313.

New name for *Ajaja* Reichenbach, on grounds of purism.

[*Plataleidæ*.]

Μύστρον, a spoon; *ράμφος*, bill.

Myza MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 11.

Type, *Myza sarasinorum* Meyer and Wiglesworth.

[*Meliphagidæ*.]

Μυζάω, I suck.

Nannochordeiles HARTERT, Ibis, ser. 7, II, July, 1896, p. 374.

Type, *Chordeiles pusillus* Gould -----[*Caprimulgidæ*.]

Νάννος, dwarf; + *Chordeiles* (*χορδή*, a harp string; *δείλη*, evening).

Nannopterum SHARPE, Hand-list of Birds, I, 1899, p. 235.

Type, *Phalacrocorax harrisi* Rothschild----[*Phalacrocoracidæ*.]

Νάννος, dwarf; *πτερόν*, wing.

†**Necrastur** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 437.

Type, *Necrastur alacer* De Vis-----[*Falconidæ*.]

Νεκρός, dead; *astur*, a goshawk.

†**Necrobyas** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 61.

Type, *Necrobyas harpax* Milne-Edwards (first species mentioned)-----[*Bubonidæ*.]

Νεκρός, dead; *βύας*, the owl.

†**Necropsar** "SLATER," A. GÜNTHER and E. NEWTON, Philos. Trans., 168, 1879, p. 427.

Type, *Necropsar rodericanus* "Slater," A. Günther and E. Newton-----[*Sturnidæ*.]

Νεκρός, dead; *ψάρ*, starling.

†**Necropsittacus** MILNE-EDWARDS, Ann. Sci. Nat. (Zool.), ser. 5, XIX, 1874, p. 18.

Type, *Psittacus rodericanus* Milne-Edwards -----[*Psittacidæ*.]

Νεκρός, dead; *ψίττακος*, a parrot.

Neneba DE VIS, Ibis, ser. 7, III, July, 1897, p. 384.

Type, *Neneba prasina* De Vis-----[*Meliphagidæ*.]

Named from the type locality (Neneba, Mt. Scratchley, Brit. New Guinea).

Neolesbia SALVIN, Catal. Birds Brit. Mus., XVI, 1892, p. 145.

Type, *Cyanolesbia nehrkorni* Berlepsch-----[*Trochilidæ*.]

Νέος, new; + *Lesbia* (*Λεσβία*, *Lesbian*).

Neophema SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 569.

Type, *Psittacus pulchellus* Shaw-----[*Psittacidæ*.]

Νέος, new; *φήμη*, voice.

Neotis SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.

Type, *Otis ludwigii* Rüppell -----[*Otididæ*.]

Néos, new; + *Otis* (ὄτις, a kind of bustard).

Nesacanthis SHARPE, Catal. Birds Brit. Mus., XIII, 1890, 483.

Type, *Foudia eminentissima* Bonaparte -----[*Ploceidæ*.]

Nḗσος, an island; + *Acanthis* (ἀκανθίς, a goldfinch).

Neshyphantes SHELLEY, Birds of Africa, I, 1896, p. 36.

Type, *Foudia flavicans* E. Newton -----[*Ploceidæ*.]

Nḗσος, island; + *Hyphantes* (ὑφάντης, a weaver).

Nesierax OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.

New name for *Harpe* Bonaparte, preoccupied ----[*Falconidæ*.]

Nḗσος island; *ἰέραξ*, a hawk.

Nesillas OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 211.

New name for *Ellisia* Hartlaub, preoccupied ----[*Timaliidæ*.]

Nḗσος, island; *ιλλάς*, a thrush.

Nesochen SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 126.

Type, *Anser sandvicensis* Vigors -----[*Anatidæ*.]

Nḗσος, island; *χήν*, a goose.

Nesocitites HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 552.

Type, *Picumnus micromegas* Sundevall -----[*Picidæ*.]

Nḗσος, island; *κτίτης*, a colonist, inhabitant.

Nesœnas SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 327.

Type, *Columba mayeri* Marchal -----[*Columbidæ*.]

Nḗσος, island; *οινάς*, a wild pigeon.

Nesolimnas ANDREWS, Novitates Zoologicae, III, Sept. 18, 1896, p. 266.

Type, *Rallus dieffenbachi* J. E. Gray -----[*Rallidæ*.]

Nḗσος, island; *λιμνάς* (λιμναῖος), marshy, of the mere.

Nesomimus RIDGWAY, Proc. U. S. Nat. Mus., XII, Feb. 5, 1890, p. 102.

Type, *Orpheus melanotis* Gould -----[*Mimidæ*.]

Nḗσος, island; + *Mimus* (μῦμος, an imitator).

Nesotriccus C. H. TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July, 1895, p. 124.

Type, *Nesotriccus ridgwayi* C. H. Townsend ----[*Tyrannidæ*.]

Nḗσος, island; + *Triccus* (τρίκκος, a small bird).

Nettalopex HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 343.

New name for *Casarca* Bonaparte, on grounds of purism.

[*Anatidæ*.]

Nḗττα, a duck; *ἀλώπηξ*, a fox.

Notophoyx SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiii.

Type, *Ardea novæ-hollandiæ* Latham -----[*Ardeidæ*.]

Νότος, the south; *φώυξ*, a species of heron.

Nyctalatinus "KAUP, 1854," GRAY, Catal. Genera and Subgenera of Birds, 1855, p. 135.

Type, *Nyctalatinus albipunctatus* Kaup (= *Nyctale harrisi* Cassin) ----- [Bubonidæ.]

Nycticorax FORSTER, Synoptical Catalogue of British Birds, 1817, p. 59.

Type, *Nycticorax infaustus* Forster (= *Ardea nycticorax*).
[Ardeidæ.]

Νύξ (νυκτ-), night; *κόραξ*, a raven.

Nyctimene HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.

New name for *Macabra* Bonaparte ----- [Bubonidæ.]

Νύξ (νυκτ-), night; *μήνη*, the moon.

Œcnenas SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.

Type, *Columba nigristrostris* Scater (first species mentioned)
(A subgenus of *Columba*) ----- [Columbidæ.]

Οἶνος, wine; *οινάς*, a wild pigeon.

Œnolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Rallina isabellina* Schlegel ----- [Rallidæ.]

Οἶνος, wine; *λιμνάς* (*λιμναῖος*), marshy, of the mere.

Œnopopelia BLANFORD, Fauna of Brit. India (Birds), IV, 1898, p. 47.

Type, *Columba tranquebarica* Hermann ----- [Peristeridæ.]

Οινωπός, wine-colored; *πέλεια*, a dove.

Onychornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Megalonyx* "d'Orbigny" ----- [Pteroptochidæ.]

"*Ορυξ* (ὀρυχ-), a claw; *ὄρνις*, bird.

Ophrydornis BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 101.

Type, *Setaria albigularis* Blyth ----- [Timaliidæ.]

"*Οφρύς*, eyebrow; *ὄρνις*, bird.

†**Opisthodactylus** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 453.

Type, *Opisthodactylus patagonicus* Ameghino -- [Stereornithes.]

"*Οπισθοδάκτυλος*, with fingers bent backward.

Oreoctistes SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 388.

Type, *Oreoctistes leucops* Sharpe ----- [Timaliidæ.]

"*Ορος* (ὄρε-), mountain; *κτίστης*, a settler.

Oreospiza RIDGWAY, Manual N. A. Birds, ed. 2, Apr. 2, 1896, p. 605.

Type, *Fringilla chlorura* Audubon ----- [Fringillidæ.]

"*Ορος* (ὄρε-), mountain; *σπίζα*, finch.

Oreospiza DE VIS, Ibis, ser. 7, III, July, 1897, p. 388.

Type, *Oreospiza fuliginosa* De Vis (see *Oreostruthus*).

[Ploceidæ.]

"*Ορος* (ὄρε-), mountain; *σπίζα*, finch.

Oreostruthus DE VIS, Ibis, ser. 7, IV, Jan., 1898, p. 175.

New name for *Oreospiza* De Vis, preoccupied [*Ploceidæ*.]

"*Όρος* (ὄρε-), mountain; *σπουργιός*, sparrow.

Ornatipitta ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Turdus guajanus* Müller [*Pittidæ*.]
(A subgenus of *Pitta*.)

Ornatus, decorated, adorned; + *Pitta*.

†**Ornithodesmus** SEELEY, Quart. Journ. Geol. Soc., XLIII, 1887, p. 206.

Type, *Ornithodesmus clunicalus* Seeley [*Incertæ sedis*.]

"*Όρνις* (ὀρνιθ-), a bird; *δεσμός*, a bond.

Oronertus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 272.

New name for *Phalcobænus* Lafresnaye, on grounds of purism.
[*Falconidæ*.]

"*Όρος*, mountain; *νέπτος*, a bird of prey.

†**Orthocnemus** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 74.

Type, *Orthocnemus gallicus* Milne-Edwards (first species mentioned). (See *Idiornis*) [*Incertæ sedis*.]

'*Όρθός*, straight; *κνήμη*, leg.

Ortholophus GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 424.

Type, *Buceros albocristatus* Cassin (first species mentioned).

[*Bucerotidæ*.]

'*Όρθός*, straight, upright; *λοφος*, crest.

Ortygonax HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 321.

Type, *Rallus rytirhynchus* Vieillot (first species mentioned).

[*Rallidæ*.]

"*Όρτυξ* (ὀρτυγ-), a quail; *ἄναξ*, king.

Ortygops HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Coturnicops* Bonaparte, on grounds of purism.

[*Rallidæ*.]

"*Όρτυξ* (ὀρτυγ-), a quail; + *ὦψ*.

Oryzivora JERDON, Birds of India, II, 1863, p. 359.

Type, *Oryzivora leucotis* "Blyth," Jerdon [*Ploceidæ*.]

Oryza, rice; *vorare*, to devour.

†**Osteornis** GERVAIS, Bull. Soc. Philomath. de Paris, III, 1844, pp. 68-69.

Type, *Osteornis ardeaceus* Gervais (first species mentioned).

[*Incertæ sedis*.]

'*Όστέον*, bone; *ὀρνις*, bird.

Ostarius GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for "*Psilopus* Oken, Gould" [*Muscicapidæ*.]

Ostarius, a doorkeeper.

Othyphantes SHELLEY, Birds of Africa, I, 1896, p. 37.

Type, *Sycobrotus reichenowi* Fischer -----[*Ploceidæ*.]

Ούς (ὠτ-), ear; + *Hyphantes* (ὕφάντης, a weaver).

†**Owenornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 64.

Type, *Owenornis affinis* Moreno and Mercerat (first species mentioned) -----[*Stereornithes*.]

Named for Richard Owen.

Oxypelia SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 490.

Type, *Peristera cyanopis* Pelzeln -----[*Peristeridæ*.]

Ὀξύς, sharp, keen; πέλεια, a dove.

Pachycephalix BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 241.

Type, *Muscicapa sinensis* Gmelin -----[*Pycnonotidæ*.]

Pachycephala (παχύς, thick; κεφαλή, head), + *Ixus* (ἰξός, a miser).

†**Pachyornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 316.

Type, *Dinornis elephantopus* Owen -----[*Dinornithidæ*.]

Παχύς, thick; ὄρνις, bird.

Pachyphantes SHELLEY, Birds of Africa, I, 1896, p. 36.

Type, *Hyphantornis superciliosus* Shelley -----[*Ploceidæ*.]

Παχύς, thick; + *Hyphantes* (ὕφάντης, a weaver).

†**Palæo-casuarius** FORBES, Trans. New Zealand Inst., XXIV, May, 1892, p. 189.

A *nomen nudum* here -----[*Dinornithidæ*.]

Παλαιός, ancient; + *Casuarius* (*kassuwaris*, a native name).

†**Palæociconia** MORENO, Breve Reseña Prog. Mus. La Plata segundo semestre 1888, 1889, p. 30.

Type, *Palæociconia australis* Moreno -----[*Stereornithes*.]

Παλαιός, ancient; + *Ciconia* (*ciconia*, a stork).

†**Palæocolymbus** SEELEY, Proc. Cambridge Philos. Soc., I, 1864, p. 228 (*nomen nudum*).

Type, *Palæocolymbus barretti* Seeley (*nomen nudum*).

-----[*Enaliornithidæ*.]

Παλαιός, ancient; + *Colymbus* (κόλυμβος, a diver).

†**Palæocorax** FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.

Type, *Corvus moriorum* Forbes -----[*Corvidæ*.]

Παλαιός, ancient; κόραξ, a raven.

†**Palæocryptonyx** DEPÉRET, Comptes Rendus Acad. Sci., CXIV, Mar., 1892, p. 691.

Type, *Palæocryptonyx donnezani* Depéret -----[*Phasianidæ*.]

Παλαιός, ancient; + *Cryptonyx* (κρυπτός, hidden; ὄνυξ, claw).

†**Palæogrus** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 362.

Type, *Palæogrus princeps* Portis -----[*Gruidæ*.]

Παλαιός, ancient; + *Grus* (*grus*, a crane).

†**Palæolimnas** FORBES, Ibis, ser. 6, V, Oct., 1893, p. 544.

Type, *Fulica newtoni* Milne-Edwards -----[*Rallidæ*.]

Παλαιός, ancient; *λιμνάς* (*λιμναῖος*), marshy, of the mere.

†**Palæopelargus** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 441.

Type, *Palæopelargus nobilis* De Vis -----[*Ciconiidaæ*.]

Παλαιός, ancient; *πελαργός*, a stork.

†**Palæospheniscus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 29.

Type, *Palæospheniscus patagonicus* Moreno and Mercerat.¹

[*Spheniscidaæ*.]

Παλαιός, ancient; + *Spheniscus* (*σφηνίσκος*, *σφήν*, a wedge).

†**Palæotetrix** SHUFELDT, Journ. Acad. Nat. Sci. Phila., XI, 1892, p. 415.

Type, *Palæotetrix gilli* Shufeldt -----[*Tetraonidaæ*.]

Παλαιός, ancient; *τέτριξ*, a grouse.

†**Palaëtus** MILNE-EDWARDS, Rech. Ois. Foss. France, II, 1870, p. 571 (a *nomen nudum* here).

Type, *Palaëtus rapax* Milne-Edwards (a *nomen nudum* here).

[*Falconidaæ*.]

Παλαιός, ancient; *ἀετός*, eagle.

Pallasicarbo COUES, Osprey, III, May (June 10), 1899, p. 144.

Type, *Phalacrocorax perspicillatus* Pallas --[*Phalacrocoracidaæ*.]

(A subgenus of *Phalacrocorax*.)

Pallas,² one of the giants; + *Carbo* (*carbo*, coal, charcoal).

Palmeria ROTHSCHILD, Ibis, ser. 6, V, Jan., 1893, p. 113.

Type, *Palmeria mirabilis* Rothschild (= *Himatione dolei* Wilson).

[*Drepanidaæ*.]

Named for Henry Palmer.

Palumbis FORSTER, Synoptical Catalogue of British Birds, 1817, p. 55.

Type, *Columba palumbus* Linnæus -----[*Columbidaæ*.]

Palumbus, a wood pigeon.

Pan RICHMOND, Auk, XVI, Jan., 1899, p. 77.

New name for *Tetragonops* Jardine, preoccupied (see *Semnor-nis*) -----[*Capitonidaæ*.]

Πάν, *Pan*, a god of the forest.

Paramythia DE VIS, Ann. Report Brit. New Guinea (1890-91), 1892, App. CC, p. 95.

Type, *Paramythia montium* De Vis.

[*Sturnidaæ* (= *Paramythiidaæ*).]

Παραμυθία, encouragement, consolation.

¹ *P. antarcticus* Moreno and Mercerat is the first species mentioned, but Ameghino has selected this as the type of another genus (*Parapternodytes*). *Palæospheniscus patagonicus*, which is second on the list, may perhaps stand as the type of the genus.

² Or for Peter Simon Pallas.

†**Paraptenodytes** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 447.

Type, *Palæospheniscus antarcticus* Moreno and Mercerat.

[*Spheniscidæ*.]

Παρά, beside; + *Aptenodytes* (ἀπτήν, wingless; δύτες, diver).

Pardaliparus DE SELYS-LONGCHAMPS, Bull. Soc. Zool. France, IX, 1884, p. 73.

Type, *Parus elegans* Lesson (first species mentioned) -- [*Paridæ*.]
Pardalotus + *Parus*.

Parnopio HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 314.

New name for *Hagedashia* Bonaparte, on grounds of purism.

[*Ibididæ*.]

Paryphephorus MEYER, Ibis, ser. 6, II, Oct., 1890, p. 420.

Type, *Craspedophora duivenbodei* Meyer ----- [*Paradiseidæ*.]

Παρυφή, a hem or border; φορέω, I bear.

†**Patagornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 55.

Type, *Patagornis marshi* Moreno and Mercerat (first species mentioned) ----- [*Stereornithes*.]

Patagonia; ὄρνις, bird.

Pecuarius TEMMINCK, Manuel d'Ornithologie, ed. 2, III, 1835, p. 76.

Substitute name for *Pastor* Temminck ----- [*Sturnidæ*.]

Pecuarius, relating to cattle, a grazier.

Pedilorhynchus REICHENOW, Journ. für Orn., Jan., 1892, p. 34.

Type, *Pedilorhynchus stuhlmanni* Reichenow --- [*Muscicapidæ*.]

Πέδιλον, a sandal; ῥύγχος, bill.

†**Pelagornis** SEELEY, Ann. Mag. Nat. Hist., ser. 3, XVIII, Aug., 1866, p. 110 (a *nomen nudum* here).

Type, *Pelagornis barretti* Seeley (a *nomen nudum* here).

[*Enaliornithidæ*.]

†**Pelargocrex** MILNE-EDWARDS, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.

New name for *Pelargopsis* Milne-Edwards, preoccupied (see *Pelargopappus*) ----- [*Ciconiidæ*.]

Πελαργός, a stork; + *Crex* (κρέξ, a crane).

†**Pelargodes** LYDEKKER, Proc. Zool. Soc. Lond., Apr. 1, 1892, p. 477.

New name for *Pelargopsis* Milne-Edwards, preoccupied.

[*Ciconiidæ*.]

Πελαργός, a stork; εἶδος, form.

†**Pelargopappus** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 163.

New name for *Pelargopsis* Milne-Edwards, preoccupied.

[*Ciconiidæ*.]

Πελαργός, a stork; πάππος, a grandfather.

†**Pelargopsis** MILNE-EDWARDS, Rech. Ois. Foss. France, I, 1867, p. 460.

Type, *Pelargopsis magna* Milne-Edwards (see *Pelargodes*; *Pelargocrex*; *Pelargopappus*) ----- [*Ciconiidae*.]

Πελαργός, a stork; *ὄψις*, look, appearance.

Pelasgia ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 74.

Type, *Hirundo pelagica* Linnaeus ----- [*Micropodidae*.]

Πελασγία, *Pelasgia*, an early name of Greece.

†**Pelecyornis** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 448.

New name for *Psilopterus* Moreno and Mercerat. [*Stereornithes*.]

Peltohyas SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 307.

Type, *Eudromias australis* Gould ----- [*Charadriidae*.]

Πέλτη, a shield; + *Hyas*.

Penthetriopsis SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 220.

Type, *Loxia moineau* Müller (first species mentioned).

[*Ploceidae*.]

Penthetria (πενθήτρια, a mourner); + *ὄψις*, aspect.

Perissocephalus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.

New name for *Gymnocephalus* Isid. Geoffroy St.-Hilaire, preoccupied (see *Calvifrons*) ----- [*Cotingidae*.]

Περισσός, wonderful; *κεφαλή*, head.

Perissornis¹ OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.

New name for *Dilophus* Vieillot, preoccupied ----- [*Sturnidae*.]

Περισσός, wonderful; *ὄρνις*, bird.

Perissospiza OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Apr. 23, 1900, p. 227.

New name for *Pycnorhamphus* Hume, preoccupied.

[*Fringillidae*.]

Περισσός, wonderful; *σπίζα*, a finch.

Phacelias HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 67.

New name for *Kelaartia* Blyth, on grounds of purism.

[*Timaliidae*.]

Φάκελος, a bundle.

Phaedrus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Ixos* Temminck ----- [*Pycnonotidae*.]

Φαιδρός, beaming, radiant.

Phaeospiza BOCAGE, Jorn. Sci. Math., Phys. e Nat. Lisboa, XII, no. xlvii, Jan., 1888, p. 148.

Type, *Phaeospiza thomensis* Bocage (= *Ligurnus rufobrunneus* Gray) ----- [*Fringillidae*.]

Φαίος, dusky; *σπίζα*, a finch.

¹ *Perissornis* will have to give way to *Creatophora* Lesson, 1847.

Phassa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.

New name for *Ramphiculus* Bonaparte, on grounds of purism.
[*Treronidæ*.]

Φάσσα, the wood pigeon.

Philomela LINCK, Besch. Natur. Samml. Univers. Rostock, I, 1806, p. 3.

Substitute name for *Sylvia* Bechstein -----[*Turdidæ*.]

Phoenicurus FORSTER, Synoptical Catalogue of British Birds, 1817, p. 16.

Type, *Phoenicurus ruficilla* Forster (= *Motacilla phoenicurus* Linnæus) -----[*Turdidæ*.]

Pholia REICHENOW, Ornith. Monatsb., VIII, July, 1900, p. 99.

Type, *Pholia hirundinea* Reichenow -----[*Muscicapidæ*.]

Φωλία (φωλεία), life in a hole or cave.

† **Phorusrhacos**¹ AMEGHINO, Enum. List. Species Mam. Fósiles, Dec., 1887, p. 24.

Type, *Phorusrhacos longissimus* Ameghino -----[*Stereornithes*.]
Φορός, bearing; ράκος, a ragged garment.

Phyllopezus "SHARPE MS.," SHELLEY, Birds of Africa, I, 1896, p. 187.

Type, *Parra africana* Gmelin (see *Actophilus*) -----[*Jacanidæ*.]
Φύλλον, a leaf; πεζός, walking.

† **Physornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 576.

Type, *Physornis fortis* Ameghino -----[*Stereornithes*.]
Φῦσα, bellows; ὄρνις, bird.

Piculus ISID. GEOFFROY ST.-HILAIRE, Nouv. Ann. du Mus. d'Hist. Nat., ser. 3, I, 1832, p. 396.

Type, *Yunx minuta* Vieillot -----[*Picidæ*.]
Piculus, dim. of *picus*, a woodpecker.

Piculus HODGSON, Journ. Asiat. Soc. Bengal, X, Pt. 1, 1841, p. 21.

New name for *Vivia* Hodgson, on grounds of purism [*Picidæ*.]
Piculus, dim. of *picus*, a woodpecker.

Piculus BREHM, Isis, Sept., 1842, p. 650.

Type, *Picus minor* Linnæus -----[*Picidæ*.]
Piculus dim. of *picus*, a woodpecker.

Pionites HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 231.

New name for *Caica* Lesson, on grounds of purism.

[*Psittacidæ*.]

Πίων, plump, sleek; with suffix *ites*.

¹ This has been amended to *Phororhacos* Ameghino, Revista Argentina Hist. Nat., i, Aug., 1891, p. 256; also to *Phororhacis*, Sclater, Ibis, Jan., 1893, p. 41 (note), where the derivation is assumed to be φορέω, and ρακίς.

- Pisynolimnas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.
New name for *Erythra* Reichenbach, on grounds of purism. [Rallidæ.]
Πίσυνος, confiding in; *λιμνάς*, marshy, of the mere.
- Pithecophaga** GRANT, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xvi.
Type, *Pithecophaga jefferyi* Grant-----[Falconidæ.]
Πίθηκος, a monkey; *φαγεῖν* (*φάγος*), to eat.
- Plagiospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
Type, *Aimophila superciliosa* Swainson-----[Fringillidæ.]
Πλάγιος, oblique; *σπίζα*, a finch.
- Plectroperdix** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 293.
New name for *Hepburnia* Bonaparte, on grounds of purism. [Phasianidæ.]
Πληκτρον, a cock's spur; + *Perdix* (*πέρδιξ*, a partridge).
- Plectrura** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Oxyura* Bonaparte-----[Anatidæ.]
Πληκτρον, a paddle; *οὐρά*, tail.
- Poecilotreron** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.
New name for *Sylphidæna* Bonaparte, on grounds of purism. [Treronidæ.]
Ποικίλος, spotted, mottled; *τρήρων*, a dove.
- Pogonites** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 226.
New name for *Buccanodon* "Verreaux" Hartlaub, on grounds of purism-----[Capitonidæ.]
Πωγωνίτης, bearded.
- Polemaëtus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.
Type, *Falco bellicosus* Daudin-----[Falconidæ.]
Πόλεμος, war; *ἀετός*, eagle.
- Poliolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Porphyrio cinereus* Vieillot-----[Rallidæ.]
Πολιός, gray; *λιμνάς* (*λιμναῖος*), marshy.
- Polionetta** OATES, Manual Game Birds of India, Pt. 2, May 18, 1899, p. 149.
Type, *Anas pæcilorhyncha* Forster-----[Anatidæ.]
Πολιός, gray; *νήττα*, a duck.
- Poliopsar** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 476.
Type, *Sturnus sericeus* Gmelin (see *Spodiopsar*)----[Sturnidæ.]
Πολιός, gray; *ψάρ*, starling.

Poospizopsis BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 208.

Type, *Poospiza caesar* Sclater and Salvin ----- [*Fringillidæ*.]
Poospiza (πόα, grass; σπιζα, finch); + ὄψις, aspect.

Porphyreicephalus REICHENOW, Vogelbild., Syst. Verz., 1883, p. 1.

Emendation of *Purpureicephalus* Bonaparte ----- [*Psittacidæ*.]
Πορφύρα, purple; κεφαλή, head.

Porphyrionis ALLEN, Bull. Amer. Mus. Nat. Hist., IV, May 9, 1892, p. 57.

Type, *Porphyrionis comeri* Allen ----- [*Rallidæ*.]
Πορφύρα, purple; ὄρνις, bird.

Porzanula FROHAWK, Ann. and Mag. Nat. Hist., ser. 6, IX, Mar., 1892, p. 247.

Type, *Porzanula palmeri* Frohawk ----- [*Rallidæ*.]
Porzanula, dim. of *Porzana*.

Potamochelidon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 355.

New name for *Seena* Blyth, on grounds of purism --- [*Laridæ*.]
Ποταμός, river; χελιδών, a swallow.

Pratincola DEGLAND, Ornithologie Européenne, II, 1849, p. 106.

Type, *Hirundo pratincola* Linnæus (first species mentioned).
 [*Cursoriidæ*.]

Pratum, a meadow; *incola*, inhabitant.

Premnoplex CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 339.

Type, *Margarornis brunnescens* Lawrence --- [*Dendrocolaptidæ*.]
Πρέμνον, a stump, tree trunk; πλήσσω, to strike.

Prionornis "SCLATER MS.," SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, May, 1895, p. 454.

New name for *Prionirhynchus* Sclater, preoccupied.
 [*Momotidæ*.]

Πρίων, a saw; ὄρνις, bird.

Prister HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 350.

Type, *Mergus brasiliensis* Vieillot ----- [*Anatidæ*.]
Πριστήρ, a sawyer.

† **Prociconia** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.

Type, *Prociconia lydekkeri* Ameghino ----- [*Ciconiidæ*.]
Pro, before; + *Ciconia* (*ciconia*, a stork).

† **Proherodius** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 60.

Type, *Proherodius oweni* Lydekker ----- [*Ardeidæ*?]
Πρό, before; + *Herodius* (ἑρῳδιός, heron).

† **Propelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 65.

Type, *Propelargus cayluxensis* Lydekker ----- [*Ciconiidæ*.]
Πρό, before; πελαργός, a stork.

- † **Prophaethon** ANDREWS, Proc. Zool. Soc. Lond., Pt. 3, Oct. 1, 1899, p. 776.
Type, *Prophaethon shrubsolei* Andrews ----- [*Phaëthontidæ*.]
Πρό, before; + *Phaethon*.
- Prosopietus** CABANIS, Journ. für Orn., Jan., 1892, p. 126.
Type, *Pachyrhamphus albinucha* Burmeister (see *Xenopsaris*).
[*Cotingidæ*.]
- Προσποιητός, assumed, pretended, adopted.
- † **Protibis**¹ AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.
Type, *Protibis cnemialis* Ameghino ----- [*Plataleidæ*.]
Πρωτός, the first; + *Ibis* (ἰβις, the ibis).
- † **Protornis** H. VON MEYER, Neues Jahrb. für Mineralogie, 1844, p. 338.
Type, *Protornis glarniensis* von Meyer ----- [*Incertæ sedis*.]
Πρωτός, the first; ὄρνις, bird.
- Psaltia** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Salicaria* Selby ----- [*Turdidæ*.]
Ψάλτριά, a female harper.
- Pselliophorus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Tachyphonus tibialis* Lawrence ----- [*Fringillidæ*.]
Ψέλλιον, armlet, bracelet; φορός, bearing.
- Pseudalaemon** PHILLIPS, Ibis, ser. 7, IV, July, 1898, p. 400.
Type, *Calendula fremantlii* Phillips ----- [*Alaudidæ*.]
Ψευδής, false; + *Alæmon* (ἀλήμων, a wanderer, rover).
- † **Pseudapteryx** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 218.
Type, *Pseudapteryx gracilis* Lydekker ----- [*Apterygidæ*.]
Ψευδής, false; + *Apteryx* (ἄ, priv. + πτέρυξ, wing).
- Pseudofringilla** HUME, Stray Feathers, I, Feb., 1873, p. 314.
Type, *Indicator xanthonotus* Blyth ----- [*Indicatoridæ*.]
Ψευδής, false; + *Fringilla* (*fringilla*, a sparrow).
- Pseudogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
Type, *Grus leucauchen* Temminck ----- [*Gruvidæ*.]
Ψευδής, false; γέρανος, a crane.
- Pseudoglottis** STEJNEGER, Zeitschr. Ges. Orn., I, Sept., 1884, p. 223 (note).
Type, *Totanus guttifer* Nordmann (= *Pseudototanus* Hume).
[*Scolopacidæ*.]
Ψευδής, false; + *Glottis* (*glottis*, a small bird).
- † **Pseudolarus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 446.
Type, *Pseudolarus eocænus* Ameghino (see *Ameghinia*).
[*Stereornithes*.]
Ψευδής, false; + *Larus* (λάρος, a gull).

¹*Protorhea* Moreno and Mercerat, 1891, described as a bird, has been shown by Ameghino (Revista Argentina Hist. Nat., I, 1891, p. 448) to be a mammal.

Pseudominla OATES, Ibis, ser. 6, VI, Oct., 1894, p. 480.

New name for *Sittiparus* Oates, preoccupied ----[*Timaliidæ*.]

Ψευδής, false; + *Minla* (*minla*, a Nepalese name).

Pseudomyobius SALVADORI and FESTA, Boll. Mus. Zool. Anat. Comp. Torino, XV, No. 362, Nov. 17, 1899, p. 12.

Type, *Pseudomyobius annectens* Salvadori and Festa.

[*Tyrannidæ*.]

Ψευδής, false; + *Myiobius* (μυῖα, a fly; βαίνω [βει], I go after.

Pseudonestor ROTHSCILD, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxv.

Type, *Pseudonestor xanthophrys* Rothschild-----[*Drepanidæ*.]

Ψευδής, false; + *Nestor* (Νέστωρ).

Pseudospingus BERLEPSCH and STOLZMANN, Proc. Zool. Soc. Lond., Aug. 1, 1896, p. 346.

Type, *Dacnis xanthophthalma* Taczanowski (first species mentioned) -----[*Tanagridæ*.]

Ψευδής, false; σπίγγος (= σπίνος), a small bird of the finch kind.

Pseudospiza SHARPE, in Rowley's Ornithological Miscellany, I, Pt. 3, Jan., 1876, p. 207.

Emendation of *Pseudofringilla* Hume -----[*Indicatoridæ*.]

Ψευδής, false; σπίζα, finch.

† **Pseudosterna** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No. v, May, 1897, p. 237.

Type, *Pseudosterna degener* Mercerat (first species mentioned).

[*Laridæ*.]

Ψευδής, false; + *Sterna*.

Pseudostruthus OUSTALET, Le Naturaliste, ser. 2, IV, Dec. 1, 1890, p. 274.

Type, *Pseudostruthus gongonensis* Oustalet-----[*Fringillidæ*.]

Ψευδής, false; στρουθός, sparrow.

Pseudotharrhaleus GRANT, Bull. Brit. Orn. Club, IV, June 29, 1895, p. xl.

Type, *Pseudotharrhaleus caudatus* Grant-----[*Timaliidæ*.]

Ψευδής, false; + *Tharrhaleus* (θαῤῥαλέος, bold, daring).

Pseuduria SHARPE MS., COUES, Osprey, III, May (June 10), 1899, p. 144.

Type, "Black guillemots with 14 rectrices" (= *Cepphus columba* Pallas, etc.) -----[*Alcidæ*.]

Ψευδής, false; + *Uria*.

Psilomycter HARTERT, Ornith. Monatsb., VII, Oct., 1899, p. 160.

Type, *Trochilus theresia* Da Silva -----[*Trochilidæ*.]

Ψιλός, naked, bare; μυκτήρ, nose, snout.

† **Psilopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 67.

Type, *Psilopterus communis* Moreno and Mercerat (see *Pelecyornis*) -----[*Cathartidæ* (= *Stereornithes*).]

Ψιλός, bare, naked; πτερόν, wing.

Psilopus "TEMME." BONAPARTE, *Consp. Gen. Avium*, I, 1850, p. 141.

Type, *Bucco hayi* Gray ----- [*Capitonidæ*.]

Ψιλός, naked; πούς, foot.

Psiloscops COUES, *Osprey*, III, May (June 10), 1899, p. 144.

Type, *Scops flammeola* Kaup ----- [*Bubonidæ*.]

(A subgenus of *Megascops*).

Ψιλός, bare, smooth; σκῶψ, a small owl.

Pteridophora MEYER, *Bull. Brit. Orn. Club*, IV, Dec. 29, 1894, p. xi.

Type, *Pteridophora alberti* Meyer ----- [*Paradiseidæ*.]

Πτερίς, fern; φέρειν, to bear.

Pteronetta SALVADORI, *Catal. Birds Brit. Mus.*, XXVII, 1895, p. 63.

Type, *Querquedula hartlaubi* Cassin ----- [*Anatidæ*.]

Πτερόν, wing; νήττα, a duck.

Pterygocys HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 288.

New name for *Pteroclorus* Bonaparte ----- [*Pteroclidæ*.]

Πτέρυξ, wing; ὤκύς, swift, fleet.

Ptilocorys MADARASZ, *Magyor. Madaras Fuz.*, II, 1899, p. 48.

New name for *Galerida* (emend. *Galerita*) Boie, 1828, not *Galerita* Fabricius, 1801 ----- [*Alaudidæ*.]

Πτίλον, a feather; κόρυς, a lark.

Ptilolæmus GRANT, *Catal. Birds Brit. Mus.*, XVII, 1892, p. 392.

Type, *Buceros tickelli* Blyth (first species mentioned).

[*Bucerotidæ*.]

Πτίλον, feather; λαιμός, throat.

Ptiloprora DE VIS, *Ann. Report Brit. New Guinea* (1893-94), 1894, App. EE, p. 103.

Type, *Ptilotis? guisei* De Vis (first species mentioned).

[*Meliphagidæ*.]

Πτίλον, feather; πρῶρα, prow.

Ptiloxena CHAPMAN, *Bull. Amer. Mus. Nat. Hist.*, IV, 1892, p. 307.

Type, *Quiscalus atrovioleaceus* d'Orbigny ----- [*Icteridæ*.]

Πτίλον, feather; ξένος, strange.

Ptocas HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 342.

New name for *Rufibrenta* Bonaparte, on grounds of purism.

[*Anatidæ*.]

Πτωκάς, shy, timorous.

Ptynx BLYTH, in Cuvier's *Animal Kingdom*, 1840, p. 175 (note).

Type, *Strix uralensis* Pallas ----- [*Bubonidæ*.]

Πτύγξ, a water bird.

Pulchripitta ELLIOT, *Monogr. Pittidæ*, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Pitta iris* Gould ----- [*Pittidæ*.]

(A subgenus of *Pitta*.)

Pulcher, beautiful; + *Pitta*.

Rectirostrum REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 32.

Type, *Rectirostrum hypochondriacum* Reichenow - [Timaliidæ.]
Rectus, straight; *rostrum*, beak.

† **Remiornis** LEMOINE, Rech. Ois. Foss. Environs de Reims, Pt. 2, 1881, p. 158.

Type, *Remiornis heberti* Lemoine - [Gastornithidæ.]
Remus, an oar; ῥομῖς, bird.

Remiza STEJNEGER, Proc. U. S. Nat. Mus., IX, Feb. 10, 1887, p. 387.

New name for *Aegithalus* Boie, preoccupied - [Paridæ.]
Remiz, the Polish vernacular name of *Parus pendulinus* Linnæus.

Rhabdochlamys OUSTALET, Bull. Mus. d'Hist. Nat., III, 1897, p. 208.

Type, *Rhabdochlamys dejeani* Oustalet - [Timaliidæ.]
 ῥάβδος, a rod; χλαμύς, a mantle.

Rhabdotorrhinus MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 6.

Type, *Buceros exaratus* Temminck - [Bucerotidæ.]
 ῥάβδωτός, striped, streaked; ῥίς, nose.

Rhagoborus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Baillonius* Cassin, on grounds of purism.

[Rampastidæ.]

ῥάξ (ῥαγο-), a grape; βορός, devouring.

Rhagorhina GLOGER, Hand und Hilfsbuch, I, 1842, p. 360.

Type, *Columba auricularis* Temminck (an artifact).

[Incertæ sedis.]

ῥάξ (ῥαγο-), a grape; ῥίς, nose.

Rhamphotreron HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 279.

New name for *Toria* Hodgson, on grounds of purism.

[Treronidæ.]

ῥάμφος, beak; + *Treron* (τρήρων, a dove).

Rhaphidornis REICHENOW, Ornith. Monatsb., V, Aug., 1897, p. 123.

Type, *Rhaphidornis flavifrons* Reichenow - [Nectariniidæ.]
 ῥαφίς (ῥαφιδ-), a needle; ῥομῖς, bird.

Rhimphalea HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 338.

New name for *Stiltia* Bonaparte, on grounds of purism.

[Cursoriidæ.]

ῥιμφαλέος, light, swift.

Rhinornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Rhinomya* Geoffroy St.-Hilaire - [Pteroptochidæ.]

ῥίς (ῥιν-), nose; ῥομῖς, bird.

- Rhodacanthis** ROTHSCILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 110.
 Type, *Rhodacanthis palmeri* Rothschild -----[*Drepanidæ*.]
 ‘Ρόδον, rose; + *Acanthis* (ἀκανθίς, a goldfinch).
- Rhodornis** SHELLEY, Birds of Africa, I, 1896, p. 67.
 Type *Pholidornis rubrifrons* Sharpe and Ussher ----[*Dicæidæ*.]
 ‘Ρόδον, rose; ὄρνις, bird.
- Rhodothraupis** RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.
 Type, *Fringilla celæno* Lichtenstein -----[*Fringillidæ*.]
 ‘Ρόδον, rose; θραυπίς, a little bird, like the goldfinch.
- Rhombura** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 360.
 Type, *Columba oxyura* Temminck -----[*Treronidæ*.]
 ‘Ρόμβος, rhomb; οὐρά, tail.
- Rhopocichla** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 159.
 Type, *Brachypteryx atriceps* Jerdon -----[*Timaliidæ*.]
 Ρώψ (ῥωπός), underwood, brushwood; κίχλη, a thrush.
- Rhopocichla** ALLEN, Bull. Amer. Mus. Nat. Hist., III, Feb. 20, 1891, p. 199.
 Type, *Myiothera ardesiaca* Wied -----[*Formicariidæ*.]
 ‘Ρώψ (ῥωπός), underwood, brushwood; κίχλη, a thrush.
- Rhynchortyx** GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 443.
 Type, *Odontophorus spodiostethus* Salvin (first species mentioned) -----[*Phasianidæ*.]
 ‘Ρύγχος, beak; + *Ortyx* (ὄρτυξ, a quail).
- Rhynchosimus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 326.
 New name for *Terekia* Bonaparte, on grounds of purism.
 [Scolopacidæ.]
 ‘Ρύγχος, beak; σιμός, uphill, concave.
- Rhynchospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Hæmophila stolzmanni* Taczanowski -----[*Fringillidæ*.]
 ‘Ρύγχος, beak; σπιζα, a finch.
- Riparia** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 17.
 Type, *Riparia europæa* Forster (= *Hirundo riparia* Linnæus).
 [Hirundinidæ.]
Riparius, frequenting river banks.
- † **Rostrornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 40.
 Type, *Rostrornis floweri* Moreno and Mercerat --[*Stereornithes*.]
Rostrum, beak; ὄρνις, bird.
- Rothschildia** PERKINS, in Wilson and Evans, Aves Hawaiienses, June, 1899, p. xxi.
 Type, *Himatione parva* Stejneger -----[*Drepanidæ*.]
 Named for Mr. Walter Rothschild.

- Rubricapilla** BREHM (see Blyth, Journ. Asiat. Soc. Bengal, XIII, Pt. 2, 1844, p. 954).
Type, the "Redpole linnets" -----[*Fringillidæ*.]
Rubra, red; *capillus*, hair.
- Rupicola** BOGDANOW "1881," Consp. Av. Imp. Ross., Pt. 1, 1884, p. 1.
Type, *Columba livia* Bonnaterre (first species mentioned).
[*Columbidæ*.]
Rupes, a rock; *incola*, an inhabitant.
- Salvadorina** ROTHSCILD and HARTERT, Novitates Zoologicae, I, Sept., 1894, p. 683.
Type, *Salvadorina waigiensis* Rothschild and Hartert.
[*Anatidæ*.]
Named for Count Tomaso Salvadori.
- Sapheopipo** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 378.
Type, *Picus noguchii* Seebohm -----[*Picidæ*.]
Σαφέως, clearly, plainly; πιπώ, a kind of woodpecker,
- Sarcogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
Type, *Grus leucogeranus* Pallas -----[*Gruidæ*.]
Σάρξ (σάρκ-), flesh; γέρανος, a crane.
- Sarcogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
Type, *Vultur pondicerianus* Latham -----[*Vulturidæ*.]
(A subgenus of *Vultur*).
Σάρξ (σάρκ-), flesh; γύψ, a vulture.
- Sarganura** DE VIS, Ann. Report Brit. New Guinea (1896-97), 1898, Appendix AA, p. 87.
Type, *Sarganura maculiceps* De Vis -----[*Meliphagidæ*.]
Σαργάνη, a plait, band; οὐρά, tail.
- Sarothrura** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 319.
New name for *Corethrura* Reichenbach, preoccupied. [*Rallidæ*.]
Σάρωθρον, a sweeping broom; οὐρά, tail.
- Scæorhynchus** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 68.
Type, *Paradoxornis ruficeps* Blyth -----[*Paridæ*.]
Σκαιοός, awkward, clumsy; ρύγχος, beak.
- Scaniornis** DAMES, Bihang K. Vet.-Akad. Handl., XVI, Pt. 4, no. 1, 1890, p. 4, pl.
Type, *Scaniornis lundgreni* Dames -----[*Incertæ sedis*.]
Σκανά (σκηνή), a tent; ὄρνις, bird.
- Scenopæetes** COUES, Auk, VIII, Jan., 1891, p. 115.
New name for *Scenopæus* Ramsay, preoccupied.
[*Ptilonorhynchidæ*.]
Σκῆνος, a tent, house; ποιητής, maker.
- Schoenichus** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 51.
Type, *Emberiza schænichus* Linnæus -----[*Fringillidæ*.]

Sclateria OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.

New name for *Heterocnemis* Slater, preoccupied.

[*Formicariidæ*.]

Named for Dr. P. L. Slater.

Scototheres HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 249.

New name for *Lempijius* Bonaparte, on grounds of purism.

[*Rubonidæ*.]

Σκότος, darkness; θηράω, I hunt.

Scotothorus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 208.

New name for *Heteropelma* Bonaparte, preoccupied. [Pipridæ.]

Σκότος, darkness; θορεῖν, to leap.

Scyrornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Sialia* Swainson -----[*Turdidæ*.]

Σκυρός, gypsum, stucco; ὄρνις, bird.

Semnornis RICHMOND, Auk, XVII, Apr., 1900, p. 179.

New name for *Pan* Richmond (vice *Tetraganops* Jardine), preoccupied -----[*Capitonidæ*.]

Σεμνός, solemn; ὄρνις, bird.

Serinopsis RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.

Type, *Fringilla arvensis* Kittlitz -----[*Fringillidæ*.]

Serinus (a serin-finch), + ὄψις, appearance.

Serrator SPRÜNGLI, in Storr, Alpenreise, I, 1784, p. 74.

Type, *Mergus merganser* Linnæus -----[*Anatidæ*.]

Setogyps LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.

Type, *Vultur imperialis* Temminck (first name cited) [Vulturidæ.]

(A subgenus of *Vultur*).

Seta, a bristle, + *Gyps* (γύψ, a vulture).

Sirycter HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 309.

Type, *Ardea cyanocephala* Molina -----[*Ardeidæ*.]

Συρικτήρ, the male crane.

Sittiparus OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 171.

Type, *Minla cinerea* Blyth (see *Pseudominla*) -----[*Timaliidæ*.]

Sitta (σίττη, a kind of woodpecker), + *Parus* (*parus*, a titmouse).

Spathopterus NORTH, Ibis, ser. 7, I, July, 1895, p. 339.

Type, *Polyteles alexandrae* Gould -----[*Psittacidæ*.]

Σπάθη, a blade; πτερόν, wing.

Spermophilopsis ROTHSCILD, Bull. Brit. Orn. Club, IV, May 31, 1895, p. xxxvii.

New name for *Drepanorhynchus* Dubois, preoccupied.

[*Fringillidæ*.]

Spermophila (σπέρμα, seed; φιλεῖν, to love); + ὄψις, aspect

Spiloptera "BLYTH," JERDON, Birds of India, I, 1862, p. 492.

Type, *Troglodytes punctatus* Blyth-----[*Troglodytidæ*.]

(See *Elachura*.)

Spilospiza SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 1, VII, 1875, p. 643.

New name for *Erythrospiza* Kaup, preoccupied---[*Falconidæ*.]

Σπίλος, a spot; σπιζίας, a sparrow-hawk.

Spodiopsar SHARPE, Ibis, ser. 6, I, Oct., 1889, p. 580.

New name for *Poliopsar* Sharpe, preoccupied-----[*Sturnidæ*.]

Σπόδιος, ash-colored; ψάρ, a starling.

Sporathraupis RIDGWAY, Auk, XV, Oct., 1898, p. 331.

New name for *Hemithraupis* Ridgway, preoccupied.

[*Tanagridæ*.]

Σπορά, seed; θραυπίς, a small bird, like the goldfinch.

†**Staphylornis** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No. V, May, 1897, p. 233.

Type, *Staphylornis gallardoi* Mercerat (first species mentioned).

[*Stereornithes*.]

Σταφυλή, a bunch of grapes; ὄρνις, bird.

Stasiasticus HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.

Type, *Stasiasticus montis* Hartert-----[*Timaliidæ*.]

Στασιαστικός, seditious.

Stelgidillas OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899, p. 30.

Type, *Andropadus gracilirostris* Strickland----[*Pycnonotidæ*.]

Στελγίς (στελγιδ-), a scraper; ἰλλάς, a thrush.

Stelgidostomus RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.

Type, *Saltator maxillosus* Cabanis-----[*Fringillidæ*?]

Στελγίς (στελγιδ-), a scraper; στόμα, mouth.

†**Stephanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893, p. 5.

Type-----[*Stereornithes*.]

Στέφανος, crown; ὄρνις, bird.

Stephanoxis SIMON, Catal. Famille des Trochilides, 1897, p. 40.

New name for *Cephallepis* Loddiges, preoccupied-[*Trochilidæ*.]

Στέφανος, crown; ὀξύς, sharp, pointed.

†**Stereornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 45.

Type, *Stereornis rollieri* Moreno and Mercerat (first species mentioned)-----[*Stereornithes*.]

Στερεός, solid, fixed; ὄρνις, bird.

Stictognathus BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 242.

Type, *Pycnonotus taivanus* Styan -----[*Pycnonotidæ*.]

Στικτός, marked, spotted; γνάθος, jaw.

Stictolimnas BÜTTIKOFER, Notes Leyden Museum, XV, Oct., 1893, p. 274.

Type, *Stictolimnas sharpei* Büttikofer -----[*Rallidæ*.]

Στικτός, spotted; λιμνάς (λιμναῖος), marshy, of the mere.

Stictospiza SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 287.

Type, *Fringilla formosa* Latham -----[*Ploceidæ*.]

Στικτός, spotted; σπίζα, a finch.

Stilbopsar REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 31.

Type, *Stilbopsar stuhlmanni* Reichenow -----[*Sturnidæ*.]

Στίλβω, I shine, glitter; ψάρ, starling.

Stizoptera OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.

New name for *Stizoptera* Reichenbach, preoccupied -[*Ploceidæ*.]

Στίζω, I mark; πτερόν, wing.

Stizorhina OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 213.

New name for *Cassinia* Hartlaub, preoccupied -[*Muscicapidæ*.]

Στίζω, I mark; ρίς, nose.

Styptes GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.

New name for *Tigrisoma* Swainson -----[*Ardeidæ*.]

Στιπτός, trodden down.

Sylvicola BOGDANOW "1881," Consp. Av. Imp. Ross., Pt. 1, 1884, p. 3.

Type, *Columba fusca* Pallas (first species mentioned).

[*Columbidæ*.]

Sylva, a wood, forest; *incola*, an inhabitant.

†**Tachyornis** MILNE-EDWARDS, Compte-Rendu Second Congrès Orn. Int., Pt. 2, 1892, p. 66.

Type, *Tachyornis hirundo* Milne-Edwards (see *Belornis*).

[*Incertæ sedis*.]

Ταχύς, swift; ὄρνις, bird.

Tantalops COUES, Key to North American Birds, ed. 2, 1884, p. 653.

Type, *Tantalus loculator* Linnæus -----[*Ciconiidæ*.]

Tantalus (Τάνταλος, a king of Phrygia); + ὦψ.

†**Taoperdix** MILNE-EDWARDS, Rech. Ois. Foss. de France, II, 1870, p. 225.

Type, *Tetrao? pessieti* Gervais -----[*Phasianidæ*.]

Ταῶς, a peacock; πέρδιξ, partridge.

†**Taphaetus** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 123.

Type, *Uroætus brachialis* De Vis -----[*Falconidæ*.]

Τάφος, grave; ἀετός, eagle.

- †**Tapinopus** MILNE-EDWARDS, *Compte-Rendu Second Congrès Orn. Int.*, Pt. 2, 1892, p. 79.
Type, *Tapinopus ellioti* Milne-Edwards (see *Diatropornis*).
[*Incertæ sedis*.]
Ταπεινός, low; *πούς*, foot.
- Tectonornis** SHARPE, *Monogr. Paradiseidæ*, Pt. 1, 1891.
New name for *Scenopæus* Ramsay, preoccupied (see *Scenopæetes*) -----[*Ptilonorhynchidæ*.]
Τέκτων, a builder; *ὄρνις*, bird.
- Telespyza** WILSON, *Ibis*, ser. 6, II, July, 1890, p. 341.
Type, *Telespyza cantans* Wilson -----[*Drepanidæ*.]
Τήλε, far away; *σπίζα*, a finch.
- Temnurus** SWAINSON, "Classification of Birds," II, July, 1837, p. 337.
Type, *Temnurus albicollis* Swainson (= *Trogon temnurus* Temminck) -----[*Trogonidæ*.]
(A subgenus of *Trogon*.)
Τέμνω, I cut; *οὐρά*, tail.
- Terenotreron** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 280.
New name for *Thouarsitreron* Bonaparte, on grounds of purism.
[*Treronidæ*.]
Τέρενος, soft, delicate; + *Treron* (*τρήρων*, a dove).
- Thamnocharis** SCLATER, *Catal. Birds Brit. Mus.*, XV, 1890, p. 310.
Type, *Grallaria dignissima* Sclater and Salvin -----[*Formicariidæ*.]
Θάμνος, a bush; *χάρις*, grace.
- †**Thegornis** AMEGHINO, *Bol. Inst. Geogr. Argentino*, XV, 1895, p. 598.
Type, *Thegornis musculosus* Ameghino (first species mentioned).
[*Falconidæ*.]
Θήγω, to sharpen; *ὄρνις*, bird.
- Thereiceryx** BLANFORD, *Ibis*, ser. 6, V, Apr., 1893, p. 237.
Type, *Bucco zeylonicus* Gmelin -----[*Capitonidæ*.]
Θέρος, summer; *κήρυξ*, herald.
- Thringorhina** OATES, *Fauna of Brit. India (Birds)*, I, Dec., 1889, p. 155.
Type, *Turdinus guttatus* Tickell -----[*Timaliidæ*.]
Θριγγός, cornice, eaves; *ῥίς*, nose.
- Thryolegus** OBERHOLSER, *Proc. Acad. Nat. Sci. Phila.*, June 2, 1899, p. 210.
New name for *Limnophyes* Sclater, preoccupied -----[*Furnariidæ*.]
Θρύον, a rush; *λέγω*, I lie down.
- Tigriornis** SHARPE, *Bull. Brit. Orn. Club*, V, Dec. 30, 1895, p. xiv.
Type, *Tigrisoma leucolophum* Jardine -----[*Ardeidæ*.]
Τίγρις, tiger; *ὄρνις*, bird.
- Timeta** GISTEL, *Naturgesch. des Thierreichs für höhere Schulen*, 1848, p. ix.
New name for *Leptorhynchus* Du Bus -----[*Recurvirostridæ*.]
Τιμητής, an appraiser.

†**Titanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893, p. 5.

Type, *Titanornis mirabilis* Mercerat ----- [*Stereornithes*.]
Τιτάν, Titan; *ὄρνις*, bird.

Tolmerus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 260.

New name for *Chiquera* Bonaparte, on grounds of purism.

[*Falconidæ*.]

Τολμηρός, bold.

†**Tolmodus**¹ AMEGHINO, Revista Argent. Hist. Nat., I, Aug., 1891, p. 157.

Type, *Tolmodus inflatus* Ameghino ----- [*Stereornithes*.]
Τόλμα, daring, boldness; *ὀδούς*, tooth.

Tolmolestes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.

New name for *Spizastur* Lesson, on grounds of purism.

[*Falconidæ*.]

Τόλμα, daring; *ληστής*, robber.

Trachylaemus REICHENOW, Journ. für Orn., 1891, p. 394.

Type, *Capito goffini* Schlegel ----- [*Capitonidæ*.]
Τραχύς, rough; *λαιμός*, throat.

Traversia ROTHSCHILD, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. x.

Type, *Traversia lyalli* Rothschild ----- [*Xenicidæ*.]
 Named for Henry H. Travers.

Trichocichla REICHENOW, Journ. für Orn., "Oct.," 1890, p. 489.

Type, *Trichocichla rufa* Reichenow ----- [*Timaliidæ*.]
Θρίξ (*τριχ*-), hair; *κίχλη*, thrush.

Tricholimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Gallirallus lafresnayanus* Verreaux ----- [*Rallidæ*.]
Θρίξ (*τριχ*-), hair; *λιμνάς* (*λιμναῖος*), marshy, of the mere.

Trichoparadisea MEYER, Abhandl. und Berichte Mus. Dresden, IV, No. 3, 1893, p. 20.

Type, *Paradisea guilielmi* Cabanis ----- [*Paradiseidæ*.]
Θρίξ (*τριχ*-), hair; + *Paradisea*.

Trigonoceps LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.

Type, *Vultur occipitalis* Burchell ----- [*Vulturidæ*.]
 (A subgenus of *Vultur*).

Τρίγωνος, three-cornered; + *Caput* (*ceps*), head.

Trochilus FORSTER, Synoptical Catalogue of British Birds, 1817, p. 14.

Type, *Trochilus minor* Forster (= *Sylvia rufa* Bechstein).
 [*Turdidæ*.]

Trygon BREHM, Handb. Vög. Deutschl., 1831, p. 495.

Type, *Columba migratoria* Linnæus ----- [*Columbidæ*.]
Τρυγών, the turtle dove.

¹ Here described as a mammal.

Tryzusa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 276.

New name for *Turturæna* Bonaparte, on grounds of purism.

[*Columbidæ*.]

Τρύζω, I coo like a dove.

Tusalia HODGSON (see Hodgson, Journ. Asiat. Soc. Bengal, XII, Pt. 2, 1843, p. 937).

Same as *Coccyzura* Hodgson -----[*Columbidæ*.]

Tusalia, a Nepalese name.

†**Tylopteryx** HUTTON, Trans. New Zealand Institute, XXIV, May, 1892, p. 116.

Type, *Dinornis gracilis* Owen (first species mentioned).

[*Dinornithidæ*.]

(A subgenus of *Dinornis*.)

Τύλος, a swelling (in allusion to the top of the skull); + *Apteryx* (ἄ, priv. + πτέρυξ, wing).

Typanus NITZSCH, Observ. Avium Arteria Carotide Communi, 1829, p. 18.

Type *Charadrius ægyptius* Linnaeus -----[*Charadriidæ*.]

Τύπανος, a kind of bird.

Tyto HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.

New name for *Myrtha* Bonaparte, on grounds of purism.

[*Bubonidæ*.]

Τυτώ, the night owl.

Ulocomus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Beauharnesius* Bonaparte, on grounds of purism.

[*Ramphastidæ*.]

Οὔλος, curly; κόμη, hair.

Uratelornis ROTHSCILD, Novitates Zoologicae, II, Dec. 30, 1895, p. 479.

Type, *Uratelornis chimaera* Rothschild -----[*Coraciidæ*.]

Ούρά, tail; τέλος, complete, perfect; ὄρνις, bird.

Urococcyx SHELLEY, Catal. Birds Brit. Mus., XIX, 1891, p. 398.

Type, *Phænicophæus erythrognaethus* Hartlaub -----[*Cuculidæ*.]

Ούρά, tail; κόκκυξ, a cuckoo.

Urodrepanis SHELLEY, Monograph Nectariniidæ, Pt. 1, July, 1876, p. 79.

Type, *Æthopyga christinæ* Swinhoe -----[*Nectariniidæ*.]

Ούρά, tail; + *Drepanis* (δρεπάνη, a sickle).

Urophlexis STEJNEGER, Proc. U. S. Nat. Mus., XV, Aug. 2, 1892, p. 341.

New name for *Urosphena* Swinhoe, preoccupied ----[*Turdidæ*.]

Ούρά, tail; φλεξίς, name of an unknown bird.

Vestipedes LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.

Type¹ -----[*Trochilidæ*.]

Vestis, a covering; *pes*, the foot.

Viridonia ROTHSCILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 112.

Type, *Viridonia sagittirostris* Rothschild -----[*Drepanidæ*.]

Warszewiczia BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 1), Mar., 1895, p. 224.

Type, *Helianthus viola* Gould -----[*Trochilidæ*.]

Named for Josef Warszewicz.

Xanthixus OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 274.

Type, *Pycnonotus flavescens* Blyth -----[*Pycnonotidæ*.]

Ξανθός, yellow; + *Ixus*.

Xanthochlamys SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Amblyornis subalaris* Sharpe -----[*Ptilonorhynchidæ*.]

Ξανθός, yellow; χλαμύς, cloak, mantle.

Xanthocnus SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxvii.

Type, *Ardea flavicollis* Latham (first species mentioned).

[*Ardeidæ*.]

Ξανθός, yellow; ὄκνος, bittern.

Xenopsaris RIDGWAY, Proc. U. S. Nat. Mus., XIV, Oct. 22, 1891, p. 479.

Type, *Pachyrhamphus albinucha* Burmeister -----[*Cotingidæ*.]

Ξένος, strange; ψάρ, a starling.

Zalias HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 362.

New name for "*Thiellus* (!) Rehb. 1853, nec Glog. 1827."

[*Puffinidæ*.]

Ζάλη, surf, spray.

Zapterus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.

New name for *Euhyas* Sharpe, preoccupied ----[*Charadriidæ*.]

Ζα, intensive particle; πτερόν, wing.

Zarhynchus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.

New name for *Eucorystes* Sclater, preoccupied -----[*Icteridæ*.]

Ζα, intensive particle; ῥύγχος, bill.

Zeledonia RIDGWAY, Proc. U. S. Nat. Mus., XI, Sept. 20, 1889, p. 537.

Type, *Zeledonia coronata* Ridgway -----[*Turdidæ*.]

Named for Señor José C. Zeledon.

¹ Proposed as a subgenus or "race" of *Ornismya*, with the following species: *O. vestita* Lesson; *O. pennata* (new here); *O. maniculata* Lesson (new name, = "*O. vestita* femina, Long., Rev. Zool., 1838, p. 314"); *O. glomata* Lesson (new here). *Vestipedes* is equivalent to, and earlier than, *Eriocnemis*.

Zonifer SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 154.

Type, *Charadrius tricolor* Vieillot-----[*Charadriidæ*.]

Ζώνη, a girdle, belt; φέρω, I bear.

Zonophaps SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 207.

Type, *Carpophaga forsteri* Temminck-----[*Treronidæ*.]

(A subgenus of *Carpophaga*).

Ζώνη, a belt, girdle; φάψ, a pigeon.

Zosterornis GRANT, Bull. Brit. Orn. Club, III, June 30, 1894, p. 1.

Type, *Zosterornis whiteheadi* Grant-----[*Timaliidæ*.]

Ζωστήρ, a girdle; ὄρνις, bird.

CATALOGUE OF GENERA MENTIONED IN THE FOREGOING LIST, ARRANGED BY FAMILIES.

[Fossil genera are indicated by italics.]

INCERTÆ SEDIS.

Alcatras.
Barornis.
Belornis.
Camaskelus.
Cimolopteryx.
Cryptornis.
Diatropornis.
Dolychoeix.
E'aphrocnemus.
Eupterornis.
Euryonotus.
Filholornis.
Idiornis.
Loxornis.
Ornithodesmus.
Orthocnemus.
Osteornis.
Protornis.
Rhagorhina.
Scaniornis.
Tachyornis.
Tapinopus.

ÆGIALORNITHIDÆ.

Ægialornis.

ÆPYORNITHIDÆ.

Flacourtia.
Mullerornis.

ALAUDIDÆ.

Chersophilus.
Corydon.
Eremopterix.
Etoimus.
Heliocorys.
Pseudalaemon.
Ptilocorys.

ALCIDÆ.

Endomychura.
Micruria.
Pseuduria.

ANATIDÆ.

Adelonetta.
Alopochen.
Asarcornis.
Centrornis.
Chenornis.
Dafilula.
Elasmonetta.
Eoneornis.
Eutelornis.
Gennaeochen.
Hydrobates.
Ilyonetta.
Malacorhynchus.
Nesochen.
Nettalopex.
Plectrura.
Polionetta.
Prister.
Pteronetta.
Ptocas.
Salvadorina.
Serrator.

APTERYGIDÆ.

Metapteryx.
Pseudapteryx.

ARCHÆOPTERYGES.

Griphornis.
Griphosaurus.

ARDEIDÆ.

Ardeacites.

ARDEIDÆ—Continued.

Doriponus.
 Dupetor.
 Erythrocnus.
 Erythrophoyx.
 Glaucero dius.
 Heterocnus.
 Hydranassa.
 Leucophoyx.
 Melanophoyx.
 Mesophoyx.
 Notophoyx.
 Nycticorax.
Proherodius.
 Strycter.
 Styptes.
 Tigriornis.
 Xanthocnus.

ARTAMIDÆ.

Cataphania.

BUBONIDÆ.

Ascalaphia.
 Cetupa.
Necrobyas.
 Nyctalatinus.
 Nyctimene.
 Psiloscoops.
 Plynx.
 Scototheres.
 Tyto.

BUCEROTIDÆ.

Cassidix.
 Gymnolæmus.
 Horizocerus.
 Ortholophus.
 Ptilolæmus.
 Rhabtotorrhinus.

CACATUIDÆ.

Kakatoe.

CAMPEPHAGIDÆ.

Diaphoropterus.

CAPITONIDÆ.

Abelterus.
 Aleator.
 Cladurus.
 Erythrobucco.
 Geniates.
 Heliobucco.
 Lignobucco.
 Lybius.
 Melanobucco.
 Mezobucco.
 Pan.

CAPITONIDÆ—Continued.

Pogonites.
 Psilopus.
 Semnornis.
 Thereiceryx.
 Trachylæmus.

CAPRIMULGIDÆ.

Nannochordeiles.

CASUARIIDÆ.

Hypselornis.

CATHARTIDÆ.

Gymnogyps.

CHARADRIIDÆ.

Anomalophrys.
 Dilobus.
 Euhyas.
 Eurypterus.
 Gavia.
 Hyetoceryx.
 Lobibyx.
 Microsarcops.
 Peltohyas.
 Typanus.
 Zapterus.
 Zonifer.

CICONIIDÆ.

Amhipelargus.
 Diplocercus.
 Diplura.
Palæopelargus.
Pelargocrex.
Pelargodes.
Pelargopappus.
Pelargopsis.
Prociconia.
Propelargus.
 Tantalops.

CLADORNITHIDÆ.

Cladornis.

CÆREBIDÆ.

Cyanerpes.

COLUMBIDÆ.

Amaurœnas.
 Coccyzoenas.
 Coelotreron.
 Coryphœnas.
 Dendrophaps.
 Dendrotreron.
 Dialiptila.
 Haploenas.
 Leucoenas.
 Nescenas.
 Œncenas.

COLUMBIDÆ—Continued.

Palumbis.
Rupicola.
Sylvicola.
Trygon.
Tryzusa.
Tusalia.

COLYMBIDÆ.

Colymbetes.

CORACIIDÆ.

Geranopterus.
Uratelornis.

CORVIDÆ.

Cornix.
Galgulus.
Monedula.
Palæocorax.

COTINGIDÆ.

Alticeps.
Calvifrons.
Carnifex.
Perissocephalus.
Prospoietus.
Xenopsaris.

CRACES.

Gallinuloides.

CRACIDÆ.

Cumana.

CUCULIDÆ.

Clamator.
Dynamopterus.
Leptourus.
Metallococcyx.
Urococcyx.

CURSORIIDÆ.

Pratincola.
Rhimphalea.

DENDROCOLAPTIDÆ.

Deconychura.
Premnoplex.

DICÆIDÆ.

Aemonorhynchus.
Rhodornis.

DICRURIDÆ.

Dissemurulus.

DINORNITHIDÆ.

Anomalornis.
Megalapteryx.
Mesopteryx.
Moa.
Movia.
Pachyornis.
Palæo-casuarius.
Tylopteryx.

DREPANIDÆ.

Chlorodrepanis.
Chrysomitridops.
Ciridops.
Dialis.
Drepanorhamphus.
Drepanorhynchus.
Palmeria.
Pseudonestor.
Rhodacanthis.
Rothschildia.
Telespyza.
Viridonia.

DROMORNITHIDÆ.

Genyornis.

ENALIORNITHIDÆ.

Enaliornis.
Palæocolymbus.
Pelagornis.

FALCONIDÆ.

Alectromorphnus.
Anopaia.
Asthenopterus.
Brewsteria.
Cymindus.
Elasas.
Erythrotriorchis.
Euhierax.
Foetopterus.
Gennadas.
Gymnops.
Halinertus.
Lagopterus.
Limnætus.
Necrastur.
Nesierax.
Oronertus.
Palaëtus.
Pithecophaga.
Poiemaëtus.
Spilospiza.
Taphaetus.
Thegornis.
Tolmerus.
Tolmolestes.

FORMICARIIDÆ.

Calobamon.
Formicicapa.
Manikup.
Myrmochanes.
Rhopocichla.
Sclateria.
Thamnocharis.

FRINGILLIDÆ.

Arremonops.
 Brachyospiza.
 Clibanus.
 Cocornis.
 Compsospiza.
 Dictaea.
 Drepanorhynchus.
 Eurhinospiza.
 Geospiza.
 Hyphantospiza.
 Incaspiza.
 Lysurus.
 Melanospiza.
 Myospiza.
 Oreospiza.
 Perissospiza.
 Phaeospiza.
 Plagiospiza.
 Poospizopsis.
 Pselliophorus.
 Pseudostruthus.
 Rhodothraupis.
 Rhynchospiza.
 Rubricapilla.
 Schoeniclus.
 Serinopsis.
 Spermophilopsis.
 Stelgidostomus.

FURNARIIDÆ.

Aphrastura.
 Certhiaxis.
 Ipnodomus.
 Thryolegus.

GALBULIDÆ.

Hylaërops.

GASTORNITHIDÆ.

Remiornis.

GRUIDÆ.

Geranopsis.
 Limnogeranus.
Palæogrus.
 Pseudogeranus.
 Sarcogeranus.

HELIORNITHIDÆ.

Heliopais.

HESPERORNITHIDÆ.

Coniornis.

HIRUNDINIDÆ.

Antrochelidon.
 Chelidonaria.
 Herophilus.

HIRUNDINIDÆ—Continued.

Lecythoplastes.
 Riparia.

IBIDIDÆ.

Parnopio.

ICTERIDÆ.

Cirulus.
 Hylike.
 Ptiloxena.
 Zarhynchus.

INDICATORIDÆ.

Melignomon.
 Pseudofringilla.
 Pseudospiza.

JACANIDÆ.

Actophilus.
 Asarcia.
 Phyllopezus.

LANIIDÆ.

Abbottornis.
 Antichromus.
 Bocagia.
 Cosmophoneus.
 Eulacestoma.

LARIDÆ.

Chema.
 Dipsaleon.
 Einalia.
 Lambruschinia.
 Melanolarus.
 Melanosterna.
 Micranous.
 Potamochelidon.
Pseudosterna.

LORIIDÆ.

Hypocharmosyna.

MEGAPODIDÆ.

Chosornis.
 Eulipoa.

MELIPHAGIDÆ.

Cleptornis
 Entomyzon.
 Leptomyza.
 Myza.
 Neneba.
 Ptiloprora.
 Sarganura.

MICROPODIDÆ.

Aëronautes.
 Claudia.
 Pelasgia.

MIMIDÆ.

Allenia.
Buleites.
Mimetes.
Nesomimus.

MOMOTIDÆ.

Aspatha.
Electron.
Prionornis.

MUSCICAPIDÆ.

Bathmisyrra.
Callaeops.
Dammeria.
Hilarocichla.
Musciparus.
Myiosobus.
Ostiarius.
Pedilorhynchus.
Pholia.
Stizorhina.

NECTARINIIDÆ.

Rhaphidornis.
Urodrepanis.

CEDICNEMIDÆ.

Milnea.

OTIDIDÆ.

Compsotis.
Heterotetrax.
Heterotis.
Houbaropsis.
Neotis.

PARADISEIDÆ.

Calastrapia.
Drepananax.
Eucorax.
Heteroptilorhis.
Janthothorax.
Lamprothorax.
Loboparadisea.
Macgregoria.
Paryphephorus.
Pteridophora.
Trichoparadisea.

PARAMYTHIIDÆ.

Paramythia.

PARIDÆ.

Anacrites.
Aphelocephala.
Brachyrynchus.
Pardaliparus.
Remiza.
Scæorhynchus.

PELECANIDÆ?

Liptornis.

PERISTERIDÆ.

Alopeccenas.
Calopelia.
Claravis.
Histriophaps.
Homopelia.
Leptopelia.
Micropelia.
Cenopopelia.
Oxypelia.

PHAËTHONTIDÆ.

Prophaethon.

PHALACROCORACIDÆ.

Actiornis.
Argillornis.
Ecmeles.
Enygrotheres.
Gripeus.
Hydrocorax.
Leucocarbo.
Melanocarbo.
Nannopterum.
Pallasicarbo.

PHASIANIDÆ.

Agriocharis.
Alector.
Arquata.
Colinus.
Compsortyx.
Dactylortyx.
Dendrophila.
Gallina.
Houppifer.
Lochmophasis.
Mystoxydes.
Palæocryptonyx.
Plectroperdix.
Rhynchortyx.
Taoperdix.

PHŒNICOPTERIDÆ.

Elornis.

PICIDÆ.

Blacops.
Blax.
Crocomorphus.
Dryocolaptes.
Microstictus.
Nesocites.
Piculus ST.-HILAIRE.
Piculus HODGSON.

PICIDÆ—Continued.

Piculus BREHM.
Sapheopipo.

PIPRIDÆ.

Scotothorus.

PITTIDÆ.

Coracocichla.
Cyanopitta.
Galeripitta.
Insignipitta.
Mellopitta.
Monilipitta.
Ornatipitta.
Pulchripitta.

PLATALEIDÆ.

Ibidopsis.
Mystrothamphus.
Protibis.

PLOCEIDÆ.

Atalochrous.
Atopornis.
Brachycope.
Clytospiza.
Diatropura.
Drepanoplectes.
Granatina.
Haplopyga.
Heterhyphantes.
Hyperanthus.
Limoneres.
Lobospingus.
Lychnidospiza.
Nesacanthis.
Neshyphantes.
Oreospiza.
Oreostruthus.
Oryzivora.
Othyphantes.
Pachyphantes.
Penthetriopsis.
Stictospiza.
Stizoptera.

PODARGIDÆ.

Cyphorhina.

PRIONOPIDÆ.

Aerocharis.

PROCELLARIIDÆ.

Halobates.

PSITTACIDÆ.

Araclanga.
Bolbopsittacus.
Conuropsis.

PSITTACIDÆ—Continued.

Dichrognathus.
Jaco.
Leptosittaca.
Necropsittacus.
Neophema.
Pionites.
Porphyreicephalus.
Spathopterus.

PTEROCLIDÆ.

Pterygocys.

PTEROPTOCHIDÆ.

Eugralla.
Onychornis.
Rhinornis.

PTILONORHYNCHIDÆ.

Cnemophilus.
Loria.
Scenopœetes.
Tectonornis.
Xanthochlamys.

PUFFINIDÆ.

Cymatobolus.
Zalias.

PYCNONOTIDÆ.

Bostrycholophus.
Brachypus.
Centrolophus.
Cerasophila.
Elathea.
Pachycephalixus.
Phaëdrus.
Stelgidillas.
Stictognathus.
Xanthixus.

RALLIDÆ.

Amaurolimnas.
Anurolimnas.
Aphanolimnas.
Aramidopsis.
Brachypteryx.
Calamodromus.
Castanolimnas.
Creccoides.
Crecopsis.
Diaphorapteryx.
Donacias.
Donacophilus.
Dryolimnas.
Erythrolimnas.
Galeolimnas.
Jonocicca.
Kittlitzia.

RALLIDÆ—Continued.

Lophophalaris.
 Microtribonyx.
 Nesolimnas.
 Œnolimnas.
 Ortygonax.
 Ortygops.
Palæolimnas.
 Pisynolimnas.
 Poliolimnas.
 Porphyriornis.
 Porzanula.
 Sarothrura.
 Stictolimnas.
 Tricholimnas.

RAMPHASTIDÆ.

Dinorhamphus.
 Machlostomus.
 Rhagoborus.
 Ulocomus.

RECURVIROSTRIDÆ.

Timeta.

SCOLOPACIDÆ.

Actia.
 Aegialodes.
 Falcinellus.
 Fedoa.
 Gambetta.
 Mesoscolopax.
 Pseudoglottis.
 Rhynchosimus.

SITTIDÆ.

Daphœnositta.

SPHENISCIDÆ.

Palæospheniscus.
 Paraptenodytes.

STEREORNITHES.

(The genera of this group have been referred to several families, and in view of their unsettled classification they are here arranged under the order Stereornithes. The family name PHORORHACIDÆ Ameghino, 1895, is generally used for most of them, but the name STEREORNITHIDÆ Moreno and Mercerat, 1891, antedates it.)

Ameghinia.
Anisolornis.
Brontornis.
Callornis.
Darwinornis.
Dryornis.
Liornis.

STEREORNITHES—Continued.

Lophiornis.
Mesembriornis.
Opisthodactylus.
Owenornis.
Palæociconia.
Patagornis.
Pelecyornis.
Phorusrhacos.
Physornis.
Pseudolarus.
Psilopterus.
Rostrornis.
Staphylornis.
Stephanornis.
Stereornis.
Titanornis.
Tolmodus.

STRIGIDÆ.

Badiostes.

STURNIDÆ.

Æthiopsar.
Agropsar.
Chalcopsar.
Eumathes.
Galeopsar.
Hagiopsar.
Heteropsar.
Kittlitzia.
Laceryzon.
Necropsar.
Pecuaris.
Perissornis.
Poliopsar.
Spodiopsar.
Stilbopsar.

SULIDÆ.

Abelera.

TANAGRIDÆ.

Hemithraupis.
Heterospingus.
Mitrospingus.
Pseudospingus.
Sporathraupis.

TETRAONIDÆ.

Palæotetrix.

THINOCORIDÆ.

Itys.

TIMALIIDÆ.

Allocotops.
Alophoixus.
Amalocichla.

TIMALIIDÆ—Continued.

Amaurocichla.
 Amytornis.
 Androphilus.
 Bathmocercus.
 Bleda.
 Bonapartia.
 Bowdleria.
 Cataponera.
 Chlorocharis.
 Cryptillas.
 Diaphorillas.
 Dybowskia.
 Eremiornis.
 Eurillas.
 Gymnocrotaphus.
 Hypocrites.
 Ifrita.
 Ixidia.
 Ixodes.
 Lanioturdinus.
 Lioparus.
 Lophozosterops.
 Marisca.
 Mesolophus.
 Mülleria.
 Nesillas.
 Ophrydornis.
 Oreoctistes.
 Phacelias.
 Pseudominla.
 Pseudotharrhaleus.
 Rectirostrum.
 Rhabdochlamys.
 Rhopocichla.
 Sittiparus.
 Stasiasticus.
 Thringorhina.
 Trichocichla.
 Zosterornis.

TINAMIDÆ.

Calopezus.

TRERONIDÆ.

Cryptophaps.
 Curotreron.
 Dendrophassa.
Lithophaps.
 Mezotreron.
 Phassa.
 Poecilotreron.
 Rhamphotreron.
 Rhombura.
 Terenotreron.
 Zonophaps.

TROCHILIDÆ.

Alcidius.
 Amazilia.
 Arinia.
 Bellona.
 Cyanolesbia.
 Gmelinius.
 Laticauda.
 Lawrencius.
 Leucuria.
 Lophomyia.
 Mychrorhynchus.
 Neolesbia.
 Psilomycter.
 Stephanoxis.
 Vestipedes.
 Warszewiczia.

TROGLODYTIDÆ.

Elachura.
 Hylorchilus.
 Spiloptera.

TROGONIDÆ.

Archæotrogon.
 Heterotrogon.
 Temnurus.

TURDIDÆ.

Amnicola.
 Emarginata.
 Horizorhinus.
 Lophobasileus.
 Philomela.
 Phoenicurus.
 Psaltria.
 Scyrornis.
 Trochilus.
 Urophlexis.
 Zeledonia.

TURNICIDÆ.

Areortyx.

TYRANNIDÆ.

Deltarhynchus.
 Eribates.
 Horizopus.
 Myiopagis.
 Nesotriccus.
 Pseudomyobius.

VULTURIDÆ.

Caprornis.
 Sarcogyps.
 Setogyps.
 Trigonoiceps.

XENICIDÆ.

Traversia.

Richmond, Charles Wallace. 1902. "List of generic terms proposed for birds during the years 1890 to 1900, inclusive, to which are added names omitted by Waterhouse in his "Index Generum Avium"." *Proceedings of the United States National Museum* 24, 663–730.

View This Item Online: <https://www.biodiversitylibrary.org/item/53718>

Permalink: <https://www.biodiversitylibrary.org/partpdf/53109>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.