- Fig. 2.* *Ellipsoidina ellipsoides*, elongate form, originally described as *E. oblonga*.
Fig. 3. The same, subglobular variety, at first described as *E. abbreviata*.
Fig. 4. Same specimen as fig. 1, but with the two outer chambers partially broken away so as to show the internal structure; $\times 25$ diam.
Fig. 5. Inner chamber of another shell, showing the central column (usually more or less tubular) tri-cleft and spreading.
Fig. 6. Part of a central column dividing near its summit into smaller members, with the portion of the shell-wall immediately above it still adhering.
Figs. 7-10 are intended to illustrate the form of the external and septal apertures. *Fig. 8* is an end view of a specimen without a neck, but otherwise perfect, showing what seems to be the ordinary condition of the external orifice. *Fig. 7* is a representation of a similar shell broken down the centre. *Figs. 9 & 10* relate to the inner chambers.
Fig. 11. Abnormally formed primordial chambers of an elongate specimen.
Fig. 12. Multicellular nucleus found in the primordial chamber of a large example, $\times 180$ diam.

XLIII.—Description of a rare Indian Clausilia.

By SYLVANUS HANLEY, Esq., F.L.S.

Clausilia tuba, Hanley.

Testa (pro genere) magna, subcylindraneo-fusiformis, apicem obtusum versus cylindracea, albido-cornea, unicolor, tenuis, subdiaphana, haud rimata, lineis elevatis vix continuis et (præsertim in anfractu ultimo, ubi remotiores fiunt) oblique corrugata. Anfractus 10-12, sutura profunda et minime crenata divisi; apicales unice convexi, subæquales; cæteri convexi, et satis rapide crescentes; penultimus major, altior; ultimus curvatus, verticaliter descendens, infra suturam submarginatam subcoarctatus, denique insigniter dilatatus, basi rotundata nequaquam cristatus. Apertura permagna, soluta, porrecta, subcordato-rotundata, undique patentissima. Peristoma continuum, late expansum: lamella supera conspicua, angusta, arcuatim subverticalis; lamella infera adjacens, obliqua, magisque profunda; plica subcolumellaris parvula, verticalis; plica palatalis (si sit ulla) labrum haud attingens: lunella opacitate conspicua.

Long. $1\frac{1}{4}$ poll.

Hab. Shan, provinc. Ind. or. Mus. Theobald, Hanley.

I am indebted to W. Theobald, Esq., for this remarkable species, which must closely resemble the American *C. epistomium*. It was taken by Mr. Fedden from the valley of the Upper Salwen.

Hanley, Sylvanus. 1868. "XLIII.—Description of a rare Indian Clausilia." *The Annals and magazine of natural history; zoology, botany, and geology* 1, 343–343.
<https://doi.org/10.1080/00222936808695710>.

View This Item Online: <https://www.biodiversitylibrary.org/item/88449>

DOI: <https://doi.org/10.1080/00222936808695710>

Permalink: <https://www.biodiversitylibrary.org/partpdf/65478>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.