Case 2707***Amphiporus* Ehrenberg, 1831 (Nemertea): proposed designation of *Planaria lactiflorea* Johnston, 1828 as the type species**

Ray Gibson

*School of Natural Sciences, Liverpool Polytechnic, Byrom Street,
Liverpool L3 3AF, U.K.*

Frank B. Crandall

*Turkey Run Research Institute, 900 Turkey Run Road, McLean,
Virginia 22101, U.S.A.*

Abstract. The purpose of this application is the designation of *Planaria lactiflorea* Johnston, 1828 as the type species of the widely used nemertean genus *Amphiporus* Ehrenberg, 1831. The original type species by monotypy, *Polystemma albicans* Ehrenberg, 1828, has not been redescribed since 1831 and its status is doubtful, but *A. lactiflorea* (Johnston) is well characterized and is typical of *Amphiporus* as understood.

1. The genus *Amphiporus* Ehrenberg, 1831 (p. 63) was originally established with one included species: '*A. albicans* Nov. spec. Phytozoa Tabula IV. fig. II *Polystemma albicans*'. Ehrenberg had previously (1828, pl. 4, fig. 2, a-e) illustrated and named *Polystemma albicans*, but he did not describe the species until the text was published three years later; it is the type species of *Amphiporus* by monotypy. The second species of *Polystemma* illustrated in 1828, *P. adriaticum*, was retained in that genus in 1831; while it is clearly a nemertean the name has remained a nomen dubium.

2. *Amphiporus albicans* was found among corals in the Red Sea. Although the external features were described by Ehrenberg virtually no data on internal morphology were provided. Several authors have subsequently referred to the species (see below and discussion in Gibson & Crandall, 1989, pp. 454-455), but the name has not been applied to a recognized living taxon since Ehrenberg (1831) and there is no material extant.

3. Örsted (1844, p. 93) listed *Polystemma (Amphiporus) allicans*, mis-spelling the specific name, and Diesing (1850, p. 250) mentioned *Omatoplea albicans*, wrongly giving himself as the author (*Omatoplea* is an emendation of *Ommatoplea* Ehrenberg, 1828). McIntosh (1874, p. 155), in discussing taxa synonymous with *Planaria lactiflorea* Johnston, 1828 (p. 489), commented that *A. albicans* resembled *Nemertes pulchra* Johnston, 1837 (p. 536) in several external features. Hubrecht (1879) and Bürger (1895) uncertainly, and Carus (1885) positively, listed *A. albicans* as synonymous with *A. pulcher* (Johnston, 1837), but Joubin (1894) regarded *A. albicans* as a junior synonym of *Fasciola rosea* Müller, 1774 (p. 58). Bürger (1904), who recognized two subspecies of *A. pulcher*, considered *A. roseus* sensu Verrill (1892) as synonymous with *A. pulcher pulcher*. The taxonomic status of *A. roseus* is obscure (Gibson &

Crandall, 1989). Berg (1972a) transferred *A. pulcher* to the genus *Nipponnemertes* Friedrich, 1968 (type species *Amphiporus drepanophoroides* Griffin, 1898).

4. Since all that can be determined from Ehrenberg's (1828–1831) original work is that *Amphiporus albicans* is a nemertean, and possibly an enoplan, of uncertain systematic position, none of the synonymies suggested above, based entirely upon superficial resemblances of the taxa described, can be justified. We (Gibson & Crandall, 1989, p. 455) have concluded that *A. albicans* must be regarded as a nomen dubium.

5. *Amphiporus* is a long-standing and well known generic name, but it refers to a nominal taxon which is not defined by an adequately described type species (Gibson, 1985; Norenburg, 1986; Gibson & Crandall, 1989). This means that its relationship to other genera and the generic placement of species lack a sound basis, and discussion of the family AMPHIPORIDAE McIntosh, 1874 (p. 155) is similarly compromised.

6. Among the nominal species currently included in *Amphiporus* (see Gibson & Crandall, 1989) the oldest established is *Planaria lactiflorea* Johnston, 1828 (p. 489), first placed in *Amphiporus* by McIntosh (1873–1874). McIntosh (1873, p. 10; 1874, p. 158) regarded an earlier nominal taxon, *Lumbricus oxyurus* Pallas, 1766 (p. 146), as perhaps synonymous with *A. lactiflorea* (Johnston, 1828); he rejected the specific name *oxyurus* as 'objectionable'. Pallas' (1766) original description (pp. 146–147, pl. 11, figs. 7 and 8), though including some data on internal morphology, was considered to be totally incorrect by Bürger (1895, p. 7) and he rejected McIntosh's possible synonymy between *L. oxyurus* and *A. lactiflorea*. *L. oxyurus* was most likely an enoplan but assignment to a more precise taxon is impossible. The last known mention of *L. oxyurus* in the literature, as questionably synonymous with *Amphiporus lactiflorea*, was by Bürger (1904, p. 38). None of Johnston's material is in existence, but the anatomy and taxonomy of *A. lactiflorea*, the name used for the taxon by more than 100 authors in more than 300 publications since McIntosh's (1873–1874; pl. I; p. 156; pl. x) first usage, have been redescribed by Berg (1972b). *Amphiporus lactiflorea* is widely distributed and well known, with a range extending from the Mediterranean and northern coasts of Europe to the Atlantic and Arctic coasts of North America north of Cape Cod (Gibson, 1982; Gibson & Crandall, 1989). It is typical of *Amphiporus* as currently treated, and we propose that it be designated as the type species in place of the indeterminate *Polystemma albicans* Ehrenberg, 1828, his *A. albicans* of 1831.

7. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to set aside all previous fixations of type species for the nominal genus *Amphiporus* Ehrenberg, 1831, and to designate *Planaria lactiflorea* Johnston, 1828 as the type species;
- (2) to place on the Official List of Generic Names in Zoology the name *Amphiporus* Ehrenberg, 1831 (gender: masculine), type species by designation in (1) above *Planaria lactiflorea* Johnston, 1828;
- (3) to place on the Official List of Specific Names in Zoology the name *lactiflorea* Johnston, 1828, as published in the binomen *Planaria lactiflorea* (specific name of the type species of *Amphiporus* Ehrenberg, 1831).

References

- Berg, G. 1972a. Studies on *Nipponnemertes* Friedrich, 1968 (Nemertini, Hoplonemertini).
1. Redescription of *Nipponnemertes pulcher* (Johnston, 1837) with special reference to intraspecific variation of the taxonomical characters. *Zoologica Scripta*, 1: 211–225.

- Berg, G.** 1972b. Taxonomy of *Amphiporus lactiflores* (Johnston, 1828) and *Amphiporus dissimulans* Riches, 1893 (Nemertini, Hoplonemertini). *Astarte*, **5**: 19–26.
- Bürger, O.** 1895. Die Nemertinen des Golfes von Neapel und der Angrenzenden Meeres-Abschnitte. *Fauna und Flora des Golfes von Neapel*, **22**: 1–743.
- Bürger, O.** 1904. Nemertini. *Das Tierreich*, **20**: 1–151.
- Carus, J.V.** 1885. *Prodromus Faunae Mediterraneae sive descriptio animalium maris mediterranei...*, vol. 1. Coelenterata, Echinodermata, Vermes, Arthropoda. 524 pp. Koch, Stuttgart.
- Diesing, K.M.** 1850. *Systema Helminthum*, vol. 1. 679 pp. Braumüller, Vindobonae.
- Ehrenberg, C.G.** 1828–1831. Phytozoa turbellaria Africana et Asiatica in Phytozoorum Tabula IV et V delineata. (Pp. 53–67 in: *Animalia evertebrata exclusis insectis*. 126 pp. Plates published in 1828, text 1831). In Hemprich, P.C. & Ehrenberg, C.G. (Eds.), 1828–1845. *Symbolae Physicae, seu icones et descriptiones Corporum Naturalium novorum ... Pars Zoologica*. Officina Academica, Berolina.
- Friedrich, H.** 1968. *Sagaminemertes*, eine bemerkenswerte neue Gattung der Hoplonemertinen und ihre systematische Stellung. *Zoologischer Anzeiger*, **180**: 33–36.
- Gibson, R.** 1982. *British nemerteans*. 212 pp. Cambridge University Press, Cambridge.
- Gibson, R.** 1985. The need for a standard approach to taxonomic descriptions of nemerteans. *American Zoologist*, **25**: 5–14.
- Gibson, R. & Crandall, F.B.** 1989. The genus *Amphiporus* Ehrenberg (Nemertea, Enopla, Monostiliferoidea). *Zoologica Scripta*, **18**: 453–470.
- Griffin, B.B.** 1898. Description of some marine nemerteans of Puget Sound and Alaska. *Annals of the New York Academy of Science*, **11**: 193–217.
- Hubrecht, A.A.W.** 1879. The genera of European nemerteans critically revised, with description of several new species. *Notes from the Leyden Museum*, **1**: 193–232.
- Johnston, G.** 1828. Contributions to the British fauna. *Zoological Journal*, **3**: 486–491.
- Johnston, G.** 1837. Miscellanea Zoologica. II. A description of some planarian worms. *Magazine of Zoology and Botany*, **1**: 529–538.
- Joubin, L.** 1894. Les Némertiens. Pp. 1–235 in Blanchard, R. & Guerne, J. de. (Eds.), *Fauna Française*. Société d'Éditions Scientifiques, Paris.
- McIntosh, W.C.** 1873–1874. *A monograph of the British annelids*, Part 1 (1873). The nemerteans. Pp. i–xiii, 1–96, pls. I–X. Part 1 continued (1874). Pp. 97–213d, pls. XI–XXIII. The Ray Society, London.
- Müller, O.F.** 1774. *Vermium terrestrium et fluviatilium, seu animalium infusoriorum, helminthi-corum et testaceorum, non marinorum, succincta historia*, vol. 1, part 2. 72 pp. Hafniae et Lipsiae.
- Norenburg, J.** 1986. Redescription of a brooding nemertine, *Cyanophthalma obscura* (Schultze) gen. et comb. n., with observations on its biology and discussion of the species of *Prostomatella* and related taxa. *Zoologica Scripta*, **15**: 275–293.
- Örsted, A.S.** 1844. *Entwurf einer systematischen Eintheilung und speciellen Beschreibung der Plattwürmer, auf microscopische Untersuchungen gegründet*. 96 pp. Reitzel, Copenhagen.
- Pallas, P.S.** 1766. *Miscellanea Zoologica*. xii, 224 pp., 14 pls. Van Cleef, Hagae.
- Verrill, A.E.** 1892. The marine nemerteans of New England and adjacent waters. *Transactions of the Connecticut Academy of Arts and Sciences*, **8**: 382–456.

Gibson, R and Crandall, Frank B. 1991. "Amphiporus Ehrenberg, 1831 (Nemertea): proposed designation of *Planaria lactiflorea* Johnston, 1828 as the type species." *The Bulletin of zoological nomenclature* 48, 22–24.

<https://doi.org/10.5962/bhl.part.664>.

View This Item Online: <https://www.biodiversitylibrary.org/item/44489>

DOI: <https://doi.org/10.5962/bhl.part.664>

Permalink: <https://www.biodiversitylibrary.org/partpdf/664>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.