Although in shape and apertural parts much like *V. ovata* Say, ovulum is quite distinct, but it should be compared carefully with *V. antivertigo* Drap., of Europe.

A NEW AMERICAN HELIX.

BY C. W. JOHNSON AND H. A. PILSBRY.

A collection of shells made during the past winter at Woodville, Jackson Co., Alabama, by Mr. H. E. Sargent, and submitted to us for determination, contains numerous specimens of a large Helix, which proves to be undescribed. The species is a member of the section Triodopsis but it does not exhibit the characters typical of that group, i. e., a three-toothed aperture, but rather belongs in the neighborhood of the Helix appressa of Say, a species which lacks the upper lip tooth of Triodopsis. The new species may be described as follows:

H. Sargenti n. sp.

Shell depressed, imperforate, lens-shaped, carinated. Surface strongly rib-striate, the striation disappearing toward the center of the base; under a lens the surface between the rib-like striæ is seen to be finely granulated. The aperture is wide, oblique; lip broadly reflexed, flattened, the basal lip bearing a long lamella, as in *H. appressa*. Upon the parietal wall there is a strong, high curved tooth, like that of *H. elevata* but longer. There are 6 whorls. The color is light russet above, paler or whitish below.

Alt. 11, diam. 24 mm.

Alt. 12, diam. 24 mm.

Alt. 9, diam. 22 mm.

This species differs from H. appressa in its larger size, stronger striation, the granulated instead of spirally striate microscopic sculpture, the strong carination, etc. It is allied in shape and sculpture to H. carolinensis Lea, but differs in totally lacking the upper lip tooth, in being flatter, more concave below, etc. The young shells differ markedly from young H. appressa, being flatter above, acutely carinated, and broadly umbilicated.

Figures will be published later, illustrating this unusually large and strongly characterized species.

Among other species Mr. Sargent found at Woodville the following interesting forms: Patula cumberlandiana, Helix exoleta, H. stenotrema, H. spinosa, H. major, Zonites lævigatus, Z. gularis, Z. intertextus, Z. internus, etc.

NOTE ON THE GROUP PANDA.

BY H. A. PILSBRY.

During the course of some studies upon certain Australian land shells, sent by the well-known conchologist Dr. J. C. Cox of Sydney, N.S. W., my attention was drawn to specimens of Bulimus atomatus Gray. Upon examining these shells under a lens, I at once noticed the minute sculpture and peculiar color-pattern characteristic of the two species hitherto included in the section Panda,-H. falconeri Rve. and H. maconelli Rve. A consideration and comparison of the shells impresses me with the belief that Panda has heretofore been misunderstood and wrongly grouped. I am disposed to regard it now as a development from the Bulimoid branch of the Helicida, instead of from the Helicoid stem. The diagnosis of Panda must be enlarged to include elongated forms, (Bul. atomatus and perhaps some other Australian species), but it will not require much change otherwise. The prominent features of the group, as far as the shell goes, are (1) the entirely simple, non-thickened, non-expanded lip, reflexed at the columella, (2) the sculpture of minute, close incised lines, and (3) the painting of fine close wavy brown lines on a yellowish ground. This last character is not invariable, for clear yellow examples of most if not all of the species occur.

The character of the lip and embryonic whorls separate *Panda* from *Helicophanta* and the other sections formerly grouped by me under the generic name Macroön. It will be noted that I formerly included it in that place with doubt, on account of these peculiarities.

OBITUARY.

THE ABBÉ PROVANCHER.

It is our painful duty to record the death, in his 72nd year, of the Abbé Léon Provancher, who for many years, despite great dis-



Johnson, Charles Willison. 1892. "A new American Helix." *The Nautilus* 6, 8–9.

View This Item Online: https://www.biodiversitylibrary.org/item/86828

Permalink: https://www.biodiversitylibrary.org/partpdf/95697

Holding Institution

University of Toronto - Gerstein Science Information Centre

Sponsored by

University of Toronto

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.