UNIVERSITY OF CALIFORNIA
COLLEGE OF AGRICULTURE
AGRICULTURAL EXPERIMENT STATION
BERKELEY, CALIFORNIA

Precooling of Fresh Fruits and Temperatures of Refrigerator Cars and Warehouse Rooms

E. L. OVERHOLSER and B. D. MOSES

BULLETIN 496

JUNE, 1930

UNIVERSITY OF CALIFORNIA PRINTING OFFICE
BERKELEY, CALIFORNIA

1930

FOREWORD

This bulletin is a contribution of the Division of Pomology, the Division of Agricultural Engineering, and the California Committee on the Relation of Electricity to Agriculture. It is the sixth of a series planned to report the results of investigations conducted jointly by the Agricultural Experiment Station, College of Agriculture, University of California, and the California Committee on the Relation of Electricity to Agriculture.* This committee represents the agricultural and electrical industries in California that are working together for the purpose of making reliable information available concerning the use of electricity on the farm, and of cooperating with similar committees in other states.

C. B. HUTCHISON,

Director, California Agricultural Experiment Station.

* The personnel of this committee for 1929-30 is:

H. B. WALKER, College of Agriculture, Chairman.
ALEX. JOHNSON, California Farm Bureau Federation, Vice-Chairman.
N. R. SUTHERLAND, Pacific Gas and Electric Company, Treasurer.
B. D. MOSES, College of Agriculture, Director-Secretary.
J. R. TAVERNETTI, College of Agriculture, Field Engineer.
C. L. CORY, College of Mechanics, University of California.
H. M. CRAWFORD, Pacific Gas and Electric Company.
W. J. DELEHANTY, General Electric Company.
J. J. DEUEL, California Farm Bureau Federation.
A. M. FROST, Great Western Power Corporation.
CHARLES GRUNSKY, Standard Management and Operating Corporation.
T. H. LAMBERT, Agriculturist.
R. C. MCFADDEN, Southern California Edison Company.
W. C. McWHINNEY, Southern California Edison Company.
E. G. STAHL, San Joaquin Light and Power Corporation.
GEORGE TENNEY, McGraw-Hill Publishing Company.

PRECOOLING OF FRESH FRUITS AND TEMPERATURES OF REFRIGERATOR CARS AND WAREHOUSE ROOMS

E. L. OVERHOLSER¹ AND B. D. MOSES²

The term "precooling" refers to the process of cooling the fruit soon after harvesting, and before it is shipped. The degree of maturity at which the fruit can be picked and the condition in which it arrives at its destination depend greatly upon its temperature after harvest, both before and during transit. The more nearly fruit is picked at the proper stage of maturity for the best development of color and highest subsequent eating quality, the greater is the necessity for precooling.

Fruit when picked from the tree is not inert. After harvesting it continues metabolic or ripening activities for a variable period of time, depending upon the conditions that surround it. As a result of these metabolic activities, the tissues of the fruit gradually become overripe and break down. These changes may be retarded, and decay checked, by cooling the fruit promptly after it has been harvested, and keeping it at a relatively low temperature until used. The rate at which fruit ripens may be reduced as much as one-half for each 15° Fahrenheit drop in the temperature at which it is held, within ripening temperatures.

Overholser, Winkler and Jacob⁽⁵⁾ found that fruit exposed to the sun even while on the tree may be from 7° to 10° F warmer than the surrounding air. Peaches have been observed to increase 1.26° F in ten hours when kept in air at 50°, and 6.57° when in air at 86°.⁽²⁾

It has been computed that sound apples held at a temperature of 68° F generate heat at the rate of about 0.012 calories per second per kilogram, because of their own self-heating.⁽³⁾ This amounts to about 3740 B.t.u. per ton of apples per twenty-four hours, which is sufficient heat to melt about 26 pounds of ice. Raspberries would develop nearly five times, peaches twice, and oranges one-third as much heat as apples.

The self-heating of fruit and the relatively small amount of refrigeration required to check it, and the value of rapid reduction of field

¹ Formerly Associate Professor of Pomology, University of California.

² Associate Professor of Agricultural Engineering, University of California.

temperatures of fruit seem to justify precooling by mechanical refrigeration, particularly when it is to be placed in insulated compartments, provided with limited refrigeration, such as refrigerator cars.

In the case of fruit to be loaded into ships, precooling enables it to be held temporarily, pending the accumulation of the cargo or the arrival of the ship, and reduces losses in case of delays resulting from unfavorable weather at sea. Precooling of fruit to be loaded also prevents the placing of warm fruit with a cargo that has been satisfactorily cooled, a procedure producing a condition favorable to mold.

It has been found that a number of rot organisms would continue to grow at 32° F, after the spores had germinated at higher temperatures. The growth at 32° is, however, not so rapid nor so extensive as at higher temperatures. The germination and growth of the spores of blue mold (*Penicillium expansum*), which may cause serious rotting of apples in storage, is inhibited at temperatures of 30° to 32° F. These results indicate that delay in cooling results in greater losses from rots than when the temperature is lowered quickly before the fruit is placed in storage rooms or refrigerator cars. Precooling, under many conditions, may, therefore, be expected to lessen losses from rots.

Ramsey⁽⁷⁾ determined the average fruit temperatures during transit between Wenatchee, Washington, and Chicago, Illinois, in a standard refrigerator car loaded with apples. He found that 114 hours, with four re-icings, were required to reduce the temperature from 62° to 45° F, the maximum temperature for the most successful shipping, and that four additional days were required to reduce it to 40°.

Ridley⁽⁹⁾ in his studies of the distribution of refrigeration in a car of strawberries en route from southwestern Missouri to St. Paul, Minnesota, found a difference of 10° F between the fruit in the top and that in the bottom containers. This difference is sufficient to permit marked variation in the rate of ripening or the degree of spoiling of the fruit.

In 1924 observations were conducted by The California Fruit Exchange upon fruit being shipped in standard refrigerator cars to Chicago and New York.

The temperature of the fruit throughout the top layers averaged from 9° to 16° F higher than in the bottom layers. At the start the fruit in the top layers averaged 20° higher than in the bottom layers. This condition prevailed with an outside air temperature of between 80° and 90° and a fruit temperature when loaded of around 75° to 80°. The temperature of the fruit at the bottom of the load near

the ice bunkers dropped to 45° or thereabout within 12 hours after the car doors were closed, but it took four days for the temperature of the fruit in the top of the load, half way between the ice bunkers and center bracing, to drop to 55° .

Because of the interest shown, by shippers of California fruit, in equipment that could be used to cool the fruit before shipment, and because there seemed to be little information upon the rate at which fruit cools under different conditions, an investigation was made by the California Committee on the Relation of Electricity to

Fig. 1.—Fruit being precooled, before loading into refrigerator car, in a room in a cold storage warehouse. The fruit is placed in these rooms equipped with air ports at either end connecting with ducts through which refrigerated air is blown. The temperature ordinarily maintained in the ducts is between 28° and 32° F, and regulation is effected by controlling the flow of air.

Agriculture and by the Division of Pomology of the College of Agriculture, University of California, on the temperature changes in certain fruits as affected by different methods of precooling. This investigation covered two distinctive systems, warehouse and car precooling.

Under the warehouse system the fruit is packed, placed in cold storage rooms, and cooled to between 30° and 34° F. It is then loaded directly into iced refrigerator cars, stowed in the refrigerated holds of ships, or stored in cold storage warehouses for subsequent shipment.

The air around the fruit may be cooled quickly, but the package and its contents give up their heat slowly. Under favorable con-

ditions in a cold storage warehouse, according to Powell,⁽⁶⁾ the fruit in the center of a barrel of Bartlett pears stored at a temperature of 30° F required four to seven days to cool from 80° to approximately the temperature of a cold storage room. Similar fruit in a 20-pound box or in a bushel salt crate reached 32° F in from 12 to 24 hours.

In a storage room approximating 32° F, according to Whitehouse⁽¹¹⁾ it required 30 hours for the temperature in the center of a box of wrapped apples to drop from 70° to 40° F and an additional 130 hours to drop to 34°. In other words, the temperature in the box dropped 30° degrees during the first 30 hours and but 6° in the next 130 hours.

One of the railroad companies in southern California employs a method for car precooling which consists of hauling the loaded refrigerator cars to a central plant built along the track at a point en route, and causing cold air to be blown through each car. This air enters the hatch at one end of the car, circulates around the fruit, passes out at the other end, and returns to the cooling rooms of the plant. The direction of air flow may be reversed at intervals if desired. The capacity is 26 cars at a time, and the period of precooling averages about two hours. The temperature in the car may be lowered to 40° F in order to hasten the cooling of the cargo and lessen the need of subsequent re-icing.

Recently there has been increasing interest in portable car precoolers which enable the cars to be precooled at the point of loading. Although the details of construction and operation may differ somewhat, the various makes all employ some system of circulating air from the ice bunkers around the fruit containers. Forced air currents from fans either inside or outside the car, are controlled by air ducts, baffles, and partitions. The ice in the bunkers of the car is used to supply the refrigeration, and the circulation of the air hastens the transfer of heat from the fruit to the ice. Salt may or may not be added to the ice in the bunkers. After 6 to 8 hours of operation of the car precooler it is necessary to re-ice at the nearest icing point en route.

TEMPERATURE STUDIES OF REFRIGERATOR CARS AND WAREHOUSES

A study was made of the following: (1) air and fruit temperatures in commercial warehouse cold-storage rooms used for precooling; (2) air and fruit temperatures at different positions within the refrigerator car, as affected by car precooling; (3) the rate of tempera-

ture drop in the fruit within the packages and in the air outside the packages; and (4) the differences in rate of temperature fall as affected by the kind of fruit and type of package.

Copper-constantan thermocouples and resistance thermometers were used for the measurements. The size of the thermocouple junctions was such that they could be inserted in even the smaller fruits, and the leads varied from 24 to 30 feet in length, so that the temperature readings could be made, by means of multiple switches, without

Fig. 2.—Fruit and air temperatures in a refrigerator car were taken with thermocouples attached through rotary switches to a suitable meter by leads sufficiently long to reach all parts of the car. The junctions of these couples were small enough to give the temperature at the center of a pear or even of a grape or cherry. The flexible leads permitted observations on a fruit in the center of a package in the center of a stack anywhere in the closed car. Three switches with a total capacity of 40 points were used. The leads, one of the two switches, and the meter are shown. The recording thermometer records air temperatures in the center of the car.

entering the car. Standardized mercury thermometers and recording hygro-thermographs were also used. To insure accuracy the thermocouples and resistance thermometers were carefully calibrated before and after each test. The discussion of the experimental data deals first with the warehouse precooling and second with the individual or portable car precooling units.

WAREHOUSE PRECOOLING OF PEARS, GRAPES AND ORANGES

Pears.—One set of tests was made in a large cold storage room, which was loaded with pears to about 70 per cent of its capacity. Air at a temperature of approximately 32° F was continuously blown from inlet ducts into and throughout the room and its contents with sufficient velocity and volume to give a complete change of air about

Fig. 3.—Fruit stored in cold room of cold storage plant, showing method of stacking so as to maintain aisles for handling the different lots, and the method of spacing so as to facilitate air circulation between the boxes. The wires toward the center are thermocouple leads for observing fruit and air temperatures.

every three minutes when the room was empty (see fig. 3). The relative humidity varied from 80 to 86 per cent at the air inlet ducts to from 89 to 91 on the air outlet side of the room, after the air had passed over the fruit.

The data in table 1 showed that it required a relatively long time to remove the heat from wrapped pears packed in the center of

standard boxes. For example, when Bosc, Hardy, and Winter Nelis pears, having an initial temperature of about 61.5° F, were placed in a room maintained at approximately 32° to 36°, the fruit in the center of the boxes did not cool to 35° until after 44 hours. The temperature was not further lowered after six hours' additional time.

TABLE 1

AVERAGE RATE OF TEMPERATURE DROP IN THE CENTER OF WRAPPED PEARS AND IN THE SPACE BETWEEN PEARS IN THE CENTER OF PACKED BOXES IN COLD STORAGE PRECOOLING ROOMS (SAN JOSE, CALIFORNIA)

Time of observation		Temperature in degrees Fahrenheit		
Date	Hour	In center of pears in center of boxes	Between wrapped pears in center of boxes	In air channels between boxes
Sept. 15, 1927.....	12:15 p.m.	61.5	61.0	35.5
	2:12 p.m.	57.3	57.0	35.0
	4:10 p.m.	55.4	55.2	34.9
	7:05 p.m.	54.2	53.7	33.7
	9:10 p.m.	52.5	52.4	32.9
Sept. 16, 1927.....	8:40 a.m.	43.4	43.4	32.2
	12:45 p.m.	41.8	41.1	33.6
	5:25 p.m.	40.2	40.2	35.3
Sept. 17, 1927.....	10:10 p.m.	38.0	38.1	32.7
	8:15 a.m.	35.3	35.6	31.9
	2:15 p.m.	34.5	35.0	33.3

There was no marked difference between the temperature drop of wrapped pears in the center of a box and that of the air immediately surrounding the fruit. Under such conditions of tight packing the cooling within the box is largely by conduction, there being little or no air movement within the package.

Stubenrauch and Ramsey⁽¹⁰⁾ determined that loose pears in lug boxes cooled to the desired temperature in less than half the time required for wrapped, packed pears. With the packed boxes it frequently required three times as long to cool the fruit in the center of the box as to cool the outer fruit in the same box. Powell⁽⁶⁾ reported that fruit wrappers retarded cooling, and that there may be a difference of 10° F in temperature of the fruit at the end of one day, between 40-pound boxes of unwrapped and of wrapped fruit. Beach and Eustace⁽¹⁾ found that with barrelled apples held at 34° F for 74 hours, unwrapped fruit had dropped to 38.5°, while wrapped fruit had dropped to only 43°. Unwrapped fruit in a bushel box dropped to 35° in 58 hours, whereas 70 hours were required for a similar drop when the fruit was wrapped.

As shown in table 2, the temperature of the center of the fruit in the center of the box was brought to 33.2° F after 45 hours of cooling. The temperature of the air immediately surrounding the

TABLE 2

RATE OF TEMPERATURE DROP IN THE CENTERS OF WRAPPED PEARS AND IN THE SPACE BETWEEN PEARS IN THE CENTER OF PACKED BOXES IN PRECOOLING WAREHOUSE ROOMS (EXETER, CALIFORNIA)

Time of observation		Temperature in degrees Fahrenheit		
Date	Hour	In center of pears in center of boxes	Between wrapped pears in center of boxes	Air in warehouse room
Sept. 29, 1927.....	11:30 a.m.	74.8	74.0	42.5
	12:30 p.m.	70.6	69.4	39.8
	4:00 p.m.	66.0	64.8	36.0
	8:05 p.m.	64.0	61.1	35.0
	9:50 p.m.	58.8	58.6	32.5
Sept. 30, 1927.....	9:00 a.m.	48.0	46.3	31.8
	2:00 p.m.	44.0	41.4	30.3
	5:00 p.m.	40.4	39.9	29.8
	8:00 p.m.	38.8	38.7	29.3
Oct. 1, 1927.....	8:30 a.m.	33.2	31.9	31.5

fruit in the center of the box was slightly lower than the temperature of the fruit itself, possibly because the fruit was not quite so tightly packed as was the case in the first test shown in table 1.

Grapes.—Grapes cooled somewhat more rapidly than did pears, possibly because the individual fruits were not placed so tightly

TABLE 3

AVERAGE CHANGE OF TEMPERATURE IN THE CENTER OF BOXES OF BLACK CORNICHON AND MALAGA GRAPES IN WAREHOUSE PRECOOLING ROOMS (EXETER, CALIFORNIA)

Time of observation		Temperature in degrees Fahrenheit	
Date	Hour	In boxes of grapes	Air in room
Sept. 29, 1927.....	11:00 a.m.	59.5	40.4
	12:30 p.m.	57.4	39.2
	4:00 p.m.	52.9	36.0
	8:10 p.m.	48.1	35.1
	9:50 p.m.	45.5	32.6
Sept. 30, 1927.....	9:00 a.m.	39.6	31.7
	2:00 p.m.	36.4	30.4
	5:00 p.m.	35.2	29.9
	8:00 p.m.	34.7	29.3
Oct. 1, 1927.....	8:30 a.m.	32.8	30.5

together, were not wrapped, and were smaller. Hence, the cooling resulted not only from conduction but also to some extent from air movement between the fruits. Furthermore, the grapes, being smaller, have a larger cooling surface per unit volume than do pears, and this would permit more rapid cooling. The complete cooling required a longer time than seems usually to be believed.

The centers of boxes of Black Cornichon and Malaga grapes having a temperature of 60° F were cooled to 35° after 30 hours in the cold storage room. It required an additional 15 hours to reduce the temperature to 33°. The boxes of grapes on the floor tended to cool somewhat more rapidly than did those on the top of the stack (see table 4).

TABLE 4

AVERAGE CHANGE IN TEMPERATURE IN THE CENTER OF BOXES OF BLACK CORNICHON AND MALAGA GRAPES IN THE TOP AND BOTTOM POSITIONS IN THE STACKS IN WAREHOUSE PRECOOLING ROOMS (EXETER, CALIFORNIA)

Time of observation		Temperatures in degrees Fahrenheit			
Date	Hour	In top boxes	In bottom boxes	Air adjacent to top boxes	Air adjacent to bottom boxes
Sept. 29, 1927.....	11:00 a.m.	63.0	55.3	42.1	40.0
	12:15 p.m.	59.8	53.2	39.8	38.5
	4:00 p.m.	53.9	48.2	36.0	35.4
	8:10 p.m.	49.7	43.8	35.4	34.7
	9:50 p.m.	48.3	41.3	33.1	32.5
Sept. 30, 1927.....	9:00 a.m.	42.7	36.3	31.8	31.6
	2:00 p.m.	37.8	34.2	30.4	30.3
	5:00 p.m.	33.4	33.9	29.9	29.8
Oct. 1, 1927.....	8:00 p.m.	35.1	33.2	29.5	29.0
	8:30 a.m.	33.0	31.9	30.5	30.4

There was a greater temperature difference between the centers of boxes of grapes at the top and at the bottom of the stacks than would be expected from the temperature differences of the air. This may, however, be explained by the differences in rate of air flow around the grapes in the two positions. A drop curtain was used to deflect the air travelling across the room through the fruit; it extended nearly the entire length of the room and reached from the ceiling to below the top boxes. The air velocity along the floor, between the stacks of fruit in the middle of the room, was 52 feet per minute, whereas six boxes above the floor it was only 5 feet per minute.

Oranges.—Boxes of packed, wrapped Valencia oranges were set on end in a precooling room several feet from the nearest boxes. There were two sizes of oranges, one averaging $2\frac{3}{4}$ inches in diameter,

packing 200 to the box, and the other averaging $3\frac{1}{8}$ inches in diameter and packing 126 to the box. The rate of cooling in the center of the oranges in the middle and in the periphery of the box is shown in table 5.

Fig. 4.—Fruit placed in cold storage room. The air enters through ports in the ceiling near one side wall, flows across the room, and passes out of ports similarly placed near the opposite wall. A canvas curtain is dropped from the ceiling to within about five feet of the floor. This curtain prevents short-circuiting of the cold air across the tops of the boxes. The wires shown are leads from thermocouples placed in the fruit and air spaces.

TABLE 5

AVERAGE CHANGE OF TEMPERATURE IN THE CENTER OF PACKED, WRAPPED VALENCIA ORANGES IN WAREHOUSE PRECOOLING ROOMS (POMONA, CALIFORNIA)

Time of observation		Temperature in degrees Fahrenheit				Average of air in room
		Inside of 2¾-inch orange		Inside of 3⅛-inch orange		
Date	Hour	In center of one end of box	In outside row of one end of box	In center of one end of box	In outside row of one end of box	
June 18, 1928.....	4:00 p.m.	74.7	71.0	73.3	72.3	
	4:05 p.m.		Fruit put in cold room.			
	5:05 p.m.	75.3	61.5	73.5	65.3	35.0
	7:00 p.m.	73.8	56.0	72.5	58.5	35.0
	9:00 p.m.	71.8	53.0	70.0	54.8	34.6
June 19, 1928.....	7:00 a.m.	59.0	44.0	56.5	44.3	33.3
	10:00 a.m.	55.8	42.3	53.5	42.3	33.3
	12:00 p.m.	51.8	40.5	49.3	40.5	33.7
	6:00 p.m.	48.5	39.0	46.3	39.0	33.0
	10:00 p.m.	45.5	37.3	43.8	37.5	32.5
June 20, 1928.....	7:00 a.m.	41.0	35.3	39.3	35.0	31.8
	11:00 a.m.	39.5	34.8	37.8	34.5	32.7
	3:00 p.m.	38.8	34.8	36.8	34.5	33.3
	10:00 p.m.	36.8	33.8	35.5	34.3	33.3
	8:00 a.m.	35.3	33.3	34.5	33.0	32.5

It is strikingly interesting that oranges cooled more slowly than any of the other fruit studied. Not less than 64 hours was required to cool oranges in the centers of each half of the divided box from about 74° to about 35° , the boxes being surrounded by air of approximately 33° F. The oranges in peripheral portions of the box cooled somewhat more rapidly than did those in the center. The relatively large size of the fruits, the high water content, and the insulating effect of the thick protective rind, no doubt account for the slowness with which oranges can be precooled.

Fig. 5.—Section of refrigerator car loaded with fruit packed in containers of different shapes and sizes, showing the natural circulation of the air downward through the ice and upward through the fruit. Some precoolers (fig. 8) oppose natural convection currents and force the air to circulate in the opposite direction. Others increase the flow in the natural direction, and still others (fig. 9) by letting the air into the car at one hatch on top of the car and out at the other, combine the two principles; in one end the air goes with the natural flow; at the other end, against it.

Several packing houses in southern California are precooling oranges. The packed oranges are placed in temperatures of from 32° to 34° F for from three to ten days and are thus precooled to approximately 34° . They are then loaded directly into the iced car. The bunkers contain 23 blocks of ice weighing 315 pounds each and making about 14,500 pounds of ice to the car. After the car is loaded and braced, which requires about an hour, the hatches and doors are sealed with instructions not to re-ice en route. The precooled fruit thus begins the journey at a temperature of about 36° F.

Through the courtesy of the California Fruit Growers' Exchange, data were obtained for 23 precooled cars shipped east from Pomona, California.

With these precooled oranges the temperature of the fruit was eleven days in gradually rising from 34° to about 45° F. There was

relatively little difference between the fruit temperatures in the different parts of the cars en route. The difference averaged 2.5° F. On the average the bunkers were still half full of ice when the cars reached their destinations, and the per cent of fruit decay was negligible.

Fig. 6.—A portable car precooler consisting of four fans mounted on vertical shafts and driven by individual electric motors, mounted in a metal frame. The unit rests on the bracing at the center of the car, draws air from the ice bunkers over the fruit, and forces it downward between the boxes and toward the bunkers.

FIRST TYPE CAR PRECOOLER STUDIED

The first type of car pre cooler studied consisted of four $\frac{3}{4}$ -horse-power vertical electric motors directly connected with propeller fans and mounted on a horizontal carriage, which was placed in the doorway space between the bracing of a loaded car. A canvas cover was spread over the top tier in each end of the car from the bunker to the fan carriage and securely fastened in place by means of three adjustable horizontal struts which reached from side to side of the

Fig. 7.—The blowers of this car pre cooler are carried on a special truck from which they are slid on to the bracing. The platform is adjustable as to height, and the whole frame is mounted on rockers.

car. This sheet prevented the short-circuiting of the air upwards between the tiers of boxes and directed it backwards through the fruit to the lower half of the bunkers.

When the fans are in operation, cooled air is drawn forward from the top of the ice bunkers over the canvas, forced downward at the space between the bracing, and sent backward through the tiers of boxes and around the fruit to the bottom of the ice bunkers. The warmed air then passes upward through the ice, releasing heat absorbed from the fruit, and out again at the top of the ice bunkers, to be recirculated. The theory advanced by the manufacturers in support of this direction of air flow is that the coldest air comes into contact with the warmest fruit at the center of the car, and the somewhat warmed air reaches the fruit nearest the bunkers which, under

natural conditions, is in the coldest position of the car. The general practice is to run the precooler for from five to eight hours and to close the doors as quickly as possible when it is removed.

The car should be re-iced as soon as possible in order to replace the ice that has been melted during precooling.

Numerous tests of the air and fruit temperatures as affected by this type of car precooler were made. The refrigerator cars were all modern, fitted with standard equipment and in good condition. Some had been recently overhauled. In every case the bunkers were nearly full of ice at the time the car was loaded.

Fig. 8.—Sectional view of a standard refrigerator car with a car precooler in position. This type draws the air through the ice bunkers and then recirculates it through the load from the center of the car towards the ends. The canvas sheets prevent shortcircuiting of the air and are raised at the center because of the air pressure developed by the fans.

Air Temperatures.—The average air temperatures in different positions of the car as influenced by the operation of the car precooler were determined. Representative data, obtained from three cars, one loaded with mixed containers of plums, grapes, peaches, and pears, the second with pears, and the third with grapes, are shown in table 6.

The data indicate that the average air temperatures, during four hours operation of the car precooler, did not drop below 45° F.

During the operation of the precooler and afterwards the coldest air temperatures tended to be near the floor, particularly under the false floor at the bracing and at the bunker, the warmest air being found at the top of the load of fruit midway between bracing and bunker and near the bunker. The air temperature differences between various parts of the car were, however, reduced to a minimum during

the operation of the car precooler. There was less difference in air temperature between the top and bottom of the load at the bracing than between top and bottom at the bunker. When the car precooler was stopped, however, the differences between air temperatures at the bunker, the bracing, the top, and the bottom, became marked.

TABLE 6

AIR TEMPERATURE CHANGES IN STANDARD LOADED REFRIGERATOR CARS DURING AND SUBSEQUENT TO OPERATION OF CAR PRECOOLER, IN DEGREES FAHRENHEIT (MAYHEWS, CALIFORNIA, SEPTEMBER 19, 1927)*

Bottom, near bunker	Top, near bunker	Bottom, near bracing	Top, near bracing	Bottom, midway bunker and door	Top, midway bunker and door
PRECOOLER FANS STARTED 1 P.M.					
44.1	63.5	47.0	63.3	52.5	61.0
47.1	54.3	48.3	52.2	52.9	52.1
48.2	52.1	48.0	50.5	49.7	51.0
46.0	50.5	47.8	49.0	46.9	49.7
45.8	50.2	47.5	47.5	46.6	49.2
46.0	50.3	48.0	47.3	47.3	48.3
47.3	49.9	48.2	47.0	47.4	48.5
45.1	48.5	45.5	45.5	48.2	47.1
PRECOOLER FANS STOPPED 5 P.M.					
43.9	48.2	46.2	43.0	45.8	49.1
38.9	52.1	45.0	50.8	41.9	51.5
38.9	53.2	45.0	52.0	41.8	52.8
38.8	54.5	47.8	52.5	42.4	54.0
39.0	55.6	46.8	52.5	42.3	54.3

* Readings tabulated for half-hour intervals.

The temperature changes indicate definitely that when the fans were stopped there was a reversal in direction of the air currents from that during the operation of the fans.

The temperature changes within the cars were appreciably influenced, first, by the amount of ice in the bunkers, and second, by the size of the air channels formed between the cakes of melting ice. When the ice was compacted with a tamp, a slight temperature drop in the car resulted. The effect of the sun shining directly on one end of the car was indicated by the temperature measurements becoming somewhat higher there than in the opposite end.

Method of Taking Fruit Temperatures.—The studies on the temperatures of the fruit, as taken by inserting thermometers into the fruit itself, show a decided lag in the lowering of temperature of the fruit behind that of the air in the car, of the air between the

containers, and even of the air within the containers. Each precaution taken to protect the fruit against physical injury increases the insulation of the fruit against heat removal. Thermometers placed in the air in the car, at best can be taken only as indicators, and should be placed as near the fruit as possible. Each fruit is discussed independently under the following tables.

Temperatures in Packed Pear Boxes.—Temperature measurements were made in the spaces between fruits and in the centers of pears at the bulge and center of the boxes. The data in table 7 show the lag in temperature drop just within the bulge of boxes of pears as contrasted with the air temperatures in the channels between boxes. On the other hand, after the fans were stopped, the temperature just within the bulge tended to rise more rapidly than the air temperature. This increase was probably the result of the heat of the fruit within the package.

TABLE 7

AVERAGE RATE OF TEMPERATURE DROP IN THE BULGE OF BOXES OF PEARS IN REFRIGERATOR CARS DURING AND AFTER OPERATION OF CAR PRECOOLER (MAYHEWS, CALIFORNIA)

Time of observation		Temperature in degrees Fahrenheit	
		In bulge of boxes of pears	In air channels between boxes
Date	Hour		
Sept. 19, 1927.....	1:25 p. m.	66.4	67.9
PRECOOLER FANS STARTED			
Sept. 19, 1927.....	2:30 p. m.	62.8	58.1
	4:25 p. m.	52.8	46.0
	6:30 p. m.	50.7	45.2
	8:30 p. m.	48.8	44.3
PRECOOLER FANS STOPPED			
Sept. 20, 1927.....	9:00 p. m.	50.7	45.3
	5:30 a. m.	53.7	47.7
	7:30 a. m.	52.3	46.7
	9:30 a. m.	55.8	49.3
	11:30 a. m.	55.9	49.9
	2:30 p. m.	57.2	51.6

In order to determine the difference in the rate of temperature drop within the fruit itself and in the surrounding air, thermocouples were inserted into the center of wrapped pears and in the space between them as the boxes were being packed. Three such boxes were prepared and with the attached wires were placed in the tier

second from the top and midway between the sides of a car loaded with pears. One box was placed next to the bunker midway between the sides of the car; the second box midway between the bunker and the bracing at the door; and the third at the bracing. Average temperatures for the boxes and for the air of the car are shown in table 8.

TABLE 8

TEMPERATURE CHANGES IN THE CENTER OF PEARS PACKED IN BOXES AND LOADED IN REFRIGERATOR CARS DURING AND AFTER OPERATION OF CAR PRECOOLER (MAYHEWS, CALIFORNIA)

Time of observation		Average temperature in degrees Fahrenheit		
		In center of pears in center of box	In air next to pears in center of box	In air surrounding box containing pears
Date	Hour			
August 20, 1927.....	6:30 p.m.	69.5	69.5	67.8
CAR PRECOOLER STARTED				
August 20, 1927.....	7:00 p.m.	67.7	67.0	59.9
	9:00 p.m.	65.0	64.5	48.5
	11:00 p.m.	62.0	61.8	45.0
August 21, 1927.....	1:00 a.m.	59.7	59.2	43.3
CAR PRECOOLER STOPPED				
August 21, 1927.....	1:30 a.m.	59.0	58.8	46.2
	7:30 a.m.	57.0	56.8	51.3
	9:30 a.m.	57.2	57.3	51.5*
	11:30 a.m.	59.0	58.8	52.2
	1:30 p.m.	59.3	58.3	53.4
	3:30 p.m.	58.7	57.3	53.5
	5:30 p.m.	58.0	57.3	53.7

* Six thousand pounds of ice added to car bunkers.

A test was also conducted with a car containing plums and grapes as well as pears. The temperature of the pears in the mixed car did not drop so satisfactorily as in the cars loaded with pears only. The difference in the size of the boxes necessitated loading in such a manner that continuous air channels extending from the bunkers to the bracing and from the floor to the top of the load could not be left between the rows of boxes. The temperature measurements indicated that loading, stripping, and bracing, so as to form continuous air channels, facilitate the lowering of the temperatures uniformly and effectively during and after the operation of the car precooler. These data are shown in table 9.

TABLE 9

CHANGES IN TEMPERATURE IN THE CENTER OF PACKED PEARS IN A MIXED REFRIGERATOR CAR CONTAINING ALSO PLUMS AND GRAPES, DURING AND AFTER OPERATION OF CAR PRECOOLER (MAYHEWS, CALIFORNIA)

Time of observation		Average temperature in degrees Fahrenheit		
		In center of pears in center of box	In air next to pears in center of box	In air surrounding box containing pears
Date	Hour			
PRECOOLER FANS STARTED				
August 20, 1927.....	2:30 p.m.	67.5	67.5	58.5
	4:25 p.m.	66.5	65.5	44.0
	6:30 p.m.	65.0	62.0	44.0
	8:30 p.m.	63.5	60.5	42.0
PRECOOLER FANS STOPPED				
August 21, 1927.....	9:00 p.m.	63.0	60.5	45.0
	9:30 a.m.	61.5	60.0	51.0
	11:30 a.m.	61.5	61.0	52.0
	2:30 p.m.	62.5	61.5	56.0

These observations agree with those of McKay⁽⁴⁾ who pointed out that loading different styles of packages together in one end of the car obstructs air circulation and seriously retards refrigeration. The natural circulation of cold air from the ice bunkers through the load is, at best, slow and if open spaces are not left between the rows of packages, to provide channels for the flow of cold air from the bunkers toward the alley at the center of the car, the cooling of the containers farthest from the bunkers is materially retarded.

The temperature of the air in the car tended to rise gradually after the precooler was stopped, but during the period of observation it remained below that of the fruit; the temperature of the fruit in the center of the box, however, continued to drop slowly for some time. The temperature of the air adjacent to the pears tended to be slightly below that of the fruit.

Temperatures in Packed Grape Boxes.—Temperature measurements were taken also of grapes loaded in refrigerator cars, as affected by this method of car precooling. Thermocouples were placed between the grapes packed in standard boxes, but not within the individual berries. There was an appreciable drop in temperature of the grapes in the car during loading; the cooling was more rapid during the operation of the precooler; and lower temperatures were reached than

was found to be the case with wrapped packed pears. The air temperature in the car of grapes did not, however, become so low as that in the car of pears, probably because the air was more completely circulated about the grapes, thus effecting a more rapid transfer of heat.

TABLE 10

CHANGES IN TEMPERATURE IN PACKED GRAPE BOXES IN REFRIGERATOR CAR, DURING AND AFTER OPERATION OF CAR PRECOOLER (SEPT. 1, 1927, MAYHEWS, CALIFORNIA)

Time of observation	Average temperatures in degrees Fahrenheit	
	In center of grape boxes	In air channels
PRECOOLER FANS STARTED		
1:50 p.m.	60.8	54.2
2:45 p.m.	56.3	51.3
3:45 p.m.	55.4	52.3
4:45 p.m.	51.5	49.3
PRECOOLER FANS STOPPED		
5:10 p.m.	52.9	50.4
7:50 p.m.	52.3	51.3

As shown in table 10, the average temperature in the centers of packed grape boxes was lowered approximately 9° F, with only three hours' operation of the car precooler. This drop in fruit temperature was within about 2° of the air temperature surrounding the boxes. The temperature change within a 3-hour interval after the precooler fans were stopped, was insignificant.

Temperatures in Packed Boxes of Cherries.—In the study of cooling cherries, small thermocouple points were inserted into the flesh to the pits of cherries packed in the centers of each end of standard cherry boxes. These boxes were placed in the top and bottom layers at the bunker, at the bracing, and midway between bunker and bracing positions in the car. Data showing the temperature drop in the packed cherries and in the air surrounding the boxes as affected by car precooling, are shown in table 11.

In the case of packed cherries, the car precooler lowered the temperature of the fruit from 60° F to 43.3°, or a drop of nearly 17° in six hours' operation. This is greater than was obtained with either

pears or grapes, but less than with apricots. The average air temperature in the car was lowered from 56° to 41.4°. As contrasted with the other experiments the initial fruit and outside air temperatures were relatively low. This may account at least partially for the lower final temperatures attained. Furthermore, the small size of the container and of the individual specimens of fruit no doubt permitted more effective cooling. As opposed to this, however, the tightness with which the individual cherries are fitted into the pack retarded cooling as contrasted with that of apricots.

TABLE 11

TEMPERATURE CHANGES IN THE CENTERS OF PACKED CHERRIES LOADED IN
REFRIGERATOR CARS, DURING OPERATION OF CAR PRECOOLER
(VACAVILLE, MAY 15, 1928)

Time of observation	Average temperatures, degrees Fahrenheit	
	In center of cherries in center of packed boxes	In air channels surrounding boxes
2:50 p.m.	62.2	62.4
PRECOOLER STARTED		
3:10 p.m.	60.0	56.0
4:00 p.m.	58.0	52.2
5:00 p.m.	53.9	48.2
6:00 p.m.	48.5	44.8
7:00 p.m.	45.7	43.0
8:00 p.m.	44.6	42.8
9:00 p.m.	43.3	41.4
PRECOOLER STOPPED		

Temperatures in Packed Crates of Apricots.—In a manner similar to that employed with cherries, temperature measurements were made with apricots in the standard pack of four 5-pound baskets in a crate. The data are shown in table 12.

With packed apricots, three and one-half hours' operation of the car precooler lowered the temperature of the fruit from 78° to 64.4° F, or a drop of nearly 14°. Simultaneously the average air temperature in the car was lowered from 64.2° to 53.4°. The cooling of the apricots was favored by the somewhat open type of container and by comparatively large free air spaces, which permitted freer air circulation immediately around each fruit.

TABLE 12

TEMPERATURE CHANGES IN THE CENTERS OF PACKED APRICOTS, LOADED IN REFRIGERATOR CARS, DURING OPERATION OF CAR PRECOOLER
(JUNE 5, 1928, VACAVILLE, CALIFORNIA)

Time of observation	Average temperature in degrees Fahrenheit	
	In center of apricots in center of baskets packed in crates	In air channels surrounding crates
1:00 p.m.	79.2	75.3
PRECOOLER STARTED		
1:25 p.m.	78.0	64.2
2:25 p.m.	75.9	59.4
3:25 p.m.	70.0	55.9
4:25 p.m.	66.5	54.5
4:55 p.m.	64.4	53.4
PRECOOLER STOPPED		

Temperatures in Packed Boxes of Peaches.—In a manner similar to that employed with the other fruits, temperature measurements were made simultaneously in two refrigerator cars loaded with Levy peaches wrapped and packed in standard boxes. One of the cars was iced and used a car precooler, while the other was iced only. The air temperatures outside the cars were relatively cool and without much fluctuation, averaging about 60° F. The data are shown in table 13.

TABLE 13

COMPARISON OF TEMPERATURE CHANGES IN THE CENTERS OF PACKED PEACHES LOADED IN REFRIGERATOR CARS, ONE ICED ONLY, THE OTHER ICED AND WITH CAR PRECOOLER IN OPERATION (SEPT. 12, 1928, LOOMIS, CALIFORNIA)

Time of observation	Average temperature in degrees Fahrenheit			
	In centers of peaches in center of boxes		In air channels surrounding boxes	
	Ice only	Ice and car precooler	Ice only	Ice and car precooler
11:15 a.m.	56.0	60.0	52.9	44.0
1:15 p.m.	52.6	51.8	49.3	40.8
3:15 p.m.	53.4	50.4	49.3	41.4
5:15 p.m.	54.2	48.3	49.7	40.2
7:15 p.m.	54.2	45.8		38.6
8:15 p.m.	54.2	44.6		37.8

During the nine hours that the cars were under observation the temperature drop of the peaches in the car, without the precooler, was less than 2° , while that in the car using the precooler was over 15° . Apparently the refrigeration capacity of the first car was nearly all used in preventing a temperature rise due to self-heating of the fruit.

SECOND TYPE CAR PRECOOLER STUDIED

The second type of car precooler studied made use of a large fan blower mounted outside the car. The air from the blower was led to one of the hatches at one end of the car by means of a large canvas

Fig. 9.—A portable type of car precooler using collapsible canvas air ducts and portable blower for circulating the air through the ice bunkers and fruit compartment of the standard refrigerator car. The air is drawn out of one hatch at one end of the car by a power-driven blower mounted on a truck and forced down through one of the hatches at the other end of the car.

pipe and was returned from a hatch at the opposite end by a similar pipe reinforced to prevent collapsing. Within the car, the air from the inlet hatch was forced downward through the ice, out at the bottom of the bunker, through the fruit to the bottom of the other bunker, and up through the ice to the outlet hatch. The short-circuiting of the air across the top of the load was prevented by tacking canvas

over the openings in the bulkhead at each end of the car. Observations were made with this type of car precooler upon tomatoes and cantaloupes in southern California.

Temperatures in Packed Boxes of Tomatoes.—Tests were made near Ojai, California, on a car of packed, hard, green tomatoes, by placing thermocouples in the air spaces and within some of the tomatoes. The car was loaded and braced by 5 o'clock in the afternoon, 75 pounds of salt were added to the ice of the air inlet bunker, and the precooler was connected with the hatches (fig. 9), the engine being started at 6 o'clock. The outside air temperature at this time was 72° F, but dropped rapidly after sunset. The temperature of the tomatoes as they were loaded varied from 68° to 78.8°, with an average temperature of 71.8°. The data showing the average air and fruit temperatures during the operation of the car precooler are given in table 14.

TABLE 14

TEMPERATURE CHANGES IN THE CENTERS OF PACKED TOMATOES, LOADED IN REFRIGERATOR CARS, DURING OPERATING OF CAR PRECOOLER
(OCTOBER 3, 1927, OJAI, CALIFORNIA)

Time of observation	Temperatures in degrees Fahrenheit		
	In center of tomatoes	In air channels between stacks	In air in bunker
6:00 p.m.	71.8	63.5	40.8
6:30 p.m.	68.4	49.4	35.5
7:40 p.m.	65.4	46.6	34.5
9:30 p.m.	62.6	46.2	43.3
10:30 p.m.	61.3	45.5	42.8
11:05 p.m.	60.1	44.4	32.8

At the close of the five-hour period during which the car precooler was in operation, the temperature of the packed tomatoes varied from 55° to 64°, depending upon the position of the box in the car and of the tomatoes in the box, those on the outside of the package being cooler than those near the center: the average drop in temperature of the tomatoes was, however, somewhat over 11°.

Temperatures in Packed Crates of Cantaloupes.—In one of the tests made at Brawley, California, the car was iced at 9:30 P.M. of one day, re-iced at 8:45 the following morning, and loaded throughout the day with crates of "choice" (mature and ready to eat) cantaloupes. When the car precooler was started, the bunkers contained about 7,000 pounds of ice, to which approximately 150 pounds of coarse salt had been added. Average data obtained are presented in table 15.

As shown in table 15, the average initial temperature of the cantaloupes was 75.2° F and after six hours' operation of the car pre-cooler it was 54.8°, or about 20° lower. This resulted in the reduction of ice in the intake bunker from about three-fourths full to one-eighth full, and in the outlet bunker from three-fourths to two-fifths.

TABLE 15

AVERAGE TEMPERATURE CHANGES DURING OPERATION OF CAR PRECOOLER AT THE CENTERS OF PACKED CANTALOUPE IN THE CENTERS OF CRATES LOADED IN REFRIGERATOR CARS (JUNE 12, 1928, BRAWLEY, CALIFORNIA)

Time of observation	Average temperatures in degrees Fahrenheit		
	In melon	In air in car	Average outside of car in shade
5:30 p.m.	79.8	82.1	97
5:40 p.m.	Car doors closed.		
5:45 p.m.	78.3	77.8	96
5:45 p.m.	Precooler started.		
6:00 p.m.	75.2	61.7	95
7:00 p.m.	68.4	53.2	90
7:05 p.m.	Ice tamped down in each	bunker.	
8:00 p.m.	64.4	52.7	84
8:30 p.m.	Ice tamped down; 100	pounds salt added	to bunkers. Inlet $\frac{1}{2}$ full;
9:00 p.m.	61.5	51.8	85 outlet $\frac{3}{5}$ full.
10:00 p.m.	59.1	51.2	80
11:00 p.m.	56.9	51.8	81.5
11:30 p.m.	Ice tamped down; 125	pounds salt added	to bunkers. Inlet $\frac{1}{8}$ full.
12:00 a.m.	54.8	49.1	80 outlet $\frac{2}{5}$ full.
12:05 a.m.	Precooler stopped.		
12:40 a.m.	55.9	57.25	79

In another test the car was iced at 8:30 P.M. of one day and loaded with crates of "choice" and "fancy" (half-ripe) cantaloupes on the following day. The bunkers were about five-eighths full of ice when the car pre-cooler was put into operation in the afternoon. Approximately 250 pounds of salt were initially added. The outside air temperatures were somewhat higher than those during the first test, and the period of precooling was slightly longer. The data are averaged in table 16.

The data in table 16 are comparable with those presented in table 15, except that the temperatures attained were not quite so low, possibly because the car was not re-iced before the operation of the car pre-cooler, and because the outside air was a few degrees warmer.

As shown in tables 15 and 16, the ice in the bunker at the inlet duct melted more rapidly than at the outlet; hence, where feasible, the direction of air currents should be reversed so as to make the best use of the ice. Data showing the temperature changes effected by

TABLE 16

AVERAGE TEMPERATURE CHANGES DURING OPERATION OF CAR PRECOOLER, AT THE CENTERS OF PACKED CANTALOUPEs, IN THE CENTERS OF CRATES LOADED IN REFRIGERATOR CARS (JUNE 22, 1928, BRAWLEY, CALIFORNIA)

Time of observation	Average temperatures in degrees Fahrenheit		
	In melon	In air in car	Air outside of car in shade
4:00 p.m.	77.7	81.1	104
4:15 p.m.	Precooler started.		
4:20 p.m.	76.2	68.9	104
5:10 p.m.	Ice tamped down; 50	pounds salt added	to inlet bunker. Ice about same.
5:15 p.m.	73.4	59.5	102
6:00 p.m.	72.3	55.8	100
7:00 p.m.	69.9	53.8	93
8:00 p.m.	67.7	52.3	91
8:30 p.m.	Ice tamped down; 50	pounds salt added	to inlet bunker. Inlet $\frac{2}{5}$ full;
9:00 p.m.	65.4	50.1	90 outlet $\frac{1}{2}$ full.
10:00 p.m.	63.0	49.8	86
11:10 p.m.	Ice tamped down; 125	pounds salt added	to both bunkers. 1 foot ice left in inlet.
11:30 p.m.	61.0	48.6	82 2 feet of ice left in outlet.
11:40 p.m.	Precooler stopped.		
11:45 p.m.	60.7	51.0	82

TABLE 17

AVERAGE TEMPERATURE CHANGES DURING OPERATION OF CAR PRECOOLER, AT THE CENTERS OF PACKED CANTALOUPEs, IN THE CENTERS OF CRATES LOADED IN REFRIGERATOR CARS (JUNE 25, 1928, BRAWLEY, CALIFORNIA)

Time of observation	Average temperatures in degrees Fahrenheit		
	Inside of car		In air outside of car in shade
	In melon	In air	
2:30 p.m.	75.2	84.5	105
2:40 p.m.	Precooler started.		
2:45 p.m.	72.1	73.0	105
3:40 p.m.	Ice tamped down; bunker	rs $\frac{1}{8}$ full of ice.	
3:45 p.m.	65.2	57.3	106
5:00 p.m.	60.3	53.4	106
6:00 p.m.	56.8	49.1	98
6:27 p.m.	Precooler stopped; doors	opened; direction of air current reversed.	
6:42 p.m.	Ice tamped down; 75 pounds salt added to 150 pounds salt added to full of ice; and new outlet bunker $\frac{1}{2}$ full of ice.	nds salt added to inlet bunker (now inlet bunker); new inlet bunker $\frac{1}{4}$	
7:00 p.m.	54.6	51.4	97
8:00 p.m.	52.25	46.4	96
8:35 p.m.	Ice tamped down in new	inlet bunker.	
9:00 p.m.	50.0	44.9	94
10:30 p.m.	46.9	42.8	88
10:35 p.m.	Precooler stopped.		
10:45 p.m.	47.0	43.8	88

reversing the air currents are presented in table 17. About 100 pounds of salt were added to the bunkers just before starting the car precooler.

The data in table 17 indicate that reversing the air currents aids the cooling of cantaloupes.

COMPARISON OF DIFFERENT SYSTEMS

From the standpoint of temperature conditions, cold storage warehouses provide the best method of precooling fruit. The use of refrigerating machinery for cooling the circulating air and the accurate temperature control are most effective in removing the heat from fruit placed in cooling rooms. These warehouses carry on a successful business in districts having other refrigeration demands and offering cheap transportation from the orchard to the warehouse. The warehouse also furnishes a means for holding the fruit until favorable market or shipping conditions exist. Because of the comparatively large investment necessary to conduct a cold storage business, warehouses equipped for precooling and storing fruit are not found in any except heavy fruit-producing areas and in the larger commercial centers.

Portable precoolers depend upon the ice in the refrigerator car for refrigeration and are therefore limited to temperatures obtainable with melting ice. They generally work under the disadvantage of short-time operation, for the warm fruit is cooled after it has been loaded in the car, and the car is removed from the yard as soon as possible. They cannot then be expected to cool to as low temperatures as is possible with the warehouse type, but have their direct application where no storage plant is available.

Some of the portable precoolers are adapted to use in the packing house and are capable of being moved from one car to another, but are not constructed to be moved across country. Others are mounted on trucks and can be taken to cars as they stand in the yard. In general, the warehouse types operate under more favorable conditions, but both types of car precoolers tested will effectively remove the first heat if operated for ten or twelve hours, and will be helpful in reducing the temperature in the car if operated six or eight hours.

FIELD AND PACKING HOUSE TEMPERATURES

Since the heat in fruit is comparatively difficult to remove after packing, the temperature at which the fruit is packed becomes of increasing importance. In this connection the fruit temperature in the field and the effect of harvesting and handling methods upon the final temperature suggest possible modifications in the picking and removal of the fruit from the orchard and in storing it prior to packing. The temperatures of Winter Nelis pears during the harvesting period while on the trees, are shown in table 18.

TABLE 18

TEMPERATURE DIFFERENCES OF WINTER NELIS PEARS IN DIFFERENT POSITIONS ON THE TREE, AND OF THE AIR (AUGUST 19, 1927, MAYHEWS, CALIFORNIA)

Position on tree	Hour of day	Temperature of fruit	Air temperature	Difference between fruit and air temperature
		<i>Degrees Fahr.</i>	<i>Degrees Fahr.</i>	<i>Degrees Fahr.</i>
Sun.....	9:30 a.m.	68.0	66.0	+ 2.0
Sun.....	11:45 a.m.	94.0	90.0	+ 4.0
Shade.....	11:45 a.m.	83.0	84.0	- 1.0
Sun.....	1:50 p.m.	102.0	96.0	+ 6.0
Shade.....	1:50 p.m.	88.0	91.5	- 3.5
Sun.....	4:20 p.m.	109.5	97.5	+12.0
Shade.....	4:20 p.m.	91.5	92.5	- 1.0
Sun.....	5:15 p.m.	100.5	92.5	+ 8.0
Shade.....	5:15 p.m.	91.5	88.5	+ 3.0
Sun.....	6:50 p.m.	84.6	79.0	+ 5.6
Shade.....	6:50 p.m.	73.0	71.5	+ 1.5

The data in table 18 show, as would be expected, that the fruit temperatures became increasingly higher throughout the day until late in the afternoon. The temperatures of the pears in the sun were as much 12° higher than the air temperatures in the sun, as a result of the heat from the rays of the sun being absorbed and retained.

On the other hand, until late in the afternoon, the temperature of the fruit in the shade tended to be slightly cooler than the corresponding air temperature. This may have resulted first from the tendency of the fruit to lag behind the air both in warming up and in cooling off; and, second, from the cooling effect due to transpiration of water from the surface of the fruit.

The orchard temperatures of the pears were of course reflected in the temperatures of the fruit brought to the packing shed during different hours of the day. As Anjou pears were brought from the field to the unloading platform of the packing shed the average temperatures were taken; these data are shown in table 19.

TABLE 19

THE TEMPERATURES AT THE PACKING HOUSE OF ANJOU PEARS BROUGHT FROM
THE FIELD AT DIFFERENT HOURS OF THE DAY (AUGUST 19, 1927,
MAYHEWS, CALIFORNIA)

Hours delivered to packing shed	Average temperature of fruit, degrees Fahrenheit
9:00 a.m.	70
10:00 a.m.	75
11:15 a.m.	78
1:00 p.m.	80
3:50 p.m.	86
4:30 p.m.	89
5:20 p.m.	91
6:10 p.m.	92
7:00 p.m.	88
8:45 p.m.	77

There were differences of as much as 22° in the temperatures of the delivered pears, depending upon the time of the day the fruit was picked. After being placed in the packing shed, however, the loose fruit in lug boxes from the field gradually attained the tempera-

TABLE 20

AVERAGE DROPS IN TEMPERATURE IN THE CENTERS OF PACKAGES OF DIFFERENT
FRUITS IN REFRIGERATOR CARS DURING OPERATION OF CAR PRECOOLERS
AND IN WAREHOUSES; DEGREES FAHRENHEIT

Kind of fruit	Method of precooling	Hours of pre- cooling	Initial fruit temper- ature	Initial temper- ature of cooling air	Final fruit temper- ature	Final drop in fruit temper- ature	Total drop in fruit temper- ature
Wrapped, packed boxes of pears.....	Warehouse.....	45.0	68.6	39.0	34.2	31.7	34.4
Grapes packed in lugs.....	Warehouse.....	33.0	59.5	40.4	34.7	29.3	24.8
Wrapped, packed boxes of oranges..	Warehouse.....	64.0	74.0	35.0	34.9	32.5	39.1
Wrapped, packed boxes of pears.....	Car-precooler....	6.0	69.5	67.8	59.7	53.7	9.8
Grapes packed in lugs.....	Car-precooler....	3.0	60.8	54.2	51.5	49.3	9.3
Packed boxes of cherries.....	Car-precooler....	6.0	60.0	56.0	43.3	41.4	16.7
Packed crates of apricots.....	Car-precooler....	3.5	78.0	64.2	64.4	53.4	13.6
Wrapped, packed boxed peaches.....	Car-precooler....	7.0	60.0	44.0	44.6	37.8	15.4
Wrapped, packed boxed peaches.....	Iced car only....	7.0	56.0	52.9	54.2	49.7	1.8
Packed boxes of tomatoes.....	Car-precooler....	5.0	71.8	63.5	60.1	44.4	11.7
Packed crates of cantaloupes.....	Car-precooler....	6.0	71.9	67.8	54.9	47.2	17.0

ture within the shed and followed shed temperature changes rather closely. Representative specimens of this same fruit were left in the packing house overnight, and the next morning the temperature of the fruit in open lugs averaged 60.8° F. This was nearly 10° colder

than the coolest fruit brought from the field the preceding day, and 31° cooler than the warmest fruit.

In many of the fruit-growing sections of the state, during the harvesting season, there may be as much as 50° difference in air temperature between the cool hours of the night and the warm hours of the day. It therefore appears to be desirable, when packing house space, loading facilities, car supply, and working conditions permit, to store the fruit picked overnight in the cooler, ventilated parts of the shed in the afternoon.

As a result of the lower night temperatures and the exchange of air surrounding such loose fruit in lug boxes when properly placed to permit ventilation, it can be packed the following morning at a lower initial temperature than would be attained with eight hours of car precooling. Then with the proper use of car precoolers the fruit could be further cooled and started on its journey in a condition approaching the temperatures that are desired en route.

SUMMARY AND CONCLUSIONS

1. In the warehouse, when the pears were surrounded by air currents having temperatures of 30° to 35° F it required from 45 to 50 hours to cool the centers of the fruit packed in the centers of standard boxes, from 60° – 75° F down to 33° – 35° F. Extraction of the heat from wrapped, packed pears is primarily by conduction.

2. Packed boxes of grapes cooled somewhat more rapidly than did packed boxes of pears. With grapes the individual fruits were not so tightly packed together and were unwrapped. Grapes were cooled from 60° down to 35° F in about 33 hours in a warehouse.

3. The precooling of wrapped oranges packed in standard orange boxes required more time than did any of the other fruits studied. Oranges in the centers of each half of the divided orange box were cooled from 74° down to 35° after about 64 hours' storage in warehouse temperatures of 33° F.

4. Warehouse precooling is adapted to concentrated fruit areas, shipping terminals, or commercial centers, while the portable type of cooler is adapted to those areas not having warehouse facilities, and to small shipping centers or individual packers.

5. Loading of different styles of packages together in one end of the car obstructs air circulation and interferes with the effectiveness of car precoolers and the natural circulation of cold air from the ice bunkers.

6. When the individual fruits of a package are wrapped and tightly placed together, the rate of cooling is retarded as contrasted with that of fruit which is unwrapped and loosely packed. The wrappers serve as insulators and also reduce the space for air movement, and heat is of necessity removed primarily by conduction. Open packages and loose packs permit convection currents, and thus facilitate the removal of heat.

7. Small fruits cool somewhat more rapidly than large fruits. The small fruits have a larger surface per unit of volume, and this permits of more rapid reduction in temperature.

8. Packed, wrapped pears in the centers of standard boxes were cooled from 69.5° to 59.7° F with 6 hours of operation of a car pre-cooler when the car was loaded only with pears. In a mixed load, containing plum, grapes, and pears, the temperature of the pears in the center of the boxes was lowered from 67.5° to 63.5° with six hours' operation of the car pre-cooler.

9. Grapes in Los Angeles lugs were cooled from 60.8° to 52.3° F within three hours. Additional data for cherries, apricots, peaches, tomatoes and cantaloupes are shown in table 20.

10. Wrapped, packed peaches with ice only dropped 3.4° in two hours after loading; when a car pre-cooler was operated during the same interval of time the temperature of the peaches in another similar car dropped 8.2° F. The fruit in the car with the pre-cooler continued to cool through the afternoon while that in the plain iced car warmed up, until after 7 hours of operation the drops were 1.8° and 15.4° respectively.

11. The importance of the initial fruit temperature as influenced by the time of day the fruit is harvested and packed is emphasized in view of the comparative difficulty in removing the heat after the fruit is packed.

12. It costs in addition to transportation charges about \$105.00 for the delivery of a pre-iced car with average re-icing en route, to Chicago. The delivery of a dry car costs \$21.00. To manufacture and put ice in a dry car costs about \$4.50 a ton. The icing with 15,000 pounds would cost about \$34.00, and this plus the initial cost of the dry car would effect a saving of about \$50.00 when the car was not re-iced en route.

ACKNOWLEDGMENTS

The authors are indebted to certain cooperators in California, who made available fruit and equipment, as follows:

The A. B. Humphrey Company, Mayhews, California.

The Security Warehouse and Cold Storage Co., San Jose, California.

The Vacaville Fruit Growers Association, Vacaville, California.

Frank H. Buck & Co., Vacaville, California.

The Loomis Fruit Exchange, Sacramento, California.

Pomona Valley Ice and Cold Storage Co., Pomona, California.

Rocky Hill Association Cold Storage and Precooling Plant, Exeter, California.

The Car Precooler Service Co., Los Angeles, California.

To James R. Tavernetti and F. H. Prittie for help received in making the observations and in recording data.

LITERATURE CITED

- ¹ BEACH, S. A., and H. J. EUSTACE.
1909. Cold storage for Iowa-grown apples. Iowa Agr. Exp. Sta. Bul. 108: 391-414.
- ² GORE, H. C.
1911. Studies on fruit respiration. U. S. Dept. Agr., Bur. Chem., Bul. 142: 5-40.
- ³ GRIFFITHS, EZER, and J. H. AUBERRY.
1928. The heat generated by fruit. Report Food Invest. Board (Great Britain) 1927:88-90.
- ⁴ MCKAY, A. W.
1918. Loading and transporting western cantaloupes. U. S. Dept. Agr. Bur. Markets Doc. 10:1-116.
- ⁵ OVERHOLSER, E. L., A. J. WINKLER, and H. E. JACOB.
1925. Factors influencing the development of internal browning of the Yellow Newtown apple. California Agr. Exp. Sta. Bul. 370:1-40.
- ⁶ POWELL, G. H.
1905. The transportation of fruits in refrigeration. American Soc. Refrig. Eng. Trans. 1:82-94.
- ⁷ RAMSEY, H. J.
1918. Heavy loading of freight cars in the transportation of northwestern apples. U. S. Dept. Agr. Bur. Markets Doc. 13:1-23.
- ⁸ READ, F. W., et al.
1924. Refrigeration test trip. California Growers and Shippers Protective League, San Francisco, p. 1-36.
- ⁹ RIDLEY, V. W.
1919. Factors in transportation of strawberries from the Ozark region. U. S. Dept. Agr. Bur. Markets Doc. 8:10.
- ¹⁰ STUBENRAUCH, A. V., and H. J. RAMSEY.
1913. Bartlett pear precooling and storage investigations in Rogue River Valley. U. S. Dept. Agr. Bur. Pl. Ind. Cir. 114:1-32.
- ¹¹ WHITEHOUSE, W. E.
1919. Cold storage for Iowa apples. Iowa Agr. Exp. Sta. Bul. 192:179-216.

BULLETINS

No.	No.
253. Irrigation and Soil Conditions in the Sierra Nevada Foothills, California.	408. Alternaria Rot of Lemons.
263. Size Grades for Ripe Olives.	409. The Digestibility of Certain Fruit By-Products as Determined for Ruminants. Part I. Dried Orange Pulp and Raisin Pulp.
277. Sudan Grass.	410. Factors Influencing the Quality of Fresh Asparagus After it is Harvested.
279. Irrigation of Rice in California.	412. A Study of the Relative Value of Certain Root Crops and Salmon Oil as Sources of Vitamin A for Poultry.
283. The Olive Insects of California.	414. Planting and Thinning Distances for Deciduous Fruit Trees.
304. A Study of the Effects of Freezes on Citrus in California.	415. The Tractor on California Farms.
310. Plum Pollination.	416. Culture of the Oriental Persimmon in California.
313. Pruning Young Deciduous Fruit Trees.	418. A Study of Various Rations for Finishing Range Calves as Baby Beeves.
331. Phylloxera-resistant stocks.	419. Economic Aspects of the Cantaloupe Industry.
335. Coconut Meal as a Feed for Dairy Cows and Other Livestock.	420. Rice and Rice By-Products as Feeds for Fattening Swine.
343. Cheese Pests and Their Control.	421. Beef Cattle Feeding Trials, 1921-24.
344. Cold Storage as an Aid to the Marketing of Plums, a Progress Report.	423. Apricots (Series on California Crops and Prices).
346. Almond Pollination.	425. Apple Growing in California.
347. The Control of Red Spiders in Deciduous Orchards.	426. Apple Pollination Studies in California.
348. Pruning Young Olive Trees.	427. The Value of Orange Pulp for Milk Production.
349. A Study of Sidedraft and Tractor Hitches.	428. The Relation of Maturity of California Plums to Shipping and Dessert Quality.
353. Bovine Infectious Abortion, and Associated Diseases of Cattle and New-born Calves.	430. Range Grasses in California.
354. Results of Rice Experiments in 1922.	431. Raisin By-Products and Bean Screenings as Feeds for Fattening Lambs.
357. A Self-Mixing Dusting Machine for Applying Dry Insecticides and Fungicides.	432. Some Economic Problems Involved in the Pooling of Fruit.
361. Preliminary Yield Tables for Second-Growth Redwood.	433. Power Requirements of Electrically Driven Dairy Manufacturing Equipment.
362. Dust and the Tractor Engine	434. Investigations on the Use of Fruits in Ice Cream and Ices.
363. The Pruning of Citrus Trees in California.	435. The Problem of Securing Closer Relationship between Agricultural Development and Irrigation Construction.
364. Fungicidal Dusts for the Control of Bunt.	436. I. The Kadota Fig. II. The Kadota Fig Products.
366. Turkish Tobacco Culture, Curing, and Marketing.	438. Grafting Affinities with Special Reference to Plums.
367. Methods of Harvesting and Irrigation in Relation to Moldy Walnuts.	439. The Digestibility of Certain Fruit By-Products as Determined for Ruminants. II. Dried Pineapple Pulp, Dried Lemon Pulp, and Dried Olive Pulp.
368. Bacterial Decomposition of Olives During Pickling.	440. The Feeding Value of Raisins and Dairy By-Products for Growing and Fattening Swine.
369. Comparison of Woods for Butter Boxes.	444. Series on California Crops and Prices: Beans.
370. Factors Influencing the Development of Internal Browning of the Yellow Newtown Apple.	445. Economic Aspects of the Apple Industry.
371. The Relative Cost of Yarding Small and Large Timber.	446. The Asparagus Industry in California.
373. Pear Pollination.	447. A Method of Determining the Clean Weights of Individual Fleeces of Wool.
374. A Survey of Orchard Practices in the Citrus Industry of Southern California.	448. Farmers' Purchase Agreement for Deep Well Pumps.
380. Growth of Eucalyptus in California Plantations.	449. Economic Aspects of the Watermelon Industry.
385. Pollination of the Sweet Cherry.	450. Irrigation Investigations with Field Crops at Davis, and at Delhi, California, 1909-1925.
386. Pruning Bearing Deciduous Fruit Trees.	451. Studies Preliminary to the Establishment of a Series of Fertilizer Trials in a Bearing Citrus Grove.
388. The Principles and Practice of Sun-Drying Fruit.	452. Economic Aspects of the Pear Industry.
389. Berseem or Egyptian Clover.	453. Series on California Crops and Prices: Almonds.
390. Harvesting and Packing Grapes in California.	454. Rice Experiments in Sacramento Valley, 1922-1927.
391. Machines for Coating Seed Wheat with Copper Carbonate Dust.	
392. Fruit Juice Concentrates.	
393. Crop Sequences at Davis.	
394. I. Cereal Hay Production in California. II. Feeding Trials with Cereal Hays.	
395. Bark Diseases of Citrus Trees in California.	
396. The Mat Bean, Phaseolus Aconitifolius.	
397. Manufacture of Roquefort Type Cheese from Goat's Milk.	
400. The Utilization of Surplus Plums.	
405. Citrus Culture in Central California.	
406. Stationary Spray Plants in California.	
407. Yield, Stand, and Volume Tables for White Fir in the California Pine Region.	

BULLETINS—(Continued)

- No.
- 455. Reclamation of the Fresno Type of Black-Alkali Soil.
- 456. Yield, Stand and Volume Tables for Red Fir in California.
- 458. Factors Influencing Percentage Calf Crop in Range Herds.
- 459. Economic Aspects of the Fresh Plum Industry.
- 460. Series on California Crops and Prices: Lemons.
- 461. Series on California Crops and Prices: Economic Aspects of the Beef Cattle Industry.
- 462. Prune Supply and Price Situation.
- 464. Drainage in the Sacramento Valley Rice Fields.

- No.
- 465. Curly Top Symptoms of the Sugar Beet.
- 466. The Continuous Can Washer for Dairy Plants.
- 467. Oat Varieties in California.
- 468. Sterilization of Dairy Utensils with Humidified Hot Air.
- 469. The Solar Heater.
- 470. Maturity Standards for Harvesting Bartlett Pears for Eastern Shipment.
- 471. The Use of Sulfur Dioxide in Shipping Grapes.
- 474. Factors Affecting the Cost of Tractor Logging in the California Pine Region.
- 475. Walnut Supply and Price Situation.

CIRCULARS

- No.
- 115. Grafting Vinifera Vineyards.
- 117. The Selection and Cost of a Small Pumping Plant.
- 127. House Fumigation.
- 129. The Control of Citrus Insects.
- 164. Small Fruit Culture in California.
- 166. The County Farm Bureau.
- 178. The Packing of Apples in California.
- 203. Peat as a Manure Substitute.
- 212. Salvaging Rain-Damaged Prunes.
- 230. Testing Milk, Cream, and Skim Milk for Butterfat.
- 232. Harvesting and Handling California Cherries for Eastern Shipment.
- 239. Harvesting and Handling Apricots and Plums for Eastern Shipment.
- 240. Harvesting and Handling California Pears for Eastern Shipment.
- 241. Harvesting and Handling California Peaches for Eastern Shipment.
- 243. Marmalade Juice and Jelly Juice from Citrus Fruits.
- 244. Central Wire Bracing for Fruit Trees.
- 245. Vine Pruning Systems.
- 248. Some Common Errors in Vine Pruning and Their Remedies.
- 249. Replacing Missing Vines.
- 250. Measurement of Irrigation Water on the Farm.
- 253. Vineyard Plans.
- 255. Leguminous Plants as Organic Fertilizers in California Agriculture.
- 257. The Small-Seeded Horse Bean (*Vicia faba* var. *minor*).
- 258. Thinning Deciduous Fruits.
- 259. Pear By-Products.
- 261. Sewing Grain Sacks.
- 262. Cabbage Production in California.
- 263. Tomato Production in California.
- 265. Plant Disease and Pest Control.
- 266. Analyzing the Citrus Orchard by Means of Simple Tree Records.

- No.
- 269. An Orchard Brush Burner.
- 270. A Farm Septic Tank.
- 276. Home Canning.
- 277. Head, Cane, and Cordon Pruning of Vines.
- 278. Olive Pickling in Mediterranean Countries.
- 279. The Preparation and Refining of Olive Oil in Southern Europe.
- 282. Prevention of Insect Attack on Stored Grain.
- 284. The Almond in California.
- 287. Potato Production in California.
- 288. Phylloxera Resistant Vineyards.
- 289. Oak Fungus in Orchard Trees.
- 290. The Tangier Pea.
- 292. Alkali Soils.
- 294. Propagation of Deciduous Fruits.
- 295. Growing Head Lettuce in California.
- 296. Control of the California Ground Squirrel.
- 298. Possibilities and Limitations of Cooperative Marketing.
- 300. Coccidiosis of Chickens.
- 301. Buckeye Poisoning of the Honey Bee.
- 302. The Sugar Beet in California.
- 304. Drainage on the Farm.
- 305. Liming the Soil.
- 307. American Foulbrood and Its Control.
- 308. Cantaloupe Production in California.
- 309. Fruit Tree and Orchard Judging.
- 310. The Operation of the Bacteriological Laboratory for Dairy Plants.
- 311. The Improvement of Quality in Figs.
- 312. Principles Governing the Choice, Operation and Care of Small Irrigation Pumping Plants.
- 313. Fruit Juices and Fruit Juice Beverages.
- 314. Termites and Termite Damage.
- 315. The Mediterranean and Other Fruit Flies.