Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,37

LIBRARY
RECEIVED
MAR 17 1947
U S Department of Agriculture

Superior Seeds

FARM AND GARDEN
SUPPLIES

Manns

BALTIMORE 2, MD.

ENSOR AND FORREST STS.

AT BELAIR MARKET

MANNS' SUPERIOR SEEDS

Ensor & Forrest Sts.

At Belair Market

Baltimore-2, Md.

A Convenient, Complete, Modern Seed Store

Plenty of free parking space

Manns is the most accessible seed store in the city. Here you can conveniently buy **Superior Seeds**, Farm and Garden supplies at reasonable prices—backed by 60 years of reputable service.

ALWAYS EASY PARKING

Quality of Strains Proven at Our Trial Grounds

Established 1887

Superior Seeds

AT BELAIR MARKET

Enclosed.....For \$.....
(Check, Money Order or Stamps)

NAMES	POST OFFICE	STATE

[illegible]

MANNS' SUPERIOR SEEDS

Continuously Successful Since 1887

Our 60th Year

On this our 60th Anniversary we wish to express to you our sincere gratitude for your loyalty, patronage and encouragement during the past.

Sixty years of success would not have been possible without customers like yourself, who year after year have proven the superior quality of Manns' seeds by the actual results obtained.

We shall always do all in our power to merit your continued confidence.

Seeds, Bulbs, Plants, Farm and Garden Supplies Are Not Side-Lines With Us But the Very Items Which Determine Our Success. They Must Be Good. They Must Be Dependable. Sow the Best for Best Results.

Phone Plaza 1460 - Open Saturday Afternoons - Suburban Delivery

Prompt, Courteous, and Intelligent Attention Always

MAIL ORDERS: We pay Parcel Post or Express Charges on all vegetable and flower seeds, except Beans, Corn, Peas, and Seed Potatoes. This enables distant customers to use Manns' Superior Seeds at no additional expense.

PLEASE READ - Non-Warranty

It is very evident to anyone who gives the matter the slightest thought that it is to our best interests to send out only such stock as will grow and prove true to name and description. There are, however, so many contingencies to be encountered, entirely beyond our control, such as the weather, soil and other conditions that: **J. Manns & Company give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any Seeds, Plants or Bulbs we sell, and we will not be responsible for the crop. Our liability, in all instances, is limited to the purchase price of the Seeds, Plants or Bulbs.**

Domestic Parcel Post Rates Within the U. S. and Possessions		For First Pound	For Ea. Addit'l Pound
First Zone within	50 miles	\$0.08	\$0.01
Second Zone within	50 to 150 miles	.08	.01
Third Zone within	150 to 300 miles	.09	.02
Fourth Zone within	300 to 600 miles	.10	.04
Fifth Zone within	600 to 1000 miles	.11	.05
Sixth Zone within	1000 to 1400 miles	.12	.07
Seventh Zone within	1400 to 1800 miles	.14	.09
Eighth Zone over	1800 miles	.15	.11

Prices Subject to Change Without Notice

HOW AND WHEN TO PLANT VEGETABLES

VEGETABLES	SEEDS OR PLANTS TO PROVIDE FOR FAMILY OF FIVE	DATE TO SOW OR PLANT OUTDOORS		DEPTH TO COVER INCHES	SPACE BETWEEN ROWS	SET PLANTS OR THIN OUT TO INCHES	TIME REQUIRED TO PRODUCE CROP	NUMBER OF RUNNING FEET OF ROW FOR FAMILY OF 5	SPECIAL NOTES
		FIRST	LAST						
Asparagus	1 oz. or 50 2 qts.	Mar. 20	Aug. 1	Seeds 1 in. Plants 4 in.	3 to 4 ft. 2 ft.	12 in.	Seeds 4 years Plants 2 years	50 ft. 200 ft.	A well-cared for bed improves with age and lasts for many years. Select, early, midseason and late in both green and wax podded kinds. Select early and late, green and wax pod. Select early, midseason and late kinds for winter storage. Sow during July for Fall use. Handle exactly like Cauliflower. The most delicate of all the cabbage tribe. Set out 2 doz. early, 1 doz. midseason and 3 doz. late kinds. Sow only on August 1st for Fall use only. Sow short rows often. Sow on August 1st for winter storage. Treat very much like Cabbage. Select an early and a late variety. Sow in blocks of short rows, for perfect pol-lenization. When picking, cut stems; do not pull vines. Needs lots of heat and frequent hoeing. To bleach, tie plants into cone shape. Should be used when roots reach a diameter of 2 1/4 in. Grow like Onions and hill to bleach stalks. Should be thinned out to stand a foot apart. Select an early and a late variety in both classes. See note on Cucumbers. Weeding and hoeing are their chief require-ments. Seed requires 3 to 6 weeks to germinate. Cultivate well during the growing season. The early smooth seeded sorts may be sown a month before the later, wrinkled varieties. See note on Eggplants. Really a farm crop. When storing, prevent bruising. Spring sorts can be grown quite close. Summer and fall varieties require more space. Requires a lot of space and plenty of manure. Sow around August 1st for winter use. Can be stored for winter use or left in ground until spring. Plant short rows often. See note on Pumpkins. Treat like Beets. For best results train to stakes or trellis.
Beans (Pole)	3 pkts.	May 5	Aug. 1	1/2 to 1 in.	3 to 4 ft.	3 ft. (hills)	90 to 120 days	80 to 100 hills	
Beet	2 oz.	Mar. 20	Aug. 15	1/2 to 1 in.	18 in.	2 to 3 in.	60 to 80 days	80 ft.	
Borecole or Kale	1 pkt.	April 20	Sept. 1	1/2 in.	2 1/4 ft.	12 in.	80 to 100 days	20 ft.	
Broccoli	1 pkt.	April 5	Aug. 10	1/2 to 1 in.	2 1/4 ft.	24 in.	120 days	20 ft.	
Brussels Sprouts	1 pkt. or 15 36	May 5	Sept. 15	Seed 1/2 in.	2 to 3 ft.	18 to 24 in.	100 to 150 days	60 ft.	
Cabbage	1 pkt.	July 20	Aug. 1	1/4 in.	2 1/4 ft.	12 in.	80 to 100 days	20 ft.	
Chinese Cabbage	1/2 oz.	Mar. 20	Aug. 1	1/4 to 2 ft.	1 1/2 to 2 ft.	2 to 3 in.	45 to 60 days	40 ft.	
Carrot	24 1/2 oz. or 60 1 pt.	April 5	July 10	Seed 1/4 in.	2 to 3 ft.	2 ft.	120 to 150 days	20 ft.	
Cauliflower	1 pt.	April 20	July 15	Seed 1/2 in.	3 ft.	6 in.	100 to 120 days	60 ft.	
Corn (Sweet)	1 pkt.	April 20	Aug. 5	1/4 in.	4 to 5 ft.	12 in.	80 to 120 days	200 ft.	
Cucumber	12 1 pkt.	May 20	Aug. 10	1/4 in.	2 1/4 ft.	36 in.	60 to 80 days	10 hills	See note on Cucumbers. Weeding and hoeing are their chief require-ments. Seed requires 3 to 6 weeks to germinate. Cultivate well during the growing season. The early smooth seeded sorts may be sown a month before the later, wrinkled varieties. See note on Eggplants. Really a farm crop. When storing, prevent bruising. Spring sorts can be grown quite close. Summer and fall varieties require more space. Requires a lot of space and plenty of manure. Sow around August 1st for winter use. Can be stored for winter use or left in ground until spring. Plant short rows often. See note on Pumpkins. Treat like Beets. For best results train to stakes or trellis.
Eggplant	1 pkt.	April 5	July 25	1/4 in.	2 1/4 ft.	24 in.	100 to 120 days	20 ft.	
Endive	1 pkt.	April 5	Aug. 10	1/4 to 1/2	1 1/2 to 2 ft.	12 in.	60 to 80 days	40 ft.	
Kohi-Rabi	1 pkt.	Mar. 20	July 15	1/4 in.	2 ft.	4 to 6 in.	100 days	20 ft.	
Letts	2 oz. (4 kinds)	June 1	July 10	1/4 in.	2 ft.	4 in.	45 to 60 days	20 ft.	
Lima Beans (Bush)	1 pt.	June 1	July 10	1/4 in.	2 1/2 to 3 ft.	2 ft. (hills)	100 days	40 ft.	
Lima Beans (Pole)	2 pkts.	May 10	July 10	1/4 to 1 in.	4 ft.	3 ft. (hills)	120 days	20 hills	
Melons	1 oz.	Mar. 20	Aug. 10	1/4 to 1 in.	4 ft.	4 ft. (hills)	100 to 120 days	10 hills	
Onions	1 qt.	Mar. 20	Aug. 10	1/4 to 1/2	12 in.	3 or 4 in.	80 to 110 days	80 ft.	
Onion Sets	1 pkt.	Mar. 20	Aug. 10	1/4 to 1/2	15 to 18 in.	2 in.	30 to 60 days	40 ft.	
Parasley	1 pkt.	April 5	July 1	1/4 to 1 in.	15 to 18 in.	4 in.	100 to 120 days	50 ft.	See note on Cucumbers. Weeding and hoeing are their chief require-ments. Seed requires 3 to 6 weeks to germinate. Cultivate well during the growing season. The early smooth seeded sorts may be sown a month before the later, wrinkled varieties. See note on Eggplants. Really a farm crop. When storing, prevent bruising. Spring sorts can be grown quite close. Summer and fall varieties require more space. Requires a lot of space and plenty of manure. Sow around August 1st for winter use. Can be stored for winter use or left in ground until spring. Plant short rows often. See note on Pumpkins. Treat like Beets. For best results train to stakes or trellis.
Peas	3 pkts.	Mar. 20	Aug. 10	2 in.	2 1/2 ft.	2 to 4 in.	150 days	50 ft.	
Pepper	12 15 lbs.	May 5	Aug. 20	4 in.	3 ft.	2 ft.	100 days	20 ft.	
Potatoes	1 pkt.	Mar. 20	Aug. 20	1/4 in.	3 ft.	6 in.	100 days	200 ft.	
Pumpkin	3 pkts.	May 20	Sept. 15	1/4 in.	4 to 6 ft.	1 to 4 in.	100 to 120 days	12 hills	
Radish	1 pkt.	Mar. 20	Aug. 10	1/4 in.	18 in.	1 to 4 in.	30 to 60 days	50 ft.	
Rhubarb	6 1 pkt.	Mar. 20	Oct. 1	1/4 in.	3 ft.	3 ft.	60 days	20 ft.	
Rutabaga	1/2 oz.	Mar. 20	July 20	1/4 to 1 1/4 in.	3 ft.	6 in.	90 to 100 days	40 ft.	
Salsify	1 oz.	April 5	July 1	1 to 1 1/4 in.	15 to 18 in.	2 to 4 in.	100 to 150 days	25 ft.	
Spinach	1 oz.	Mar. 20	Aug. 10	1/4 in.	12 in.	2 to 4 in.	60 days	75 ft.	
Squash	1 pkt.	April 20	Aug. 10	1/4 to 1 in.	4 to 6 ft.	4 ft. (hills)	100 to 120 days	12 hills	See note on Cucumbers. Weeding and hoeing are their chief require-ments. Seed requires 3 to 6 weeks to germinate. Cultivate well during the growing season. The early smooth seeded sorts may be sown a month before the later, wrinkled varieties. See note on Eggplants. Really a farm crop. When storing, prevent bruising. Spring sorts can be grown quite close. Summer and fall varieties require more space. Requires a lot of space and plenty of manure. Sow around August 1st for winter use. Can be stored for winter use or left in ground until spring. Plant short rows often. See note on Pumpkins. Treat like Beets. For best results train to stakes or trellis.
Swiss Chard	1/2 oz.	Mar. 20	Aug. 10	1/4 to 1 in.	1 1/2 to 2 ft.	6 in.	90 to 100 days	40 ft.	
Tomato	1 pkt. or 48	Seeds Feb. 18 Indoors Plants May 5	Aug. 10	Seed 1/2 in.	3 to 4 ft.	3 ft.	100 to 120 days	150 ft.	
Turnips	1 pkt.	Mar. 20	July 1 Aug. 31	1/2 in.	15 to 20 in.	2 to 4 in.	60 to 80 days	60 ft.	

NUMBER OF WEEKS BETWEEN SOWINGS FOR CONTINUOUS HARVEST

Beans	4 weeks	Cucumbers	4 weeks	Kohlrabi	3 weeks	Sweet Corn	2 weeks	Radishes—Early	2 weeks
Beets	6 weeks	Endive	6 weeks	Turnips	4 weeks	Onion Sets	4 weeks	Radishes—Midseason	2 weeks
Carrots	8 weeks	Lettuce	4 weeks	Spinach	2 weeks	Peas	2 weeks	Radishes—Winter	6 weeks

In the vicinity of Baltimore many varieties are sown in hot-beds during February, March and April to be planted out about May 10th, or earlier in the case of some varieties where the plants may be hardened off.

Some vegetables, such as Cabbage, Lettuce and Spinach, are sown at varying dates, according to variety.

SOW MANN'S' SUPERIOR SEEDS

Varieties of Special Merit

OUR general stocks are unexcelled in quality and better seeds cannot be purchased at any price. The following recently improved strains, however, are worthy of special consideration and should be grown by every progressive market gardener.

BEETS

MANN'S NEW MODEL—Has become a favorite with market gardeners supplying the most critical trade. A thoroughly established strain, dependable year after year for its uniform maturity, deep red color, freedom from light zones, and good bunching tops. New Model is no longer "new." It has been grown for nearly ten years in the vicinity of Baltimore, and each year our sales of it have increased over the previous year. We do not know any beet that will beat New Model as a main crop variety for this section. Page 7.

CABBAGE

CHIEFTAIN SAVOY—Received the award of Merit, 1938 All-American selection. Produces well formed, medium sized firm heads, outstanding in uniformity and quality. Page 9.

CARROT

STREAMLINER—An ideal new bunching carrot for shippers and market gardeners. Tops short, rather sparse, dark green, and strong. Roots long slender, nearly cylindrical; at maturity 8 to 10 in. long by $1\frac{1}{4}$ to $1\frac{1}{2}$ in. at shoulder; grow completely underground. Color very deep orange, cores small and uniformly red. Page 12.

SUNRISE—A favorite with market garden trade because of its fine quality, perfect shape and attractive color. Specially valuable for medium and late use, an excellent keeper and thoroughly dependable. Page 12.

RADISH

SCARLET GLOBE No. 8—So uniform in its maturity that each sowing can be entirely gathered and bunched at one pulling, with practically no waste. This means more bunches per row, more time saved in bunching, and the ground ready for the next crop a week earlier. Page 30.

ARTICHOKE

GREEN GLOBE—Tender perennial producing edible flower buds the second year. Pkt., 10c; Oz., 85c.

ASPARAGUS ROOTS

From one to two years may be saved by planting roots instead of seed. Choice, 2-year-old roots.

MARY WASHINGTON, 25 for 85c; \$2.85 per 100.

TOMATOES

MANN'S SUPERIOR GLOBE—A trial ground selection consistently producing outstanding yields of deep globe-shaped, bright red, solid meaty fruits. Picking begins early mid-season and continues well until frost. Superior Globe has yielded heavier crops of No. 1 Grade than Rutgers, Marglobe or any of the other numerous varieties in our Parkville trials. Seed supply limited. Pkt., 25c; oz., \$1.00; $\frac{1}{4}$ lb., \$3.50; lb., \$12.50.

RUTGERS tomato has become so popular due to its quality and yield that it naturally has had wide distribution and publicity. It is very important however that seeds of this new variety be purchased from the most reliable sources, as some stocks have been grown more carefully than others and preservation of the original qualities has been an expensive item in its reproduction. Mann's stock of Rutgers is not only certified but has been produced from stock seed which we have proven to be superior to two other certified stocks. See page 36.

ASPARAGUS

1 ounce to 60 feet of drill; 1 pound per acre;
3,000 plants per acre.

Sow in spring in drills about eighteen inches apart and two inches deep in light, rich soil, planting fifteen to twenty seed to each foot of row. Thin to about one inch apart and give frequent and thorough cultivation during the summer.

Set the plants about four inches deep and one to two feet apart in rows four to six feet apart. After the plants are well started, give frequent and thorough cultivation. The next season the bed may be cut over two or three times. After the final cutting, give a good dressing of manure, ashes and salt.

MARY WASHINGTON—Resistant to disease, large, early and produces remarkably tender dark green stalks with very compact purplish green tips. Pkt., 10c; $\frac{1}{4}$ lb., 50c; lb., \$1.50.

PARADISE—New early, extremely strong, vigorous producer, rust resistant. Pkt., 10c; oz., 50c; $\frac{1}{4}$ lb., \$1.50; lb., \$5.00.

Full Measure

BUSH BEANS

1 pint to 100 feet of drill; 1 to 1½ bushels per acre.

Beans are tender and should not be planted until the soil is well warmed. Sowing too early will often result in a poor stand and uneven ripening. Sow the seed 1½ to 2 inches deep in rows not less than 18 inches apart and firm the soil to assist germination. Allow the plants to stand 4 to 10 inches apart in the row according to variety.

Shallow cultivating and hoeing should be done frequently until the vines are in blossom. To prevent blight do not cultivate deeply and avoid working them while the vines are wet. Beans grow best in warm, well-drained, sandy loam. For succession plant every two weeks until about August 15th.

ROUND GREEN PODDED VARIETIES

Asgrow Stringless Black Valentine Fully as hardy and early as the original Black Valentine but producing exceptionally long, oval or nearly round pods. Extremely prolific, entirely stringless, and of highest quality.

Black Valentine Stringless (Round Pod)—Produces strictly round, stringless pods. Not as early nor as prolific as the oval type and will not stand planting as early. Its real utility lies in the slenderness of its pods for canning.

Tendergreen—See new stringless green pod.

Burpee's Stringless Green Pod (Improved) Very popular and can be profitably grown by either trucker or home gardener. It combines vigor, earliness and productiveness. The pods are produced in abundance and are handsome in appearance, being rich dark green in color, smooth, absolutely round, meaty, stringless, free from fiber, and of exceptionally delicate quality. Mature for picking condition in 45 days.

New Stringless Green Pod This new highly productive strain has many Full Measure characteristics bred into it. Its prolific nature, season of growth, length, roundness of pods and appearance, are definitely inherited and yet to these very desirable features has been added a wonderful degree of hardiness which helps New Stringless withstand adverse weather conditions better than its parent stock.

Giant Stringless Green Pod A very productive long, round-podded variety, longer and straighter than Burpee's Stringless.

Dwarf Horticultural or Dwarf Cherry One of the best quality dwarf sorts for both snap and green shell beans for the home garden and market. As a green shelled bean it is equal to the lima in quality while any surplus crop can be kept for winter use. The pods are 5 inches long, stout, flat and stringless.

Streamliner An oval-flat green podded stringless bean, not as flat as Bountiful and growing about 1 to 1½ inches longer. Matures in 50 days and outyielded Bountiful in all tests. Seed white.

Full Measure Stringless A second early, round-podded, stringless bean of recent introduction. The pods are straight, meaty, and are dark green in color. They are entirely stringless and measure 6 to 8 inches in length. Very prolific.

FLAT PODDED GREEN STRINGLESS

Bountiful Extra early, green pod, good cropper, hardy, prolific; pods long, straight, thick-flat, entirely stringless, good quality. The best extra early, semi-round variety.

Plentiful (50 Days)—An improved Bountiful, with longer, thicker, darker green pods. Two or three days later than Bountiful but much more prolific and resistant to two of the most troublesome forms of rust; an All-American Winner. We offer the originator's stock.

Burpee's Stringless Improved

Increased yields result from Nitragin Inoculation

Block of Selected Pedigreed Stock Seed on Idaho Breeding Farm

WAX BEANS

Sure Crop Wax Decidedly better quality than Currie's Rust Proof but vine and seed very similar in appearance, and maturing about a week later. The pods are of a rich yellow color, growing an inch longer than Currie's and stringless at all stages of growth. The disease resistant qualities found in Currie's are duplicated in this variety and it is vigorous, hardy, and very productive. For quality use Sure Crop, while for earliness Currie's is better.

Round Pod Kidney Wax (Brittle Wax.) An excellent early round-podded variety of handsome appearance. Pods are long, straight, brittle, meaty; entirely stringless and of exceptionally desirable quality. The best round-podded wax bean for the home garden.

Pencil Pod Wax A leading variety for home and market gardens. Vigorous grower and strongly productive. The golden yellow pods are round, fleshy, tender, entirely stringless and of finest quality.

POLE BEANS

EDIBLE PODDED

For Cultural Directions See Pole Limas.

Burger's Stringless Green Pod or White Kentucky Wonder Bears large, brittle, stringless pods of excellent flavor, dark green in color. It resembles the Kentucky Wonder in form of pod but is much earlier, more productive and bears longer. Seeds white, fine for baking.

Kentucky Wonder or Old Homestead This old standard variety is extremely productive and of finest quality. It is early and produces round, green pods about 9 inches long. Splendid for use as snaps for the home gardener as it continues to bear for a long period. Seed light brown.

Horticultural Cranberry or Wren's Egg An old favorite, excellent both as a snap and shell bean. Medium early, producing large quantities of 5 and 6-inch pods which are broad, thick, and of fine flavor.

Lazy Wife One of the best general purpose pole beans; of superior quality as a snap, green shelled or dried bean. Pods, which are borne abundantly throughout the summer, are very easily gathered and entirely stringless, brittle, light green in color and of a mild, sweet flavor. Seed pure white, 6 to 8 in each pod.

Yard Long, Celestial or Asparagus Bean Somewhat of a curiosity and yet possessing excellent qualities. It is very prolific, absolutely rust proof and a rank grower. It will produce pods 18 to 24 and sometimes 30 inches long. An excellent table vegetable, the pods being tender, stringless and of a rich asparagus flavor.

BUSH BEANS

VARIETIES USED AS SHELL BEANS

Dwarf Horticultural, Fordhook Favorite, and Davis' White Kidney Wax. Three very satisfactory shell bean sorts have been listed previously.

White Marrowfat This is a very prolific variety and has become a choice family sort both for green shells and dry beans. Pods are broad, about 5½ inches long, medium green changing to yellow, having large, clear, white seeds which cook very dry and mealy.

Royal Dwarf or White Kidney Excellent late variety, green, shelled or dry. Seeds are large, white, kidney shaped, and of fine quality.

Erfurt Special (New) If you grow Italian varieties of FAVA, BROAD BEANS, ERFURT BEANS, be sure to grow Erfurt Special this year in preference to any other variety. It is much earlier, extremely large and of excellent quality.

PRICES

Let us quote large quantities.

GREEN PODDED VARIETIES	Pt.	Qt.	Pk.	Bu.
Asgrow—Black Valentine, Stringless, Oval	\$.40	\$.75	\$4.00	\$12.00
Black Valentine, Stringless, Round	.40	.75	4.00	13.00
Bountiful	.40	.75	4.00	13.00
Burpee's Stringless Improved	.40	.75	4.00	13.00
Dwarf Horticultural or Dwarf Cherry	.40	.75	4.00	14.00
Full Measure Stringless	.40	.75	4.00	13.00
Giant Stringless	.40	.75	4.00	12.00
Keystonian (All American Winner)	.45	.85	4.50	17.00
New Stringless Green Pod or Tendergreen	.40	.75	4.00	15.00
Plentiful	.40	.75	4.00	13.00
Streamliner	.40	.75	4.00	15.00

WAX VARIETIES

Pencil Pod Wax	.45	.85	4.50	16.00
Round Pod Kidney Wax	.45	.85	5.00	17.00
Sure Crop Wax	.40	.75	4.00	14.00
Unrivalled Wax	.40	.75	4.00	15.00

EDIBLE SOYBEANS (See U.S.D.A. Leaflet No. 166)

Bansei	Pt.	Qt.	Pk.
	.30	.50	3.00

POLE BEANS

Burger's Stringless or White Kentucky Wonder	.45	.85	4.50
Horticultural Cranberry	.45	.85	4.50
Kentucky Wonder	.45	.85	4.50
Lazy Wife	.40	.75	4.00
Potomac (All American Winner)	.45	.85	4.50
Yard Long, Celestial	Pkt., 10c; oz., 15c; lb., \$1.00		

BUSH BEANS

Erfurt Special	.45	.85	4.50
White Kidney	.40	.75	4.00
White Marrowfat	.40	.75	4.00
White Navy	.40	.75	4.00

POLE LIMA BEANS

1 quart to 150 hills;
8 to 10 quarts per acre.

Pole beans do not bear as early as the bush varieties but they are more productive, their bearing season is longer and they are more easily gathered. They succeed best in a warm sandy loam which has been enriched with well rotted manure. If poles are used they should be set three to four feet apart each way. After the ground has become warm and dry, plant 4 to 6 beans to a pole and when well started thin out to 2 or 3 plants to a pole. By placing the seed eyes down they will germinate more quickly and for this reason are less liable to rot. Cultivate frequently but shallow.

Early Leviathan The Early Leviathan stands supreme because of its combined qualities, earliness, size and productiveness. The large, well filled pods are borne in clusters of five to ten and are spaced over the entire vine. They are well filled with large fleshy beans of excellent quality, delicate pale green in color.

King of the Garden This is the best and most popular main crop variety. Vines are strong and vigorous; setting pods early and continuing to bear until frost. Is used extensively by market gardeners because of its very prolific nature and the immense size of the pods, which are very straight and handsome; of medium dark green color, broad, flat and filled with four or five large white beans of finest quality.

Improved Challenger or Improved Dreer's Pole Vigorous and very productive. Pods and beans resemble Fordhook Bush Limas. Therefore also known as Fordhook Pole.

Today we have been pulling down the last of our Lima Beans and stacking the poles for next year and we cannot help but write you a few lines to let you know how we were pleased with the Improved Challenger Pole Limas.

To our mind they are the best of all the pole varieties, giving one a plump, green bean, very succulent or moist, but with still enough meatiness to afford plenty of substance and carry their green color after they are cooked, with a delicious nutty flavor.

As to their productiveness we are fully satisfied as we have picked as many as 87 large plump green pods off one pole at one time and this after the pole had been picked several times during the season, our poles were about 12 feet high and the vines went to the tops and hung down.

We had another variety of pole limas in the garden that were sent to us by a friend and found them to be less productive and a thin or flat white bean that did not have the flavor or attractiveness when cooked, needless to say we will plant only Improved Challenger from Manns next season.

We are highly pleased with all the seeds we purchased from you and you will soon receive our order for next year's supply.

Sincerely, Bruce H. Gallup

Early Leviathan

Giant Podded The largest podded lima in cultivation; extremely vigorous in growth, mid-season. Pods are borne in clusters of 6 to 8 and measure 7 inches long and 1½ inches broad. The beans are extra large and of excellent quality.

BUSH LIMA BEANS

Large seeded sorts, 1 qt. to 100 hills; 1 bu. to the acre.
Small seeded sorts, 1 qt. to 150 hills; 3 pks. to the acre.

These varieties require no support, are about two weeks earlier than the pole beans, and can be planted closer in the rows. They are therefore used by large growers and by gardeners who do not find it convenient to use poles. After danger of frost is past and the ground has become warm, plant in 3 foot rows dropping 3 seeds to a hill and the hills 15 inches apart.

Fordhook 242 Heaviest yielding high quality bush lima. Recent U. S. Dept. of Agr. tests at 15 locations throughout the country proved Fordhook 242 more prolific than any of the other four popular commercial varieties. The average yield was 8505 lbs. per acre, nearly 25% better than the second best and far ahead of all the other varieties.

Burpee's Improved Bush Lima A very prolific mid-season variety of very hardy, vigorous and true bush growth, bearing clusters of 5 to 8 pods measuring 5 to 6 inches long. The pods are borne abundantly, enormous in size and well filled with handsome beans which are both larger and thicker than those of the regular Burpee's Bush Lima.

Wood's Prolific or Henderson's Improved Bush Lima A very early and vigorous type, producing an abundance of 3 to 4-inch pods; contain 4 small, flat, white beans of good quality.

Early Giant Bush

BUSH LIMAS	PRICES			
	Pt.	Qt.	Pk.	Bu.
Burpee's Improved Bush Lima	.50	.95	\$5.00	\$15.00
Fordhook 242 Bush Lima	.50	.95	5.00	18.00
Maryland Thick Seeded (Baby Fordhook)	.50	.95	5.50	18.00
Wood's Prolific or Henderson's Improved Bush Lima	.40	.75	4.50	15.00
POLE LIMAS				
Burpee's Best	.50	.95	4.85	16.00
Improved Challenger or Improved Dreer's Pole	.50	.95	4.85	16.00
Early Leviathan	.45	.75	4.85	16.00
Giant Podded Pole	.45	.75	4.85	16.00
King of the Garden	.45	.75	4.85	16.00
Sieva (small white)	.40	.75	4.50	15.00

Manns' New Ruby Gem

Manns' New Ruby Gem Is a beet of genuine quality and real beauty. As early as Croshys Egyptian, extremely dark red and not a purple or brown root in the lot. The most critical produce buyer will be pleased with its intense color, perfect shape and freedom from zones. It has plenty of tops for bunching and while it is also an excellent canners variety it should not be confused with the various "all purpose" sorts developed mainly for packing house purposes.

BEETS—MANGEL (OR STOCK)

Sow 1 ounce to 100 feet of drill, 6 pounds to the acre in drills and 15 to 20 pounds to the acre if sown broadcast.

Mammoth Long Red Attains enormous size, producing thirty to fifty tons per acre. The roots are straight, well formed and much thicker than other sorts. Grows well above the ground and is therefore easily gathered. The flesh is white tinged with rose. Highest feeding qualities.

PRICES

Beets	Pkt.	Oz.	¼ Lb.	Lb.	10 Lbs.
Crosby's Egyptian—Dark...	\$.10	\$.20	\$.50	\$1.50	\$14.00
Crosby's Egyptian—Light...	.10	.20	.65	1.85	17.50
Detroit Dark Red.....	.10	.20	.50	1.50	14.00
Early Wonder (special)....	.10	.20	.50	1.50	14.00
Extra Early Flat Egyptian..	.10	.20	.50	1.50	14.00
Green Top Bunching.....	.10	.20	.60	2.00	18.50
Lentz (Ex. Early Light Red)	.10	.25	.75	2.25	21.50
Little Egypt (flat)	.10	.20	.50	1.50	14.00
Lutz Green Leaf (Dark Red)	.10	.20	.60	1.75	16.50
Mammoth Long Red.....	.10	.15	.40	1.25	11.50
Manns' Early Spring	.10	.25	.75	2.25	21.50
New Model	.10	.25	.75	2.25	21.50
Perfected Detroit	.10	.20	.50	1.50	14.00
Ruby Gem	.10	.25	.70	2.15	20.00

TABLE BEETS

1 ounce to 50 feet of drill; 5 pounds per acre.

The soil for beets should be light, rich, fine and deeply cultivated. Smooth beets cannot be grown if fresh manure is used. If wanted very early, sow in hot beds and transplant, cutting off the outer leaves. For early outdoor crop plant the seeds about 1 inch apart and 1 inch deep in rows 1 to 2 feet apart, firming the soil about the seeds by walking on the row. This should be done as soon as the ground can be worked and for table use, plantings should be made every three weeks. Thin out the plants to 3 inches apart. For main crop sow in the early part of May while for winter use they may be planted up to July 1st.

MANNS' BEET SEED

is grown from transplanted roots which have been carefully selected as to both interior and exterior color, tops, shape and uniformity of size. It could be grown much cheaper if we were supplying our trade just ordinary commercial beet seed. Superior seeds can only be grown from specially selected parent stocks.

New Model Perfect in shape and of a beautiful red color, very uniform in shape and size, the entire crop maturing during the same week. Forces well under glass. This variety fills a definite need among the market gardeners and has met with success. Practical growers realizing the superior quality of this strain are ordering in 25, 50 and 100-pound lots, using this one variety throughout the entire season.
25 lbs. and 50 lbs. \$1.85 lb.; 100 lbs., \$175.00

Crosby's Egyptian Smooth, globe shaped, deep red in color, tender, sweet and richly palatable when served. This should not be confused with Flat Egyptian as it is similar only in point of earliness.

Detroit Dark Red Careful comparison with other prominent strains of this variety show that our stock is unsurpassed in quality and appearance. The tops are small and upright in growth and the roots are globular, of medium size, very smooth and of a wonderful dark red color throughout. Very desirable for canning.

Early Wonder Popular bunching variety in some sections where a light-colored beet is desired, and white zones are not objectionable.

Extra Early Flat Egyptian One of the very earliest, excellent for forcing and early crop. Roots are distinctly flat, very dark red, have very small tap root and are of fine quality when young. They measure 2 inches in diameter when mature and have very small tops.

Half Long Lentz Bright red outside, flesh pale pinkish white, sweet, about 2½ by about 4 inches top shaped.

Half Long Red or Lutz Green Leaf Five to six inches long, 2½ to 3½ inches diameter at shoulder, half long, top shaped, dark maroon red, flesh deep blood red.

Little Egypt Earlier, darker and more uniform than Extra Early Flat Egyptian, absolutely free from zoning, specially adapted for forcing, having short tops.

Manns' Early Spring Being extremely early, of a wonderful dark red color, and of exceptional quality, Manns' Early Spring Beet offers an unusual opportunity for profitable production.

True globe shaped, dark red smooth roots, with no light zones, ample tops for bunching. Ready for market just a few days later than Extra Early Flat Egyptian, yet possesses the advantages of being shaped like Detroit Dark Red.

Selected Heads of Golden Acre for Stock Seed Production

CABBAGE

1 oz. for 2,000 plants; $\frac{1}{4}$ lb. per acre.

Yellows Resistant Varieties marked *

CULTURE.—The best results are obtained from a well-drained, deep rich loam. The very early varieties should be sown about September 15th and in 4 or 5 weeks transplanted to coldframes, from which they are transplanted to open ground from March 15 to April 15. If this is not done the seed should be sown in hotbeds in February; making plantings later of course according to variety and time crop is wanted. The earliest sorts should be set out in rows 2 feet apart and 18 inches apart in the rows.

If it is not especially desired to have early cabbage the seed may be sown in open ground and transplanted after 4 weeks. For second early crops sow in April and transplant in May; these will mature in July and August. The later varieties should be planted in May and transplanted in July to rows 3 feet apart and 2 feet apart in the rows; these will mature from September to November.

FIRST EARLY SORTS

Extra Early Express Earlier than Jersey Wakefield, smaller and less compact, but often a very profitable crop.

New Selected Jersey Wakefield An improved strain of Early Jersey Wakefield, grown and selected with the greatest care; there is none better. Plant compact and erect or very slightly spreading, with few outer leaves, which are smooth, thick, nearly oval and light green. Stem short. Heads of medium size, very solid, uniformly pointed and of excellent quality.

Manns' Superior Jersey As early as Selected Jersey Wakefield but produces much larger heads. Uniformly sure head strain.

***Jersey Queen** The yellows resistant Jersey Wakefield.

Charleston or Large Wakefield Produces larger and less pointed heads than Jersey and a week or two later in maturity.

Golden Acre Matures earlier than Jersey Wakefield, forming a large round, solid head resembling Copenhagen Market; very uniform, and compact, having few outer leaves which permits close planting. Golden Acre commands very high prices.

Green Acre A greener and slightly larger Golden Acre which holds its fresh appearance longer after cutting.

Copenhagen Market This very fine, large round headed variety is of Danish origin and has proven to be very valuable to the American grower. It is nearly as early as Jersey Wakefield. The heads average about 10 pounds, and the stems are very short.

***Marion Market** Yellows resistant Copenhagen.

Glory of Enkhuizen Large sure heading, dark green variety, globular, very hard and solid, few outer leaves, excellent quality.

PRICES

Variety	Pkt.	Oz.	$\frac{1}{4}$ Lb.	Lb.
Charleston or Large Wakefield	.10	.30	.85	2.50
Copenhagen Market	.10	.60	1.00	3.00
Glory of Enkhuizen	.10	.30	.85	2.50
Golden Acre (Original)	.10	.40	1.15	3.50
Green Acre	.10	.50	1.50	4.50
Jersey Wakefield (New Selec'd)	.10	.30	.85	2.50
Manns' Superior Jersey	.10	.30	.85	2.50
Yellows Resistant Varieties				
Detroit (Resistant Golden Acre)	.10	.50	1.50	4.50
Jersey Queen	.10	.45	1.35	4.00
Marion Market	.10	.45	1.35	4.00

***YELLOW RESISTANT VARIETIES**—The State of Wisconsin and several other State Departments of Agriculture have for a number of years been working on the best commercial cabbage varieties, adapting them to resist yellows or wilt. It is now possible with these resistant stocks to grow cabbage successfully even on diseased land, by sowing seed which is grown under special conditions to make it resistant. While the cost of this seed is somewhat higher than non-resistant seed, there is the added advantage of securing stock which has been reselected for conformity to true type and heading quality. Therefore these improved varieties are most desirable for both diseased and clean ground.

New Selected Jersey Wakefield

CABBAGE

SECOND EARLY SORTS

Volga One of the earliest main crop cabbages of superior quality. Very desirable where a large, uniformly round head with short stem and compact growth is wanted. Sure to produce a crop under difficult conditions, good keeper.

All Head Early or New Early Remarkably solid and uniform in color as well as in shape and size, its sure heading qualities and tenderness make it a favorite for the home garden. By reason of its compact growth, it is possible to produce 1,000 more heads per acre than many other good sized varieties. For winter use sow in July. Splendid sort for kraut making.

Early Flat Dutch Excellent large early flat sort, producing solid heads that mature with Early Summer. The stem is short and it has comparatively few outer leaves. Compares favorably with Large Late Flat Dutch but much earlier and smaller.

American Drumhead Savoy This is the finest of the Savoy class and very distinct from all other sorts. It forms the hardest heads and is the best for either early or late crops. The leaves are heavily crimped or savoyed and grow closely about the large, solid, dark green heads. The flavor is far superior to that of other cabbages, and for this reason is very much in demand. It is an excellent keeper and very hardy. Entire "pits" of it will keep in perfect condition until May.

New Danish Round Head Compared with Danish Ball Head, has less outer foliage. The heads are larger in size and are set on shorter stalks, maturing two weeks earlier. They are extremely solid, of sweet flavor and tender texture.

Henderson's Succession The best very large midseason cabbage, about a week later than Early Summer but much larger and can be planted closer because of its compact growth. It is sure to head, very uniform in habit and the quality is excellent.

All Seasons A reliable variety to use when only one planting of cabbage is made. It is equally as good for fall and winter as for summer use. Nearly as early as Early Summer and much larger heads of the best quality are produced.

***Wisconsin All Seasons** Yellows resistant, all seasons.

Sure Head Extremely popular with the private gardener because of the sure heading qualities and the remarkably large, uniform, heavy heads. A good keeper and one of the best for late crops.

Danish Ball Head or Hollander A very hardy sure heading, heavy variety, which has proven to be the best keeper and the most desirable for distant markets. Exceedingly hardy and standing dry weather very well.

***Wisconsin Hollander Yellows Resistant** A disease resistant strain of the Danish ball head type, very large, hard, sure heading.

American Drumhead Savoy

LATE OR WINTER SORTS

Pointed Head Winter Sow the seed in time to set out plants first week in August. Dependable header, very solid, of fine quality, excellent keeper and shipper. Stands temperatures down to 24 degrees. Ready for market earlier than the Southern crop.

Houser Very popular with large cabbage growers in Pennsylvania. An extremely large, late sort, producing very hard round heads.

Premium Flat Dutch A very good variety for fall use or for making kraut. The heads are very solid, tender and of superior quality. They mature earlier than other late varieties but do not keep as well over the winter.

Extra Large Late Flat Dutch The best and most profitable late variety, possessing all the qualities a winter variety should have. It is hardy, vigorous, and high in quality. The heads are "as solid as a stone" and for that reason keep well for winter use. A favorite with the private gardener as well as the trucker.

Golden Acre

PRICES

Variety	Pkt.	Oz.	¼ Lb.	Lb.
All Head Early or New Early	.10	\$.30	\$.85	\$2.50
All Seasons	.10	.30	.85	2.50
American Drumhead Savoy Sp.	.10	.45	1.35	4.00
Chieftain Savoy	.10	.45	1.35	4.00
Danish Ball Head or Hollander	.10	.40	1.15	3.50
Early Flat Dutch	.10	.30	.85	2.50
Extra Large Late Flat Dutch	.10	.30	.85	2.50
Ferry's Round Dutch	.10	.35	1.00	3.00
Henderson's Succession	.10	.30	.85	2.50
Houser	.10	.40	1.15	3.50
Mammoth Rock Red	.10	.55	1.65	4.85
New Danish Round Head	.10	.35	1.00	3.00
Pointed Head Winter	.10	.35	1.00	3.00
Premium Flat Dutch	.10	.30	.85	2.50
Sure Head	.10	.30	.85	2.50
Volga	.10	.45	1.30	3.85
* Yellows Resistant Varieties	Pkt.	Oz.	¼ Lb.	Lb.
All Head Select	.10	.45	1.35	4.00
Globe (Resistant Glory)	.10	.45	1.35	4.00
Wisconsin All Seasons	.10	.45	1.35	4.00
Wisconsin Hollander No. 8	.10	.50	1.50	4.50

Borecole—Dwarf Green Scotch

Borecole—Curled Perfection

Borecole—Superior Extra Curled

BORECOLE Scotch Kale

Extensively grown in this section for marketing during the winter months, when other vegetables are scarce. Borecole should be grown like cabbage, the seed being sown from early spring to the middle of August. It is customary to pull off the lower leaves and let the plant grow on to furnish a continuous supply.

Hardy Winter This variety is one of the most salable and profitable sorts for either the home or market gardener. The plant attains a height of 18 inches and produces an abundance of beautiful light green leaves, which are densely curled and crimped. It is extremely hardy and has the additional advantage of putting forth a second crop of leaves after the first have been gathered or have fallen off.

Superior Extra Curled Green

Scotch The leaves of this variety are very much more curled than the Dwarf-Green Scotch, and many more bushels per acre can be cut due to the extremely vigorous growth, which is characteristic of this variety. Nearly as hardy as Hardy Winter, and very popular with many of our customers.

Curled Perfection An improved type, specially rogued and developed from a privately held American stock. Well curled and of a wonderful dark green color; winters well and commands top prices.

Dwarf Green Scotch This excellent sort is low spreading and compact in its nature of growth, forming a mass of leaves which are beautifully curled and mosslike in appearance. The color is an attractive bright green and the quality is excellent.

New Blue Curled Scotch Just as hardy as Hardy Winter and having very curly dark blue-green leaves.

BRUSSELS SPROUTS

1 oz. will sow 500 ft. of drills or 3,000 plants.

Sow in April for early crop or in early June for a late fall crop. Transplant to rows which are 3 to 4 feet apart, 18 to 24 inches apart in the rows. Will live through the winter without protection.

Danish Prize Found to be the best variety both in quality and productiveness. The sprouts develop very evenly over the entire stem, the lower sprouts being as tightly folded and as solid as those higher up.

COLLARDS

Georgia, Southern or Creole The chief Southern variety for greens, growing 2 to 3 feet high and forming a large, loose, open head or cluster of leaves with a rather long stem. One ounce of seed will sow 300 feet of drill; two pounds per acre.

Variety	PRICES			
	Pkt.	Oz.	¼ Lb.	Lb.
BORECOLE				
Curled Perfection	.10	\$.25	\$.75	\$2.25
Dwarf Green Scotch	.10	.20	.60	1.75
Hardy Winter		.45	1.25	3.85
New Blue Curled Scotch	.10	.20	.50	1.50
Superior Extra Curled	.10	.30	1.00	3.00
BRUSSELS SPROUTS				
Danish Prize	.10	.60	1.75	5.25
COLLARDS				
Georgia, Southern or Creole ..	.10	.15	.30	.90
Cabbage Collards	.10	.15	.30	.90
Manns' Special Cabbage	.10	.20	.50	1.50
Morris Improved Heading	.10	.30	.85	2.50
Winter Hardy	.10	.30	.60	2.00

Cauliflower—Manns' White Mountain, Grown in Maryland as easily as cabbage.

CAULIFLOWER

1 ounce to 2,000 plants.

For an early crop sow the seed either indoors or in a hot-bed in January or February, transplanting them to 2 or 3 inches apart, thus allowing the plants to put forth a vigorous growth before being set in the permanent rows.

As soon as danger of freezing is over, set the plants in the open ground in rows 2½ to 3 feet apart and 18 inches apart in the row. Cultivate often and thoroughly. For fall crop sow the seeds during April or May. It is well to plan so that the early crop heads before very hot weather and the late crop matures after hot weather.

White Mountain The most dependable uniform heading variety for the vicinity of Baltimore. Produces 1½ to 2 lb. heads, 6½" to 7" in diameter about 60 days after setting plants. For best results sow seed May 15 to June 1.

Early Snowball The best early variety in cultivation. If planted March 1st, large heads will be produced early in June, and scarcely a single plant will fail to form a head.

Cauliflower Plants SEE PAGE 39.

Broccoli—Sprouting or Turnip Salad

BROCCOLI

1 oz. to 2000 plants.

Calabrese Heading Broccoli Can be grown in the east as perfectly as any shipped into this section. There is also greater public demand for this delicious vegetable making it more than ever a profitable local crop. Sow Manns' Calabrese, grow it carefully and you will have a crop of No. 1 grade produce which sells at a good profit.

40 Day Extra early foliage type used for spring crop "greens." Extensively grown in New Jersey for New York markets.

Italian Green Sprouting (Turnip Salad Broccoli.) Known in the South as Salad Broccoli, grows more "greens" than seven top turnip and is fairly hardy in Maryland, making a profitable cover crop. Sow in August broadcasting two to three pounds per acre and the first sprouts will be ready for market during February or early March, at which time they usually command a very good price.

Broccoli Calabrese Heading

PRICES

BROCCOLI	Pkt.	Oz.	¼ Lb.	Lb.
Calabrese Heading	.10	\$.30	.85	\$2.50
Di Cicco (ex. early Calabrese)	.10	.50	1.50	4.50
Green Sprouting (Turnip Salad)	.10	.15	.45	1.25
40 Day	.10	.20	.60	1.75
Cauliflower				
Early Snowball	.25	3.50	10.00	
White Mountain	.25	3.50	10.00	

CARROTS

1 ounce to 150 feet of drill; 4 pounds per acre.

Our stock is grown from choice selected and transplanted roots only, and are of the truest type and richest color money can procure.

CULTURE.—Any good soil will grow this vegetable, but the most perfect roots, however, are developed in rich, friable soil, preferably sandy loam. The flavor and tenderness of the table varieties is secured by having a quick growth, which usually means good growing weather and proper cultivation. Sow as early as the ground can be worked or for late crop until the latter part of July, in drills 15 to 18 inches apart, finally thinning the plants to 3 to 4 inches in the drills. The seed is slow to germinate and if sown early or on moist soil, half an inch is deep enough. When sown during the hot summer months it is well to protect the seed bed with a thin layer of chips or straw as excessive heat will kill the vitality of the seeds before they germinate. After the seed has sprouted remove the covering, selecting the late afternoon for this work. Carrots are usually quite free from pests and diseases. The usual danger from ground worms and slugs is of course always prevalent, but once up they are easier to grow than most vegetables. They are ready for table use in about two months.

California Bunching Developed especially as a bunching carrot for long distance shipping. Roots about 1½ in. by 7 in. long, cylindrical stump rooted, deep orange color throughout, can be pulled before maturity or allowed to stand weeks later without becoming overgrown.

Chantenay or Model Carrot A most excellent, medium early, half-long variety. Very uniform, stump-rooted but tapering slightly. They are smooth, deep orange-red in color and the flesh is very crisp and tender. Although a medium early sort the roots are suitable for use nearly as early as any, and will also prove very satisfactory if grown for winter use. Very easily harvested and bunched.

New Chantenay Produced from individual root selected stock, therefore a great improvement in uniformity of size and shape. The principal feature of this new strain, however, is its deep solid color.

California Bunching

Chantenay

Sunrise This variety has become a favorite with our market garden trade because of its fine quality, perfect shape and attractive color. Sunrise has been found to be specially valuable for medium and late use, an excellent keeper and thoroughly dependable. It is of most perfect form, pointed-rooted, with a broad, high shoulder. For main planting this sort has no superior, and when sown during June may be depended upon to produce the very best crop of roots to store for winter.

Danvers Half Long This is an exceptionally fine Carrot for private and market garden use. It is slightly longer than Chantenay and our strain produces uniformly smooth and evenly sized roots of handsome appearance. They are orange-red in color and the flesh is sweet, crisp and tender.

Coreless or Scarlet Nantes The earliest of its type; size and shape uniform; bright orange in color; smooth skin; small top.

Improved Long Orange A standard late variety, beautiful and uniform in shape, deep orange in color. The roots grow to a length of 12 inches and are of good quality for table use as well as for stock. They require a deep soil and if full size roots are wanted they should stand at least 8 inches apart in 18-inch rows.

PRICES

Variety	Pkt.	Oz.	¼ Lb.	Lb.
California Bunching	.10	.25	.75	\$2.25
Chantenay (Long)	.10	.20	.60	2.00
Danvers Half Long	.10	.20	.60	2.00
Early Horn	.10	.25	.75	2.25
Imperator	.10	.20	.60	2.00
Improved Long Orange	.10	.20	.60	2.00
Louisiana Danvers	.10	.25	.75	2.25
Manns' No. 92—Large Busheling	.10	.25	.75	2.25
Nantes Coreless (Special)	.10	.25	.75	2.25
New Chantenay (Red Cored)	.10	.20	.60	2.00
Oxhart or Guerande	.10	.25	.75	2.25
Red Cored Danvers	.10	.20	.60	2.00
Streamliner	.10	.25	.75	2.25
Sunrise	.10	.25	.75	2.25
Supreme	.10	.25	.75	2.25
Tendersweet	.10	.25	.75	2.25

Manns' Golden (Special)

Cornell No. 19 (100 Days from Setting of Plants.) Developed and introduced by the New York State College of Agriculture and described as a cross between Golden Self Blanching and Utah. An early, easy blanching strain of outstanding quality. Is prevailing 10½ to 11 inches to joint with an over all height of 24 to 25 inches. Hearts long and comparatively full. Stems thick, rounded and of smooth texture. Combines the good qualities of the Pascal type with the early, easy blanching character and color of the Golden Self Blanching strains. Highly resistant to fusarium yellows.

Variety	PRICES			
	Pkt.	Oz.	¼ Lb.	Lb.
CELERY				
Cornell No. 19	\$.10	\$1.00	\$3.25	\$10.00
Easy Bleacher	.10	.65	2.00	6.00
French Golden Yellow	.10	.85	2.50	7.50
Full Heart	.10	1.00	2.85	8.50
Giant Pascal (Special)	.10	.95	2.85	8.50
Golden Plume	.10	.95	2.85	8.50
Manns Golden (Special)	.25	1.50	4.50	12.50
Tall Golden Plume Non-bolting	.25	1.50	4.50	12.50
Utah No. 99	.10	.85	2.50	7.50
Winter Queen	.10	.85	2.50	7.50
CELERIAC (See Page 16)				
CELERY—LETTUCE				
Burpee's Celtuce, pkt., 15c; ¼ oz., 35c. oz., \$1.25.				

CELERY

1 ounce to 5,000 plants; 20,000 plants per acre.

Celery seed is very slow to germinate and therefore should be started indoors in boxes from February to April or sown out of doors in a finely prepared seed bed during April. See that the seed is not covered too deep and that the bed is kept moist, almost wet until the seeds germinate. When the plants are about two inches high thin out and transplant to a distance of two or three inches apart each way. These must be kept entirely free from weeds and when they are four inches high the tops may be cut off so that the plants will grow more stocky. The plants are usually set out in the permanent bed when five inches high and it is usually best to do this during July or the first of August. In some sections best results are obtained by transplanting in June.

The permanent beds should be thoroughly prepared and well enriched with rotted manure, which should be spaded in deeply, the rows being spaced 3 to 4 feet apart. Cut off some of the root and set the plants 8 to 12 inches apart in the rows, firming the soil tightly, and cultivate them frequently for a period of six weeks. Celery needs plenty of moisture.

When the plants are nearly full grown they should be blanched. This is done by drawing the soil closely about the plants to about two-thirds of their height, being careful not to allow any of the earth to fall between the leaves. Repeat this process every few days until only the top of the leaves are visible. Do not disturb the plants while they are wet or the soil is damp as this is liable to result in injury from rust.

Golden Plume This new strain of Golden Self-Blanching has been pronounced by authorities to be the best of all the early varieties. It matures two or three weeks earlier than any other sort, blanches more quickly and shows less tendency to blight or crown-rot. Distinctly larger and ranker in growth than Golden Self-Blanching; more plainly ribbed and does not grow hollow. The crisp, tender stalks are very broad and the large full plumed centers are displayed to advantage.

Manns' Golden Special A more uniform strain of Golden Plume, has better hearts, is earlier and more easily blanched than other types. Strictly dependable for commercial production.

French Golden Yellow Self-Blanching (Originator's Stock.) Our strain of this very popular sort cannot be excelled in quality or appearance. The plants are of medium size, compact and stocky, with yellowish green foliage. The stalks are solid, crisp, tender, free from strings and of a fine nutty flavor.

Easy Bleacher Two weeks later than Golden Self-Blanching. Blanches readily and is a great favorite with Southern growers who usually plant a full crop of this one sort. Vigorous in growth and a splendid keeper.

Winter Queen Of medium height, an excellent winter keeping sort, producing thick creamy white stalks which are broad, very solid and crisp. The hearts are large and it blanches well.

Utah No. 99 (125 Days from Setting of Plants.) Green midseason celery. Easier to blanch than Utah. Height 26 to 28 inches, stems 9 to 10 inches long; very heavy, rounded with narrow channel, slightly tapered from base to first joint. Stems numerous, forming compact head and hastening blanching of inner stems and hearts. Crystal smoothness and appearance when thoroughly blanched.

Giant Pascal A superior keeping sort. The stalks are very large, thick, solid, crisp and of rich nutty flavor; it blanches very easily and quickly, and retains its freshness a long time.

CELERY BLEACHERS			
No.	Size	Per 100	Per 500
B-3	7x14 in.	\$4.50	\$20.00
CELERY SETTERS			
No. H-2—Tin			\$1.35

CELERY PLANTS

All Leading Varieties
Ready During July and
August
SEE PAGE 58

USE A
FELINS VEGETABLE TYING
MACHINE

Manns' No. 56—Note the low position of the ears, an evidence of extreme earliness.

Country Gentleman Very deep grains, small cob and exceedingly rich flavor. Often produces 3 to 4 ears to the stalk. The grains are "staggered" on the cob, leaving no signs of rows.

GROW HYBRIDIZED VARIETIES OF KNOWN ADAPTABILITY

The increased cost is only about \$2.00 more per acre, but the yield is increased 25% or more. Practically all of the larger canning companies are now planting Hybrid Corn because of the certainty of a better yield and much better quality. It is important, however, to plant only seed grown by an expert hybridist as hybrid corn is not necessarily all desirable. The process is expensive, highly technical and requires the skill of a plant breeder. Buy Manns' hybridized corn; it has been grown by experts and has proven profitable for this section.

Please Note—It is useless to try to save seed from hybrid varieties of corn. They must be newly developed each year.

Lincoln Hybrid All America winner for 1942—83 days, ears 7½ in. 12 to 16 rows, color bright yellow; stalks 6 ft.

Golden Cross Bantam (Hybrid) Produces beautiful 8-inch ears having 10 to 14 rows of golden yellow kernels. It is resistant to wilt or Stewart's disease and is now the standard strain grown for the largest canners. As the crop matures at nearly the same time, it should be planted at intervals of a week or ten days to assure a continuous supply.

Ioana (87 days.) Outstanding yellow hybrid developed by the Iowa Experiment Station, a few days later than Golden Cross. Ears about 8 inches long, 12 to 14 rowed, cylindrical, well fitted with medium narrow, light yellow kernels. Excellent canning and market garden variety. Very productive.

Stowell's Evergreen Hybrid There are many Hybrids of the Stowell's Evergreen Variety but we have selected for you the most desirable and profitable hybrid based on Maryland Experiment Station tests, our own trials and reports of large growers. If you grow White Sugar Corn, be sure to plant Manns' Hybrid Stowell's. The ears are large, well filled, of beautiful appearance and excellent quality.

CORN—Table Varieties

1 quart to 200 hills; 1 peck per acre.

Sugar Corn should not be planted until May, or when the ground is warm. For succession, plant about every two weeks until the last of July. All varieties may be either sown one inch deep in rows three to four feet apart, the seeds being placed about 8 inches apart in the rows, or they may be planted in hills at distances of three or four feet apart each way, allowing not more than 3 plants stand to a hill. The size of the variety and the richness of the soil should determine the distance of planting. Cultivate frequently and thoroughly but shallow until the tassels appear.

First Early Neck This variety can be planted earlier than any other sort; ear short, grain white. It is not a Sugar Corn.

Improved Early Adams A distinct improvement over the Old Early Adams, fully as hardy; ears measure from 10 to 14 inches in length, with 12 or more rows to the ear. Grains are narrow and deep, of excellent table quality.

Manns' No. 56 The best, largest, most saleable early market corn we have ever known. It can be planted extremely early without danger of rotting, which makes it possible to produce marketable ears at least five weeks ahead of Stowell's Evergreen. Resembles sugar corn, an excellent shipper, and a money maker.

Early Superior This new variety is of remarkable size considering its earliness. The ears are 8 inches long and have 16 to 20 rows of rather narrow deep grains. The quality is excellent and the attractive appearance of the rich, tender, well-filled ears make it a very desirable sort for the Market Gardener.

Early Evergreen Ripens 10 to 12 days in advance of Stowell's Evergreen, and is equally as good in quality. Kernels sweet and tender; cob small, with irregular rows.

White Evergreen A pure white strain of the popular Stowell's Evergreen. The ears are very large and well filled from butt to tip with long, slender, pure white grains.

Stowell's Evergreen Extra Selected Grown more extensively than any other; a favorite with canners and market gardeners for late use. Ears of large size, kernels very deep, tender and sugary; very productive and remains for a long time in fit condition for table use.

PRICES

Variety	Pt.	Qt.	Pk.	50 lbs.
Adams Early	\$.20	\$.35	\$2.50	\$7.00
Black Mexican	.35	.65	3.75	12.50
Country Gentleman (Shoe Peg)	.35	.65	3.75	11.00
Early Evergreen	.35	.65	3.75	11.00
Early Superior	.35	.65	3.75	12.50
First Early Neck	.20	.35	2.50	7.00
Golden Bantam	.35	.65	3.75	11.00
Golden Evergreen	.35	.65	3.75	11.00
Improved Early Adams	.20	.35	2.50	7.50
Manns' No. 56	.50	.95	4.50	...
Narrow Grain Evergreen	.35	.65	3.75	11.00
Stowell's Evergreen Ex. Selected	.35	.65	3.75	11.00
Whipples Early White	.35	.65	3.75	11.00
Whipples Early Yellow	.35	.65	3.75	11.00
White Evergreen	.35	.65	3.75	11.00

HYBRIDS

Golden Cross Bantam Hybrid	\$.55	\$1.00	\$5.25	\$17.50
Ioana	.65	1.00	6.00	20.00
Lincoln Hybrid	.65	1.25	6.25	22.50
Marcross C6-13	.55	1.00	5.25	17.50
Oro Hybrid	.65	1.25	6.25	22.50
Stowell's Evergreen Hybrid	.65	1.25	6.25	22.50
Top Cross Country Gentleman	.65	1.25	6.25	22.50

FIELD CORN

Manns' open pollinated stock has been especially grown and selected for seed purposes. We have carefully followed Maryland Agricultural Experiment Station's reports in selecting for you the Hybrids best suited for Maryland.

HYBRID CORN

Hybrid Corn increases yield 15% to 25%, is resistant to smut, rust and wilt; has deeper and more vigorous root systems, therefore less affected by drought or severe wind, the uniform maturity practically eliminates barren stalks and nubbins.

Manns' Hybrid Yellow Varieties

Early	Midseason	Main Crop
Iowa 939	U. S. 13	Ill. 448
Ohio C-12	100-110 days	Goldline 378
90-100 days		110-120 days

Select one of these proven hybrids with confidence. They are the most productive and profitable for this section. Qt., 40c; pk., \$2.50; bu., \$8.85.

Hybrid Yellow Sweepstakes Ensilage

Extremely tall, rank grower producing many more tons of ensilage per acre than open pollinated sorts. Qt., 40c; pk., \$2.50; bu., \$8.85.

Golden West

Clark's Early Smoky Dent This new introduction has been developed by one of the largest and most reliable growers of corn in this country. Early Smoky Dent is today the earliest Dent Corn in cultivation, maturing in 75 to 80 days; is a good yielder and entirely free from disease; grows strong, quick, and has splendid 7 to 8 foot fodder.

Pride of the North Maturing perfectly in 90 days and being very hardy and prolific. Pride of the North has become a favorite among Northern growers and planters needing a 90-day yellow variety. The ears are of medium size with very small red cob. The kernels are closely set, long and compact.

Iowa Silver Mine The National White Corn. A remarkable drought resister and under adverse conditions seems to pull through and make a crop where other varieties fail. Silver Mine is deep grained, pure white, rough-topped, with a small, white cob. Ears run from 9 to 12 inches long, with 16 to 20 rows of pure white kernels. Stalks medium height, very leafy, with broad blades, frequently bearing two ears weighing 1 to 1½ pounds each. Iowa Silver Mine has probably taken as many sweepstakes and first premiums as any corn in existence.

Use CROW REPELLENT and do less replanting.
\$1 size treats one Bushel.

No. 311—Acme Segment Corn Planter

Automatic slide type, adjustable for number of Kernels and depth of planting. Has Chinese bristle brush cut-off. Can be used for beans.

No. 309—Acme Rotary Automatic Corn Planter

Full rotary Drop; having adjustable cast disk or seed plates, and depth gauge. Extremely accurate; also plants beans and peas.

Iowa Gold Mine With the expert farmer Gold Mine is known as medium early, between the 110 day and the extra sorts that mature in 85 days. It is a great producer and sure cropper. Ears are medium symmetrical. Color bright golden yellow. The grain is deep and the cob is small.

Golden Beauty It is a large and broad-grained yellow corn. The ears of perfect shape with from ten to fourteen straight rows of grains. The cob is very small.

Lancaster County Sure Crop A great favorite with dairy-men as a silage variety and also extremely valuable as a husking sort. Yields large crops even under adverse weather and soil conditions. Matures for silage in 90 days and for grain in 100 days producing long ears of deep large yellow grains.

Ried's Yellow Dent Probably the most dependable cropper of all yellow varieties.

Boone County White Boone County is a very large white corn, something like Silver Mine, but larger and later in maturing. Ears well filled out at both ends, cylindrical, 9 to 11 inches long, averaging 20 rows, some 18 to 22. Grain very deep, a little rough. Cobs white, of medium size. Matures in 110 to 120 days.

POP CORN

South American Giant Pops extremely large cream white flakes. In greater demand than any other variety. 25c per lb.

PRICES			
Variety	Qt.	Pk.	Bu.
Boone County White	.25	\$1.50	\$4.50
Clark's Early Smoky Dent	.25	1.50	4.50
Eureka Ensilage			
Iowa Gold Mine	.25	1.35	4.25
Iowa Silver Mine	.25	1.60	4.75
Lancaster County Sure Crop	.25	1.35	4.25
Leaming Improved Dent	.25	1.35	4.25
Pride of the North	.25	1.50	4.50
Ried's Yellow Dent	.25	1.35	4.25
HYBRIDS			
Gold Line 378	.40	\$2.50	\$8.85
Iowa 939 (Certified)	.40	2.50	8.85
Ohio C-12 (Certified)	.40	2.50	8.85
U. S. 13 (Certified)	.40	2.50	8.85
Ill. 448 (Certified)	.40	2.50	8.85
Kentucky 203 (Certified) White	.40	2.50	8.85
Yellow Sweepstakes Ensilage	.40	2.50	8.85

Chicory—Witloof

CHICORY

Witloof (French Endive) A very choice winter salad forced in hotbeds from roots; producing solid oblong heads blanching ivory white.

CRESS

CURLED OR PEPPER GRASS

Sprinkle seed freely along shallow drills 1 foot apart at intervals through spring and summer, as desired.

American Upland This small salad is much used with lettuce.

True Water Thrives only when its roots and stems are submerged in water.

CHARD (SWISS)

Plant the seeds the same as ordinary beet seeds but thin out at first to 6 inches apart, later to 1 foot apart. Ready for use in about 60 days.

Fordhook Giant The best Swiss Chard in cultivation, producing extremely large, heavily savoyed leaves of a beautiful glossy, very dark green color. The ribs average three inches broad and are pure white.

Swiss Chard—Fordhook Giant

Large Smooth Prague Celeriac

CELERIAC

Sow seed and cultivate same as celery, with the exception that it is not necessary to blanch the plants. When the roots attain a diameter of two inches they are fit for use. To keep these through the winter, pack in damp earth or sand and store them in a cellar or leave them out of doors, covering with earth and straw for protection.

Large Smooth Prague One of the largest, very smooth and almost round with very few side roots. Plants are vigorous, with large dark green foliage.

CHINESE CABBAGE

Chinese or Celery Cabbage belongs to the cabbage family but more closely resembles lettuce. For best results plant the seed late in July or very early in August as spring plantings in this section are liable to bolt to seed. Plant the seed in the permanent bed and thin out to stand 12 to 15 inches apart.

Pe-Tsai Wong-Bok The finest Chinese Cabbage in existence. The heads are large, compact and the crisp, tender interior blanches to a creamy white. It will stand long before bolting to seed and is not injured by light frosts.

Chihili (or Improved Pekin) A longer and more slender type than Wong Bok, now the most popular strain in Baltimore, New York and Washington markets. Of excellent quality and should be more generally grown.

	Pkt.	Oz.	¼ Lb.	Lb.
Cardoon				
Smooth White Solid	..	..	..	..
Celeriac				
Large Smooth Prague	\$.10	\$.65	\$2.00	\$6.00
Chard (Swiss)				
Fordhook Giant	.10	.15	.40	1.25
Lucullus	.10	.15	.40	1.25
Chicory				
Ciccoria Catalogna (Radichetta)	.10	.50	1.50	4.50
Witloof	.10	.50	1.50	5.00
Large Rooted or Common	.10	.60	2.00	6.00
Chinese Cabbage				
Pe-Tsai Wong-Bok	.10	.20	.60	2.00
Improved Pekin—Chihili	.10	.20	.60	2.00
Cress				
American Upland	.10	.20	.50	1.50
True Water	.10	.60	1.75	5.25

CUCUMBERS

1 ounce to 100 hills or 50 ft. of row; 2 lbs. per acre.

CULTURE—Plant as soon as the weather becomes settled in hills 4 feet apart each way, with 8 or 10 seeds in each hill, cover half an inch deep, smoothing the hill off with the hoe. Keep the soil well stirred, and when the plants are out of danger of insects, leave 3 or 4 plants to the hill. For pickles, plant from the first of June to the first of August. The fruit should be gathered when large enough, whether required for use or not, for if left to ripen on the vines, it destroys their productive uses.

A & C Manns' selection of this now popular variety is far Superior to Colorado, Taxpayer, etc., etc., in shape, color, quality and production. 9 to 11 inches long by $2\frac{1}{4}$ inch diameter, blunt at both ends, very dark. In some sections A & C has now replaced all other varieties. (65 days.)

Klondike A favorite with market gardeners and shippers all over the country. The handsome dark green cucumbers average 7 inches long and 2 inches in diameter.

Early Fortune One of the best of the very desirable "White Spine" type. It was selected out of a field of Davis Perfect by reason of its outstanding qualities and the strain has now become so well established that large plantings do not show any variation either in plant or fruit. Early, very productive, and having unusual disease-resisting ability. Fruits are 8 inches long with very dark green skin and thick, firm flesh which is crisp and tender. Excellent shipper.

Long Green (Improved) Our carefully-selected strain, under favorable conditions, produces fruit averaging from 10 to 12 inches in length. Skin is a deep rich green, flesh solid, crisp and of excellent quality.

Japanese Climbing Vines are extra strong, vigorous; being a climbing sort, can be grown on trellises, etc.; valuable in small gardens. Very prolific, from 40 to 50 having been counted on single plants. Fruit long, round, of fine flavor.

Longfellow or Straight Pack

This new variety was developed primarily for greenhouse culture; its quality, size and attractive appearance, however, have definitely established it as one of

the best for outdoor production. The beautiful dark green cucumbers average 12 inches in length and are adaptable for packing in flats for the very highest class trade.

Marketer Vines very vigorous and prolific; fruits very dark green, slightly tapered at ends. Notably uniform and attractive. (65 days.)

Gherkins or Burr Very small, quite distinct from all others. It is grown exclusively for pickling, and should be picked when young and tender.

Straight 8 An "All American" Gold Medal Winner, producing symmetrical fruits, well rounded at both ends. Regularly eight inches in length and from $1\frac{1}{4}$ to 2 inches in diameter, deep green and free from pale striping and tipping. Vines are vigorous and remarkably productive.

Cubit All-America winner 1944, main crop variety of uniform dark green color. Long, blunt at both ends, crisp, and holds its fresh quality well for shipping or market.

"Straight 8"

Clark's Special

Manns' A. & C.

PRICES

Variety	Pkt.	Oz.	$\frac{1}{4}$ Lb.	Lb.
A. & C.	\$.10	\$.30	\$.95	\$2.85
Black Diamond (or Stays Green)	.10	.20	.60	1.75
Boston Pickling or Green				
Prolific	.10	.20	.60	1.75
Colorado	.10	.30	.95	2.85
Cubit	.10	.30	.85	2.50
Davis Blend	.10	.35	1.00	3.00
Early Fortune	.10	.20	.60	1.75
Gherkins or Burr	.10	.20	.60	2.00
Japanese Climbing	.10	.20	.60	2.00
Klondike	.10	.20	.60	1.75
Longfellow or Straight Pack	.10	.25	.75	2.25
Long Green (Improved)	.10	.20	.60	2.00
Marketer	.10	.30	.85	2.50
National Pickling	.10	.20	.60	1.75
Straight 8	.10	.25	.75	2.25

EGG PLANT

1 ounce will produce 1,000 plants.

Sow in March in hotbeds, and transplant when 2 inches high into a second hotbed, or let them remain and thin out to 4 inches apart. When the weather becomes settled, transplant into the open ground 3 feet apart each way. Good culture is quite as important as good seed. Work the ground deep, make it rich with well-rotted manure and hoe often.

Black Beauty The most beautiful and earliest of all large Egg Plants.

Florida High Bush Very vigorous and productive; of upright growth holding the fruit well off the ground; color light purple of oblong shape.

New Hampshire Hybrid The New Hampshire Agricultural Experiment Station developed this variety by hybridizing Black Beauty and Early Dwarf Purple for the purpose of obtaining an extra early, yet good size, Black Beauty type. The resulting hybrid won the All American Silver Medal 1939. It is nearly as large as Black Beauty, very uniform and yields a heavy crop of extra early fruits.

Black Beauty Egg Plant

CHIVES

Chives are a small hardy perennial plant, resembling the onion in appearance and growing in clusters. They are grown for the young leaves, which are produced freely from early in the spring and give a mild onion flavor to sausage, salads and various dishes.

DANDELION

Arlington Strain The best market garden strain, forming a tuft of large, stocky, thick-leaved plants, white-ribbed.

CORN SALAD

1 ounce will sow 20 square feet; 6 pounds to the acre.

Ackersalad Large Seeded Dutch. A vegetable used as a salad. It is sown in the opening of spring in rows 1 foot apart, and is fit to use in 6 or 8 weeks from sowing. If wanted in early spring, sow in September; cover with straw as soon as cold weather sets in. Can be grown in cold frames, covered with straw mats or shutters, and used any time during the winter.

ENDIVE

1 ounce to 100 feet of drill, 3 pounds to the acre.

Broad-leaved Batavian (Escarolle) Leaves broad and almost plain; color light green.

Full Heart Batavian (Escarolle) The most widely used variety of Endive; an improved Broad Leaved Batavian with thicker and broader heads; matures slightly earlier, requiring only 90 days from sowing of seed to heading.

Green Curled This is the hardiest variety, and very desirable for the home and market garden. The deep green leaves are beautifully cut and curled, easily blanched, and become very crisp, tender and fine-flavored.

FENNEL

(FLORENCE)

(Finocchio) In great demand with Italian trade and deserves to be more generally used. The leaf stalks are clustered in a bulb-like formation, and when these are about 1½ inches wide, the plants should be hilled up to about half their height.

Endive—Full Heart

PRICES				
Variety	Pkt.	Oz.	¼ Lb.	Lb.
CHIVES				
.....	\$.10	\$1.50	...	...
CORN SALAD				
Large Dutch	.10	.35	1.00	3.00
DANDELION				
Arlington Strain	.10	.60	2.00	6.00
Italian (Ciccoria Catalogna) ..	.10	.50	1.50	4.50
EGG PLANT				
Black Beauty	.10	.60	2.00	7.00
Florida High Bush	.10	.60	2.00	7.00
ENDIVE				
Broad-leaved Batavian	.10	.20	.50	1.50
Full Heart Batavian	.10	.20	.50	1.50
Green Curled	.10	.20	.50	1.50
FENNEL				
Florence	.10	.20	.50	1.50

Kale, Extra Curled—Long Standing

Monstrous Carentan Leek

Early White Vienna

KALE

Broadcast, 2 to 3 pounds per acre; 1 ounce to 200 feet of drill.

The Kales are more hardy than Cabbage, and make excellent greens for winter and spring use. For early spring use, sow broadcast in September and protect during winter. It may also be sown in April or May for later use.

Extra Curled Long Standing An improvement on the well-known German Extra Curled Kale; beautifully curled, of strong, vigorous habit, perfectly hardy and slow-shooting to seed.

Extra Early Siberian Ready for cutting earlier in spring than Long Standing.

Manns' No. 640 The longest standing of any Kale we know, beautifully curled and having a distinct bright green color.

Spring Smooth Leaf or Hanover Salad Quick-growing, very hardy smooth leaf sort, tender when young.

SCOTCH KALE BORECOLE

SEE PAGE 10

Kale—Early Siberian

KOHLRABI

1 ounce will produce 1,500 plants.

This forms a bulb above the ground, and its flavor is somewhat similar to Cabbage. Sow in April in rows 18 inches apart, thinning out to 8 inches between the plants.

Early White Vienna Excellent for forcing and of fine quality. The bulbs grow to the size of an apple when ready for use, and are a pale whitish-green.

Triumph-Prague Extremely early forcing variety, winner in "All-American" trials.

LEEK

1 ounce to 50 yards of drill.

Sow early in the spring in drills 1 inch deep and 12 inches apart, when about 6 inches high transplant into deep, rich soil, 6 inches apart; use a dibble and plant deeply, close to their leaves.

Manns' Special No. 7 Improved large variety with unusually long thick white stalk.

Monstrous Carentan OR SCOTCH CHAMPION. Of extra large size; the leaves are fan-shaped, of a dark green color; the edible stem is 6 to 8 inches long and 3 inches in diameter.

HERBS

	Pkt.	¼ Oz.	Oz.	¼ Lb.
Anise	\$.10	\$.25	\$.75	
Basil	.10	.35	1.25	
Caraway	.10	.25	.75	
Chives	.10	.25	.75	2.25
Coriander	.10	.25	.75	
Dill, extra large, lb. \$1.25	.10		.15	.40
Lavender	.10	.75		
Marjoram, sweet	.10	.60	2.00	
Rosemary	.10	.35	1.25	
Sage, lb. \$7.00	.10	.25	.75	2.25
Summer Savory	.10	.50	1.50	
Thyme, lb. \$15.00	.10	.45	1.35	4.00

PRICES

Variety	Pkt.	Oz.	¼ Lb.	Lb.
KALE				
Extra Curled Long Standing ..	\$.10	\$.25	\$.75	\$2.25
Manns' No. 640	.10	.30	.85	2.50
Siberian Kale (Extra Early) ..	.10	.15	.40	1.25
Spring Smooth Leaf (Hanover) ..		.10	.20	.50
Hanover Late Seeding	.10	.15	.20	.50
KOHLRABI				
Early White Vienna	.10	.50	1.50	4.50
Triumph-Prague				
LEEK				
Large American Flag	.10	.55	1.65	5.00
Manns' Special No. 7	.10	.85	2.50	7.50
Monstrous Carentan	.10	.55	1.65	5.00

Imperial Iceberg No. 847

LETTUCE

1 ounce to 2,500 plants; 3 pounds per acre.

Lettuce to be at its best should be grown rapidly, hence the soil should be made as rich and friable as possible by liberal manuring and thorough preparation. For early crop sow in a seed-bed in September or October and protect through the winter with cold frames, which should be removed as soon as danger of severe freezing is past. Lettuce in the open ground will stand some freezing but is killed by prolonged frost or frequent freezing and thawing. The seed may also be sown in hotbeds in March, and the plants, if well hardened, may usually be set in the open ground in April, maturing a crop much earlier than complete open ground cultivation would produce. If, however, it is not convenient to get the plants started either in the fall or early spring in hotbeds, the seed may be sown in open ground from the middle of April until July, selecting varieties suitable for the season.

The plants should stand 8 to 10 inches apart in the rows, and the rows should be about 18 inches apart.

Cornell No. 456 A very sure heading Imperial type, resistant to early bolting and to tip burn. Frame and head slightly smaller than Great Lakes and of lighter color.

Great Lakes One of the most satisfactory of the Imperials. Large and vigorous, attractive color, resistant to tip burn and stands up well in hot weather.

Imperial Iceberg No. 44 Developed in California by Dr. Jagger of the U. S. D. A. primarily as a sure heading, disease resistant variety for shipping to the eastern markets. Its adaptability to many various growing centers and a wide range of climatic conditions make it one of the most dependable and sure heading types of Iceberg for this section.

Imperial Iceberg No. 847 Black seeded strain of New York grown successfully on the West coast for several years. Produces large size, solid, well rounded heads under conditions where other New York types do not succeed.

Cosberg Developed at the U. S. Dept. of Agr. plant breeding station, Beltsville, Md. Destined to become very useful in the East. Heads are of medium size, clear pale green, exceptionally firm. Resistant to tip burn and withstands heat very well.

New York or Wonderful

PRICES

Variety	Pkt.	Oz.	¼ Lb.	Lb.
All Seasons	\$.10	\$.20	\$.60	\$2.00
Big Boston	.10	.20	.60	2.00
Cos, or Romaine, White Paris	.10	.20	.60	1.75
Cos, Extra Dark Green	.10	.20	.60	2.00
Cosberg	.10	.30	.80	2.75
Earliest "Wayahead"	.10	.20	.60	2.00
Grand Rapids	.10	.20	.60	1.75
Great Lakes	.10	.50	1.65	5.00
Iceberg	.10	.40	1.15	3.40
Imperial No. 44	.10	.40	1.15	3.40
Cornell No. 456	.10	.60	1.85	5.50
Imperial Iceberg No. 847	.10	.40	1.15	3.40
Manns' Special Iceberg No. 10	.10	.40	1.15	3.40
May King	.10	.20	.60	2.00
New York—Special No. 12	.10	.40	1.15	3.40
Oakleaf	.10	.40	1.15	3.50
Unrivalled	.10	.20	.60	1.75
White Boston	.10	.20	.60	1.75

Manna' Lettuce Seed is used by the largest commercial growers

LETTUCE (Continued)

All Seasons One of the best all-head Lettuces, standing the hot sun to a remarkable degree, slow to seed. The outer leaves are a bright soft green; the finely-blanchd inner leaves are a rich golden-yellow, tender and mild in flavor. The heads are broad and nearly flat at the top, they continue to increase in size for about two weeks after they are ready for use.

May King Extremely early, compact cabbage or heading variety, forming very firm heads of medium size and excellent quality. Color light yellowish-green, tinged with reddish-brown when mature. Inner leaves blanch rich golden-yellow, very tender and buttery.

Big Boston This is a fine forcing variety for cold frames during the winter months, as it produces heads of very large size, often 12 inches or more across, and succeeds better in cooler temperature than most forcing strains. The large heads are beautifully blanchd and of superior quality. It also heads well in the open ground during cool weather of spring and fall. Our seed is an extra selected strain of the true stock.

Unrivalled This lettuce might well be called an Improved Big Boston. Its usefulness and value are identically the same as Big Boston, but it is preferred by market gardeners because of its being a solid green color with no brownish tinge at the border of the leaves; its heads are larger and of better appearance than Big Boston.

White Boston A very light green type somewhat similar in size, shape and uses to Unrivalled and Big Boston. Entirely free from red edge and gaining in popularity among market gardeners.

Grand Rapids As a lettuce for greenhouse forcing this variety undoubtedly stands at the head of the list, being of quick growth, hardy, little liable to rot and remaining in condition several days after being fit to cut. Forms a loose cluster of large, thin, bright green leaves, savoyed, finely crimped at edges. Will stand shipping long distances.

COS, ROMAINE OR CELERY LETTUCE

Paris Self-Fold- ing White Cos

Grows to very large size, producing long-pointed, compact bunches. The outer leaves are closely folded about the center and interior is well blanchd.

Paris Cos Lettuce

Cos, Extra Dark Green Similar to White Paris but darker in color.

White Boston

LETTUCE PLANTS
FRESH DAILY IN SEASON—See Page 58

Texas No. 1

Long John Somewhat similar in quality and appearance to Bottomly, but much larger and more elongated. Has green flesh and commands good prices in the Baltimore market.

Honey Ball Possess characteristics that make it one of the finest melons that has ever been offered to the grower, the shipper and the consumer. Exceedingly prolific, producing as many as fifteen to twenty large cantaloupes to the plant. Every commercial grower and home gardener should have at least a trial patch of Honey Ball.

Honey Dew A melon of the Cassaba type. The fruit is large, oval in form, about 10 inches long and 8 inches in diameter; thick flesh is light green in color, ripening to the rind, very tender, with an extreme sweetness. The vines are vigorous and set 6 to 10 melons to the hill. An excellent shipper, will keep for several weeks even when fully ripe.

SALMON FLESHED VARIETIES

Hale's Best Jumbo (83 to 88 Days)—A leading variety for market gardeners and shippers. Fruits oval, about 7½ x 6 inches, weighing 5 to 6 lbs., heavily netted and with ribbing somewhat prominent. Flesh is thick, sweet and of excellent quality but with seed cavity rather large.

Hale's Best No. 45 (85 to 90 Days)—An important shipping and home garden variety, resistant to powdery mildew, having thick, firm, sweet flesh with very small seed cavity. Fruits oval about 6½ x 5 inches and weighing 3 to 4 lbs., indistinct ribs, can be picked for shipment when nearly full ripe.

Texas No. 1 A cross between Porto Rican Rocky Dew and Hales Best, developed by the Texas Exp. Sta.; extremely prolific, resistant to downey mildew and aphids, fruits about 7 in. long by 6 in. in dia. with very thick flesh.

Sugar Rock A valuable New Variety of a Distinct Type. Sweet as sugar and solid as a rock. Sells on sight and its marvelous flavor brings the buyers back for more. On account of its heavy netting and tough rind, can be thoroughly ripe before picking. A remarkable heavy yielder, and a real money maker.

CITRON

Red Seeded A small globular variety, striped and marbled with light green. Flesh white and solid; seeds red. Used exclusively for pickles and preserves.

MUSKMELON CANTALOUPE

1 ounce for 50 hills; 3 pounds per acre.

The most suitable soil for melons is a warm, sandy loam, well worked and enriched with rotted manure. After danger from frost is over, sow ten to twelve seeds to a hill, about 2 inches deep; the hills being six feet apart each way. When the plants have the second pair of leaves and danger from insects is past, thin out to four plants to a hill. Cultivate frequently, deeply away from the plants and shallow close to them. When hoeing, remove the crust from around the plants and replace with fine, loose soil.

GREEN FLESHED VARIETIES

Knight's Early Maryland An extremely early medium sized melon. Fruit oblong, showing the neck tendency; skin deep green, turning to golden at maturity, well covered with a close gray netting and distinctly ribbed; flesh fairly thick and very sweet; color medium green blending to light pink near the center. The earliest high quality melon and a good shipper.

Jasper Our stock of this Anne Arundel County variety is a definitely established fixed type which is well netted, uniform in size and shape and of excellent quality. It is prolific, medium early and in general a profitable variety to grow.

Sweet Air An early, well netted medium sized, good quality and good shipping sort; grown largely in Southern Maryland.

Rocky Ford This has become one of the most popular of small or basket melons. The fruit is oval, slightly ribbed, densely covered with coarse netting. Flesh light green, very thick and highly flavored.

PRICES

MUSKMELON	Pkt.	Oz.	¼ Lb.	Lb.
Benders Surprise.....	.10	\$.20	\$.60	\$2.00
Bottomly.....	.10	.30	.85	2.50
Golden Honey Dew.....	.10	.20	.65	2.00
Hale's Best Jumbo.....	.10	.20	.65	2.00
Hale's Best No. 45.....	.10	.20	.65	2.00
Hearts of Gold.....	.10	.30	.85	2.50
Honey Ball.....	.10	.20	.60	1.75
Honey Dew.....	.10	.20	.60	2.00
Imperial.....	.10	.20	.65	2.00
Improved Perfecto.....	.10	.20	.65	2.00
Jasper.....	.10	.30	.85	2.50
Knight's Early Maryland.....	.10	.20	.60	2.00
Long John.....	.10	.30	1.00	3.00
Pride of Wisconsin.....	.10	.30	.85	2.50
Rocky Ford Improved.....	.10	.35	1.00	3.00
Schoon's Hard Shell.....	.10	.25	.80	2.40
Sugar Rock.....	.10	.25	.75	2.25
Sweet Air.....	.10	.20	.60	2.00
Texas No. 1.....	.10	.40	1.15	3.50

CITRON

Red Seeded.....	.10	.15	.40	1.25
-----------------	-----	-----	-----	------

Imperial—Hale's Best

Dixie Queen

WATERMELON

1 ounce for 30 hills; 3 or 4 pounds per acre.

Cultivate exactly as for Cantaloupe, except that the hills should be 8 to 10 feet apart.

Dixie Queen A fine-flavored, early, 80-day round melon; skin striped dark green and greenish ivory, flesh bright red, solid and sweet. Shipped as White Seeded Cuban Queen.

Kleckley's Sweet This very popular melon is one of the best for nearby markets. Fruits are medium size, oblong, of a dark green color and have very thin rind. Flesh bright scarlet with solid heart, crisp, sugary and melting, and entirely free from stringiness.

Tom Watson A large long melon with dark green rind and light crimson flesh of excellent quality, and a splendid shipper.

Stone Mountain The outstanding introduction in the last few years. Its growth in popularity is phenomenal. Can be shipped long distances and its edible qualities are distinctly superior to any other shipping variety.

Early Canada (75 Days)—Perhaps the earliest good quality melon, usually about 9 inches in diameter, nearly round.

Florida Giant (95 Days)—Vigorous and prolific; fruits very large, nearly round, flesh bright red, crisp and sweet.

Hawkesbury (85 Days)—Wilt resistant strain; fruits oblong, about 18 inches long and 8 to 10 inches in dia., color light grey with deeper veins. Flesh deep pink and of good quality.

MUSHROOMS

Anyone with a fair understanding of the cultural requirements can grow Mushrooms successfully in any climate and in any season where the following conditions obtain:

1. Good spawn, procured from a reliable source.
2. A properly prepared bed with reasonable protection against weather extremes.
3. A temperature not greatly exceeding 60° F. nor much lower than 50° F.
4. A fairly moist temperature, avoiding the too frequent and direct application of water to the beds.
5. A gradual renewal of the air, avoiding draughts.

One brick will seed an area of 8 to 10 square feet. One quart bottle will seed an area of 35 to 40 square feet, depending on the size of piece planted. Full cultural directions free with purchase of spawn. Bricks 30c ea., 10 bricks \$2.75, bottle spawn \$1.00 ea.

Stone Mountain

PRICES

MUSTARD		Pkt.	¼ Lb.	Lb.	10 Lb.
Fordhook Fancy		\$.10	\$.30	\$1.00	\$9.00
Giant Southern Curled		.10	.30	.85	7.50
Tendergreen (Mustard Spinach)		.10	.30	1.00	9.00
WATERMELON		Pkt.	Oz.	¼ Lb.	Lb.
Blacklee		\$.10	\$.35	\$1.00	\$3.00
Dixie Queen		.10	.30	.85	2.50
Early Canada		.10	.25	.75	2.25
Florida Giant		.10	.30	.85	2.50
Hawkesbury (Wilt Resistant)		.10	.30	.85	2.50
Kleckley's Sweet					
(Wilt Resistant) Leesburg		.10	.20	.60	2.00
Stone Mountain		.10	.20	.60	1.75
Tom Watson		.10	.20	.50	1.50

MUSTARD

Fordhook Fancy Darker green and leaves more curled at the edges than any other sort.

Giant Southern Curled The largest variety, forming a mass of finely curled leaves; hardy and vigorous.

White Silver Skin Onion

Southport White Globe Pure white, true globe form with very crisp flesh, exceedingly mild and fine grained, usually commands highest prices.

Ebenezer One of the best for the production of large onions for Fall and Winter market, yielding almost twice as many bushels per acre than any other set onion. Somewhat similar to Flat Danvers in color and shape but a trifle thicker and very much larger in circumference. They are very mild, excellent keepers, rapid growers and very few go to seed. The appearance, size, quality and wonderful yields of this variety give it a prominent place among the most valuable sorts.

Prizetaker Produces large, well-ripened bulbs the first season from seed; flesh white; crisp and mild in flavor. The skin is thin, of a bright straw-yellow; form nearly a perfect globe. Under ordinary cultivation this variety will yield bulbs nearly three times as large as the Globe Danvers, while under special cultivation specimen bulbs have been raised to weigh from 4 to 5 pounds each.

Yellow Globe Danvers Our superior stock of this celebrated variety is of fine round shape. It grows to good size, with thin yellow skin, white flesh, fine grained and excellent quality. It ripens early, keeps well and is very productive.

Early Yellow Globe

ONIONS

To grow large bulbs 1 ounce to 100 feet of drill; 4 to 5 pounds to the acre. To grow sets 10 ounces to 100 feet of drill; 50 pounds to the acre.

The Onion must have a clean and very rich soil. Use well rotted manure freely, and get the seed in as early as possible in the spring, no matter if it is cold and unpleasant. If onions do not get a good growth before hot, dry weather, the crop is sure to be a failure. Keep the soil mellow and clear of weeds. Sow in shallow drills, not less than a foot apart nor more than half an inch deep. As onions grow on top of the ground, they may be allowed to remain pretty thick, no matter if they crowd each other. In hoeing, destroy weeds and keep the ground mellow; do not cover the young bulbs with earth.

Early Yellow Globe Matures medium large uniform globe-shaped bulbs in about 98 days from time of sowing. Keeps exceptionally well.

White Silver Skin, or Portugal This is the most popular variety of all white Onions; is almost exclusively used for growing sets. It is a good keeper. The bulbs grow to good size, ripening early and quite evenly. The flesh is mild and sweet, the thin skin a clear silvery white, of handsome appearance if the bulbs are gathered as soon as ripened and carefully dried under shelter away from the strong sunlight. When seed is sown at the rate of 20 to 25 pounds per acre, it makes bulbs of suitable size and most desirable for pickling.

Use a

FELINS TYING MACHINE FOR BUNCHING SPRING ONIONS

PRICES

Variety	Pkt.	Oz.	¼ Lb.	Lb.
Danvers—Yellow Globe	\$.10	\$.50	\$1.50	\$4.50
Early Yellow Globe	.10	.60	2.00	6.00
Ebenezer or Japanese	.10	.50	1.50	4.50
Golden Globe	.10	.55	1.65	5.00
Prizetaker	.10	.55	1.65	5.00
Southport White Globe	.10	.55	1.65	5.00
White Bunching	.10	.60	2.00	6.00
White Queen	.10	.55	1.65	5.00
White Silver Skin, or Portugal	.10	.55	1.65	5.00
Yellow Sweet Spanish	.10	.55	1.65	5.00

ONION SETS

FINE QUALITY MARKET GARDENERS STOCK

20c qt.—Pk. (8 lbs.) \$1.25

Subject to change. Postage Extra.

Let Us Quote Larger Quantities

OKRA OR GUMBO

10 pounds to the acre.

Sow in drills during April and May. Thin until plants are 12 inches distant, and draw earth to the stems for support.

Improved Dwarf Green Prolific or Density A distinct variety, growing about 14 inches high. Grown in competition with the ordinary dwarf, it produces twice the number of pods, which are very smooth and beautiful.

Perkins' Mammoth Green Pod A splendid variety. Very prolific, with slender long green pods of best quality and most desirable color for canning.

PARSLEY

1 ounce to 150 feet of drill.

Sow in rows 1 foot apart and 1 inch apart in the row. The seed is slow to germinate, and should be given the most favorable conditions. A deep, rich loamy soil is required. For winter use a few plants placed in a box in the cellar will give a supply.

Okra

Champion Extra Dark Moss Curled The large leaves are very heavily crimped and curled. Very productive and most attractive, both on account of its dark green coloring and fine mossy appearance.

Green Castle An extremely hardy, late or main crop market gardeners variety which grows rather slowly early, but is tall, densely curled and can be depended upon as the most profitable Parsley for fall and winter crop.

Manns' Special Triple Curled Vigorous, fast growing, beautifully curled, bright vivid green strain. Superior to Moss Curled in production and appearance.

Turnip-Rooted, or Hamburg The large fleshy root, which resembles the root of a Parsnip, and is highly esteemed for flavoring soups, stews, etc.

PRICES OKRA OR GUMBO

Variety	Pkt.	Oz.	¼ Lb.	Lb.
Clemson Spineless	\$.10	\$.20	\$.50	\$1.50
Dwarf Green Prolific Longpod	.10	.15	.40	1.25
Perkins' Mammoth Green Pod	.10	.15	.40	1.25
White Velvet	.10	.15	.40	1.25

PARSLEY

Variety	Pkt.	Oz.	¼ Lb.	Lb.	10 Lb.
Champion Extra Dark Moss Curled	\$.10	\$.15	\$.40	\$1.25	\$10.00
Green Castle	.10	.15	.40	1.25	10.00
Manns' Triple Curled	.10	.15	.40	1.25	10.00
Paramount	.10	.15	.40	1.25	10.00
Plain or Single	.10	.20	.50	1.50	12.50
Hamburg, Turnip-Rooted	.10	.15	.50	1.50	13.00

Hamburg Parsley

Champion Extra Dark Moss Curled

Manns Parsley grown in N. J., under Irrigation

PEAS

1 quart to 100 feet of drill; 1½ bushels per acre.

Peas grow best on a light, rich, mellow soil under cool and moist weather conditions. Fresh manure and very rich or wet mucky soil should be avoided.

The extra early varieties are very hardy and should be planted as soon as the ground can be made ready, while the larger wrinkled varieties, which are not as hardy but of superior quality, may be planted when the soil has become slightly warmed, as the seed will rot if planted too early.

For private use, sow the seed in double rows, 18 inches apart and 3 inches apart in the row; for market, in single rows 2 to 3 feet apart and 1 inch apart in the rows. The peas will give quicker returns if covered only one inch deep, and where earliness is most important they may be treated this way. Larger pods and greater quantity will be produced if the seed is planted in trenches three to six inches deep and covered with only one to two inches of soil. When the plants are five or six inches high, fill the trench level with the surface. This will result in deep rooting, prevent mildew and prolong the bearing season. If the peas are covered to the full depth at first, or if water is allowed to stand in the trenches the seed will not germinate or grow well. The crop should be gathered as fast as it becomes fit for use, as even a few ripe pods left on the vines tend to retard the development of the young pods and prevent the formation of new ones.

FIRST EARLY SMOOTH VARIETIES

Extra Early Alaska Vine strong and vigorous, 2 to 2½ feet high, of a peculiar light green color, pods 3 to 3½ inches long, straight and blunt at the end. Is ready for picking 49 to 50 days from planting. Seed round, blue, slightly pitted. Matures crop very evenly.

Early Bird The most used and best extra early, large podded Dwarf now on the market. Very desirable for market gardeners and truckers. Seed is practically smooth, dark green in color, can be planted as early as the Alaska. Produces a strong, vigorous vine, dwarfed in length. Pods produced in profusion and are long, large, pointed and well filled with good sized peas. Is an excellent cropper and has replaced practically all other extra early varieties.

Long Pod Alaska

Long-Podded Alaska A favorite with truckers and shippers to Northern markets, producing a very early crop of large, broad, well-filled, dark green pods. Equally as hardy as Extra Early Alaska and much larger. The vines usually grow three feet high and the crop will remain fresh a long time after picking.

Mammoth Podded Extra Early An exceptionally early, large podded variety. Matures practically with Alaska and much more productive. Height 3 feet, pods 4 inches long, very dark, broad and round.

WRINKLED VARIETIES

Early Surprise An extra early variety of excellent quality, producing an abundance of dark green pods 4 to 5 inches long, very broad and well filled. The earliness, quality and the wonderfully prolific characteristics of this variety make it a very profitable sort for market gardeners.

Early Wonder Extremely early, of high quality and very productive. Pods are very dark and can be safely shipped long distances. Will soon become very important as a market gardeners variety.

Blue Bantam An improved strain of the Laxtonian type. Very early and produces pods a little darker than the Laxtonian. Vines are 16 to 18 inches high.

Little Marvel An ideal home garden and early market variety, popular for years for its outstanding quality and yield. Vine: stocky, medium height. Pods: blunt, plump, dark green, 3 in. long, well filled.

California Mammoth

PRICES

Variety	Pt.	Qt.	Pk.	Bu.
Alaska—Wilt-resistant	.35	.65	\$3.00	\$ 8.50
Blue Bantam	.35	.65	3.50	10.00
Early Bird	.40	.75	3.75	11.00
Early Surprise	.35	.65	3.50	11.00
Early Wonder	.35	.65	3.50	11.00
Extra Early Alaska	.35	.65	3.00	8.50
Little Marvel	.35	.65	3.50	10.00
Long Podded Alaska	.35	.65	3.50	11.00
Mammoth Podded Extra Early	.35	.65	3.50	10.00
Black Eyed Peas	.40	.75	5.00	18.00

PEAS —Continued

WRINKLED VARIETIES

Glacier A new hybrid pea developed to meet the needs for a variety somewhat earlier than Thomas Laxton, but of the same general type and also fully resistant to Fusarium wilt. The vines are dark green and medium heavy; pods single, dark green, blunt ended, plump and well filled with seven to eight deep green, semi-round peas of excellent quality. In growth it very closely resembles the Thomas Laxton, which is one of the parents of the new hybrid, and it carries the very excellent quality and hardiness of the Thomas Laxton variety but is several days earlier. Under normal crop conditions, the vines range between 30 and 34 inches in length, depending upon the growing conditions and come into picking condition between 57 and 60 days.

Laxtonian This is one of the finest dwarf early peas. The vines grow 18 to 20 inches high and produce an enormous crop of dark green pods as large as Gradus, maturing a few days ahead of this variety.

California Mammoth Medium early profuse bearer of large handsome dark green pointed pods. Can be very profitably grown by commercial growers and home gardeners as a succession to Early Bird and the Laxtonian types.

Alderman One of the best long vined, main crop varieties. Hardy, prolific, producing vines $3\frac{1}{2}$ to 4 feet in length. Pods large, pointed, dark green in color. Maturing about the same time as the Admiral Dewey.

Gradus or Prosperity One of the best second early, long-strawed, wrinkled varieties. Produces long pointed pods, well filled and of fine table quality. Vines from $2\frac{1}{2}$ to 3 feet in length. Considered one of the most desirable for the market garden or home use.

Potlatch Strong, vigorous vines of even growth, 20 to 24 inches in height, with luxuriant dark foliage, bearing pods medium green in color, $3\frac{1}{2}$ to 4 inches in length. Broad and pointed at the ends. No variety known will produce more pods, and no pods could possibly shell out better. The Potlatch is a variety from which everyone may expect great things. Fit for table use 61 days from planting. Seed green, wrinkled, large in size.

Thomas Laxton This variety is of the same growth as that of the Gradus, but is usually three to four days later for market. The pods are square at the ends instead of having a long, sloping point, and considered by some to be of a better flavor than the Gradus.

Daisy, or Dwarf Telephone A second early, of robust but remarkably even growth. From 16 to 18 inches high. The stout plants are fairly loaded with large, bright green pods. Each pod contains from 7 to 9 large peas of a light bright green color, tender and well flavored.

EDIBLE PODDED PEAS

Mammoth Melting Sugar This is by far the largest and finest of the true sugar or edible podded Peas.

PEANUTS

Virginia Bunch Earliest, most prolific and easiest cultivated variety. Lb., 35c; 10 lbs., \$3.00.

Extra Early Gradus or Prosperity

Dark Green Telephone A tall-growing, late sort, $3\frac{1}{2}$ to 4 feet in height, having beautiful dark green pods of very large size, containing 6 to 7 large peas of delicious flavor. Continues in bearing for quite a long time.

PRICES

	Pt.	Qt.	Pk.	Bu.
Alderman—Wilt resistant	\$.40	\$.75	\$3.75	\$11.00
California Mammoth	.40	.75	3.75	11.00
Dark Green Telephone—W.R.	.40	.75	3.75	11.00
Dwarf Market	.40	.75	3.75	11.00
Dwarf Telephone—W.R.	.40	.75	3.75	11.00
Glacier	.40	.75	3.75	11.00
Gradus or Prosperity	.40	.75	3.75	11.00
Laxtonian	.40	.75	3.75	11.00
Mammoth Melting Sugar	.40	.75	5.00	18.00
Thomas Laxton	.40	.75	4.00	14.00
World's Record	.40	.75	3.75	12.00

Royal King Pepper

PEPPERS

1 oz. to 1,500 plants.

Peppers should be sown either indoors or in hotbeds early in April and transplanted to the permanent beds when about 3 inches high in two foot drills and two feet apart in the drills. The seed can also be sown in open ground when danger from frost is past but the crop will naturally be much later. A top dressing of fertilizer or poultry manure well mixed with the soil when the plants are about 6 inches high will materially aid in the production of a big crop.

Royal King Plants grow about 2½ feet high, and are vigorous; compact and very productive, commencing to bear very early and continuing until killed by frost. The fruit is very large, bright and glossy and the extremely thick flesh is sweet and mild. They will stand distant shipping and hold up well for market as they do not wilt nor become ripe near so quickly as other large varieties. This strain is extensively grown in the South by large shippers and deserves the attention of every trucker and home gardener.

King of the North The earliest large pepper in cultivation. The plants are very uniform in growth, dwarf and compact, and very productive. Fruits, mild and sweet, with medium thick flesh.

Ruby Giant A variety of Mango Pepper which is of a desirable size and shape for stuffing. A cross of Ruby King and Chinese Giant. Grows to large size and is very mild.

California Wonder Its large, smooth, extremely heavy, very mild, thick flesh, make this variety truly a wonder. Combining the excellent quality of the Pimento and the size of Crimson Giant, California Wonder is being grown for all purposes. Plants are sturdy, productive and slightly spreading, bearing five to nine large glossy fruits to a setting, averaging one-half pound each. Deserves the attention of every pepper grower.

Pimento or Perfection A medium early, prolific, perfectly mild variety with extremely thick flesh. On account of its thick flesh it will hold up for a long time, and is an excellent sort for canning whole.

Chili, Small Red conical pod, about 2 inches long, very hot. Fine for pepper sauce and seasoning.

Cherry Red Fruit small, round, color rich scarlet, very hot.

Chinese Giant This desirable variety is one of the largest sweet peppers ever offered. The flesh is quite thick, very mild and remarkably sweet.

Large Bell, or Bull Nose This large, early and productive sort has the most pungent flavor of all the large peppers. Thick flesh.

Long Red Cayenne The pods are long and slender; bright red color and very pungent. This is an old-time favorite and is used extensively for bunching with pot-herbs.

World Beater or Sweet Mountain This splendid pepper is a cross between Chinese Giant and Ruby King, and combines the size of one and the earliness of the other. It is exceedingly mild, very large and the color good. The flesh is very thick, making distant shipment possible.

California Wonder

Chinese Giant Pepper

Pepper Plants

In All The Leading Varieties. FRESH DAILY. See Page 58.

	PRICES	Pkt.	Oz.	¼ Lb.	Lb.
Bull Nose (Hot)		.10	.60	\$2.00	\$6.00
California Wonder		.10	.80	2.50	7.50
Chinese Giant		.10	.80	2.50	7.50
Cherry Red (Hot)		.10	.60	2.00	6.00
Chili, Small (Hot)		.10	.60	2.00	6.00
Half Long Narrow Cayenne (Hot)		.10	.60	2.00	6.00
King of the North (Early)		.10	.60	2.00	6.00
Long Red Cayenne (Hot)		.10	.60	2.00	6.00
Mammoth Golden Queen		.10	.60	2.00	6.00
Pimento or Perfection		.10	.80	2.50	7.50
Royal King		.10	.60	2.00	6.00
Ruby Giant		.10	.60	2.00	6.00
Sunnybrook or Cheese		.10	.60	2.00	6.00
World Beater or Sweet Mountain		.10	.60	2.00	6.00

PARSNIPS

1 ounce to 150 feet of drill.

Parsnips are well known as a delicious table vegetable but their value for the purpose of feeding cattle and stock is but little appreciated. The parsnip is rich in saccharine food which adds greatly to the richness of the milk when fed to cows, while the fresh, succulent roots increase the flow of milk as greatly as does the use of fresh, green food in the spring. It is especially valuable for the purpose from its extreme hardiness, as the roots can be left in the ground all winter and improve in quality by the continued freezing.

Special Hollow Crown

A specially selected stock, developed for uniform well-shaped smooth roots of excellent quality.

Hollow Crown Parsnip

PUMPKINS

1 ounce to 15 hills; 4 pounds per acre, in hills 10 by 10 feet apart.

CULTURE.—Sow in good soil in May, when the ground has become warm, in hills 8 to 10 feet apart each way, or in fields of corn about every fourth hill; always avoid planting near other vines, as they will hybridize.

Sugar Pie Pumpkins This is the best of all Pumpkins for pies. The fruit is small to medium in size, flesh solid and fine grained, the seed cavity small, and it is a splendid keeper.

Cushaw, or Crookneck One of the most popular varieties to grow for pies as well as for stock feeding. Fruits 2 feet in length, with long, solid neck, most frequently curved in form; seeds are located in the lower bulb-like end. Skin striped with mottled bands of creamy white. Flesh rich, creamy yellow, tender and of exceptionally fine flavor.

Sweet Potato Excellent for pies, pear-shaped, medium sized, flesh and skin creamy white, fine grained, sweet and delicious; first-class keeper.

King of Mammoths This giant variety grows to enormous size. Deep yellow, glossy color. Splendid to grow for stock and exhibition purposes.

Squash Pumpkin—Boston Marrow

See Squash, Page 33.

PRICES				
PARSNIPS		Pkt.	Oz.	¼ Lb. Lb.
Special Hollow Crown		\$.10	\$.15	\$.40 \$1.25
Manns New Market				
Garden Strain		.10	.50	1.50 4.50
PUMPKINS				
Connecticut Field		.10	.15	.40 1.25
Cushaw, or Crookneck		.10	.20	.50 1.50
King of Mammoths		.10	.20	.60 2.00
Sugar Pie Pumpkins		.10	.20	.50 1.50
Sweet Potato (Tenn.)		.10	.20	.50 1.50

Sugar Pie Pumpkin

RADISHES

1 oz. for 100 feet of drill; 9 lbs. per acre.

Light, sandy soil, rich in organic matter is essential to produce crisp and tender radishes. For an early crop sow the seed as soon as the ground can be worked, in drills 6 to 10 inches apart, covering the seed half an inch deep. When the plants are well started, thin out to one inch apart in the drills. Frequent watering in dry weather is very beneficial as high quality is largely dependent upon rapid growth. For a continuous supply, successive plantings should be made at intervals of 10 days to two weeks, selecting varieties best suited for the season.

Extra Early Scarlet Globe Outdoor Forcing

Extra Early Scarlet Globe No. 8

From Specially Selected Transplanted Roots

A reselected strain so uniform in its maturity that each sowing can be entirely gathered and bunched at one pulling, with practically no waste. This means more bunches per row, more time saved in bunching, and the ground ready for the next crop a week earlier. This equalized maturity also permits sowing this crop between rows of beans, corn, etc., as a "catch crop." This is the market gardener's favorite as a forcing Radish, very early; mild and crisp, juicy and tender; ample top, will stand heat without becoming pithy. One of the best selling and most attractive Radishes on account of its bright scarlet color and handsome shape. Our stock of this is the very best, selected with special care as to size, shape, color and earliness, and market gardeners will find it a money maker, as it is just right in every respect. Pkt., 10c; ¼ lb., 30c; lb., \$1.00; 10 lbs., \$9.00; 25 lbs., \$22.00; 100 lbs., \$85.00.

Greenhouse Scarlet Globe This strain has been especially bred to meet the very exacting requirements of greenhouse cultivation, producing quickly a highly marketable crop of uniformly shaped radishes of fine quality.

Comet Distinctly a round or ball shaped sort of longkeeping quality, medium tops when grown outdoors. 1935 All-American winner.

Crimson Giant A variety combining earliness and great size. It grows much larger than other extra early varieties, but does not become pithy even when fully twice as large in diameter and a week older; beautiful crimson-carmine; turnip-shaped; flesh firm, crisp and tender. We recommend it for outdoor garden planting as well as for greenhouse forcing.

Sparkler (Round White Tipped) One of the most attractive of the Turnip Radishes for early planting outdoors. Color very deep scarlet with 1/3 white at the tip; flesh white and of the best quality.

Perpetual White Summer This variety introduced by us, has given splendid satisfaction to all who have tried it. They are pure white, of uniform good quality, crisp and brittle, and they keep longer in a fit condition for the table than any variety we know of, hence their name. Perpetual White Summer can be sown any time of the year, and will always produce good radishes fit for market earlier than the Chartier, and keeps in perfect shape for marketing about four weeks, or longer for home use.

White Stuttgart Quick growing and therefore very early. Of the largest size, and both flesh and skin are pure white; quality fine, firm, and brittle. Can be pulled for use at any stage.

New White Strasburg A very new desirable summer variety, a favorite with our market gardeners. Skin and flesh both white. It is excellent quality and a quick grower.

White Strasburg

PRICES

	Pkt.	¼ Lb.	Lb.	10 Lb.	100 Lb.
Comet	\$.10	\$.30	\$1.00	\$9.00	\$85.00
Crimson Giant	.10	.30	1.00	9.00	...
Greenhouse Scarlet Globe	.10	.30	.90	8.00	70.00
Long Black Spanish	.10	.40	1.25	11.50	...
Long Scarlet	.10	.30	.90	8.00	70.00
Perpetual White Summer	...	...	...	...	...
Philadelphia White Box	.10	.30	.90	8.00	75.00
Round Black Spanish	.10	.40	1.25	11.50	...
Scarlet Globe	.10	.30	.90	8.00	60.00
Scarlet Globe Manns' Round	.10	.30	1.00	9.00	75.00
Scarlet Globe No. 8	.10	.30	1.00	9.00	85.00
Scarlet Turnip	.10	.30	.90	8.00	70.00
Sparkler	.10	.30	.90	8.00	70.00
White Chinese or Celestial	.10	.50	1.50	14.00	...
White Icicle	.10	.30	1.00	9.00	...
White Strasburg	.10	.40	1.25	11.50	...
White Stuttgart	...	...	...	...	...

RADISHES (Continued)

Phila. Model White Box (Forcing) Very early (28 days) and has but few leaves, thus making it of special value for growing in hotbeds or "boxes." It is of clear white color, solid, juicy and unsurpassed in flavor, nearly round, 1½ in. in diameter.

Long Scarlet This is the standard extra early long scarlet market variety, short top, long scarlet roots; crisp, fine flavor.

White Icicle Radish Planted in spring the young Radishes are ready for use in 25 to 27 days from sowing and their long, slender form and pure paper-white skin are most attractive when bunched for market. Flesh: clear white, brittle and of a mild flavor.

WINTER VARIETIES

White Chinese or Celestial Large, stump-rooted Radish with white skin and flesh. Can be sown from July 1 to August 15, and will keep in prime condition, mild in flavor, brittle, and never woody. Market gardeners will find this a profitable variety.

Round Black Spanish Characteristics similar to Long Black Spanish, except that it grows top-shaped, 3 to 4 in. in diameter.

Long Black Spanish Roots tapered cylindrical 7 to 10 in. long and about 2¼ in. in diameter. Skin black, flesh white, exceptionally good keeper, strong pungent flavor.

Long Scarlet

RHUBARB or Pie Plant

Sow in April or May, in drills 1 foot apart; when 3 or 4 inches high, thin out in rows 6 to 10 inches apart. Transplant the ensuing fall or spring in rich soil. Set out the roots 3 to 4 feet apart each way; the following spring it will be fit to use.

Victoria Very large, the finest cooking variety.

RHUBARB ROOTS—See Page 58.

SORREL

BROAD AND NARROW LEAVED

A hardy plant grown for its leaves, which are used as boiling "greens" or salad. Seed should be sown thinly in drills early in spring. When well started thin out to stand 4 to 6 inches apart in the row. The leaves can be gathered for use at any time after the plants are well started in growth, and the roots will continue to produce a further supply. The plant is entirely hardy, and, starting into growth early the following spring, will afford a large supply of fine "greens" quite early.

White Icicle

SALSIFY

OR OYSTER PLANT

1 oz. for 50 feet of drill.

Requires a well enriched, mellow soil, which, previous to sowing the seeds, should be stirred to a depth of 18 inches. Sow early in the spring in drills 15 inches apart; cover the seed with fine soil 1½ inches in depth, and when the plants are strong enough thin out to 6 inches apart. As the leaves resemble grass, be careful they are not mistaken for it when weeding.

Mammoth Sandwich Island

A new and improved type, producing roots of nearly double the size and weight of the old varieties; mild and delicately flavored.

Mammoth Sandwich Island Salsify

PRICES

RHUBARB Pkt.	Oz.	¼ Lb.	Lb.
Victoria	\$.10	\$.30	\$1.00 \$3.00

SALSIFY

Mammoth Sandwich Island	.10	.55	1.65 5.00
-------------------------	-----	-----	-----------

SORREL

Large-Leaved French	...	...	...
Narrow Leaved	.10	.60	2.00 6.00

SEED POTATOES

LET US QUOTE PRICES ON HIGHEST QUALITY SEED ON BASIS OF LOWEST MARKET VALUE

Potatoes will adapt themselves to various soil conditions as easily as most vegetables. A better crop will be produced, however, on a sandy loam which contains a quantity of well rotted vegetable matter. A clover sod, vetches turned under in the fall, or land which was heavily manured for a previous crop supply ideal conditions.

In preparing the seed the eyes should be cut so that the largest part of the surrounding flesh is situated toward the stem end, because the eyes of a potato always have a root system running toward that end and for that reason the sprouts cannot draw moisture from the opposite direction. If the ground you intend to use has produced a scabby crop previously or the seed shows any trace of disease, the pieces should be disinfected as a preventative.

For a very early crop, run off furrows about three feet apart and about four inches deep. Drop the pieces about 15 inches apart in the furrows and cover to a depth of about 1½ inches, gradually filling in the furrows to level as the vines grow larger. For main crop it is just as well to cover the eyes with four inches of soil at once. If fertilizer is used, apply it either in the row or broadcast before planting and be sure that it is thoroughly mixed with the soil so that the seed is not burned. Fresh stable manure will cause the potatoes to become scabby.

Just before the sprouts have appeared above the ground run a light harrow over them to kill the weeds and break up the crust. Continue weeding and harrowing until there is danger of breaking off too many sprouts. Cultivate thoroughly and frequently, being careful not to cut any of the roots, continuing until the vines have attained full growth and begin to spread.

Spraying for insects and blight is very necessary. Red River Potato Mix will give very satisfactory results in controlling insects and diseases.

The size and quality of the crop and the ability to resist disease is directly dependent upon the seed planted and no amount of cultivation or attention will offset the uncontrollable results of poor seed. Be sure of your crop and plant only the best Maine grown seed potatoes.

Chippewa Growers who planted this new variety last spring are more than pleased with its increased yield, better quality and greater sales appeal. It is a heavy yielder, of medium size, very uniform, round to oblong, somewhat flattened, eyes shallow, skin is smooth clean white.

Red Bliss, or Bliss Triumph This variety is rapidly growing in favor. The tubers are round and uniform in shape, eyes slightly depressed and of a beautiful bright red color, very hardy and vigorous, maturing with extra earlies.

Maine Certified Cobblers Planted, grown and shipped under the extremely rigid requirements of the Maine Dept. of Agriculture, assuring finest quality clean seed, free from disease, uniform in size, true to type and from highly productive strains.

Green Mountain White skin, flat, oval form, smooth, of good appearance; excellent table quality. Ripens slowly, and is a good keeper.

Increase Your Profits
Dust or Spray with
RED RIVER POTATO MIX
With D.D.T.
(1 to 1½ lbs. make 12½ gallons
or as dust)
Lb., 50c; 4-lb. bag, \$1.55

Kathadin Round, white, smooth with few and very shallow eyes; developed by the U.S.D.A. Very productive, good keeper.

Sebago Developed by the U.S.D.A. for quality and earliness, somewhat similar to Kathadin. Excellent early shipper.

SEED SWEET POTATOES

Elzey's Improved The strain used every year by Maryland's most successful sweet potato growers. Yields 25 to 50 per cent more marketable stock and sells higher than any other. Dry and sweet; decidedly the best of all. Prices subject to market fluctuations. Let us quote.

Sweet Potato Plants See Page 58.

New Improved Semesan Bel

1 oz. treats 5 bushels

This instantaneous dip treatment for both white and sweet potatoes is fast replacing all formerly practised methods of seed potato disinfection. Semesan Bel exerts an invigorating effect upon plant growth by removing disease handicaps and repelling the attacks of soil-borne organisms so that yields are greatly increased. Prices—2 ozs., 30c; 1 lb., \$1.65; 4 lbs., \$5.70.

Green Warty Hubbard

Golden Summer Crookneck

Boston Marrow

SQUASH

1 oz. of bush sorts to 40 hills; large seeded 15 hills.

2 lbs. of bush sorts to acre; large seeded 3 to 4 to acre.

Squashes, like other vines, are partial to a light, dry, rich soil. Plant the running varieties in hills 10 feet apart each way; thin out to three plants in a hill. Cultivate frequently until the vines commence running, after which do not work the soil deep.

Boston Marrow (or Squash Pumpkin)

The fall and winter variety most widely used for canning and for pies. Fruits oval, pointed, deep orange color, weight 6 to 8 lbs. Very productive. (98 days.)

Cocozelle Extra Long Italian Produces dark green fruit about 20 inches long and 3 to 4 inches in diameter; very straight, striped when mature.

Early Prolific Straightneck Produces an abundance of ten inch fruits in a week after blossoming. Very prolific, exceeding all other varieties in early production. Color, lemon-yellow. Vine about half the size of other varieties which permits close planting. An ALL AMERICAN Selection. (50 days.)

Green Tinted Bush Scallop Preferred by many market gardeners by reason of true decided light green color, even when fully matured.

Golden Summer Crookneck A superior strain of summer crookneck, heavily warted, of a very deep orange color, 9 inches long, of excellent quality and highly productive.

Golden Hubbard Resembles Boston Marrow somewhat in shape and size; more densely warted, flesh deep orange, dry and of fine quality. Good keeper. (100 days.)

Green Warty Hubbard Manns' strain is densely warted, much larger than Golden Hubbard; flesh exceptionally thick, deep orange, dry and of excellent quality. (105 days.)

Table Queen or Acorn (New Mammoth Type) Dark green, thin shelled, smooth, ribbed fruits with yellow flesh; favorite variety for baking. (58 Days.)

Green Tinted Bush Squash

	PRICES		
	Pkt.	¼ Lb.	Lb.
Acorn or Table Queen (Mammoth)...	\$.10	\$.50	\$1.50
Blue Hubbard	.10	.60	2.00
Boston Marrow	.10	.40	1.25
Butternut	.10	1.35	4.00
Cocozelle, Extra Long Italian	.10	.50	1.50
Cocozelle, Vining	.10	.50	1.50
Early Prolific Straightneck	.10	.60	1.75
Golden Hubbard	.10	.60	2.00
Golden Summer Crookneck	.10	.50	1.50
Green Tinted Bush Scallop	.10	.50	1.50
Green Warty Hubbard	.10	.60	2.00
Jersey White Bush Scallop	.10	.50	1.50
Number 14	.10	.60	2.00
Vegetable Spaghetti	.10	.50	1.50
Zucchini (Extra Dark)	.10	.50	1.50

Table Queen

Cocozelle

Early Prolific Straightneck

SPINACH

1 oz. to 100 ft. of drill; 12 to 15 lbs. per acre.

Manns' Extra Dark Green Savoy

Reselected Bloomsdale Savoy For either fall or late winter sowing, a truly reselected strain developed by a Holland Plant Breeder for uniformly curled large heavy plants.

Manns' Extra Dark Green Savoy About two days later than Reselected, but the plants are larger, less liable to bolt to seed, more heavily crumpled and of more upright growth. The very dark green color, however, is its chief advantage and in making the selections for this deep color the plant breeder has also improved the strain in its savoyed characteristics and absolute freedom from smooth leaved plants.

Virginia Blight Resistant A strain of Bloomsdale Savoy especially developed by the Virginia Experimental Station for the purpose of resisting the disease commonly called yellows. Used extensively in the vicinity of Norfolk and in other sections where blight is encountered. It matures very quickly and is therefore preferred for early fall sowing.

Select a rich piece of ground, the richer the better; and for late spring and early summer use, sow the seed during February, March and April in drills one foot to 20 inches apart, one-half to one inch deep. When the plants are well started, thin out to 4 to 6 inches apart, or sow the seed thinly and allow all the plants to stand.

For winter and early spring use, sow either in drills or broadcast during August, September and October. A top dressing of Nitrate of Soda will make a vast improvement in the earliness, size and quality of the crop.

Old Dominion Developed at the Virginia Experimental Station as a later seeding yellows resistant variety by crossing King of Denmark and Virginia Savoy. The plants are large, dark green, heavily crumpled and fast growing. It is one of the most hardy varieties for wintering over and therefore is well suited for either an early fall crop or for fall sowing to be cut in early spring.

Manns' Presto Savoy A prickly seeded variety possessing outstanding merits over the round seeded Bloomsdale, which it resembles identically. Presto is the earliest and quickest growing sort of spinach. It is much hardier than any other variety and will stand cold and unfavorable weather conditions better than round seeded sorts.

PRICES						
	Oz.	¼ Lb.	Lb.	10 Lbs.	25 Lbs.	100 Lbs.
Extra Dark Green	\$.10	\$.25	\$.75	\$5.00	\$10.00	\$35.00
Heavy Pack	.10	.25	.75	5.00	10.00	35.00
Long Standing	.10	.25	.75	6.00	12.50	40.00
Manns' Presto	.10	.30	.85	7.50	15.00	48.00
Old Dominion	.10	.25	.75	5.00	10.00	35.00
Reselected	.10	.25	.75	5.00	10.00	35.00
Virginia B. R.	.10	.25	.75	5.00	10.00	35.00

New Crop Seed Available about September 1				LET US QUOTE			
	Pkt.	Oz.	¼ Lb.	Lb.			
New Zealand	\$.10	\$.15	\$.45	\$1.25			
Southland Summer	.10	.50					
Tampala (Burpees)	.15		(¼ oz., 60c)

Manns' Special Summer Savoy

Field of Early Long Standing Savoy for Seed

Manns' Early Long Standing Savoy Nearly as early as Reselected Savoy but has the very valuable advantage of standing in perfect condition, without bolting to seed, 10 to 14 days longer. This feature is worth thousands of dollars to spinach growers, for with this variety it is possible to market the crop when it is convenient and advantageous for the grower to do so. Many severe losses have been incurred because cutters were not available, weather conditions unfavorable, or prices were too low, but Early Long Standing will wait for cutters, for weather, and for prices.

Southland Summer New special strain of Swiss Chard more closely resembling real spinach, producing large heavily crumpled leaves of a bright green color. Will eventually replace New Zealand.

Manns' Special Summer Savoy ^{Stands warm weather} without bolting to seed better than any other Savoy leaved type. A great improvement even on Bloomsdale Long Standing. Very dark green and heavily crumpled leaves. Very slow grower and should be sown so as to mature during warm weather.

New Zealand (TETRAGONIA EXPANSA) Not related to regular spinaches but forming larger spreading plants producing fleshy brittle tips and leaves which are used as spinach. Of delightful flavor and practically ever-bearing.

Spinach, Isolated Plants Caged for Stock Seed.

Manns' Old Dominion, 35 days after sowing.

LET US QUOTE NITRATE OF SODA AND FERTILIZERS

Manns' Improved Advance

TOMATOES

1 oz. to 2,000 plants; $\frac{1}{4}$ lb. per acre.

All our tomato seeds are grown from stocks, exclusively for seed purposes, by the originators, experienced growers and experts. We are fully convinced of the merit of all new varieties before placing them in our catalog, and therefore strongly recommend our strains as being absolutely reliable.

For early, the seed should be sown in hotbeds during February or the first week in March, in drills 5 inches apart and half an inch deep. Later sowing may be made until the last of April. When the plants are 3 or 4 inches high they should be set out 4 or 5 inches apart in another hotbed or cold frame, or removed into small pots allowing a single plant to the pot. Expose to the air as much as possible to harden. Water freely at time of transplanting, and shelter from the sun a few days until the plants are established. Cultivate thoroughly as long as the vines will permit, but the last two or three workings should be very shallow or the crop may be badly injured, especially if the cultivator is run too near the plants.

Extra Early Varieties

Improved Advance An extra early, large tomato of high quality, round or slightly flattened shape, and exceptionally smooth for such an early variety. As early and hardy as Earliana and yielding more fruit both in the first and subsequent pickings. It is more shapely, more free from cracks and shows less green about the stem than other extra early sorts. With Improved Advance the grower can produce a crop which will stand superior in appearance and quality, in competition with the other extra earlies and command the fancy prices of an early market.

Break O'Day Dr. Fred J. Pritchard of the U. S. Dept. of Agriculture describes his new creation as follows: "Very productive, early variety, highly resistant to wilt and somewhat resistant to blights. Fruits large, smooth, meaty, red, globular."

Scarlet Dawn Winner of a Gold Medal in the 1934 All American Trials. This hybrid of Clark's Early and Marglobe has the shape and structure of Marglobe, but a brighter scarlet color. It is earlier than Bonny Best and yields as heavy as Break-O'Day. Excellent shipping quality as well as being desirable for home growing.

Valiant One of the earliest round, large, smooth varieties. Very profitable where it can be matured without too much danger of sunburn.

PRICES

	Pkt.	Oz.	$\frac{1}{4}$ Lb.	Lb.
Beef Steak	\$.10	\$1.00	\$3.00	
Bonny Best Certified	.10	.65	2.00	\$6.00
Bounty	.10	1.00	2.85	8.50
Break O'Day	.10	.65	2.00	6.00
Burpees Jubilee (Orange-Yellow)	.15	1.50		
Earliana	.10	.85	2.50	7.50
Early Red	.10	.50	1.50	5.00
Firesteel	.10	.85	2.50	7.50
Golden Queen	.10	1.00	3.00	
Greater Baltimore (Ind.)	.10	.50	1.50	4.50
Improved Advance	.10	.60	2.00	6.00
Manns' Superior Globe	.25	1.00	3.50	12.50
Marglobe Special	.10	.65	2.00	6.00
Market Champion	.10	.30	1.00	3.50
Maryland Pride	.10	.40	1.25	4.50
New Deal	.10	.75	2.50	7.50
Oxheart	.25	1.50	4.50	
Pan America	.10	.75	2.25	7.00
Ponderosa	.10	1.00	3.50	10.00
Pritchard's Scarlet Topper Cert.	.10	.65	2.00	6.00
Rutgers (Certified)	.10	.65	2.00	6.50
Scarlet Dawn	.10	.50	1.50	5.00
Sensation	.10	.50	1.50	5.00
Stokesdale (Certified)	.10	.50	1.50	5.00
Stone (Improved)	.10	.50	1.50	4.50
Valiant	.10	.75	2.50	7.50

SMALL FRUITED

Pear Shaped Red	.10	.75	2.50	
Pear Shaped Yellow	.10	.75	2.50	
San Marzano (Paste) Red	.25	1.50	4.50	
Yellow Plum	.10	.75	2.50

Manns' Marglobe Special

TOMATOES

Second Early and Main Crop Varieties

Rutgers Developed under the direction of Prof. L. G. Schermerhorn of the New Jersey Agr. Experiment Station. The fruits begin ripening at the center, are highly colored throughout and have a thick wall structure with very small seed cavity. In comparison with Marglobe they are slightly more flattened at the stem end and will average much larger. Very prolific and desirable for canning, market or the home garden. (Certified Stock.)

Indiana Baltimore Large, smooth, solid, bright scarlet; second early Tomato; a prolific bearer and fine shipper.

Manns' Improved Stone One of the most productive of the large flat varieties; fruits bright scarlet, smooth and solid. Fine market or canners variety.

Marglobe Special Our stock of this extremely popular variety is far superior to the average and we have received many unsolicited testimonials complimenting us on its excellent quality. It produces heavy yields of large smooth, globular, meaty, red fruits. They have a delightful flavor, and are covered with a thick skin which hinders cracking. Moreover, the plants shade the fruits well and thus protect them from sun-scald.

Pritchard's Scarlet Topper Extremely productive, especially on heavy soils; wilt resistant and as early as Rutgers. Fruits large, firm, globe shaped and of fine quality.

Market Champion A main crop variety possessing all the good qualities to make it ideal for home and market gardeners. Vines large, hardy and productive. Fruits bright scarlet, oval and deep, exceptionally smooth; one of the best of all tomatoes for canning, and a money-maker for the market gardener.

Maryland Pride Since our introduction of it in 1905 it has been grown with great success by canners and market gardeners, who pronounce it "the very best second early and main crop Tomato they have ever grown." The fruit is a beautiful bright red color, magnificent size and handsome, smooth shape. The vines grow vigorously and produce abundantly until killed by frost.

Stokesdale (Certified)—A few days earlier than Rutgers, similar in shape and color, with fruits averaging slightly larger. Plant is open in habit with medium heavy foliage. Recommended for canners and shippers. Produces large crops when fertilized liberally.

Pritchard's Scarlet Topper

RUTABAGAS OR SWEDES

Rutabagas require about four weeks longer to mature than ordinary varieties of turnips, but are more solid, of firmer flesh and therefore keep later into the spring. They are for this reason more desirable for storage, while turnips are better adapted for the early market. Sow during July either in drills or broadcast.

New Canadian Grown for a number of years in the North and held very closely by private individuals, the seed of this variety has always been extremely difficult to procure in a true and reliable type. After three years of searching and checking in our trial grounds, we have found the correct strain and offer it with every assurance that it will soon become the only Rutabaga grown in this section.

Neckless Purple Top Our superb strain of this excellent variety has become a favorite because of its hardy and productive nature. The flesh is sweet and solid, excellent for table use or stock feeding.

Turnip—Autumn King

TURNIPS

1 oz. to 150 feet of drill; 1 lb. per acre.

Purple Top White Globe Turnip

Being primarily a cool weather vegetable, turnips thrive best when planted in early spring or in the fall. For spring crop sow the seed early in April, while for fall and winter use, plantings should be made from July to August. Sow in rows not less than 18 inches apart and one-half to three-quarters of an inch deep. A very popular method, however, is to broadcast the seed between rows of corn or in the cultivated orchard. Proper control of root maggots is effected by rotation of crops, the use of commercial fertilizers instead of manure and the application of Mag-o-tite or other carbolic acid emulsion.

Extra Early Flat White Milan An all white flat variety, the earliest of all turnips. Remains in good condition a long time.

Autumn King Sure to become very popular with Market Gardeners; clear yellow with green tinged top, globular and of large size.

Double Duty Grown chiefly for its abundance of tops, surpassing Seven Top in production and quality. Also forms a pure white semi-globe root, which is sweet and tender.

Golden Ball or Orange Jelly One of the best yellow varieties for general crop; flesh firm and sweet; grows to a large size; splendid for table or stock, and keeps well until late in spring.

Purple Top White Globe Also known as Red Top White Globe. This excellent turnip is decidedly the most popular variety and more extensively grown than any other. The roots are globular, very handsome and of superior quality; either for table use or stock feeding purposes. It is a heavy producer, early, of rapid growth, and one of the best for winter storage.

Cow Horn Very heavy cropper, a quick grower, most practical for stock feed.

Seven Top This variety is principally planted in the South for the green tops which are produced very abundantly.

FOR GREENS—See Broccoli—Page 11.

PRICES

RUTABAGA	Pkt.	Oz.	¼ Lb.	Lb.
Neckless Purple Top	\$.10	\$.15	\$.25	\$.75
New Canadian	.10	.30	1.00	2.85
Special Market Gardeners	.10	.55	1.65	5.00
TURNIP				
Autumn King	.10	.15	.30	1.00
Cow Horn	.10	.15	.25	.75
Double Duty	.10	.15	.30	1.00
Shogoin	.10	.15	.25	.75

TURNIP	Pkt.	Oz.	¼ Lb.	Lb.
Extra Early Purple Top Flat				
Milan	.10	.15	.25	.75
Golden Ball or Orange Jelly	.10	.15	.25	.75
Purple Top White Globe	.10	.15	.25	.60
Seven Top	.10	.15	.20	.50
White Norfolk	.10	.15	.25	.75
Yellow Aberdeen Purple Top	.10	.15	.30	1.00

Books for better Gardens

THE STANDARD CYCLOPEDIA OF HORTICULTURE, edited by L. H. Bailey. This is the one universal and invaluable authority on every horticultural question. Makes a compact but thorough presentation of the kinds, characteristics and methods of cultivation of the plants grown in the United States and Canada for ornament, for fancy, for fruit, and for vegetables. Formerly in 6 volumes, but now in three. 4,176 illustrations, 3,639 pages, 3 volumes, fabrikoid binding. **\$25.00**

THE BOOK OF ANNUALS

By A. C. Hottes. Complete information on over 100 genera of annual plants, everlastings and vines. Care, culture, diseases, etc. 180 pages, 158 illustrations. **\$1.50.**

FLOWERS OF THE WILD

By F. C. Pellett. Covers most of the common wild flowers suited for naturalization in the Northeastern States and the best of them from the West. 170 pages, 4 color plates and 100 illustrations. **\$1.00.**

GARDEN GUIDE

Each subject written by an expert in that line. Discusses all phases of gardening pertaining to the owner of a moderate-sized home. 576 pages, 300 illustrations. **\$2.00.**

THE BOOK OF PERENNIALS

By A. C. Hottes. Complete information on over 140 genera. Discusses care, culture, propagation, fertilizers, diseases, etc. Gives pronunciation under each genera. 280 pages, 103 illustrations, numerous tables. **\$2.00.**

THE BOOK OF SHRUBS

By A. C. Hottes. Covers from description to complete care and culture of all the common and some uncommon deciduous shrubs and broad-leaved evergreens. Exceptionally complete. 448 pages, 190 illustrations. **\$3.00.**

WATER GARDENS AND GOLDFISH

By R. V. Sawyer and E. H. Perkins. Two closely related subjects presented under the same cover—for those wishing a small tub-pool to the large formal pool. 272 pages, 126 illustrations. **\$2.00.**

CITY AND SUBURBAN GARDENING by C. C. Sherlock **\$1.00**

1001 GARDEN QUESTIONS ANSWERED by A. C. Hottes **2.50**

HOW TO LANDSCAPE YOUR GROUNDS by L. R. Johnson **2.75**

THE BOOK OF TREES by Alfred C. Hottes **3.50**

PLANT PROPAGATION by A. C. Hottes **2.00**

PRACTICAL LAWN CARE by M. G. Merritt **.75**

AROUND THE YEAR IN THE GARDEN, by F. F. Rockwell. Because the time when you do your garden work is so important, you need a regular schedule. This book gives you complete information on every garden problem, outlined week by week, and written by a practical gardener. 88 illustrations, 350 pages. **\$3.00**

THE PRINCIPLES OF VEGETABLE GARDENING by L. H. Bailey. This book is the standard, recognized authority on vegetable growing, and has now been reissued in a new format at a reduced price. 490 pages. **\$3.75.**

PLANNING AND PLANTING YOUR OWN PLACE by Louis Van de Boe. The most satisfactory guide to what a small-home owner can accomplish on his grounds without the help of a landscape architect. This is a thorough and readable text for amateur's use. 209 pages. **\$4.50.**

GARDENER'S HANDBOOK by L. H. Bailey. This comprehensive, one-volume, encyclopedic manual of gardening is now available at half its former price and with a beautiful, new four-color jacket. This handbook, on every phase of growing flowers, shrubs, vegetables and fruits, indoors and out, from Abutilon to Zinnia, is as easy to use as it is satisfactory. It also has special advice on such topics as annuals, borders, rock-gardens, lawns, window-gardens, glass houses, hotbeds and control of insects and diseases. 292 pages. **\$1.49.**

HOW TO GROW ROSES by Pyle and McFarland. Makes every step in the culture and care of roses so clear that any grower can understand it and succeed with them. A completely re-written edition of America's most popular rose book. 132 pages, 32 pages full color illustrations. **\$2.00.**

FARM MANAGEMENT by Robert R. Hudelson. This detailed and practical book concentrates on modern farm management, on organization and planning, operating and financing. Every procedure recommended is a tested and proven plan used successfully by enterprising farmers. Illustrated. **\$2.50.**

LANDSCAPING THE HOME GROUNDS by L. W. Ramsey. Step by step, with photographs and plans, this book shows just how to develop your home grounds for greatest beauty. **\$2.00.**

Gladiolus, by F. F. Rockwell **\$1.25**

Perennial Gardens, by H. S. Ortloff **1.25**

THE GARDEN ENCYCLOPEDIA

Completely revised and contains many new features. Three hundred fifty thousand copies have been sold of the older edition.

\$4.00

VEGETABLE ENCYCLOPEDIA AND GARDENER'S GUIDE. 307 pages, by Victor A. Tiedjens **\$1.00**

FLOWER ENCYCLOPEDIA AND GARDENER'S GUIDE. 525 pages, by Albert E. Wilkinson **\$1.00**

MANNS' SUPERIOR FARM SEEDS

Variety	Lbs. per Bu.	Sow—Lbs. per Acre	Date of Sowing	Fertilizer Requirements per Acre	Uses	
Alfalfa	60	15-20	August or April	400 lbs. or more 4-12-4 at seeding. For sandy soils increase potash. Top dress with 0-14-6 every other year. Heavy user of lime.	Hay, soil improvement, pasture.	Inoculation important, sow broadcast on firm seed bed. Harvest when young shoots are 2 in. high. Do not cut late in fall.
Barley	48	72-96	About Oct. 1st.	Lime moderately helpful. 300 to 400 lbs. 4-12-4 at seeding. Top dress in spring.	Stock feed, malt, breakfast foods, flour, early spring grazing.	Does best on well drained loam or clay soils. Seed should be treated against smut and the harvested crop protected from weevil.
Bent Grass		10 (3 lbs. per 1000 sq. ft.)	March or September	Requires acid forming plant food. Injured by lime.	Lawns and putting greens or pasture on acid soils.	Does not yield as much hay as Red Top. Needs plenty of moisture. Thrives only on acid soils.
Blue Grass (Kentucky)	14 to 25	30-40	Late summer early spring	On pastures—300 lbs. superphosphate every spring for three years. Adding nitrogen for quick results. For new seedings, 400 lbs. 4-12-4. Lime helpful applied 50 lbs. per 1000 sq. ft. about every 5 years. Thrives best on well drained heavy soil, rich in organic matter and all fertilizing elements.	Permanent pastures, lawns and fairways.	Best results when seeded in mixtures as it requires about 3 years to establish a sod. Gives good early grazing, languishes in late summer but flourishes again in fall.
Blue Grass (Canada)	14 to 20	15 in mixtures	Late summer early spring	Same as Kentucky Blue but adapted to thinner soils.	Pasture with other perennial varieties	Darker blue than Kentucky Blue, produces running root-stocks and forms dense sod. Leaves short. Best variety for stiff clay soils or poor fertility.
Buckwheat	48	36-60	May 15 to July 15	150 to 300 lbs. 2-12-6 heavy phosphorous and potash feeder. Best on moderately acid soil.	Flour, stock and poultry feed, bees, summer cover and green manure crop.	Likes cool, moist climate, a poor land crop. Harvest between time first seed fully formed and the time they mature.
Corn (Field)	56	14	May July	200 to 500 lbs. 3-12-6 in row at planting. Side dress when 40 days old with 200 lbs. nitrate of soda.	Grain, ensilage and hogging down.	Drill or check-row in rows 3 to 4 ft. apart. Cultivate shallow often enough to keep down weeds. Harvest for grain when kernels are well glazed and dented, shuck and bottom leaves dry and upper leaves $\frac{1}{4}$ to $\frac{1}{2}$ green. For ensilage harvest in early glaze stage, shucks yellow.
Clover (Alsike)	60	5-8	August and September February to April	200 to 400 lbs. 4-12-4 except if seeded on well fertilized grain, when no additional fertilizer is required. Responds readily to lime.	Hay, pasture, soil improvement.	Better on wet, poor or acid soils than any other clover. Inoculation helpful.
Clover Crimson	60	15	August	200 to 300 lbs. superphosphate. Responds to lime but not very sensitive to acid.	Green manure, and to some extent for hay and pasture winter annual.	Best suited to coastal plain soils but not to wet soils. Commonly sown at last working of corn or on small grain stubble. If not making sufficient growth, supply nitrogen fertilizer. Grass same if growth is too rank.
Clover Red	60	10-15	March April or August	200 to 400 lbs. 4-12-4 $\frac{1}{2}$ to 1 ton hydrated lime is beneficial.	Primarily as a forage crop. Largely used in hay mixtures but frequently sown by itself for hay. Improves soil.	For hay, cut when just past full bloom stage and handle to save as many leaves as possible. May be expected to yield 1 to 3 tons per acre.
Clover Sweet (Biennial)	60	10-15	March April	300 lbs. 0-12-5 or superphosphate. High lime requirement, not less than 1600 lbs. hydrated.	Pasture hay, soil improvement, honey plant, may be included in pasture mixtures.	Grows well on poor soil (except sands) provided lime and inoculation are supplied. Sow on grain in March or April and harrow in or sow on frozen ground.
Clover White Dutch	60	5-8	Spring or late summer	500 lbs. superphosphate once in 4 or 5 years as a top dressing. Some potash on sandy soil. Tolerant to acid soils but responds to lime.	Pasture, furnishes early grazing.	Use about 2 lbs. per acre in pasture mixture.
Cowpeas	60	1 $\frac{1}{2}$ to 2 bu.	May 15th July 15	300 lbs. superphosphate and add potash for sandy soils. Lime not necessary but beneficial.	Black-eye, for human food; other varieties for hay, soil improvement and pasture. Valuable crop in any rotation requiring a summer legume.	Must be protected from weevil. Will grow on poor soils but does best on sandy loam. Harvest for hay when most of the pods are full grown and a few are ripe. Racks are a help in curing as it cures very slowly.
Fescue Chewings	14	30 (3 lbs. per 1000sq. ft.)	March April August September	Complete plant food—abundant nitrogen. Lime not necessary.	Lawns principally; also as pasture.	Withstands more shade than most grasses, especially suited to sandy soils. Leaves bright green, creeps by underground stems.
Fescue Meadow (English Blue-Grass)	24	20-30	March May August September	300 lbs. 4-12-4.	Hay and pasture mixtures, gives early spring and late fall grazing.	Adapted to practically all but sandy soils. Does as well as any grass on wet soils. Harvest (Hay) as it comes into bloom. Yields of two tons per acre are not exceptional.
Lespedeza Korean (Annual)	25	25-30	February May	200 to 300 lbs. superphosphate; for sandy soils use 0-14-6. Lime not necessary but responds readily.	Hay, pasture and soil improvement.	Will grow on any soil but does best on fertile loams. For hay sow on fertile moist land. If seeding is done too late or if ground is too hard for the freezing and thawing of the ground to work the seed under the surface, the field should be lightly harrowed after seeding. If second growth is allowed to go to seed, Korean will reseed itself.

Variety	Lbs. per Bu.	Sow—Lbs. per Acre	Date of Sowing	Fertilizer Requirements per Acre	Uses	
Lespedeza Sericea (Perennial)	64	25-30	May 15th to July 1st	Same as Korean.	Same as above.	Very slow grower and may be killed by late spring frost after new growth starts. Therefore safest to allow it go to seed each fall. Takes several years to thoroughly establish itself.
Millet (Golden)	50	25-30	May to July	Fertilizer not usually profitable. Responds to 200 lbs. superphosphate or 0-14-6. Lime unnecessary.	Mainly as a "catch" hay crop.	Requires at least 60 days from seeding to maturity. Sow broadcast and cover lightly. Cut hay just after blooming. Has about same feeding value as timothy but may become injurious if used as a continuous ration for horses.
Oats (Winter Spring)	32	2 to 2½ bu.	Winter Three weeks before first killing frost. Spring Soon as land can be prepared	200 to 400 lbs. 4-12-4 at seeding. Top dress as growth begins in spring where straw is likely to be too short.	Chiefly as grain for horses and other live stock; cut for hay and also used for human food.	Well drained moderately rich soil is best. Harvest grain in hard dough stage; for hay cut in early milk stage. Fl. sown oats mature 2 to 3 weeks earlier than spring oats.
Orchard Grass	14	14 to 25	March to May August to October	200 to 400 lbs. 4-12-4 for fall application or 6-8-6 for spring application.	Hay and pasture.	Long-lived deep rooted perennial bunch grass. Does best on heavy soils such as clays and clay loams. Cut in bloom stage, as it quickly becomes woody after blooming. Serves best when sown in mixtures with red clover, alsike, tall meadow oat grass.
Peas (Canada Field)	60	1½ to 2 bu. per acre	February March	200 to 300 lbs. superphosphate. Moderate liming helps.	Hay, early pasture, green manure, and as human food.	Clay loam soils suit best. Does well mixed with oats. Drill 2 to 4 in. deep. Cut hay when most of the pods are well formed.
Raps (Dwarf Essex)	56	6-10	March-April August-September	Heavy feeder and responds to manure and a complete fertilizer. Requires lime for best results.	Pasture for hogs and sheep.	Thrives on rich, moist loamy soil.
Red Top (Grass)	32	5-10	August-September	Seems to do better on "Sour" soils.	Hay and pasture.	A perennial grass with a creeping habit of growth making a coarse loose turf. For hay harvest a little before or during full bloom. Suited to wet soils.
Rye	56	1 to 1½ bu.	August-November	At seeding 200 to 400 lbs. 4-12-4. Top dress in spring when growth begins. Not necessary but helps some.	Grain, winter and spring pasture, soiling and as cover crop. (Usually with winter vetch.)	Does better than wheat, on poor soils. Suitable to any well drained soil.
Rye Grass (Domestic) (Italian)	24	30-40	Early Fall	Usual Grass requirements.	Annual hay crop, temporary pasture or in lawns for a quick covering while waiting for other grasses to establish themselves.	Not an annual but little of it lives more than one year. Grows rapidly and in bunches. Fall seeding usually makes a good crop of hay by June. More drought resistant than Perennial Rye Grass.
Rye Grass (Perennial)	20	30	Feb.-May Aug.-Oct.	Complete plant food.	Very similar to above.	More persistent than Domestic Rye Grass.
Sorghum (Cane)	50	Drill 8-10 Broadcast 60-75	May-July	150 to 400 lbs. 4-12-4 at planting, top dress (or side dress if in rows) with 100 to 200 lbs. nitrogen fertilizer when 40 days old.	Syrup, fodder, hay, soiling and silage.	Any well drained corn or wheat land is suitable. Is heavy feeder and hard on land. Small grains usually do not do well following it in crop rotation. May be broadcast, sowing 50 lbs. per acre or drilled in 3 to 3½ ft. rows. 4 to 6 in. apart in the rows. For syrup or silage cut when seeds are in hard dough stage. When pastured or fed green there is danger of poisoning to live stock.
Soy Beans	60	Drilled 45-60 Broadcast 60-90	May 15th to July 15th	200-300 lbs. superphosphate or 0-14-6 fertilizer. Lime not necessary, but helps especially on heavy soils.	Hay, green manure, hogging off silage and seed.	Responds well to inoculation. Plant very shallow (about 1 in.) and if crust forms on land before they come up, break it with a harrow. Harvest seed when leaves have fallen and pods are brown and dry. For hay, cut when lower leaves begin to turn yellow and pods about half filled.
Sudan Grass	35	15-30	May July	200 to 300 lbs. superphosphate.	Catch hay crop, soiling, silage and grazing.	Does well on any soil except those that are cold and wet, good with cowpeas or soybeans. Cut hay just after it is beginning to head. Drought resistant and produces well in dry seasons.
Tall Meadow Oat Grass	11	30-40	Mar.-April Aug.-Sept.	Responds to soil improvement and fertilizer.	Hay and pasture, of most value in a mixture of Red Clover, Alsike and Orchard Grass.	One of the best poor land grasses and especially adapted to well drained sandy soil. Does not like shade. Very drought resistant, perennial bunch type variety. Cut for hay about the time of blooming.
Timothy	45		Mar.-Apr. Aug.-Oct.	200-400 lbs. 4-12-4 except where it follows a well fertilized grain crop. Lime helps and should always be applied when clover is sown with timothy. If land is poor top dress with 100 lbs. each nitrogen fertilizer and superphosphate when spring growth begins.	Primarily for hay. Does not stand grazing well.	Semi-bunch growth. Adapted to heavy soils such as clays and loams. Usually seeded in mixture with sipping clover, or with wheat in the fall and the clover on the wheat in spring. Cut hay when in full bloom or slightly after.
Vetch (Winter)	60	20-40 with 1 bu. small grain	Aug.-Oct.	200-400 lbs. superphosphate, add potash on sandy soils. Responds to lime but will grow on fairly acid soil.	Hay, pasture and soil improvement.	Best annual winter legume cover crop. Adapted to most any well drained soil. Inoculation necessary.
Wheat	60	1 to 1½ bu.	Oct.	200-400 lbs. 4-12-4 at seeding, additional superphosphate on better soils. Top dress in spring where straw is likely to be too short. Responds to use of lime in rotation.	Human food, hay or cover crop.	Does best on heavy loams of good fertility. Seed should be treated. Harvest when stalk is brown and grain in dough stage.

This chart compiled from Handbook of Agronomy—Va. P. I. and U. S. D. A. Cooperating.

MANNS' PERMANENT PASTURE MIXTURE — \$15.00 Per Acre

10 VARIETY SPECIAL (UPLAND)

Contains recleaned seed of high vitality in ten nutritious varieties properly proportioned to give continuous pasture from early spring until late fall, quickly becoming permanently established. Sow 30 lbs. per acre. Lb., 55c; 100 lbs., \$50.00. (Low Lands—sow 25 lbs. plus 5 lbs. Red Top per acre.)

Cyclone illustrated \$3.50

BIRD SEED

FRESH, RECLEANED STOCK

Postage Extra

Canarylb. 15c	Lettuce
Rapelb. 30c	Seed . . . lb. 25c
Milletlb. 10c	Mixed Canary
Hemplb. 30c	Seedlb. 15c
Sunflower ..lb. 25c	Cuttle Fish
	Bone ..¼ lb. 40c

Wild Bird Seed, lb., 15c; 25 lbs., \$3.25; 100 lbs., \$12.50.

The very best time of the year to make a new lawn is early in the fall because of ample rainfall, continued cool weather and the winter killing of many weeds. The second best season is very early spring (March and April) because there is sufficient rainfall and cool weather to start the young grass quickly. Spring seeding however must compete with weed seeds in the soil and is sometimes damaged by hot dry weather before it is thoroughly established.

Preparing the Soil

Preparation of the soil is the most important part of lawn making and should have the most careful attention because no amount of effort spent after a lawn is made can equal the results of thorough tillage before the seed is sown.

A successful lawn requires at least 2 to 4 inches of good quality top soil possessing the organic matter and plant foods necessary for sturdy growth of the grasses. However six inches or more of thoroughly prepared finely pulverized and fertilized top soil would be ideal.

If existing top soil is of fair quality and at least 2 to 4 inches deep it should not be necessary to spread additional top soil. It is essential though to apply a good lawn fertilizer which is high in phosphate (such as bone meal or the chemical lawn foods) at the rate of 2 to 4 lbs. per 100 sq. ft. In addition to this an application of a one inch layer of humus or a two inch layer of well rotted manure (it must be very well rotted to be weed free) is necessary to supply sufficient organic matter.

After spreading the plant food and humus materials evenly, they must then be spaded into and mixed with the top soil to a depth of about six inches depending on the quality of the sub-soil and the depth of the top soil. When this newly processed top soil is completely broken up and thoroughly mixed it should be raked and rolled in both directions until there are no uneven places. A good seed bed has now been prepared and is ready for seeding.

Sowing the Seed

Sow at the rate of 1 lb. to 200 sq. ft. broadcasting half of the seed in one direction and the other half at right angles. If the soil is dry the surface may be raked very lightly covering seed not over $\frac{1}{8}$ in. and being extremely careful to avoid "bunching" the seed. Rolling is desirable but only practical if the soil is sufficiently dry so that the seed does not stick to the roller. Many successful lawns are made without raking or rolling in the seed by depending upon the rain or watering to pack the soil firmly about the seeds. If watering is once begun however the soil must be kept damp continuously or the seed may sprout and die off before it has rooted. Clipping should begin when the grass is about 3 inches high but should not be cut closer than 2 inches.

Re-Seeding Old Lawns

Thin turf or lawns with bare spots can be rebuilt by raking lightly so that the existing grass is not damaged and then seeding as though making a new lawn. Another satisfactory method is to mix seed with top soil or sow the seed and then cover lightly with top soil.

In either case the top soil should be free from weed seeds. If the seed is sown early in March it can be broadcast without raking or rolling because the ground is "open" and the late heavy snows will carry it in.

Fertilizing

Timely and ample applications of fertilizers have double advantages. Very early feeding whether Spring or Fall forces growth of the grass during its most natural growing seasons, thereby helping it to crowd out crab-grass and more easily survive hot dry summer weather. A strong healthy turf also stands the rigors of winter so much better. Fertilizer materials are most accurately and easily applied by using a fertilizer spreader. Most materials should be applied when the grass is dry at the rate of 2 to 4 lbs. per 100 sq. ft. then watered in. Lawns that are thoroughly established and are thriving should be fertilized once every two years but average lawns require at least one feeding a year.

Rolling

During the winter the alternate freezing and thawing have played "tug-o-war" with the little grass plants in your lawn, heaving them out of the ground so that they are only partly rooted. It is therefore extremely necessary to roll your lawn after the frost is out of the ground and while it is still wet but not soggy. This smooths out uneven places caused by the frost and puts the grass roots back where they can quickly begin producing a luxuriant lawn.

Weed Control

One of the best weed controls is a good heavy turf, well fertilized very early, cut not shorter than 2 inches and kept seeded to grass so there will be practically no space for weeds to grow. Crab-grass which is perhaps the most difficult weed to combat should be killed by chemicals during June or July. Another type of chemical is available for clearing lawns of dandelions, plantain and most other lawn weeds.

Soil pH

For most Maryland lawns the pH values (acidity or alkalinity) should be between 6.0 and 7.5, that is ranging between slightly acid to slightly alkaline, 7 being neutral. The grasses which thrive best in this climate succeed best in this pH range. If the soil is strongly acid (pH 4.5 to 5.0) an application of 10 lbs. of ground limestone per 100 sq. ft. will reduce the acidity to approximately pH 6. Lime should not be used on lawns unless an actual soil test indicates excessive acidity.

Moss

The presence of moss is often considered an indication of acid soil, but it is more often the result of low fertility. During March apply nitrate of soda (1 lb. per 100 sq. ft.) This will kill the moss but not injure the grass. In about two weeks the dead moss may be raked from the lawn and if there are bare spots they should be reseeded at once.

ANNUAL FLOWER SEEDS

The ease of cultivation and the quickly effective results obtained from Annuals make them indispensable, as they are adaptable to an almost endless variety of arrangement.

Even in perennial borders, beds and rock gardens, annuals are very essential to bridge the span between periods of bloom of the perennials and to give desired color effects which are possible only with annuals. Many varieties can be started indoors early and transplanted giving continuous bloom from early summer until frost. Some sorts are very easily grown in late summer to produce plants for the sun-parlor or conservatory where they will blossom during the winter.

Annuals bloom more profusely than biennials or perennials because it is not necessary for them to store up food or build root systems for succeeding years; their business being to produce flowers and seeds abundantly the first year. For this reason it is advisable to cut the flowers before going to seed so that the plants will continue to bloom freely.

For Variety, Color, Fragrance, Economy Sow Annuals.

AGERATUM

*Splendid for bedding or pot culture, covered from June until frost with a mass of very attractive flowers of a tufted appearance. Very effective when contrasted with geraniums. Large-flowered Mixed. Pkt., 10c; ½ oz., \$1.00. Dwarf Mixed. Pkt., 10c; ¼ oz., \$2.00.

ALYSSUM

*Sweet Alyssum. Little Gem. Very popular border flower, coming into bloom six weeks after planting seed and requiring the least attention of all flowers. Very erect and dwarf, its white flowers greatly enhancing the beauty of any bed or border. Height 4 inches. Pkt., 10c; oz., \$1.50.

PROCUMBENS SNOW-CLOTH. Compact mass of pure white flowers. Pkt., 10c; ¼ oz., 40c.

VIOLET QUEEN. Dwarf compact free flowering rich violet. Pkt., 10c; ¼ oz., 55c.

Crego Aster

Varieties marked * suitable for Rock Gardens.

POTTED PLANTS

The following varieties are usually available at our store after May 10th. Regret we cannot mail, deliver or ship potted plants.

Ageratum	Pansy
Alyssum	Petunia
Aster	Phlox
Calendula	Scarlet Sage
Cannas	Snapdragon
Coleus	Stock
Coreopsis	Summer Poinsettia
Dianthus	Verbena
Geranium	Vinca
Heliotrope	Wallflower
Lantana	Zinnia
Lobelia	
Chrysanthemums—See page 52	

ANTIRRHINUM OR SNAPDRAGON

This border and bedding plant of long blooming season is now one of the best perennials suitable for flowering as an annual. The long showy spikes of curiously-shaped tubular flowers with spreading lobes and finely marked throats are fragrant as well as brilliantly-colored. They are very desirable for cutting as the blooms are borne well above the dark glossy leaves and keep fresh for a long time.

RUSTPROOF TALL MIXED, pkt., 10c; ¼ oz., \$1.65.

RUSTPROOF SEMI-DWARFED MIXED, pkt., 10c; ¼ oz., \$1.50.

TOM THUMB—HYBRID MIXED, pkt., 10c; ¼ oz., \$1.75.

ASTERS

Very popular because of their beauty and ease of culture. The varieties listed represent the finest Asters of the early, midseason and late types and will give a profusion of bloom from July to late October. Asters require good rich soil and during the growing period should be well supplied with water.

CALIFORNIA SUNSHINE. Flowers measure from 4 to 5 inches in diameter are half double and exhibit all the grace and beauty of the single Aster. The golden yellow ground tone of the quilled petals contrasts wonderfully with the outer petals. Forms a loosely curled circle which makes the flowers pleasing to the eye, fine for cutting. Mixed, pkt., 10c; ¼ oz., \$1.25.

ASTERS (Wilt Resistant)

CREGO. Flowers of immense size, 4 to 5 inches in diameter borne on very long stems. Plants are of strong branching growth, 2 to 2½ feet high. Separate colors, pkt., 10c; ¼ oz., 50c. Mixed, pkt., 10c; ¼ oz., 50c.

EARLY GIANT LIGHT BLUE. A. A. Winner, 3 ft. branching plants, 5 inch flowers. Pkt., 10c; ¼ oz., \$1.75.

LATE BRANCHING. A handsome and very distinct variety resembling Japanese Chrysanthemums. The plants grow 1½ feet in height and width and the large full petaled blossoms are borne on long stems or branches. Comes into flower ten days later than other asters. Mixed, pkt., 10c; ¼ oz., 50c.

AMERICAN BEAUTY. Mixed, pkt., 10c; ¼ oz., 75c.

Anchusa

AMARANTHUS

Very useful in borders of tall plants, among shrubs, or in centers of large beds. One type has large feathery plumes or sprays of rich crimson coloring while the other is grown exclusively for the brilliant-colored leaves.

CAUDATUS. (Love Lies Bleeding.) Plants of erect growth three to four feet high producing numerous feather sprays of rich crimson color. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

MOLTEN FIRE. Very ornamental and beautiful; 4 feet tall; easily grown, leaves dark bronze, top of plant and centers of lower leaves, brilliant Poinsettia red. Pkt., 10c; $\frac{1}{4}$ oz., 65c.

TRICOLOR. (Joseph's Coat.) Similar to Splendens, having a single erect stalk of brilliantly colored foliage. Pkt., 10c; $\frac{1}{4}$ oz., 40c.

ARCTOTIS (Blue-Eyed African Daisy)

GRANDIS. White petals tinged lilac with centers steel blue. A splendid and easily grown flower, 2 feet tall. Good for cutting. Pkt., 10c; $\frac{1}{4}$ oz., 80c.

ANCHUSA (Summer Forget-Me-Not)

BLUE BIRD. Vivid indigo blue, plants compact and of even growth, 20 to 24 inches. Pkt., 10c; $\frac{1}{2}$ oz., 60c.

BALSAM OR LADY SLIPPER

An easy growing annual of quick growth, producing numerous flowers resembling tiny roses. Splendid double mixed, pkt., 10c; $\frac{1}{4}$ oz., 40c.

BARTONIA (Golden Yellow)

AUREA. Large, showy flowers, $2\frac{1}{2}$ inches in diameter; deep orange yellow. Blooms early, height 18 inches. Pkt., 10c; oz., \$1.00.

CALENDULA—POT MARIGOLD

Effective in beds or potted; showy, free-flowering, hardy annuals. **EXTRA DOUBLE ORANGE KING.** Pkt., 10c; $\frac{1}{2}$ oz., 50c. **FINEST MIXED.** Pkt., 10c; oz., 60c.

BALL'S, IMPROVED GOLDEN ORANGE. Long stemmed extra double, excellent for forcing. Pkt., 10c; $\frac{1}{4}$ oz., 30c.

LEMON QUEEN. Light golden-yellow flowers, light center, showy for bedding and borders. Pkt., 10c; $\frac{1}{2}$ oz., 50c.

ORANGE SHAGGY. Very distinct type having long narrow fringed petals, somewhat resembling rich deep orange Chrysanthemums, long stems, grows 18 in. high. Pkt., 10c; $\frac{1}{2}$ oz., 50c.

RADIO. Medium sized, clear orange, closely set petals, attractively quilled. Pkt., 10c; oz., \$1.00.

CAMPANULA—CANTERBURY BELLS

An old-fashioned favorite, stately, showy, and easily grown. Mixed, pkt., 10c; $\frac{1}{4}$ oz., 40c.

CANDYTUFT

This hardy annual is universally known and its clusters of small flowers are very beautiful and useful for cutting and borders.

FINEST HYBRID MIXTURE OF ALL COLORS. Pkt., 10c; $\frac{1}{2}$ oz., 50c.

CARNATION (Margaret)

Easily grown as an Annual producing large double blooms 4 or 5 months after sowing seed. Very fragrant. (See Perennials.)

CELOSIA OR COCKSCOMB

PLUMOSA. Feathered varieties, fiery red, yellow or mixed. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

DWARF EMPRESS COCKSCOMB. Dark-leaved, bright crimson. Pkt., 10c; $\frac{1}{4}$ oz., 75c.

TALL EMPRESS COCKSCOMB MIXED. Pkt., 10c; $\frac{1}{4}$ oz., 30c.

CHILDSII. (Chinese Woolflower.) Crimson—pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

CENTAUREA

CENTAUREA CYANUS OR BACHELOR'S BUTTON OR CORN FLOWER. Charming old-fashioned flowers. Free flowering habit, reseeding itself year after year. Useful as a cut flower, as well as a garden decoration. Double mixed. Pkt., 10c; oz., \$1.00.

CENTAUREA GYMNOCARPA OR DUSTY MILLER. One foot, foliage finely cut of silvery gray color, used for bedding. Pkt., 10c; $\frac{1}{2}$ oz., 75c.

CENTAUREA MOSCHATA OR SWEET SULTAN. Beautiful, sweet scented, artistic shaped flowers borne on long stems, when cut will last for several days. Mixed. Pkt., 10c; oz., \$1.00.

CORNFLOWER, JUBILEE GEM—Dwarf plants freely blooming, vivid blue. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

Calendula

Varieties marked * suitable for Rock Gardens.

Arctotis

Didiscus

Dianthus

CHRYSANTHEMUM

The annual Chrysanthemums are free-blooming, easily grown plants, having large flowers in a variety of brilliant colors, fine for cutting.

Single, Mixed. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

CLARKIA

Very pretty, profuse flowering annuals, much used for edging. They grow from nine to eighteen inches high. Useful for hanging baskets. Double mixed. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

CALLIOPSIS

Very handsome and showy plants with numerous flowers excellent for bouquets. Thrive well in any soil. Pkt., 10c; $\frac{1}{4}$ oz., 30c.

COSMOS

One of the most satisfactory hardy annuals, flowering in late summer. Fine for cutting and easily grown. Can be sown anywhere and transplanted. Grows 4 to 6 feet high.

EARLY KLONDIKE ORANGE FLARE. Bright vivid orange, very free flowering. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

SENSATION. (White and Shades of Pink Mixed.) Extremely early free blooming, flowers 4 to 5 inches, plants 4 ft. with rather heavy foliage. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

DOUBLE EARLY FLOWERING MIXED. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

CYNOGLOSSUM

AMABILE DWARF FIRMAMENT. Dwarf form of Chinese Forget-me-not. Pkt., 10c; $\frac{1}{4}$ oz., 35c.

DIANTHUS OR PINKS

These very beautiful and popular biennials flower freely the first year from seed, and in most locations they are quite hardy and produce larger flowers the second year.

***HEDDEWEGI.** Hybrids, very large double flowers. Pkt., 10c; $\frac{1}{4}$ oz., 40c.

SWEET WIVELSFIELD. Hybrid Type. Flowers large, somewhat similar to Sweet William. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

DIDISCUS—Blue Lace Flower

COERULEUS. Lavender, blue, lace-like flower; heads blooming profusely from June to September; $1\frac{1}{2}$ feet tall. Pkt., 10c; $\frac{1}{4}$ oz., 75c.

DIMORPHOTHECA

***AURANTIACA** (African Daisy). Very showy flowers for bed or border, bushy plants with orange-gold daisy-like blooms on long stems. Pkt., 10c; $\frac{1}{4}$ oz., 80c.

EUPHORBIA

VARIEGATA (Snow on the Mountain). Pkt., 10c; $\frac{1}{2}$ oz., 50c.

GILIA

Exceedingly graceful and attractive, with tiny, single star-like flowers, borne profusely on plants 12 to 15 inches tall, especially valuable for bees. Charming in flower border; a good cut flower. Tall mixed. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

GLOBE AMARANTH-GOMPHRENA

Similar in type to Bachelor's Button but having flowers of perfect globe shape. Mixed colors. Pkt., 10c; $\frac{1}{4}$ oz., 30c.

Clarkia

Varieties marked * suitable for Rock Gardens

Dimorphotheca

Larkspur

Gilia

GODETIA (Satin Flower)

DOUBLE-DWARF MIXED. Azalea flowered. Plants grow 1 foot high, and bloom in great profusion for nearly six weeks. Excellent for cutting and easily grown. Pkt., 10c; ¼ oz., \$1.00.

GYSOPHILA (Baby's Breath)

*Single—(A). Graceful plants with light fairy-like growth. A quick growing annual with myriads of small open bell-shaped flowers. These fine mist-like flowers are excellent for their delicate effect in bouquets. Pkt., 10c; ¼ oz., 25c. Mixed. Pkt., 10c; ¼ oz., 25c.

HELIANTHUS

CHRYSANTHEMUM FLOWERED. Double yellow, 7 feet. Pkt., 10c; ¼ oz., 25c.

HELICHRYSUM-EVERLASTING FLOWER

Monstrosum. Double mixed, first quality, mixed. Pkt., 10c; ¼ oz., 65c.

KOCHIA—SUMMER CYPRESS

Quick growing hedge plant about two and one-half feet high. Very symmetrical and attractive, the bushes taking on a distinctive red tinge late in the summer; for this reason often called Mexican Fire Bush. Pkt., 10c; ½ oz., 25c.

LANTANA (Half Hardy)

One of the most desirable greenhouse or hedging plants, constantly in bloom, somewhat resembling Verbenas. Dwarf Hybrid Mixed. Pkt., 10c; ¼ oz., 90c.

LARKSPUR

One of the best known of garden flowers and if planted in April will produce flowering plants by the first of July and continue to bloom until frost.

GIANT IMPERIAL DOUBLE MIXED. Pkt., 10c; ½ oz., 70c. Imperial White, Blue or Pink. Pkt., 10c; ¼ oz., 50c.

For Perennial Larkspur see Delphinium.

ROSAMOND. Tall double stock flowered, early, free flowering, pure deep pink; another All-American Gold Medal Winner. Pkt., 10c; ¼ oz., 50c.

LOBELIA

CRYSTAL PALACE COMPACTA. Dark blue flowers, dark foliage, 4 inches tall. Pkt., 10c; ½ oz., 90c.

LUPINUS

Free-flowering, easily grown annuals with long graceful spikes of richly colored pea-shaped flowers. Prefers a little shade, acid soil and cool weather.

HARTWEGII GIANT KING MIXED. Enormous 3 foot spikes; 6 to 8 per plant. Pkt., 10c; ¼ oz., 35c.

MARIGOLD

French Marigolds are smaller than the African but are marked and spotted with varied shades of red and orange. The African is very large, double and in solid colors.

AFRICAN. Tall, double, extra mixed, first quality. Pkt., 10c; ¼ oz., 70c.

MAMMOTH MUM. An All-American winner 1944. Large double flowers resembling chrysanthemum on strong 3 ft. plants. Pkt., 10c; ¼ oz., \$1.25.

GUINEA GOLD. Orange flushed with gold, height 2 to 2½ feet; flowers semi-double. Pkt., 10c; ¼ oz., 35c.

CROWN OF GOLD. Collarette type, chrysanthemum formed, fragrant, double. 2½-inch blooms; plants 2 ft. tall. Pkt., 10c; ¼ oz., 45c.

SUNSET GIANTS. Largest known Marigolds, measuring 5 inches or more, plants 3 to 4 ft. tall, profuse bearer of fragrant flowers, coming about sixty percent double. Pkt., 10c; ¼ oz., 65c.

FRENCH. Dwarf double mixed. Pkt., 10c; ¼ oz., 40c.

MELODY. Dwarf French double, solid bright orange, height 12 in. Pkt., 10c; ¼ oz., 50c.

FLASH. All-American 1945, extra early, free flowering, single orange-red profuse blooms, plants 18 in. Pkt., 10c; ¼ oz., 50c.

MARVEL OF PERU—FOUR O'CLOCK

Large showy fragrant flowers, blooming the entire season. Succeed well in any ordinary garden soil in a sunny location. Mixed. Pkt., 10c; oz., 80c.

MIGNONETTE

Well known fragrant bedding or potting plant. Sowings made in April and again in July will result in a succession of bloom from early summer until frost.

MACHET GIANT MIXED. Large spikes, very fragrant. Pkt., 10c; ¼ oz., 30c.

Varieties marked * suitable for Rock Gardens

Lobelia

Lupinus

Nigella

NASTURTIIUM

GOLDEN GLEAM. New double sweet scented dwarf variety sure to become very popular. Pkt., 10c; oz., 60c.

DWARF MIXED. Very brilliant in all shades of yellow, red and purple. Pkt., 10c; oz., 35c; ¼ lb., \$1.00.

DOUBLE GLEAM HYBRIDS. Large well-formed, sweet-scented double flowers in an extremely wide range of colors. Pkt., 10c; ½ oz., 30c.

TALL—CHOICE MIXED. Pkt., 10c; oz., 60c; ¼ lb., \$1.25.

NICOTIANA

AFFINIS. Gives a continuous display of flowers through the summer and autumn; plant 2 to 3 feet high. The blooms sweet scented and measure 3 inches in diameter. Mixed. Pkt., 10c; ¼ oz., 30c.

NIEREMBERGIA (Tender Perennial)

PURPLE ROBE. Rich deep violet purple dwarf compact, does not fade, free flowering. Pkt., 10c; 1/32 oz., \$2.25.

NIGELLA OR LOVE-IN-A-MIST

Free-flowering plant, 1 foot high, producing curious flowers surrounded by the finely cut foliage. Easily grown; useful for cutting.

DOUBLE BLUE. Pkt., 10c; ¼ oz., 40c.

ORNAMENTAL GRASS

COIX LACRYMA. (Job's Tears.) Pkt., 10c; oz., 40c.

PANSIES

These very popular and beautiful flowers may be sown in April or May for summer flowering or in August for early spring blooming. They thrive best in an open exposure, with protection during the winter.

MAMMOTH EXHIBITION MIXTURE. True round and solid pansy form of giant size, each color an attraction. Pkt., 10c; 1/16 oz., \$1.75.

MANN'S TRIUMPH OF THE GIANTS. (Frilled.) Finest for commercial or private use. Blooms enormous, most striking in brilliancy and beauty of color. Pkt., 10c; 1/16 oz., \$1.25.

PETUNIAS

HYBRIDA GRANDIFLORA. Giants of California mixed. Pkt., 10c; 1/16 oz., \$6.00.

HOWARD'S STAR. Purple white striped. Pkt., 10c; ¼ oz., \$1.60.

FLUFFY RUFFLES. Delightful mixture of light shades, all flowers so heavily ruffled they appear double. Home garden and florists favorite. Pkt., 10c; 1/32 oz., \$3.75.

DWARF BEDDING VARIETIES

BLUE BEDDER. Mid-blue.

ROSY MORN. Pink white throat.

ROSE OF HEAVEN. Deep brilliant rose.

SNOW QUEEN. Large white.

Separate colors. Pkt., 10c; ¼ oz., \$1.60. Mixed. Pkt., 10c; ¼ oz., \$1.60.

CHEERFUL. An All-American salmon-pink of dwarf spreading habit producing a mass of blooms. Pkt., 25c; 1/16 oz., \$2.00.

FLAMING VELVET—Rich, brilliant, velvety crimson, hybrida type. Pkt., 10c; ¼ oz., \$2.00.

BALCONY PETUNIAS

HYBRIDA PENDULA. For porch and window boxes, also excellent for bedding in solid masses of one or more colors. Large blooms produced in abundance. Mixed. Pkt., 10c; ¼ oz., \$1.70.

PHLOX

Phlox makes a magnificent show in beds and masses where their brilliant and varied colors produce a gorgeous effect. Very easily raised and afford a bright display of flowers, all through the summer.

***DRUMMONDII.** Choice mixture, first quality. Pkt., 10c; ¼ oz., \$3.00.

***STAR PHLOX.** (Cuspidata.) With star-shaped flowers, dwarf growth. Pkt., 10c; ¼ oz., \$2.50.

Varieties marked * suitable for Rock Gardens.

Stocks

Schizanthus

Salpiglossis

POPPIES

TULIP POPPY. One of the most brilliant annuals, the flowers are 3 inches in diameter and of a brilliant scarlet color, greatly resembling tulips. Pkt., 10c; $\frac{1}{4}$ oz., 60c.

THE SHIRLEY. Special strain mixed; fine for bedding or cutting; single annual. Pkt., 10c; $\frac{1}{4}$ oz. 25c.

ESCHSCHOLTZIA. (California Poppy.) Spreading plants 1 foot high, suitable for beds and borders, blooming from June until frost. Mixed. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

PORTULACA—Mexican Rose

Very showy annual, easily grown, and very effective when massed in beds or edgings. A profusion of brilliantly colored flowers are produced throughout the summer. They thrive best in rather rich soil in a sunny situation.

***LARGE-FLOWERING EXTRA DOUBLE MIXED.** Pkt., 10c; $\frac{1}{4}$ oz., \$2.25.

***LARGE FLOWERING SINGLE MIXED.** All colors. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

RICINUS—CASTOR OIL BEAN

Ornamental plants of strong, stately growth, the foliage having the appearance of a tropical plant, very effective when planted in masses or as centers of Canna or Dahlia beds.

ZANZIBAR. Extra mixed. Pkt., 10c; oz., 40c.

SALPIGLOSSIS

Petunia-like flower borne on bushy stem, about 24 inches tall, various shades, which flower profusely during the summer. Mixed. Pkt., 10c; $\frac{1}{2}$ oz., 90c.

SALVIA SPLENDENS OR SCARLET SAGE

Very popular bedding plant, extensively used for lawn and conservatory decoration, bearing long spikes of brilliant flowers from July to frost.

BONFIRE. Very dense flowering 2½ foot plants, excellent for beds or massing for color effect. Pkt., 10c; $\frac{1}{4}$ oz., \$1.25.

SCABIOSA OR MOURNING BRIDE

Fine free-flowering plants for mixed borders and highly esteemed for cut flowers. The blooms are borne on long, erect stems in globular heads in colors ranging from white to dark maroon. Height 2 to 2½ feet. Double mixed. Pkt., 10c; $\frac{1}{2}$ oz., 75c.

IMPERIAL GIANT. Blue Moon. Pkt., 10c; $\frac{1}{4}$ oz., 45c.

SNAPDRAGON

See Antirrhinum, page 48.

SCHIZANTHUS

***MONARCH HYBRID MIXED.** A plant noted for its wonderful variety of coloring and peculiarly shaped flowers, fine for cutting, graceful fern-like foliage, height about 18 inches. Pkt., 10c; $\frac{1}{2}$ oz., \$1.00.

STATICE (Annual)

SINUATA CHOICE MIXED. Pkt., 10c; $\frac{1}{4}$ oz., 25c.

STEVIA

SERRATA. Grown out-doors or as a home plant for its dainty, fragrant, tiny white, star shaped flowers produced profusely. Excellent cut flower for combining with other varieties. Pkt., 10c; $\frac{1}{8}$ oz., 65c.

STOCKS-10-WEEKS

DOUBLE EARLY GIANT IMPERIAL. (Bismarck 26-inch.) Mixed. Pkt., 10c; $\frac{1}{4}$ oz., 75c.

DRESDEN PERPETUAL. These fine stocks will live out-doors for several years if protected with a fairly thick layer of straw, which must be lifted early in the spring. 20-inch. Pkt., 10c; $\frac{1}{4}$ oz., 85c.

DWARF DOUBLE LARGE FLOWERED MIXED. 12-inch. Pkt., 10c; $\frac{1}{4}$ oz., 75c.

***VIRGINIA.** Very early bedding variety. Six inch plants bearing a profusion of small flowers continuously during cool weather. Mixed. Pkt., 10c; $\frac{1}{2}$ oz., 75c.

SUMMER POINSETTIA

See Amaranthus Molten Fire.

TITHONIA

SPECIOSA GRANDIFLORA FIREBALL. Brilliant orange-scarlet flowers 3 to 4 inches across, dark green foliage, blooms in fall, 6 feet tall depending on soil and climate. Pkt., 10c; $\frac{1}{4}$ oz., 65c.

Varieties marked * suitable for Rock Gardens.

SWEET PEAS

CALIFORNIA GROWN SUCCESSFUL EVERYWHERE

One Ounce for 50 feet of row.

THE SPENCERS are of exceptionally large size, the petals waved and frilled and the general effect remarkably graceful and effective. The plants are of vigorous growth and remain in bloom for a longer time than the Grandiflora sorts.

CULTURE.—Grow named varieties of the colors you like best; know them by name in your garden and you will derive much more pleasure from them. Early in the spring make a trench three to four inches deep in rich, mellow soil, so arranged that no water can stand in it and plant the seed in the bottom, covering at first only one inch deep. When the plants are two inches high, cultivate; and as they grow, gradually fill in the trench. When the plants are about five inches high they should be supported by poultry netting, strings or brush. Water should be applied thoroughly once or twice a week early in the morning or in the evening. The blooms should be picked before they form pods or the plants will soon stop flowering. The following have been selected from hundreds of varieties, as being those of the highest quality in their respective classes.

SPENCER VARIETIES

- AMBITION.** Rosy lavender.
BLACK DIAMOND. Black velvety maroon.
CHARMING. Orange cerise.
FLAGSHIP. Large, navy blue.
GIGANTIC. White, black seeded, best white.
GLENEAGLES. Very large, silver blue.
JUBILEE. Scarlet Cerise.
MAGNET. Bright cream pink.
PINKIE. Large rose pink.
PRINCE OF ORANGE. Best deep orange.
WHAT JOY. Deep, rich cream.
Pkt., 10c; oz., 30c; $\frac{1}{4}$ lb., 75c; lb., \$2.50.

EARLY FLOWERING SPENCERS

Florists' varieties for early forcing—can also be grown successfully outdoors, coming into bloom a month earlier than original Spencers.

- HARMONY.** Clear lavender.
MARINER. Best clear blue.
SNOW QUEEN. Pure white, opens and retains pure white color.
VALENCIA. Bright orange, sunproof, long stems.
VULCAN. Vivid scarlet, sunproof.
ZVOLANEK'S ROSE. Bright rose pink.
PRICES—Pkt., 10c; oz., 50c; $\frac{1}{4}$ lb., \$1.50; lb., \$5.00.

SWEET PEA MIXTURES

Our Sweet Pea Mixtures are combined of carefully considered proportions of varieties which have proven themselves to be the very choicest of their respective types and colors. These mixtures cannot be equaled in their beauty and flowering qualities.

MANN'S SUPERB SPENCER MIXTURE. Pkt., 10c; oz., 30c; $\frac{1}{4}$ lb., 75c; lb., \$2.00.

VENIDIUM

FASTUOSUM. Very showy plant 2 to 3 feet tall, producing 3 inch diameter brilliant orange flowers with dark centers. The soft, gray, woolly foliage is very attractive. Pkt., 10c; $\frac{1}{8}$ oz., 75c.

Varieties marked * suitable for Rock Gardens.

VERBENA

One of the finest bedding plants and also suitable for borders, with its heads of brilliantly colored flowers, producing one mass of bloom throughout the summer. Seeds may be planted as soon as the ground can be worked or earlier indoors and transplanted to the beds in April or May. They succeed in almost any good garden soil.

HYBRID MAMMOTH MIXED. Extra large flowered, brilliant colors and vigorous. Pkt., 10c; $\frac{1}{4}$ oz., \$1.25.

***HYBRID COMPACTA MIXED.** Very compact and erect in its habit of growth; excellent border variety. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

VINCA (Periwinkle)

Very attractive bushy plants with luxuriant glossy green foliage, producing in abundance handsome flowers that bloom freely all summer. Excellent for borders, summer bedding and window boxes, one foot tall. Choice mixed. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

WALLFLOWER

SINGLE. Blood-red. Pkt., 10c; $\frac{1}{4}$ oz., 30c.

XERANTHEMUM

CHOICE DOUBLE MIXED. Silky flowers which are highly prized for dried bouquets. Plants grow about 2 feet tall and bloom from early summer until frost. Pkt., 10c; ¼ oz., 75c.

ZINNIAS—DOUBLE

We have given particular attention to these annuals, developing them into perfection unsurpassed.

GIANT FLOWERED MIXED. Pkt., 10c; ¼ oz., 40c.

DAHLIA FLOWERED IN SEPARATE COLORS

CRIMSON MONARCH. Deep crimson.

DREAM. Deep lavender purple.

GOLDEN DAWN. Golden yellow.

ILLUMINATION. Deep soft pink.

POLAR BEAR. Pure White.

Pkt., 10c; ¼ oz., 50c.

WILL ROGERS. New memorial zinnia. Glowing intense scarlet blooms of immense size. Pkt., 10c; ¼ oz., 50c.

DAHLIA FLOWERED MIXED. Pkt., 10c; ¼ oz., 40c.

FANTASY. Large, well-rounded, informal graceful Chrysanthemum shaped blooms on long stems in the usual range of zinnia colors. Pkt., 10c; ¼ oz., 50c.

LINEARIS

Dwarf, compact, early flowering, single flowers, orange, light yellow stripe, dark center. Pkt., 10c; ¼ oz., \$1.00.

DOUBLE LILLIPUT

Dainty profuse blooming type, 12 to 15 inches tall; flowers 1 inch in diameter, very popular. Orange, Salmon Rose, Lilac, Pink, Scarlet, Mixed. Pkt., 10c; ¼ oz., 40c.

Dahlia Flowered Zinnia

VINES

BALLOON VINE. (*Cardiospermum*.) Very graceful, rapid grower, producing inconspicuous flowers, foliage light green. Pkt., 10c; ¼ oz., 20c.

BALSAM APPLE. (*Balsamina*.) Fine for trellises or low fences. Rapid growing vines with lobed light green leaves and beautiful fruits of a rich golden yellow color, which when ripe, open up, disclosing the seeds enclosed in a carmine covering. Pkt., 10c; ¼ oz., 80c.

CARDINAL CLIMBER. (*Ipomoea Quamoclit Hybrida*.) An easily grown climber developing to perfection in sandy loam soil. The brilliant scarlet flowers are borne profusely. The leaves resemble those of a fine Japanese Mahle. Pkt., 10c; ¼ oz., \$1.65.

COBAEA SCANDENS. Of rapid growth, with fine foliage and large bell-shaped flowers of a beautiful violet blue color. Pkt., 10c; ¼ oz., 50c.

WILD CUCUMBER VINE. (*Echinocystis lobata*.) A quick-growing and attractive climber, will grow 20 feet in six weeks, the large foliage affording plenty of shade. Covered during the summer and fall with sprays of small white flowers. Pkt., 10c; ½ oz., 40c.

CYPRESS VINE. (*Ipomoea quamoclit*.) Beautiful and very popular, slender vine, with fern-like foliage and a mass of small star-shaped flowers. Scarlet. Pkt., 10c; ¼ oz., 85c. Mixed colors. Pkt., 10c; ¼ oz., 85c.

GOURDS. A large and interesting class producing a great variety of curious fruits, many of which are peculiarly marked. Pkt., 10c; oz., 40c.

Gourds

HYACINTH BEAN. (*Dolichos*.) Of extra rapid growth, introduced from Japan and very much superior to the old-fashioned flowering bean. Mixed. Pkt., 10c; oz., 40c.

MOON FLOWER. (*Ipomoea mexicana*.) Very pretty, rapid growing vine, with handsome trumpet-shaped flowers. Pkt., 10c; ¼ oz., 20c.

MORNING GLORY. (*Convolvulus*.) Giant Japanese Imperial mixed. Pkt., 10c; ¼ oz., 30c.

Scarlet O'Hara. Rich dark wine red or deep rosy crimson, 3½ inch diameter. Pkt., 10c; ¼ oz., 50c.

Heavenly Blue. Sky blue, shading golden yellow in throat, extremely large. Pkt., 10c; ¼ oz., 30c.

PEARLY GATES. (1941 All-American selection.) Enormous flowers, 4½ inches across, clear shining white. Pkt., 10c; ¼ oz., 55c.

PASSION FLOWER. (*Passiflora*.) A most interesting and well known climber, bearing singularly beautiful flowers. Pkt., 10c; ¼ oz., \$1.00.

THUNBERGIA. (*Black-eyed Susan*.) Free-flowering and of rapid growth. May be trained on a slender trellis or allowed to run freely over the ground to cover bare spaces. Pkt., 10c; ¼ oz., 50c.

SCARLET RUNNER. Of very rapid growth, producing clusters of showy bright scarlet pea-shaped blossoms, followed by edible beans of very fine quality. Pkt., 10c; oz., 15c.

CLEMATIS HYBRIDS. Large Flowered 2-year. Henryi, white, Jackmani, purple, Mme. Edouard Andre, red, Ramona, light blue. \$1.40 each.

CLEMATIS PANICULATA. (White.) One of the most beautifully hardy climbers; of strong rapid growth, producing a profusion of deliciously fragrant flowers. Roots, \$1.00 each.

Varieties marked * suitable for Rock Gardens.

PERENNIAL FLOWER SEEDS

Perennials are used extensively in old fashioned gardens, hardy borders and rock gardens. They are easily grown and when once established become increasingly beautiful year after year. Care should be taken in selecting varieties according to their color, height and season of bloom.

The seeds may be sown indoors or in hot beds early in the spring and transplanted to their permanent locations when three or four inches tall. Very satisfactory results can also be obtained by sowing the seeds early in August and shading from excessive heat by using lath or burlap screens. It is well to give young plants winter protection the first year.

The following list includes those varieties which are most popular because of their beauty, usefulness and adaptability to local climatic conditions.

ALYSSUM

***SAXATILE**—Compactum. An excellent border plant 6 to 9 inches tall covered with bright sulphur-yellow flowers during early spring. Pkt., 10c; $\frac{1}{4}$ oz., 40c; oz., \$1.25.

ANEMONE

***CORONARIA ST. BRIGID.** Blooms early in the spring. grows about 10 inches tall. and has a variety of colors. Mixed. Pkt., 10c; $\frac{1}{4}$ oz., \$2.00.

AQUILEGIA OR COLUMBINE

As a cut flower the long spurred Aquilegias are the daintiest of our outdoor grown flowers. Very hardy, blooming profusely early in the season and remaining in bloom for a considerable period. **LONG SPURRED GIANT HYBRIDS.** Pkt., 10c; $\frac{1}{8}$ oz., \$1.50.

MRS. SCOTT ELLIOTT HYBRIDS. The world's finest strain, consisting of the most wonderful colors, with very long spurred flowers. Pkt., 10c; $\frac{1}{8}$ oz., \$1.25.

ARABIS—Rock Cress

***ALPINA.** An excellent early blooming dwarf perennial, covered with a mass of white flowers. It makes a fine border to taller perennials. Blooms during April. Pkt., 10c; $\frac{1}{4}$ oz., 90c.

ARMERIA—Sea Pink

***FORMOSUM HYBRIDS.** Dwarf growing plants with grassy leaves and clover-like flower heads from May until July in various shades of pinks. Pkt., 10c; $\frac{1}{4}$ oz., 60c.

BOSTON IVY

AMPELOPSIS VEITCHII. Popular wall ivy with three lobed leaves which turn to a bright red color late in the fall. Pkt., 10c; $\frac{1}{4}$ oz., 40c.

CACTUS

Good Mixture. Pkt., 10c; $\frac{1}{16}$ oz., 75c.

Varieties marked * suitable for Rock Gardens.

Anemone

BELLIS (Double English Daisy)

MONSTROSA. Double Red. Pkt., 10c; $\frac{1}{8}$ oz., \$4.00.

MONSTROSA. Double Mixed. Pkt., 10c; $\frac{1}{8}$ oz., \$2.50.

Aquilegia

CAMPANULA—CANTERBURY BELLS

CALYCANTHEMA. Tall, erect growing plants, completely covered with large cup and saucer-shaped flowers during May and June. A hardy Biennial. Blue, Rose, White and Mixed. Pkt., 10c; ¼ oz., 90c.

CANDYTUFT

***IBERIS SEMPERVIRENS.** Large heads of white flowers. Pkt., 10c; ¼ oz., \$2.50.

GIBALTARICA. White flushed lilac, early. Pkt., 10c; ¼ oz., 60c.

CARNATIONS

With protection these well known half-hardy perennials can be wintered over outdoors. When planted early they will begin to bloom in about four months and continue until late in the fall. For winter blooming they should be cut back by removing the flower shoots early in the fall and transplanted to pots and kept in a cool room.

EARLY DWARF VIENNA. Mixed Dwarf, compact plants about a foot tall, displaying an excellent range of bright colors. Pkt., 10c; ¼ oz., \$3.50.

MARGUERITE. Half Dwarf, choice double mixed. Pkt., 10c; ¼ oz., \$1.30.

PERPETUAL (Famous Chaubaud Type). Crimson, White. Pkt., 10c; ¼ oz., \$2.25. Choicest mixture. Pkt., 10c; ¼ oz., \$1.75.

CENTAUREA

MONTANA. Showy, thistle-like, blue flowers on sturdy plants, growing 2 feet tall. Blooms freely from late April until late June. Pkt., 10c; ¼ oz., 75c.

CHRYSANTHEMUM PLANTS

Hardy Garden Varieties NEW DOUBLE HYBRIDS

1 to 2 Inch Blooms	3 Inch Blooms	
Autumn Lights, red bronze 30c	Avalanche, white 40c	
Caliph, deep red 30c	E. A. Wonder, yellow 40c	
Harbinger, bronze yellow 40c	Ember, bronze 30c	
Rose Glow, raspberry 40c	Mrs. Sam Rotan, yellow 40c	
	Olive Longland, peach 50c	
	Red Velvet, deep red 50c	

SINGLES

Galahad, yellow 50c	Silver Moon, white 40c
Kristina, rosy lilac 40c	Viking, bronze 30c
Niebelung, late red 30c	Yellow Spoon 30c

BUTTONS

Early Bronze, tall 30c	Judith Anderson, yellow 30c
Goblin, golden bronze 30c	Rose Charm, rose 40c
Irene, white 40c	Zantha, yellow 50c

EXTRA EARLY CUSHION TYPE

Bruce's, new red 40c

NEW ENGLISH MUMS—Tall, Early Flowering

4 to 6 Inch Blooms	
Crimson Buttercup, incurved 50c	
Daily Express, bronze 50c	
Gold Standard 50c	
Hillcrest Red, garnet 50c	

Varieties marked * suitable for Rock Gardens.

Marguerite Carnations

CERASTIUM—Snow in Summer

TOMENTOSUM. A valuable creeping plant, with silvery white foliage and snowy white star-shaped blooms covering the plants during May and June. When in full bloom the plants appear like a bed of snow. Pkt., 10c; ¼ oz., 50c.

COLEUS (Tender)

An attractive foliage plant for ornamental bedding. Finest hybrid mixture. Pkt., 10c; 1/16 oz., \$2.00.

COREOPSIS—Golden Wave

GRANDIFLORA. (Mayfield Giants.) Produces a large number of double and semi-double broadly expanded golden yellow flowers. The plants bloom freely during late spring and summer. Grows about 2 feet tall. Pkt., 10c; ¼ oz., 25c.

DOUBLE SUNBURST. Large, golden yellow, fully double, early blooming fine cut flowers. Pkt., 10c; ¼ oz., 35c.

DAHLIA (Half Hardy)

Seed should be planted very early indoors and the plants transplanted in May or June. Most of the plants will bloom the same year. The roots should be dug before freezing weather and stored in sand in a cool place.

CACTUS HYBRIDS. Extra double mixed. Pkt., 10c; ¼ oz., \$2.50.

SINGLE MIXED. Pkt., 10c; ¼ oz., \$1.00.

UNWINS DWARF HYBRID MIXED. Pkt., 10c; ¼ oz., \$1.00.

UNWINS IDEAL BEDDING MIXTURE. Miniature double and semi-double flowers on dwarf bushy plants, 18 in. Pkt., 10c; ¼ oz., 75c.

DELPHINIUM (Hardy Perennial Larkspur)

One of the finest hardy perennials. Very effective in beds, masses or borders. To prolong the season of bloom cut the old flower stems off after they have faded and new shoots will produce flower heads successively. Sow Delphinium seed as soon as it is received to insure strong germination.

GOLD MEDAL HYBRIDS. A selected English variety, producing long spikes, completely covered with large blooms. Choice mixed dark shades. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

NUDICAULE. Deep scarlet. Pkt., 10c; $\frac{1}{4}$ oz., 75c.

WREXHAM HOLLYHOCK STRAIN. Selection of light shades, best suited for florists. Pkt., 10c; $\frac{1}{4}$ oz., \$1.50.

PACIFIC GIANTS GALAHAD SERIES. Hugh white. Pkt., 10c; $\frac{1}{16}$ oz., \$1.75.

PACIFIC GIANTS MIXED. Pkt., 10c; $\frac{1}{16}$ oz., \$1.25.

DIANTHUS—Hardy Pinks

FLORISTS PERPETUAL. Large clusters, fragrant, very useful for cut flowers. Double and Single Mixed. Pkt., 10c; $\frac{1}{4}$ oz., 85c.

•**PLUMARIUS—Single Mixed.** Large showy single flowers in wide range of colors during May and June. 1 foot tall. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

•**PLUMARIUS—Double Mixed.** Of very compact growth, double flowers in many colors, during May and June. 1 foot tall. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

FEVERFEW (Matricaria)

Beautiful, small, white button-like double flower heads. Plants of husky growth with very finely cut dark green foliage; desirable for bedding. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

FORGET-ME-NOT—Myosotis

***BIENNIAL ALPESTRIS.** Blue. Pkg. 10c; $\frac{1}{4}$ oz., \$2.00.

FOXGLOVE OR DIGITALIS

In stately appearance the Foxgloves occupy a prominent place among our hardy plants. They succeed well in an average garden soil. Early summer sowings do best.

MONSTROSA FINE MIXED. This mixture of the Giant Foxgloves is sure to please every gardener. It contains a wide range of rich colors. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

GAILLARDIA

BURGUNDY. Coppery Scarlet. Some flowers slightly tipped yellow. Pkt., 10c; $\frac{1}{4}$ oz., 90c.

GRANDIFLORA, FINEST MIXED. Pkt., 10c; $\frac{1}{4}$ oz., 65c.

THE DAZZLER. Bright golden yellow with crimson center, rather large. Pkt., 10c; $\frac{1}{4}$ oz., 60c.

GERBERA (Jamesoni Hybrids)

NEW AFRICAN TRANSVAL DAISY, producing wonderfully beautiful daisy-like blooms of large size, in a wide range of colors. Grown either as a greenhouse plant or propagated in hot-beds and set out early in May. Very profitable cut flower for florists. Pkt., 10 seeds, 10c; 100 seeds, 75c.

Delphinium

Gerbera

Feverfew

Varieties marked * suitable for Rock Gardens.

Foxglove

Gaillardia

Sweet Rocket

GEUM—Coccineum

*MRS. BRADSHAW. Graceful, double orange-scarlet flowers produced during the summer on plants 2 feet tall. Pkt., 10c; ¼ oz., 50c.

GYPSOPHILA—Baby's Breath

SINGLE (PANICULATA). Tiny white flowers borne on slender stems. The plants are simply covered with blooms during June and July; 2½ feet. Pkt., 10c; oz., 80c.

DOUBLE BABY'S BREATH. Small, double, white flowers, carried on slender wiry stems. Makes a fine show during June and July. Pkt., 10c; ¼ oz., \$2.50.

*REPENS. An excellent variety for rock-garden planting because of its prostrate growth. The plants are covered with small white flowers during June and July; 4 inches tall. Pkt., 10c; ¼ oz., \$1.65.

HELIOTROPE (Half Hardy)

GIANT FLOWERED, mixed. Pkt., 10; ¼ oz., \$1.50.

HESPERIS MATRONALIS

(SWEET ROCKET)

Old fashioned garden plants growing 2 to 3 feet high. Excellent for planting in a border or among shrubbery. Mixed. Pkt., 10c; ¼ oz., \$5.00.

HOLLYHOCKS

CHATERS DOUBLE CHOICE MIXTURE. Pkt., 10c; ¼ oz., 90c.

CHATERS SINGLE MIXED. Large, very artistic blooms. Pkt., 10c; ¼ oz., 30c.

IBERIS—See Candytuft (Perennial)

LATHYRUS—Perennial Sweet Peas

Hardy climber with branches 8 to 10 feet long, blooms freely during the summer. Excellent for cutting.

FINEST MIXED. Pkt., 10c; ¼ oz., 65c.

LINARIA—Kenilworth Ivy

*CYMBALARIA. Small lilac blue flowers, are born on a charming neat trailing plant. Pkt., 10c; ¼ oz., \$2.00.

LINUM—Perennial Flax

*PERENNE. Beautiful light blue flowers borne profusely on plants 2 feet tall from July until August. The blooms last only one day but they are produced continuously. Pkt., 10c; oz., 90c.

LUNARIA—Honesty

Biennial plant having round, paper-like seed-pods which are dried for winter bouquets. Mixed. Pkt., 10c; ¼ oz., \$1.00.

LUPINUS—Hardy Lupines

RUSSEL. New hybrid. Pkt., 10c; ¼ oz., \$1.30.

NEPETA

*MUSSINII. Pale mauve flowers, May-September. 1 foot. Aromatic. Pkt., 10c; ½ oz., 75c.

PENTSTEMON

GIANT FLOWERED. Choice mixed. Beautiful bell-shaped flowers on 18-inch spikes. Pkt., 10c; ¼ oz., \$1.00.

PHLOX

DECUSSATA—New Hybrids. 2 to 3 feet high; flowers in all bright colors; sow seeds late in fall and they will germinate in the spring. Pkt., 10c; ¼ oz., \$1.50.

Varieties marked * suitable for Rock Gardens.

Platycodon

Saponaria

Wallflower

PLATYCODON—Chinese Bellflower

GRANDIFLORA. Large showy, deep blue flowers on 20-inch spikes, are produced all summer. A splendid plant for the hardy border. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

POPPIES

ORIENTAL SCARLET. The blooms are an intense shade of scarlet red having a conspicuous black blotch on each petal, borne on 2 $\frac{1}{2}$ foot stems, during June and July. Pkt., 10c; $\frac{1}{4}$ oz., \$1.30.

POPPY NUDICAULE—Iceland Poppies

Great numbers of flowers on slender stems 1 foot long throughout the season.

***SUNBEAM MIXED.** Embracing all the graceful, gaily, colored flowers in white, yellow and orange found in Iceland Poppies. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

IMPERIAL JEWELS MIXTURE. Complete range of solid strong colors and pastels. Pkt., 10c; $\frac{1}{8}$ oz., 75c.

PRIMULA—Primrose

***AURICULA.** Many bright colors, including orange, copper, brown, and other pastel shades. An excellent hardy Primrose for the border; 6 inches tall. Blooms during spring. Pkt., 10c; $\frac{1}{16}$ oz., \$2.25.

PYRETHRUM—Painted Daisy

SINGLE MIXED. A showy perennial with daisy-like flowers, blooming during May and June, grows 2 feet tall; rose. Pkt., 10c; $\frac{1}{8}$ oz., \$2.00.

DOUBLE MIXED. This mixture contains many bright showy colors, shading from white to deepest red. The blooms are elegantly doubled. Pkt., 10c; $\frac{1}{8}$ oz., \$1.50.

RUDBECKIA—Cone Flower

SPECIOSA NEWMANI. Brilliant orange-yellow daisy-like flowers with brown centers. Blooms from July until October; 3 feet. Pkt., 10c; $\frac{1}{4}$ oz., 80c.

SAPONARIA—Rock Soapwort

***OCYMOIDES.** Splendid hardy rock plant, with rose pink flowers during spring and summer; 6 to 9 inches tall. Pkt., 10c; $\frac{1}{4}$ oz., \$1.40.

SCABIOSA

Charming perennials for border and cut flower culture.

CAUCASICA. (Lila.) The large lavender blue flowers are borne profusely on fine long stems. The plants are about 2 feet tall. Pkt., 10c; $\frac{1}{4}$ oz., \$1.65.

SHASTA DAISY

Splendid hardy perennials, having large white flowers with yellow center, borne singly on long stiff, wiry stems; excellent for cutting; profuse bloomers. Alaska. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

STATICE—Sea Lavender

Splendid hardy perennials, either for the border or rockery, producing all summer panicles of small flowers, which can be dried and used for winter bouquets; 2 feet.

LATIFOLIA. Large deep-blue flowers. Pkt., 10c; $\frac{1}{4}$ oz., 90c.

SWEET WILLIAM—Biennial

DIANTHUS BARBATUS

Sow the seed very early and have vigorous young plants coming into bloom the same season. They may be sown, however, in August to bloom the following spring.

SINGLE MIXED. All shades of white, pink and red. Pkt., 10c; $\frac{1}{4}$ oz., 70c.

SINGLE NEWPORT PINK. Pkt., 10c; $\frac{1}{4}$ oz., 85c.

SINGLE SCARLET BEAUTY. Scarlet. Pkt., 10c; $\frac{1}{4}$ oz., 85c.

DOUBLE MIXED. Very fine; all colors. Pkt., 10c; $\frac{1}{4}$ oz., 85c.

DOUBLE EXTRA DWARF MIXED. Pkt., 10c; $\frac{1}{4}$ oz., \$1.25.

TRITOMA—Poker Plant

EARLY HYBRID. Massive orange-scarlet flowers, spikes 3 feet tall. Needs winter protection. Pkt., 10c; $\frac{1}{4}$ oz., 90c.

VALERIANA (Coccinea)

Very showy red flowered border plant, 2 to 3 feet. Does well in poor soil. Pkt., 10c; $\frac{1}{4}$ oz., \$1.00.

VIOLAS OR TUFTED PANSIES

Well-known, free-flowering hardy perennials, easily grown from seed. While flowers are not so large as the regular type of Pansy, the blooms are produced in such an abundance and the flowering season so much longer that they are superior to pansies for some purposes. Seed sown in April produces flowering plants by June and from then on until frost they are a sheet of bloom.

LUTEA SPLENDENS (Yellow). $\frac{1}{16}$ oz., 70c.

HYBRIDA. Choice mixed. Pkt., 10c; $\frac{1}{8}$ oz., \$2.00.

WALLFLOWER

DOUBLE MIXED. Pkt., 10c; $\frac{1}{4}$ oz., \$2.25.

SINGLE MIXED. Pkt., 10c; $\frac{1}{4}$ oz., \$1.25.

Varieties marked * suitable for Rock Gardens.

CANNA ROOTS

CITY OF PORTLAND. 3½ ft. pink. Flowers of largest size. A glowing shade of pink. Foliage green. \$1.00 per dozen.
EUREKA. 4 ft. green foliage. The best white canna for all purposes. The large substantial flowers are very freely produced on strong vigorous plants. \$1.00 per dozen.
HUNGARIA. 3½ ft. Peach blossom pink. Very compact. Foliage green. \$1.00 per dozen.
KING HUMBERT. 4 ft. Leaves are purple-brown over bronze. Crowned with immense heads of velvety orange-scarlet. \$1.00 per dozen.
PRESIDENT. 4 ft. The most wonderful green leaved, red flowered canna in cultivation. \$1.00 per dozen.
YELLOW KING HUMBERT. 4 ft. Green leaves, golden-yellow flowers blotched red. \$1.00 per dozen.

IRIS

ALCAZAR. Reddish bronze and purple.
AMBASSADOR. Reddish violet.
GEORGE YELD. Combination of colors, standards bright apricot shaded rose, falls brilliant rose crimson.
GOLD IMPERIAL. Chrome yellow throughout.
HER MAJESTY. Bright mauve.
KING OF IRIS. Standards clear lemon color, falls deep satiny-brown with broad border of golden yellow.
MOTHER OF PEARL. Pale bluish lavender.
PRINCESS BEATRICE. Silvery lavender.
SKY BLUE. Blue.
WHITE QUEEN. White.
 15c each; \$1.50 doz.

HYACINTHUS CANDICANS

An ornamental midsummer flowering plant, producing from 20 to 100 large bell shaped flowers of a creamy white color on spikes two to three feet long. 15c each; \$1.50 doz.

PERUVIAN DAFFODIL (Ismene Calathina)

Summer-flowering bulb with large, amaryllis-like, pure white, fragrant blossoms. 2½ in. size. 30c each.

Hardy Iris

AURATUM (Gold Banded Japanese Lily)

LILIES

	Each	Doz.
Regale. White, shading to yellow in the center with pink tinge on outer edge, 8-9 inch	.35	\$3.50

PEONIES

	Each
(Plant shallow just barely covering the eyes.)	
Baroness Schroeder. Immense white, fragrant	.85
Couronne d'Or. White with yellow stamens	.85
Duchesse de Nemours. Sulphur white, early	.65
Eduis Superba. Clear mauve pink, very early	.65
Felix Crousse. Ruby red, blooms profusely	.75
Festiva Maxima. White, carmine spot on center petal	.65
Mons. Jules Elie. Glossy lilac pink, shading to a deeper rose at the base	.85
Sarah Bernhardt. Midseason. Appleblossom pink with each petal silver tipped	.85

AMARYLLIS

Giant American Hybrids

The most desirable type of Amaryllis, especially beautiful and easily managed in the amateur's window or conservatory, produces from four to six gigantic blooms of perfect form. Mixed colors, 2½-3 inch, 35c each; 3 for \$1.00.

TUBEROUS ROOTED BEGONIAS

Especially adapted to window or conservatory culture. Sizes 1 to 1½ inch in diameter. Scarlet, pink, yellow. Single or double. 30c each; \$3.00 per dozen.

BLEEDING HEARTS

A beautiful hardy garden plant of graceful habit, 2 to 3 feet high. The foliage is of a highly ornamental fernlike appearance, over which hang the drooping spikes of pink, heart-shaped flowers. Blooms in May and June. Can be lifted and potted for winter and spring bloom indoors. 90c each.

EXCELSIOR PEARL TUBEROSE

One of the most fragrant and most popular of the summer flowering bulbs. May be started early in hotbeds or pots, or planted in open ground after the first of May. 10c each; \$1.00 per dozen.

CALADIUM ESCULENTUM OR ELEPHANT'S EAR

Large bulbs, 9-11 inch. 25c each; \$2.50 per dozen; medium sized bulbs, 5-7 inch, 15c each; \$1.50 per dozen.

FANCY LEAVED CALADIUMS

1½ to 2 inches. 25c each; \$2.50 per dozen.

Gladioli in Mass Planting

PINK

DEBONAIR. La France pink, with cream throat. (90 days.)
DUNA. A beautiful clear soft pinky buff. (85 days.)
MARGARET FULTON. Clear rich soft rose pink of a beautiful distinct shade. 6 to 8 perfectly placed medium sized blooms open. One of the finest cut flower varieties. (70 days.)
PEGGY LOU. Pure pink with light rosy cast. Long flower head. One of the 1942 Flower Show champions. (95 days.)
PHYLLIS McQUISTON. Large pure pink, lighter throat. (100 days.)
PICARDY. Rich apricot, pink blooms. (85 days.)
ROSA VAN LIMA. Large beautiful light pink, pencilled throat. (75 days.)
SONATINE. Light pink often flaked with darker pink. (90 days.)

RED

BEACON. Bright salmon red, cream blotch. (80 days.)
DREAM OF BEAUTY. Purest rose red. (80 days.)
EXCELLENCE. Large bright scarlet, early. (75 days.)
FLAMING SWORD. Deep red, ready. (70 days.)
MORACCO. Glistening dark red, almost black. (90 days.)
NEW EUROPE. A recent introduction from the Netherlands, developed during the war years. Vivid garnet red with a small purple stripe in the throat. The strong and long spikes bear magnificently shaped enormous florets, from which at least 10 are open at a time. (85 days.)
SOUTHERN CROSS. A fine tall rich red variety. (85 days.)
VAGABOND PRINCE. Bronze red, orange blotch. (75 days.)

WHITE

SHIRLEY TEMPLE. Huge ruffled cream. (75 days.)
VREDENBURG. Large pure white. (75 days.)

YELLOW

GATE OF HEAVEN. Very rich pure yellow, beautifully ruffled and of good substance. Early. (75 days.)
GOLD EAGLE. Early yellow. (70 days.)

GLADIOLI

Plant Manns' Gladioli Bulbs. They are strictly 1½ inches or more in diameter, sound, true to name, and can be absolutely depended upon to produce large, beautiful well-formed blooms.

Cultural Suggestions: Set bulbs 4 inches deep and 6 inches apart, either in rows or massed in beds, borders or among shrubbery. Successive plantings from April to July will bloom from July until frost. They will thrive in any good garden soil, but a sunny location is best. Cultivate frequently and water freely while blooms are forming.

BLUE

AVE MARIA. Fine large flowers of a light violet blue color with darker throat. (85 days.)

LAVENDER

MINUET. A beautiful clear light lavender. Considered the finest gladiolus in this color. (80 days.)

OLD ROSE

BAGDAD. Smoky old rose somewhat toward the edge and lighter in throat. (90 days.)

ORANGE

BIT O' HEAVEN. Fine commercial light orange. Tall, straight spike. (90 days.)

PURPLE

CHARLES DICKENS. Beautiful purple violet. A very good grower with large flowers on tall spikes. (75 days.)

PRICES

Variety	Each	Doz.	Per 100
Ave Maria	\$0.12	\$1.20	\$8.00
Bagdad	.09	.90	6.50
Beacon	.12	1.20	8.00
Bit O' Heaven	.09	.90	6.00
Charles Dickens	.12	1.20	8.00
Debonair	.10	1.00	7.00
Dream of Beauty	.10	1.00	7.00
Duna	.09	.90	6.50
Excellence	.10	1.00	7.00
Flaming Sword	.09	.90	6.00
Gate of Heaven	.12	1.20	8.00
Gold Eagle	.09	.90	6.00
Margaret Fulton	.09	.90	6.50
Minuet	.14	1.40	9.00
Moracco	.12	1.20	8.00
New Europe	.15	1.50	10.00
Peggy Lou	.13	1.30	8.50
Phyllis McQuiston	.09	.90	6.50
Picardy	.13	1.30	8.50
Rosa Van Lima	.12	1.20	8.00
Shirley Temple	.12	1.20	8.00
Sonatine	.11	1.10	7.50
Southern Cross	.10	1.00	7.00
Vagabond Prince	.12	1.20	8.00
Vredenburg	.13	1.30	8.50

GLADIOLUS MIXTURES

MANNS' SPECIAL VARIETY MIXTURE:

25 Bulbs (mixed) 1 of each listed \$1.95.
 100 Bulbs (mixed) 4 of each listed \$7.25.
 100 Bulbs, in multiples of 10, your selection at 100 rates.

MANNS' SUPERIOR RAINBOW MIXTURE: Made up of varieties which because of their commercial value and reliable flowering qualities are being produced in such large quantities that low prices are made possible.
 70c per doz.; \$4.25 per 100

MANNS' VEGETABLE PLANTS, ROOTS, TREES AND BERRIES

PLEASE NOTE: All plants are quoted f. o. b. Baltimore. On parcel post orders, 15c per 100 must be added for postage and packing. No shipment can be sent into sections having Japanese beetle restrictions.

CABBAGE PLANTS, FROST-PROOF.

(Ready in February to May.)
60c per 100.

CAULIFLOWER PLANTS. (Ready in May.)

50c per doz.; \$2.25 per 100.

BORECOLE PLANTS. (Ready in July.)

\$1.25 per 100.

CELERY PLANTS. (Ready in July.)

Easy Bleacher Golden Plume Winter Queen
\$1.25 per 100.

EGG PLANTS. (Ready in May.)

25c per dozen; \$1.25 per 100.

LETTUCE PLANTS. (Ready in March, April, September and October.)

\$1.00 per 100.

PEPPER PLANTS. (Ready in May and June.)

25c per doz.; \$1.25 per 100.

SWEET POTATO PLANTS. (Ready in May and June.)

\$1.00 per 100; \$7.85 per 1,000.

TOMATO PLANTS. Hotbed Grown. (Ready in April.)

\$1.00 per 100.
Southern field-grown. \$1.00 per 100.

ASPARAGUS ROOTS

Mary Washington. From one to two years may be saved by planting Roots instead of seed. Choice, 2-year-old roots. 25 for 85c; \$2.85 per 100.

HORSERADISH ROOTS

Maliner Kren. (Bohemian.) Doz., 45c.

RHUBARB ROOTS

Victoria. \$1.75 per doz.

SMALL FRUITS AND BERRIES

BLACKBERRIES. Blowers, Eldorado. 10, \$2.25; 100, \$14.00.

DEWBERRIES. Lucretia. 10, \$1.30; 100, \$8.00.

RASPBERRIES. Chief-red; Cumberland-black; Latham-red; St. Regis-red, everbearing; Indian Summer-red, everbearing. 10, \$2.25; 100, \$14.00.

BLUEBERRIES. 3 yr. 12-18 in. Burlington, Concord, Jersey, Rancocas, Rubel, \$1.85 ea.; 10, \$15.50.

BOYSENBERRIES. Thornless. 10, \$2.25; 100, \$14.00.

FRUIT TREES

APPLES. 4-5 ft. \$1.75 each; \$14.00 per 10. Delicious, Yellow Delicious, Double Red Delicious, Winesap, York, Red Rome, Grimes Golden, Jonathan, Wealthy, Yellow Transparent, Hyslop Crab, etc.

PEARS. 5-6 ft. \$3.00 each. Bartlett, Keiffer, Seckel.

PEACHES. 5-6 ft. \$2.00 each. Belle of Georgia, Carman, Crawfords Early, Crawfords Late, Elberta, Heath Cling, J. H. Hale, Shippers Late.

CHERRIES. 9/16 to 11/16 cal. \$2.50 each.

SOUR—Early Richmond, English Morello, Montmorency.

SWEET—Bing, Black Tartarian, Napoleon, Yellow Spanish.

PLUMS. 5 to 6 ft. \$2.75 each. Abundance, Burbank, Red June.

GRAPE VINES

2 yr. No. 1

CONCORD. Blue. 55c each.

DELAWARE. Red. 75c each.

NIAGARA. White. 55c each.

NUT TREES

PECAN. Hardy Northern. 3 to 4 ft. \$4.50 each.

WALNUT. English. 3 to 4 ft. \$4.00 each.

TRANSPLANTONE

For all plants and trees. No set-back from transplanting, insurance against replanting and an aid to earlier production. See page 77.

FRUITONE

The hormone spray for stopping premature drop of fruit, flowers and leaves. See page 77.

STRAWBERRY PLANTS

MARCH 1st TO MAY 10th

We can supply fresh, strong, healthy plants of all the leading varieties in any quantity. Following is a partial list of the most popular sorts for planting in the vicinity of Baltimore.

Dorsett-Fairfax-Premier. Early varieties. \$2.25 per 100; 500 for \$7.50.

Big Joe-Catskill. Midseason. \$2.25 per 100; 500 for \$7.50.

Chesapeake. Late. \$2.25 per 100; 500 for \$7.50.

BERRY BOXES

	100	500	1000
Pints	\$1.50	\$7.00	\$13.50
Quarts	1.50	7.00	13.50
2 qt. Tills	3.75		
3 qt. Tills	4.00		

(Not Mailable)

Weigelia Rosea

Rhododendrons

AZALEAS

HINODEGIRI. Beautiful brilliant red, (Evergreen type). 8 to 10 inch, \$2.50; 10 to 12 inch, \$3.00

MOLLIS—(Chinese Azalea). Thrives in sunny positions, bearing masses of flowers in various shades of red, yellow and orange, 10 to 12 inches, \$3.50 each.

RHODODENDRONS

CATAWBIENSE. The most showy Rhododendron, grows 4 to 6 ft.; hardy, vigorous and free-flowering, producing a gorgeous display of lilac purple blooms in May and June. 18 to 24 inch, B. & B., \$7.75 each.

MAXIMUM. The Great Laurel of the Mountain, attains a height and width of 10 ft. Flowers white to pale pink blooms in June and July. Most beautiful foliage of all Rhododendrons. Very suitable for bold mass planting. 18 to 24 inch. B. & B., \$6.50 each.

FLOWERING SHRUBS (Bare Roots)

Name	Size	Each
Abelia (Broad-leaved Evergreen)	18-24 in.	\$2.00
Abelia (Broad-leaved Evergreen)	2-3 ft.	3.00
Calycanthus Sweet Shrub	2-3 ft.	1.30
Cydonia Japanese Quince	15-18 in.	1.00
Deutzia Rochester	3-4 ft.	1.30
Enonymus (Broad-leaved Evergreen)	3-4 ft.	2.75
Forsythia	3-4 ft.	1.30
Hydrangea Arborescens	2-3 ft.	1.30
Hydrangea P. G.	2-3 ft.	1.30
Kolkwitzia Beauty Berry	3-4 ft.	1.30
Lonicera Honeysuckle	3-4 ft.	1.10
Philadelphus Mock Orange	3-4 ft.	1.30
Pyracantha Orange Berry	12-15 in.	3.50
Spirea Van Houtti	3-4 ft.	1.30
Symphoricarpos Snowberry	3-4 ft.	1.30
Syringa Dulgaris Lilac	3-4 ft.	1.30
Weigelia Rosea	2-3 ft.	1.10

FLOWERING TREES (Bare Roots)

Name	Size	Each
Crab Apple	4-5 ft.	\$4.00
Pink Flowering Dogwood	2-3 ft.	6.00
Red Bud	4-5 ft.	4.00
Washington Hawthorn	4-5 ft.	4.00
White Flowering Dogwood	3-4 ft.	4.00

SHADE TREES (Bare Roots)

Name	Size	Each
American Elm	6-8 ft.	\$3.50
Chinese Elm	6-8 ft.	3.50
Linden	6-8 ft.	3.50
Maple, Norway	6-8 ft.	4.50
Maple, Silver	8-10 ft.	5.00
Maple, Sugar	6-8 ft.	4.50
Oriental Plane	6-8 ft.	3.50
Pin Oak	6-8 ft.	4.50
Sweet Gum	6-8 ft.	6.50
Tulip Tree	6-8 ft.	3.75

EVERGREENS (Burlaped and Balled)

Name	Size	Each
Arborvitae, American	3-4 ft.	\$5.70
Arborvitae, Globe	12-15 in.	2.50
Arborvitae, Pyramidal	3-4 ft.	6.50
Cypress, Golden Plume	36-48 in.	6.50
Cypress, Plume	36-48 in.	6.50
Cypress, Tom Thumb	15-18 in.	3.50
Douglas Fir	3-4 ft.	6.50
Juniper, Andorra	24-30 in.	4.50
Juniper, Irish	36-48 in.	5.00
Juniper, Pfitzer	24-30 in.	5.50
Juniper, Savin	18-24 in.	3.80
Juniper, Stricta	24-30 in.	5.50
Pine, Austrian	5-6 ft.	17.50
Pine, Muhgo	15-18 in.	5.50
Spruce, Colorado Blue	3-4 ft.	9.00
Spruce, Norway	3-4 ft.	6.00
Spruce, White	3-4 ft.	6.50

HEDGE PLANTS

BARBERRY

THUNBERGI. Popular for mixing in the shrubbery border, as single specimens, or for planting in clumps on the lawn, as well as for foundation plantings and for hedges. 12 to 15 in., \$4.00 per 10; \$35.00 per 100; 15 to 18 in., \$5.00 per 10; \$45.00 per 100; 18 to 24 in. \$6.00 per 10; \$55.00 per 100.

CALIFORNIA PRIVET. 12 to 18 in., 10 for \$1.60; \$14.50 per 100; 18 to 24 in., 10 for \$2.00; \$18.50 per 100.

ROSE BUSHES

U. S. PLANT PATENTED NOVELTIES

FERTIL-POTTED

Subject to stock being available and price prevailing at that time.

ALICE HARDING (202) Golden yellow with carmine.
 BETTER TIMES (23) Cerise-red.
 COUNTESS VANDAL (38) Pink with salmon glow.
 DICKSON'S RED (376) Scarlet red.
 ECLIPSE (172) Rich gold.
 HECTOR DEANE (361) Crimson, Orange.
 MCGREDY'S SUNSET (317) Orange, yellow.
 MCGREDY'S TRIUMPH (190) Cerise flushed orange.
 MISS AMERICA (264) Flesh with salmon and gold.
 SIGNORA (201) Orange red.
 BLAZE (10) Climber, scarlet.
 DOUBLOONS (152) Climber, saffron yellow.
 NEW DAWN (1) Climber, pink.
 JUNE MORN (375) Climber, red, yellow.

SELECT EVERBLOOMING HYBRID—TEA

These standard varieties have stood the test of time, having become popular by their performance in Baltimore gardens.

Subject to stock being available and price prevailing at that time.

AUTUMN. Orange-red.
 BETTY UPRICHARD. Salmon-pink.
 BRIARCLIFF. Rose-pink.
 CALEDONIA. White.
 CATHERINE KORDES. Scarlet.
 DAME EDITH HELEN. Pink.
 EDITH NELLIE PERKINS. Cerise-orange.
 E. G. HILL. Scarlet.
 ETOILE DE HOLLAND. Crimson-red.
 GIPSY LASS. Scarlet, crimson.
 GOLDEN DAWN. Yellow.
 GRUSS AN TEPLITZ. Velvety crimson.
 HEINRICH WENDLAND. Red, golden-yellow.
 KILLARNEY BRILLIANT. Rosy carmine.
 KILLARNEY DOUBLE WHITE. White.
 LADY ALICE STANLEY. Rose, pink.
 LADY MARGARET STEWART. Yellow, orange, scarlet.
 LOS ANGELES. Pink, gold.
 MARGARET MCGREDY. Red, gold.
 MAX KRAUSE. Golden yellow.
 MCGREDY'S IVORY, Creamy white, yellow base.
 MCGREDY'S SCARLET. Red.
 MISS ROWENA THOM. Rose pink.
 MME. EDOUARD HERRIOT. Coral-red, yellow.
 MRS. ERSKINE PEMBROKE THOM. Yellow.
 MRS. HENRY MORSE. Pink-yellow.
 MRS. P. S. DUPONT. Golden yellow.
 MRS. SAM MCGREDY. Scarlet orange.
 PRESIDENT HOOVER. Scarlet, yellow.
 RADIANCE. Carmine pink.
 RED RADIANCE. Red.
 ROSE MARIE. Rose-pink.
 TALISMAN. Scarlet orange, yellow.
 VILLE DE PARIS. Yellow.

CLIMBING HYBRID—TEA

K. A. VICTORIA. White.
 LADY ASHTOWN. Rose pink.
 RED RADIANCE. Bright cerise.
 MARECHAL NIEL. Golden yellow.

DAHLIAS

Dahlias do well in almost any kind of soil, but thrive best in a medium loam. The tubers should be planted in a horizontal position, with the sprout up and about four inches below the surface; they should be set three or four feet apart each way, in deeply spaded soil. Mulch with peat moss and allow only one shoot to stand. A good plant food applied just as the buds start to form will increase the size and improve the color of the blooms. If large exhibition blossoms are desired, it is absolutely necessary to disbud. After the frost has killed the flowers, the roots should be removed from the ground, allowed to dry for two or three days, and then stored away in peat moss in a cool, dry, dark place, where frost will not reach them.

(D) Decorative

AVALON (D). Yellow Jersey's Beauty. 30c each.
 COMMODORE (D). Canary yellow. 40c each.
 DARLENE (D). Shell pink. 30c each.
 DWIGHT MORROW (D). Large dark red. 40c each.
 JANE COWL (D). Bronzy buff and old gold. 50c each.
 JEAN KERR (D). Medium sized white. 30c each.
 JERSEY'S BEAUTY (D). Real rose-pink. 40c each.
 LOUIS WALCHER (D). Maroon, white tipped. 50c each.
 MARGARET W. WILSON (D). Creamy white suffused pink. 40c each.
 MRS. I. DE VER WARNER (D). Bright lilac rose. 40c each.
 MRS. KNUDSON (D). Large white. 35c each.
 SAGAMORE (D). Apricot buff. 40c each.
 SUNSHINE (D). Large Golden Yellow. 50c each.

DWARF DAHLIAS

Bedding Mixed 25c each.; \$2.50 doz.

SPRAY GUIDE

INSECT OR DISEASE	DESCRIPTION	MATERIAL TO USE (See List)	WHEN TO APPLY
Anthracoise	A common disease recognizable from dusky white spots on stems with brown spot on leaves.	B—Q	Make first application when growth starts in spring. Repeat weekly until plants start blooming.
Ants	Sweet or grease eating.	Antrol	When ants appear.
Aphis	Small green, red or black lice feeding on the tender terminal growth of many plants.	C—E—X	When pests first appear. Wet insects thoroughly. Repeat as necessary.
Asparagus Beetles	Olive colored, both adults and grub like larvae.	A—E—N—S—X	When grubs first appear, preferably when plants are wet with dew.
Bag Worm	Builds ½-inch to 2-inch tapering bag-web.	A—M—P—X	When insects first appear or when evidence of feeding is observed. Repeat as needed.
Black Rot	(Grapes) Fungus disease. Shows first as small white spots, later surrounded by brown ring.	B—F—G—L—Q	When leaf buds first open. When shoots are 10 to 15 inches long. Just after blossoms fall.
Blights	Bacterial disease that attacks young shoots and leaves, causing brown or black spots and sudden wilting.	B—F—Q	Make first application when growth starts in spring. Repeat weekly until plants start blooming.
Brown Canker	Disease which develops small purple spots on stems and leaves of roses, later turning to light center with purple margin.	B—F—Q	As above.
Cabbage Looper Cabbage Worm	Pale green-white, striped caterpillar. Doubles or loops as it crawls.	A—E—N—S—X	When larvae first appear.
Caterpillars	Wooly or naked. Feed on leaves.	A—E—M—P—S—X	When insects first appear or when evidence is observed. Repeat as needed.
Celery Leaf Tier	Pale green or green striped caterpillars.	A—E—P—X	When first appears.
Corn Earworm	Green worm which eats into ears of corn.	A—M—P—S Corn Earworm Drops	Apply to silk when it first shows through the tips of each ear. Repeat two or three times within week.
Cucumber Beetles	Yellow and black striped.	A—E—N—S—X	When vines begin to run. Repeat at frequent intervals.
Currant Worm	Green leaf-devouring worm.	A—E—P—S—X	When pests appear.
Cut Worms	Destroy plants by cutting stems.	Snarol	When first appear.
Damping Off	Causes plants to suddenly wilt as though rotted at the ground level.	Semesan Formaldehyde	Treat seed or soil.
Downy Mildew	White, downy mold on pods of lima bean, or under side of melon leaves.	B—F—S	At weekly intervals.
Grape Berry Moth	Lays eggs from which small worm develops in fruit.	E—S	Just after blossoms fall. Repeat at monthly intervals until July.
Grapevine Flea Beetle	Dark brown larvae.		
Grape Root Worm	Grayish brown beetles.		
Horn (Tomato) Worms	Large green worms.	A—E—N	When bugs or worms first appear.
Japanese Beetles	Bronzy-green about ¾ inch long.	J	When first appear.
Leaf Beetles	Yellow beetles with twelve spots on wings.	A—E—N—S—X	When pests first appear. Repeat at weekly intervals.
Leaf Hoppers	Small greenish insects that suck plant juices.	C—E—N—X	When pests first appear. Repeat as necessary.
Leaf Spot	Fungus disease causing brown spots on leaves.	B—F—Q	Repeat at intervals.
Mealy Bug	White, cottony appearance.	E—V	Every few days until under control.
Mexican Bean Beetles	Copper-colored beetles with eight black spots. Cream-colored larvae, which also devour leaves.	D—E—K—M—N—S	When pests first appear.
Potato Bug or Blister Beetles	Gray, black or striped beetles up to ¾ inch long.	A—P—X	Spray or dust plants as soon as they break through and every ten days thereafter.
Powdery Mildew	White growth on leaves.	B—F—Q	When white growth makes its appearance.
Red Spiders	Small mites that feed on foliage, causing it to assume a rusty appearance.	E—T—V	When pests first appear; on strawberry use Strawberry Dust (85-16).
Rose Beetle	Long-legged clay-colored beetles on roses and peonies.	A—E—S—X	When pests first appear. Repeat at weekly intervals.
Rust	Orange-colored pustules (fungus) in streaks or patches on leaves or stems.	B—Q—V	When first appears, or early and weekly as a preventative.
Scab Spot	Fungus disease causing black spots on leaves.	B—F—Q	Begin when leaves are size of mouse ears and repeat every ten days or two weeks.
Scale	Attacks bark of tree.	L—R	As late dormant spray.
Scurfy Scale	Gray, pear-shaped scale.	O	When first appears.
Thrips	Tiny winged or wingless insects that rasp leaves and suck juices from plants.	C—E—X	When pests first appear. Repeat as necessary.
Tussock Moth	Caterpillar 1½ inches long. Red head. Has tufts of yellow, red, black and white hairs.	A—E—P	When insects first appear or when evidence is observed. Repeat as needed.
White Flies	Small whitish flies. In larval stage, tiny, scale-like, greenish objects.	E—O—V	When pests first appear. Repeat as necessary.

LIST OF MATERIALS INDICATED IN ABOVE CHART

A—Arsenate of Lead.	G—Grape Dust.	P—Paris Green, Red River Potato Mix
B—Bordeaux, Kopper King, Kopper Queen	J—D-X and G & O Plant Spray.	Q—Sulfocide.
C—Aphis Spray, Black Leaf 40, G & O Plant Spray.	K—Kryacide.	R—Scalecide.
D—20-20-60 Dust.	L—Lime and Sulphur Solution.	S—*Slug Shot.
E—*D-X, Red Arrow, G & O Plant Spray.	M—Garden Guard.	T—Emo, Emo-Nik and Selocide.
F—Dusting Sulphur, Fungtrogen.	N—*Rotenone Dust.	V—Volck.
	O—*Fish Oil Soap.	X—Nicotine-Pyrox, G & O Plant Spray.

Materials marked (*) are non-poisonous when used as directed. Pyrethrum and Rotenone base materials such as DX and Red Arrow are contact sprays and must strike the insects to be effective.

DDT Controls: Flies, Mosquitoes, Gnats, Horn Flies, Lice, Fleas, Sheep Ticks, Ants, Wasps, Hornets, Codling Moth, Mealy Bug, Japanese Beetle, Leaf Hoppers, Oriental Fruit Moth, Peach Borer, Rose Shafer, Cabbage Worm, Flea Beetles, Onion Thrips, Tomato Fruit Worm, Caterpillars, Boxwood Leaf Miners and many others. Ask for special DDT folder and use with caution.

SPRAYS

ACME INSECTICIDES

DUSTS

ARSENATE OF LEAD

(1 lb. makes 25 to 35 gallons)

For fruit trees, vegetables, bushes and tobacco. Can be used as dust or spray. To control Japanese Beetle grub on lawns apply 1 lb. to 100 sq. ft. 1-lb., 35c; 4-lb. \$1.00.

DUSTING SULPHUR

(An Excellent Chigger Chaser)

(2 lbs. makes 35 gallons; or as dust)

An improved dusting sulphur for home use which can also be used as a liquid spray. Recommended to control mildew, leaf spot, black spot and rust on rose bushes, chrysanthemums, snapdragons, carnations, and certain other foliage; also red spiders on evergreen. 2-lb. carton 40c.

VEGETABLE AND FLOWER GARDEN DUST

Nicotine arsenical dust (or spray) for sucking and leaf eating insects. 1 lb. carton 40c; 4 lb. bag \$1.15.

GARDEN GUARD

(1 lb. makes 10 gallons as spray, 15 to 25 lbs. per acre as dust.)

Especially recommended for use on broccoli, cabbage, cauliflower, Brussels sprouts, string beans, currants, and sweet corn. 1-lb. sifter carton 50c; 4-lb. bag \$1.10.

APHIS SPRAY

(3 oz. tube makes 6 gallons)

An improved nicotine spray combining a soft spray soap with Black Leaf 40, suitable for the control of all kinds of aphid (plant lice), thrip, leaf hopper and many more hardy insects infesting rose bushes, flowers, shrubs, vines, bushes and trees.

12-oz. can \$1.00.

LIME SULPHUR

Dry

(1 lb. makes 4 gal.)

A standard 33° Beaume lime and sulphur converted into a dry powder but having all the effectiveness of the liquid product when dissolved in water.

For use in dormant spraying against scale, peach blight, leaf curl and twig borer. Summer spraying against scab, soot, blotch, red spider and mite. 1-lb. 35c.

PARIS GREEN

(1 lb. makes 30 gallons)

A rich, emerald color and of fine fluffy physical character. Containing 55% arsenious oxide, it will give quick control where extreme measures are necessary.

¾ lb. 20c; 1 lb. 55c; 5 lb. \$2.45.

EMO

(1 pt. makes 4 gallons)

A summer oil spray of fine quality, safe to use, pleasant to handle and of the much desired flowable consistency. Recommended as a contact spray in the control of White Flies, Rust Mites, Blister Mites, Mealy Bugs, Red Spiders, certain scale, and

other insects. 8oz. 30c; pt. 50c; qt. 70c; gal. \$1.95.

EMO-NIK

(1 pt. makes 12½ gallons)

Complete contact spray combining nicotine in its most active form with Emo a summer oil emulsion. 4½ oz. 35c; pint 70c; quart \$1.00.

KOPPER QUEEN

(Mildew Spray)

(1 pt. makes 12½ gal.)

A strong liquid copper spray for the control of mildew, leaf spot, and black spot on rose bushes, flowers, and many other kinds of foliage. Stainless, leaves no unsightly residue which detracts so much from the appearance of flowers and ornaments in your yard.

Use as a liquid spray replacing Bordeaux Mixture and Sulphur. ½ pt. 35c; pt. 60c; qt. 95c; gal. \$2.25.

DOG REPELLENTS

DAWG-GONE

KEEPS DOGS AWAY

PROTECTS EVERGREENS

Protect that evergreen — keep dogs away. Remove cap and hang tube of Dawg-Gone (opening down) in the lower branches of trees at the points of approach. Not necessary to place tube in every tree unless standing alone. The odor slowly emanating from the open tube will keep dogs at a distance. Tubes 25c each.

KEEP AWAY

I'm Chaperoned

CHAPERONE. 4 oz. 60c; 12 oz. \$1.25; qt. \$3.00.

ANTI-DOG. ½ pt. 30c; 1 pt. 50c.

DOG CHECK. 3 oz., 60c; 8 oz., \$1.00.

DOGZOFF. 3 oz., 60c.

FUMOGEN. 8 oz., 50c.

ARSENITE OF ZINC

(1 lb. makes 50 gallons)

Ranks next to Paris Green in strength, and the new formula being produced by Acme is greatly improved in physical character. It has gained considerable popularity in certain sections for use on potatoes and other hardy ground crops to destroy chewing insects. Mixes well with Lime Sulfur solution which is used to combat psyllid on potatoes. 1 lb. 35c; 4 lb. 95c.

BORDEAUX MIXTURE

(1 to 2 lbs. makes 12½ gallons)

Prevents large losses caused by blight, rot, mildew, scab, anthracnose and certain other fungous diseases. It stimulates plant growth and greatly increases the harvests. 1 lb. 40c; 4 lbs. \$1.00.

COPPER ARSENATE

(Basic) 4 lbs., \$1.50

KOPPER KING

(1 to 2 lbs. makes 50 gallons) (Basic Copper Sulphate). 1 lb. 45c; 4 lbs. \$1.10.

CALCIUM ARSENATE

(1 to 2 lbs. makes 50 gallons)

Calcium Arsenate is the cheapest arsenical insecticide on the market but of great economy and efficiency for certain purposes. Recommended to combat chewing insects on potatoes, vegetables, cotton and certain fruit trees. 1 lb. 25c; 4 lb. 50c; 24 lb. \$2.85.

RED RIVER POTATO MIX WITH D.D.T.

(Special Formula for Potatoes Only)

(1 to 1½ lbs. makes 12½ gallons, or as dust)

A scientific development combining a new patented copper fungicide with quick-killing arsenic. Kills potato bugs quicker, drives off flea beetle and leaf-hopper, prevents blight from gaining a foothold, stimulates foliage, making more and better potatoes. 1-lb. bag 50c; 4-lb. bag \$1.55.

DUSTING AND SPRAYING MATERIALS

ACME ANT-KILL SETS

Jr. Sets 35c
Cottage Sets 65c

ANTROL ANT TRAPS. 15c Each.
ANT-X ANT TRAPS. 25c Each.
ANT-X JELLY. Tubes, 1 oz., 35c.
TAT ANT TRAPS. 25c Each.
MAGIKILL JELLY. Tubes, 1 oz., 40c;
3 oz., \$1.00.

BEETLE TRAPS (Jar not included)

No. 4 Trap (with-
out cage) ... \$1.10
Liquid Bait... .70
No. 1 Trap.... .50
Dry Bait15
Galv. Rods35

No. 4 No. 0

G & O Beetle Traps with Dry Bait, 75c
ea.
G & O Dry Bait—1-oz. can 10c; 2¼-oz.
can 25c.
G & O Perforated Metal Containers,
20c ea.
G & O Green Painted Rods, 35c ea.

BLACK LEAF 40

(1 oz. makes 6 gallons)

Kills Aphis, Thrips, Leaf Hoppers and

other insects on garden,
farm and orchard crops by
contact and fumes—an ad-
vantage not possessed by
non-volatile, non-poisonous
spray materials.

Also Kills Poultry Lice . . .

Merely paint tops of perches
with "Black Leaf 40." Body
heat from roosting birds
creates fumes which pen-
etrate feathers and kill lice
and feather mites. (Cap
brush packed with bottle.)

Oz., 36c; 5 ozs., \$1.05; 1 lb., \$2.42;
2 lbs., \$3.92; 5 lbs., \$7.40; 10 lbs., \$12.85.

CARBOLA—WITH D.D.T.

Carbola applied to the walls, ceilings,
partitions, nests, etc., of your poultry
houses will help to prevent contagious
diseases among your flock.

5 lbs., 80c; 10 lbs., \$1.35; 50 lbs., \$5.50.
Without D.D.T., 50 lbs., \$3.50.

CARBOLINEUM—AMERICA

Kills chicken mites and blue bugs in
poultry houses, makes wood Termite
proof and Stops Rots. Gal., \$1.75; 5
gals., \$7.25.

CARBON DI-SULPHIDE

Specified by U. S. Dept. of Agricul-
ture for treatment of soils to destroy
grubs of the Japanese Beetle.

Also used for control of insects in
grain.

Lb., 40c; 5 lbs., \$1.35.

CATALIZER

A combined adhesive and
spreader, making spray
materials more economical
and effective, inexpensive.
Use 2 pounds to each 100
gallons of spray. 2-lb. pkg.,
75c.

COPPER SULPHATE

(Blue Stone)

Powdered: 20c lb.; 5 lbs., 85c; 10 lbs.,
\$1.45.

CORN EAR WORM DROPS

2 oz. 35c

CROW REPELLENT

NO-CROW—Treat corn and other seeds
to repel crows, birds, moles, etc. Eco-
nomical and easy to use. Liquid, ¼ pt.,
50c; pint, \$1.00.

CUCURBIT DUST

(10 to 15 lbs. to acre)

For control of striped and spotted
cucumber beetles on melons, cucumbers
and squash. 5 lbs., 65c; 50 lbs., \$4.85.

D.D.T. (Liquid)

Pratts 25% (Garden). 1½ oz., 35c; 8
oz., \$1.00.
Conkeys 25%, I. K. Residual Spray
(Household). Qt., \$1.40; gal., \$4.95.
McCormicks 5% Red Arrow Wall &
Screen Spray (Household). Qt., 55c;
gal., \$1.95.

D.D.T. (Dust)

CCC—10%, (Household). Lb., 50c.
CCC—25%, (Garden). Lb., 75c.
McCormicks Black Arrow 77 Dust with
5% DDT (Garden). 10 lbs., \$2.85.
McCormicks Red Arrow Water Dis-
persible Powder with 50% DDT
(Garden). Lb., \$1.65; 5 lbs., \$4.85.

CYANOOGAS ANT KILLER—A gas-
producing powder. 4-oz. spout can is
enough to treat ant nests in average
lawn. 30c.

CYANOOGAS A-DUST—Kills rats, moles,
woodchucks (groundhogs) and other
rodents instantly. "It's the gas that
kills 'em." 1 lb., 75c; 5 lbs., \$3.00.

CYANOOGAS G-FUMIGANT—Most wide-
ly used greenhouse insecticide. Regu-
lar use insures insect-free house all
season. 5 lbs., \$3.00; 25 lbs., \$10.00.

D-X SPRAY

(1 oz. makes 6 gallons)

A rotenone-pyrethrum-
DDT spray in an active
vegetable oil base for con-
trol of sucking and chew-
ing insects on fruit trees,
shade trees, vegetables and
flowers. 1½ oz., 40c; ½
pt., \$1.50; qt., \$4.75.

DX NICOTINE SPRAY. 1½ oz., 40c;
½ pt., \$1.50.

DX-PYRETHRUM SPRAY. 1½ oz.,
35c; qt., \$3.50.

DX ROTENONE SPRAY. 1½ oz., 35c;
½ pt., \$1.40; qt., 4.30.

DUST

20—20—60 Dust—Arsenate—Copper
—Lime. \$8.00 per 100 lbs.

DOW'S MAGNESIUM ARSENATE

Magnesium Arsenate Dust Mixture,
4-lb. pkg., 60c; 100-lb. drum, \$12.00.

SEED DISINFECTANTS

These effective seed
disinfectants are sold
by the Bayer-Semesan
Company, a consolida-
tion of E. I. du Pont
de Nemours & Com-
pany, Inc., and The
Bayer Company, Inc.
They comprise the
following products:

SEMESAN—For vegetable and flower
seeds. One ounce to 15 to 30 lbs. seed.
½ oz., 10c; 2 oz., 40c; 12 oz., \$1.88;
5 lbs., \$11.40.

SEMESAN, JR.—For corn, 2 ounces
to 1 bushel corn. 1½ oz., 15c; 12 oz.,
56c; 6¼ lbs., \$3.75.

SEMESAN BEL—For potatoes. 1 lb
to 60-80 bu. potatoes. 2 oz., 30c; 1 lb.,
\$1.65; 4 lbs., \$5.70.

CERESAN (New Improved) — For
wheat. ½ oz. for 1 bu. seed. 4 oz.,
30c; lb., 80c; 4 lbs., \$2.70.

KILL PLANT INSECTS

GARDEN SPRAY

THE EASY WAY . . . Simply dilute
with water in accordance with direc-
tions and spray, hitting the insects to
be controlled. Non-injurious when used
as directed. Deadly to many common
varieties of both chewing and sucking
insects (1 oz. makes 6 gallons.)

1 oz., 35c; 6 oz., \$1.15; pt., \$2.45; qt.,
\$4.10; Gal., \$12.60.

DUSTING AND SPRAYING MATERIALS (Continued)

FISH OIL SOAP

Keeps trees, plants and vines clean and healthy, effectively controlling sucking insects and many forms of scale. 1 lb., 35c; 5 lbs., \$1.25.

ACME SPRAY SOAP

1 lb., 45c.

FORMALDEHYDE

Extensively used in the preparation of potatoes for seed, as a preventative against potato scab and to destroy other germs on the seed. Will also control some forms of grain smut. For potatoes a solution of 1 pint to 15 or 20 gallons of water is made and cut pieces are soaked for 2 hours. One to two gallons of this will be sufficient for 1 bushel of seed. Pt., 58c.

FORMACIDE

FORMALDEHYDE DUST

Is a seed and soil treating compound which controls seed borne diseases and when applied to the soil controls "damping off" and other root rots of vegetable and flower seedlings. Usually applied 1 lb. per 10 sq. ft. 1 lb., 85c; 5-lb. can, \$2.50.

An effective and scientific preventive and remedy for mildew, black spot and many fungus diseases of Roses and other plants. Dilute one part to 60 parts water. ½ pt., 75c; pint, \$1.25; quart, \$2.00.

GO WEST

An effective insect bait for weevils, snails, slugs, sowbugs, cutworms, earwigs grasshoppers and similar leaf eating garden insects. 10 lbs., \$4.00.

GRAPE DUST

A readily diffusible, light weight powder fungicide, very efficient in destroying mildews and preventing blights. 1 lb., 40c; 5 lbs., \$1.50.

KRYOCIDE

Non-arsenical, very effective for control of striped cucumber beetle, Mexican bean beetle, cabbage worms, etc. Use as spray, 3 tablespoons to one gallon of water. 1 lb., 35c.

KYROCIDE-D-50. Dust mixture containing sulphur. 1 lb., 50c; 3 lbs., 85c.

LIME AND SULPHUR SOLUTION

1 gal., 95c; 5 gal., \$3.25.

DRY LIME AND SULPHUR

Dormant Season: 12 lbs. to 50 gallons. Growing Season: 3 lbs. to 50 gallons. 1 lb., 35c; 12½ lbs., \$1.65.

JAPIDEMIC

Milky disease spore control for Japanese Beetle. 1 lb. treats 4,000 sq. ft. Lb., \$4.50.

MOLE-NOTS

Protects lawns, gardens, flower beds, golf courses, etc. No traps, ready to use. Pkg. of 8, 35c; pkg. of 50, \$1.00.

MOLOGEN

Patents Pending

Destroys moles quickly, easy to use. No odor or gases. Harmless to soil or grass. ½ lb., 50c; 1½ lbs., \$1.25.

NAPHTHALENE FLAKES

Used for sprinkling lightly over bulbs for protection against moles and field-mice. 20c lb.; 5 lbs., 75c; 100 lbs., \$14.00.

"NICO-FUME" POWDER PRESSURE-FUMIGATOR

Improved quality; burns under pressure in special container; more effective and more economical than old methods. Use at approximate rate of 1 lb. per 20,000 to 30,000 cu. ft. of air space. ½ lb., 50c ea., 6—\$2.70, 12—\$4.60; 1 lb., 80c ea., 6—\$4.35; 12—\$7.95.

OPTOX

A well balanced Rotenone-Pyrethrum spray. Safe to use on open blooms, non-poisonous. Gal., \$10.50.

POMO-GREEN

With Nicotine—1 lb., 80c.

PRUNING PAINT

Forms a protective shield while the tree is recovering from wounds left by pruning, storms or accidents, and helps to prevent diseases. ½ pt., 40c; pint, 70c; quart, \$1.20; gallon, \$3.25.

PEACH BORER CONTROLS PARA-SCALECIDE

(1 gallon to 7 gallons water) (Use 1 pint solution to each three-year-old tree.)

Is effective and safe on young or old trees. Qt., \$1.00; gal., \$2.50.

PARA-DICHLOROBENZENE

Apply September 1st to October 10th, according to latitude. Some growers prefer to make two applications, the first being in the month of June. One pound is sufficient for 10 to 30 trees, according to size. It is not advisable to treat trees under 4 years of age, and apple trees should never be treated.

1 lb., 40c; 5 lbs., per lb., 30c; 25 lbs., per lb., 22c; 100 lbs., per lb., 20c.

PESTEX (Pest Repellent)

Does not kill but repels dogs, rabbits, squirrels, moles, rats, mice, starlings, pigeons, crows, etc. 2 lbs., 80c; 5 lbs., \$1.75.

PLANT SPRAY G & O

An all purpose spray, non-poisonous. Kills Japanese beetles, rose bugs, thrips, aphids, corn borer, mealy bug, white fly. Economical dilutes 1-25/30. ½ pt., 35c; pt., 55c; qt., \$1.00.

just mix
Pyrox
with water—and spray

It not only kills leaf-chewing insects, prevents blight and other diseases, as Standard Pyrox does, but it also kills sucking insects, such as aphids, thrips, and leaf-hoppers. Standard Pyrox, of course, is designed for most commercial crops, but in the garden, where sucking insects do so much damage, you will want Nicotine Pyrox.

	Without Nicotine	With Nicotine
20 oz.	...	\$.60
5 lb.	...	2.00
25 lb.	\$5.75	6.50
50 lb.	8.35	10.65
300 lb.	34.50	...

RED ARROW

1 oz. makes 8 gal.

Economical and efficient contact spray, non-poisonous, will not injure blossoms, foliage or fruit; positive death to all types of insects. Poison sprays only kill if eaten, while Red Arrow Pyrethrum Spray kills every insect it strikes. 1 oz., 35c; 4 oz., \$1.00; 1 pt., \$2.85; qt., \$5.50; gal., \$19.00.

RED ARROW SPECIAL

Highly concentrated pyrethrum spray prepared especially for greenhouses and other commercial growers. Qt., \$6.50; gal., \$21.80.

ROSE SPRAY

Good-by guesswork! Grow beautiful roses and other flowers with the Acme System of Spray Treatment combining 3 necessary elements (packed separately) to solve the entire spraying problem—NO other sprays needed. Ask for ACME SCIENTIFIC ROSE SPRAY

The number indicates number of gallons of spray each will make.

No. 3	\$.95
No. 6	1.50
No. 24	4.00
No. 48	6.00
No. 96	9.75

DUSTING AND SPRAYING MATERIALS (Continued)

ROTENONE DUST

Strictly non-poisonous and proven to be the most practical, effective and economical insecticide for the control of insects attacking vegetable crops. Contains $\frac{3}{4}\%$ Rotenone, plus all the toxic (killing) ingredients of the rotenone bearing roots. Should be used at rate of 15 to 25 lbs. per acre or as a spray 1 lb. to 10 gallons. Hammonds—1 lb., 50c. McCormicks—2-lb. bag, 65c; 5-lb. bag, \$1.40.

Let us quote larger quantities.

ROTENONE GARDEN SPRAY

(NNOR) containing Rotenone kills most common garden bugs of both sucking and leaf eating types. You've got to wet them—to get them. NNOR penetrates the waxy or hairy covering, brings the tremendous power of Rotenone into action. 1 oz., 35c; 6 oz., \$1.00; 16 oz., \$2.15.

S. E. C. OIL

A combination of Cotton Seed Oil and a special emulsifier. By adding Cuprocide you have an effective and safe spray for controlling blue mold on tobacco. Gal. \$2.30.

SCALECIDE

(1 gallon to 15 gallons water.)

Qt., 85c; gal., \$2.00; 5 gals., \$7.35; 15 gals., \$17.25; 30 gals., \$27.50; 55 gals., \$42.50.

SELOCIDE

1 gallon makes 100 to 400 gallons. Kills Red Spider. Gal., \$3.00.

SLUG SHOT

Guaranteed to destroy potato bugs, cabbage worms, lice, fleas, beetles, striped bugs, etc., on currants, egg plants, melons, turnips, beets, etc.; canker worms and caterpillars on fruit and ornamental trees.

1-lb. sifter, 40c; 5-lb. pkg., \$1.70.

Liquid—1 oz., 35c; 4 oz., \$1.00.

SNAROL

A ready prepared bait meal that means sure death for cut-worms, snails, slugs, sowbugs, and other garden pests. Harmless to vegetation, safest to use, not affected by rain or sprinkling. 1 lb. pkg., 35c; $2\frac{1}{2}$ lb. pkg., 75c; 6 lb. pkg., \$1.50.

STRAWBERRY DUST

85-15 Mixture successfully used for many years to stop clippers cutting off the blossoms. Apply when plants first begin to blossom. 1 lb., 15c; 10 lbs., \$1.25; 25 lbs., \$2.50; 100 lbs., \$8.00.

SULPHUR

Commercial Flour of Sulphur. 1 lb., 6c; 10 lbs., 50c; 25 lbs., \$1.00; 100 lbs., \$2.70.

Superfine Dusting Sulphur. 10 lbs., 75c; 25 lbs., \$1.50; 50 lbs., \$2.50.

DRITOMIC SULPHUR

5-lb. bags, 75c.

SULFOCIDE

(1 quart to 50 gallons water.)

Sulfocide is a highly concentrated non-poisonous liquid sulphur fungicide—entirely distinct from lime sulphur.

Pt., 75c; qt., \$1.25; gal., \$2.75; 5 gals., \$9.25; 15 gals., \$22.75; 30 gals., \$40.30; 50 gals., \$60.00.

TARTAR EMETIC

(Control for Thrips)

Use 2 oz. ($4\frac{1}{2}$ teaspoonfuls) and 8 oz. brown sugar (1 $\frac{1}{2}$ cups) added to 3 gallons of water. Spray gladiolus after leaves are 6 inches tall every week until buds are formed. Lb., \$1.00.

Especially recommended for the fall treatment of roses. 10 lbs., \$4.75; 25 lbs., \$11.00; 100 lbs., \$40.00.

TOBACCO DUST

Excellent insecticide and fertilizer combined, extensively used against black and green aphids, fleas, beetles, etc. Finely powdered and high in nicotine content.

1 lb., 10c; 10 lbs., 50c; 100 lbs., \$3.50.

TOBACCO STEMS (MEAL)—Valuable as fertilizer and humus—10 lbs., 50c; 100 lbs., \$2.50.

TOMATO DUST

1 lb. sifter top, 45c.

1 lb. pump gun, 65c.

TREE BANDING COMPOUND

ACME STOP—Used to band trees, shrubs and vines; prevents insects from crawling up to the foliage. 6 oz., 35c; 1 lb., 65c.

TRI-GEN

The all-purpose spray

A highly concentrated insect spray and fungicide for garden and greenhouse plants. Stimulates plant growth and is harmless to foliage or blooms. Economy kit, 90c.

Small kit (makes 16 quarts), \$1.50.

Medium kit (makes 64 quarts), \$4.00.

Large kit (makes 32 gallons), \$6.00.

TRI-GEN DUST

General purpose three-way insecticide-fungicide dust. 5 lbs., \$3.00.

4 oz., 25c; 16 oz., 50c; $\frac{1}{2}$ gal., \$1.25; gal., \$2.25; 5 gals., \$8.50.

WEED KILLERS

DUPONT AMMATE

Poison ivy weed killer. 1 lb. to 1 gal. water treats 100 sq. ft. 2 lb., 75c; 6 lbs., \$1.80.

HAMMOND'S

Easy and economical to use. One gallon added to 40 gallons of water makes sufficient treating liquid to effectively cover about 1,000 sq. ft. Not mailable. Quart, 70c; gallon, \$2.00.

ACME

Quart, 65c; 1 gallon, \$1.85.

WEEDONE

Kills Poison Ivy, Poison Oak, Bindweed, Honeysuckle, Dandelion, other noxious weeds. Sprayed on leaves, it travels down and kills right out to the root tips. Sprayed on lawns, it kills many weeds without hurting the grass. Non-corrosive, safe for humans and animals. Just mix with water and spray.

6 oz. bottle (covers 500 sq. ft.), 75c.

1 qt. can (covers 2,500 sq. ft.), \$2.50.

1 gal. can (covers 10,000 sq. ft.), \$7.50.

ZOTOX

Zotox is absorbed through the leaves into the circulatory system of the Crab Grass plants, where its toxic effect causes the plants to die. All Crab Grass seeds contacted by the Zotox solution are rendered non-viable and will not germinate. 8 oz., \$1.00; 16 oz., \$1.50; 32 oz., \$2.50; 5 lbs., \$4.50.

CRABEX

Kills crab grass without destroying permanent lawn grasses. Also valuable in controlling other lawn weeds, such as Dandelion, Plantain, Buckhorn, Chickweed, Spurge, Ground Ivy. Easy to use.

8 oz., covers 1,000 sq. ft., 75c.

16 oz., covers 2,000 sq. ft., \$1.25.

32 oz., covers 4,000 sq. ft., \$2.00.

SPRAYERS

210G

241G

4D

No. 701W

HUDSON		
No. 192G—LEADER.	3½ gal., galv.	\$6.00
No. 235G—CLIMAX.	3½ gal., galv.	7.60
No. 241G—CLIMAX JR.	2½ gal., galv.	7.20
No. 210G—PERFECTION.	4 gal., galv.	9.15
No. 747GA—DU-MORE.	4 gal., galv.	27.70

HUDSON FLAME SPRAYER		
No. 701W.	3½ gal., galv.	20.15

BROWN'S OPEN-HED		
No. 4D—4 gal., galv.		8.90

SMITH		
No. 22GO—BANNER.	4 gal., galv.	8.50

SINGLE ACTION

No. 14—Brown, quart, tin	\$.55
No. 403N3—Master Fog, quart, tin	.60
No. 3G—Smith, quart, galv.	.75

CONTINUOUS SPRAYERS

		Master Fog
No. 431—Comet, quart, tin		\$.85
No. 432—Mercury, quart, tin		1.00
No. 435—Cardinal, 3 qt., galv.		1.65
No. 26F—Browns, 3 qt., galv.		1.80
No. 427G—Critic, 1 qt. tin, glass jar		1.40
No. 26AG—Brown's, 1 qt. tin, glass jar		1.45

IDEAL PORTABLE SPRAYER

An ideal wheelbarrow type sprayer with 18-gallon galvanized tank and operated with a large removable barrel pump. The frame is made of heavy steel tubing reinforced with channel iron cross braces. Discharge equipment consists of 6-foot spray hose, 4-foot extension pipe, an Ideal angle nozzle, and leakless shut-off. No. 34 (Illustrated), \$28.35.

No. 36—Sunshine, 12½ gal. cap.	\$18.90
--------------------------------	---------

BARREL AND BUCKET PUMPS

No. 122—Modoc	\$6.60	No. 142—A.R.P.	\$9.50
No. CCC	7.20		

ARNOLD GARDEN HOSE SPRAY CARTRIDGES

Arsenate of Lead, Bordeaux Mixture, Cryolite, DDT, fertilizer, Pyrethrum-Roteneone, Roteneone, Sulphur, Vitamin B-1. 35c each; 3 for \$1.00.

Arnold's Victory Cartridge Sprayer, \$1.00.

Brown's Vitamin B-1 Cartridge, with transparent holder, \$1.00.

HAYS JR. SPRAY GUN, \$6.95
HAYES-ETTE SPRAYER, \$2.95
HAYES-HAN-D SPRAYER, \$2.95

DUSTERS

No. 608—Capacity 5 to 10 lbs.	\$17.60
No. 1A—Stauffer Knapsack. Hopper capacity 20 lbs.	28.95

ROOT WHEELBARROW TRACTION DUSTER

T44—Designed especially for small acreage truck crop operations. Hopper capacity 15 to 25 lbs. Rubber tire \$62.50

No. 663—Cadet	\$.50
No. 666—Major	1.15
No. 612—Patrol	1.25
No. 766—Admiral	1.50
Browns Crystal	1.70
No. 36D—Smith's	1.40

No. P2, JUMBO—Plunger type, dusts both top and underside of plant foliage. 2½ in. dia., 32½ in. long, \$3.05.

C-3—(Illustrated). Hopper capacity 7½ lbs. Feed adjustment per acre 1 to 20 lbs \$21.80.

No. 612

C-3

HOT BED SASH

Finest quality; free from knots, substantially made (unglazed). Requires 28 lights 8x10 glass. Size, 3 ft. 2 in. by 6 ft.

VICTORY GARDEN SASH 3 ft. by 4 ft. grooved, (requires 12 lights 10 in. by 12 in. glass) unglazed.

HOT BED GLASS

1 box will glaze 3 sash. Size 8x10; 90 panes, \$4.50; Size 10x12; 60 panes, \$4.50.

MICO WATERPROOF HOT BED MATS

Made from heavy weight burlap, absorbent pulp and felt cemented together with a specially prepared waterproof compound. This combination forms a covering both airtight and waterproof.

FLOWER POTS

A complete line of regular pots, azalea pots, bulb pans and saucers.

Size	Each	Dozen	100	1,000	Saucer Each
2 in.	\$.02	\$.20	\$1.15	\$9.20	
2½ in.	.03	.25	1.60	12.00	
3 in.	.03	.30	1.90	15.50	
4 in.	.05	.45	2.90	24.00	\$.04
5 in.	.08	.75	5.15		.05
6 in.	.10	1.00	7.45		.06
7 in.	.16	1.60			.08
8 in.	.25	2.50			.10
9 in.	.35	3.50			.15
10 in.	.50	5.00			.20
12 in.	.90	9.00			.35

NEPONSET FLOWER POTS

Dia.	Red Shipping		Green Growing	
	per 100	per 1000	per 100	per 1000
2 in.	\$.70	\$6.00		
2½ in.	.70	6.00	\$1.05	\$8.75
2½ in.	.75	6.10	1.10	9.40
3 in.	.80	6.85	1.25	10.60
3½ in.	1.00	9.15	1.65	14.05
4 in.	1.20	10.40	1.95	16.55
5 in.	1.60	13.30	2.70	22.85
6 in.	2.00	16.90	3.50	29.30

WOODEN LABELS Painted

4 inch pot, per 1,000	\$2.65
5 inch pot, per 1,000	2.90
6 inch pot, per 1,000	3.30
3½ inch Tree, copper wired	3.00
8 inch Garden, per 1,000	5.00
10 inch Garden, per 1,000	8.00
12 inch Garden, per 1,000	12.00

Prices, per 100—3½ to 6 in., 45c; 8 in., 55c; 10 in., \$1.10; 12 in., \$1.50.

TRAIN-ETTS

Weatherized trellis netting.
No. 2—60 x 96 in., 85c.

CEMETERY VASE

Ground level, Aluminum finish, \$1.25.

BAMBOO PLANT STAKES

4½ ft. Light \$.40 per doz. \$1.75 per 100
6 ft. Heavy 1.25 per doz.

GALVANIZED HARD STEEL WIRE PLANT STAKES No. 8 gauge.

Height	Doz.	100	1,000
4 ft.	\$.55	\$2.95	\$25.00
4½ ft.	.58	3.15	28.50
5 ft.	.60	3.45	31.25

WALL NAILS

Francis Lead Head—Box assorted 65c;
1½ in. 40c doz.; 2 in. 50c doz.

WATERPROOF PLANT BANDS

Ready - to - use Plant Bands.

VITA BAND 10 (Fertilized)

2x2x2½ in.—Per 1,000	\$3.25
2½x2½x3 in.—Per 1,000	4.15
3x3x3 in.—Per 1,000	4.55

GROWTEX

2½x2½x3 in.—Per 1,000	\$3.10
3x3x3 in.—Per 1,000	3.45

TOM THUMB FLAT AND PLANT BAND COMBINATION

Without Bands

With Bands

With Vita Band 10 fertilized Plant Bands. 500 Sets (500 flats, 6,000 bands, 2x2x2½ in.), \$33.93.

WINDOW SILL GREENHOUSE

RB22—Waterproofed plant boxes for starting seedlings and plants indoors, consisting of a two compartment seed starter and two transplant boxes. Set, 29c.

CEDAR PLANT TUBS (Richmond Style)

Made of Selected Virginia White Cedar, bound with electric welded hoops, painted green.

No.	Inside Top Dia.	Inside Bot. Dia.	Inside Depth	Price
13	18	14½	17	\$3.60

TWIST-EMS

No. B—8 in. box of 125, 35c.

'GRO-QUICK' ELECTRIC SEED BED HEATER

"ROOT CUTTINGS IN 6 DAYS"
"SEED UP IN 30 HOURS"
"CUT GERMINATION TIME BY ½"
"TRANSPLANT 2 WEEKS SOONER"

These enthusiastic reports from users tell what GRO-QUICK SOIL HEATING CABLE will do for you. Send today for testimonials and free, new instr. sheet with plans. For hotbeds—cold frames—unheated greenhouses—plant benches—for early plant starting in open ground. Operates from household current.
JUNIOR 40' Cable, 200 watt with thermostat for 3x6 bed or 20 sq. ft. \$5.35
SENIOR 80' Cable, 400 watt with thermostat for 6x6 bed or 40 sq. ft. \$6.95

PEERLESS GLAZING POINTS

1-pound box, 85c.

TWEMLOW'S OLD ENGLISH GLAZING PUTTY

Semi-Liquid

For bedding glass in sash and filling cracks or seams in roof joints or frames of greenhouses or hotbeds.
16-pound can (1 gallon capacity), \$3.35

CAULKING GUN

Model D1—Barrel size 9½ x 2½ in. Capacity, one pint. ½ in. nozzle, ratchet rod, breech cap, \$4.50.

PUTTY BULBS

For applying liquid Putty to sash or greenhouses. 12-oz. size, \$1.25.

SPRAY BULBS

No. C—12 oz. 85c

RAFFIA

Natural color in braided hanks of about 2 pounds. 50c lb.

HYACINTH STAKES—Green

12 in., 50c 100; \$2.75 per 1,000.
18 in., 60c 100; \$3.50 per 1,000.

SOIL-SOAKER

Made of Canvas

No. 1, 18 ft. \$2.20
No. 2, 30 ft. 3.40
No. 3, 50 ft. 5.50

WATER HOSE

CORNET. 5/8 in. 1 braid, 25 ft. lengths \$2.15; 50 ft. lengths, \$4.00. (Couplings included.)

SURPRISE. 5/8 in. 2 braid; red. 25 ft. lengths, \$3.90; 50 ft. lengths, \$7.45. (Couplings included.)

SURPRISE. 2 braid, 1/2 in. 15c ft.; 3/4 in., black, smooth. 50 ft. lengths, \$12.25 (couplings included).

SPRAY HOSE. 3/8 inch, 20c per ft.

HOSE NOZZLES

No. 161 ... \$.70
No. 155 ... 1.10

SPRINKLERS

No. 5044 (Illustrated) \$.80
Belfont98
No. 156—Tulip 1.25
No. 5011—Greenlawn 1.75
No. 100—Lifetime 2.00
No. 5018—Propeller Jr. 2.05
No. 5009J—Lakeside Jr. 4.00

SKINNER SPRAY WAVE SPRINKLER

Waters up to 40x50 ft. (illustrated). \$22.50.

ROTO-SPRAY. Waters up to 75 ft. diameter on 30 lb. pressure. \$18.75.

GRAFTING WAX

Trowbridge Brand 1/4 lb., 25c; 1/2 lb., 35c; lb., 55c.

FRUIT PICKER—Without pole ... \$.60

MOLE TRAPS

Out-O'-Sight \$1.25
E-Z-Trip 1.80

2500

5403

LOPPING SHEARS

PORTER POINT CUT No. 1—20-inch steel handles, adjustable drawcut. \$7.50
No. 5406—20-in. hdl. 2.35
No. 5403—22-in. hdl. (drawcut) illustrated 4.45

ASPARAGUS KNIFE

2500J—Short handle \$.45

ASPARAGUS BUNCHER

4.35

WEEDER

No. A—3 Tines, 9 1/4 in. handle \$.20
No. B—3 Tines, 22-in. handle25
No. BB—3 Tines, 33-in. handle40
No. C—4 Tines, 10-in. handle25
No. D—4 Tines, 10 1/4-in. handle with blade40
No. E—4 Tines, 10 1/4-in. handle with blade40
No. G—4 Tines, 57-in. handle 1.15
No. H—4 Tines, 48-in. handle with blade 1.35
No. K—4 Tines, 48-in. handle with blade 1.35
Rifle Weeder, long handle 3.90

GRASS SHEARS

Doo-Klip Snip-Itt (illustrated) \$1.35
Doo-Klip, Standard 1.75
Doo-Klip, long handle 3.00

CORN KNIVES

Little Giant \$0.40
C. C. Brooks50
Cumberland Valley50
Nowatoco60
Black Diamond50

300

222

HAND GARDEN FORKS

No. 300—3 Tine \$.45

GARDEN TROWELS

No. 222J—5 1/2 in. Strawberry \$.15
No. 217J—6 in. Transplanting20
No. 215J—6 in. Steel Blade30
No. 211J—6 in. Forged Steel80

DIBBLES

218J—Wood bent handle, steel point85
Steel Points only ea. .40

HOLE-IN-ONE TOOL

60c

TREE PRUNER

8 ft. \$2.15
10 ft. 2.55
12 ft. 2.90

PRUNING HOOKS

Without Pole
No. 166—Pruning shear and hook ... 2.75
No. 167—Pruning, curved saw, shear and hook 3.75

HEDGE SHEARS

No. K100—9 in. \$2.50
Doo-Klip 4.50

PRUNING SAW

No. 118—18 inch \$1.50
No. 162—20 inch 2.75

PRUNING SHEARS

119

No. 119—Snap Cut, 8 in.; anvil \$2.00
Doo-Klip Double Action 2.50

HAY FORKS		
No.	Tines	Price
A36	12 in.	\$1.90
BROOM RAKES		
No.	Teeth	Price
BRF22	22-14 in.	\$1.25
SL14	22-14 in.	1.35
Gardex	22-12 in.	1.35
Disston	18-14 in.	1.95
Disston	24-14 in.	2.45
24 Teeth—Wire		1.25

SPADING FORKS		
No.	Flat Tines	Price
SAHD	4-11 in.	\$1.85
MANURE FORKS		
No.	Teeth	Price
A44½	4-12½ in.	\$1.75
A54½	5-12½ in.	2.00
A64½	6-12½ in.	2.25
HEAVY FORKS		
No.	Diamond Tines	Price
EHD5	5-16 in.	\$3.85

DANDELION RAKES		
No.	Teeth	Price
YDLR	26-3½ in.	\$1.10
TWO PRONG HOES		
2PWF	3-9/16 in. Blade	\$1.15
WARREN HOES		
W7	4¾ in. Blade	\$1.30
NURSERY HOES		
N2½	2½ in. Blade	\$1.10

SHOVELS		
Rd. Pt.	Long Hdl.	
No. 903RS		\$1.60
No. 2XL-703		1.60
R248	Razor Back	1.60
SPADES		
Rd. Pt.	Long Hdl.	
No. 2-701	Ingersoll	1.60
Sq. Pt. "D"	Hdl.	
No. 2-700	Ingersoll	1.60
Rd. Pt. "D"	Hdl.	
No. 2-702	Ingersoll	1.60
R2UD	Razor Back	1.60

RAKES		
No.	Teeth	Price
RHLSC	14	\$.80
SC14	14	1.20
SC16	16	1.35

VICTORY CULTIVATOR		
No.	Tines	Price
VC5	5	1.45

GARDEN HOES		
L5 (Ladies)	5 in. blade	\$1.00
SG	6½ in. blade	1.20

SPEEDY CULTIVATORS		
No.	Tines	Price
4SC	4	\$1.35

LAWN EDGER		
Planet Jr. No. 2		\$2.10

ALL PURPOSE HOE

SCYTHES		
Best American Grass		\$1.95
Bush or Brier Scythes		2.10
Weed Scythes, 24 in.		2.10

SNATH or SCYTHE HANDLES		
Patented Fasteners		\$2.25
Bush Snath, heavy		2.25

SCYTHE STONES		
Darby Creek (Flat)		\$.25
English Talacre (Round)		.30

WEED SLUGGER		
No. 7G		\$2.75

BRUSH HOOKS		
No. 1130		\$2.60

SPADES		
GSUD	Razor Back "D"	
Handle		\$1.60
No. 2-724		1.60
GS48	Razor Back, long handle	1.60

GRASS HOOKS		
No. V3		\$.85

AXES		
Collins, 3 to 4 lbs.		\$2.75

MATTOCKS		
5 lb. 3½ inch cutter		\$1.65
(Handles Extra)		

BROOMS		
Palmyrah		\$.85
12B-BASS		.95
Stable Push		1.05

A popular type of glove—for MEN and WOMEN—specially designed for garden wear.

All-Leather
SOFT AS KID
DIRT-PROOF
Easy to Wear

Size	Pair
Size 6, 7, 8	\$1.00
Size 9	1.15

SPIKE-TAMP

A wonderful lawn tool for use when seeding or top dressing. For spiking hard areas. Saves money on seed, plant food and water. For use in pulverizing clods in the garden. Perpetually guaranteed against breakage. \$6.00.

PICK-UP GARDEN CART

Light, strong, welded all-steel body, steel axle and wheels with solid rubber tires. 18 in. wide, 27 in. long; capacity 2¾ cubic feet. Milcor De luxe \$7.50

WATER BALLAST LAWN ROLLERS

Equipped with ball bearings and scraper.

No. 60Z—18x24, Empty 85 lbs.; Filled 265 lbs.	\$22.25
---	---------

HOTKAPS—An Individual Hothouse for Every Plant!

HOTKAPS can make many extra dollars for you this season by assuring you of earlier, bigger crops, and higher early-to-market prices. A patented wax paper cone which completely covers the plant and protects them from frost, rain, wind, ground-crusting and insects.

25 Hotkaps with Fibreboard Setter	\$.60
100 Hotkaps with Fibreboard Setter	2.20
250 Hotkaps with Fibreboard Setter	4.15
1000 Hotkaps	\$12.00 per 1000; 10,000, \$11.75 per 1000
Fibreboard Setter	.20
Steel Setter	1.75

RODERICK LEAN "FT" SERIES DISC HARROWS WITH DOUBLE WHEEL FORETRUCK

Subject to allotment.

Electric heat treated round discs; flexible center foot pressure lever replaces unhandy third lever. Furnished with oscillating scrapers and with weight pans. No neckyoke, pole or pole irons.

No.	Discs	Diam.	Hitch	Width	Weight	Price
FT-416	8	16	2HH	4 ft.	371 lbs.	\$75.45

Asparagus Tape
Jute Cord
Cotton Cord
Hay Rope
Plow Lines
Binder Twine
PRICES ON REQUEST
State Quantity Wanted.

**FELINS
VEGETABLE
TYING MACHINE**
Save Hours of
Labor with this
Machine.
Bigger and Better
Than Ever.
\$82.50

WHEELBARROWS

Substantially made of seasoned wood, firmly bolted and braced.

No. 1. Size of body 30 inches long, 24 to 25 inches wide. Sideboards 12 inches high, tread 2 3/4 in. \$18.15.

No. 2. Size of body 28 inches long and 20 to 24 inches wide. Side-boards 12 inches high, tread 2 3/4 in. \$16.10.

No. 3. 26 inches long, 19 to 22 inches wide. Sideboards 12 inches high, tread 2 3/4 in. \$15.40.

No. 20
Steel Pan, 3 cubic feet capacity. Wood-Handles. \$8.30.

No. 174
Size of tray 37 by 28 inches; capacity 4 cubic ft. \$13.95.

No. 174

OLIVER PLOW REPAIRS

	Mould-boards	Land-sides	Solid Shares	Slip Shares
AC-2	\$2.10	\$.85	\$.55	\$.65
BC	2.60	1.10	.70	.80
10	3.15	1.25	.80	.95
13	3.75	1.45	.90	1.05
19	4.50	1.55	1.00	1.15
20	4.80	1.70	1.05	1.20
E	5.30	1.90	1.20	1.35
40	5.30	1.90	1.20	1.35
83	6.30		1.25	1.45
84-88 12 in.	6.95		1.25	1.45

SLIP POINTS 23c

SYRACUSE PLOW REPAIRS

	Mould-boards	Land-sides	Solid Shares	Slip Shares
603	\$4.11	\$1.33	\$.74	\$.91
602	4.66	1.48	.80	.97
601	4.78	1.59	.96	1.13
1462	4.66	1.48	.80	.97
1463	4.11	1.33	.74	.91

SLIP POINTS, A and B 17c

CHATTANOOGA REPAIRS

No.	Mould-board	Land-side	Solid Share	Slip Share
65	\$7.75	\$2.10	\$1.30	\$1.45

INTERNATIONAL SOLID SHARES

No. 6007DS	\$1.25
------------	--------

BOSS REPAIRS

No.	Mouldboard	Landside	Share
1 1/2-2	\$.80	\$.65	\$.45
2 1/2-3	.90	.65	.50
20	1.50		.60

POTATO DIGGER

Success, Jr., Two Wheel	\$21.50
-------------------------	---------

COW TIES

4 1/2 ft.	\$.35 each
HALTER CHAINS	
4 1/2 ft.	\$.35 each

TIE OUT CHAINS

20 ft.	\$.75 each
30 ft.	\$.95 each

BACK BANDS

Plain G-56	\$.45
Padded E-56	.55
351-L	.65

DOUBLE TREES

36 inch	\$1.10
Neck Yoke, 40 inch	\$1.40

Planet Jr. Garden Tools

HOES

SHOVEL STEEL

HILLER

TURNING SHOVEL

FURROWER

CATALOG ON REQUEST

CULTIVATOR STEELS

No.	Size	Price	No.	Size	Price
4064	1 x 8	\$.23	1888	1 1/4 x 10	\$.30
1156	1 1/4 x 8	.24	1249	1 1/4 x 10	.31
2367	1 3/4 x 8	.25	1199	2 1/4 x 10	.36
2368	2 1/4 x 8	.30	1200	3 x 10	.43
2369	3 x 8	.36	1201	4 x 10	.48
2370	4 x 8	.45			

SHOVEL STEELS

No.	Size	Price	No.	Size	Price
2539	7"	\$.50	4059/60	4 1/2"	1.45 pr.
2540	8"	.55	4061/62	6"	1.60 pr.

TURNING SHOVELS

No.	Size	Price	No.	Size	Price
3822/3	5"	\$.95 pr.	1161	10"	\$1.20
3580/1	6"	1.05 pr.	2621	12"	1.80
3824/5	7"	1.35 pr.	1162	15"	2.30

SINGLE WHEEL HOE
No. 16 (Illustrated).
\$12.40

No. 19—Garden Plow with cultivator tooth, sweep and plow. \$7.00.
No. 12—Double Wheel Hoe. \$15.70.

HILLERS AND PLOWS

No.	Size	Price
1167/8	6" Hiller	\$1.60
495/6	7" Plows	1.95

IMPROVED SWEEPS

No.	Size	Price	No.	Size	Price
1494	5"	\$.50	1498	15"	\$1.20
1495	8"	.60	1499	18"	1.65
1496	10"	.70	2731	3"	.40
1497	12"	1.00			

12 TOOTH HARROW

No. 92D—(Illustrated.) Weight 45 lbs. \$13.25.
No. 90D—The fruit, berry and vegetable grower's favorite. Does fine, thorough cultivation. Expands to 32 inches, contracts to 12 inches. Weight 54 lbs. \$14.85.

HORSE HOE

No. 8—(Illustrated.) \$21.15.
No. 9D—Same as illustrated, less the depth regulator and steel lever wheel. \$16.65.

CULTIVATOR

No. 101D—As illustrated, less wheel, weight 44 lbs. \$11.50.
No. 100D—As illustrated, less lever expander and wheel, weight 38 lbs. \$10.00.
No. 4D—As illustrated, less wheel and lever expander, weight 49 lbs. \$11.50.
No. 9D—As illustrated, less wheel, weight 56 lbs. \$14.25.

RODERICK LEAN WALKING WEEDER

Subject to allotment.

7 1/2 ft., 39 teeth
Less Runners
\$21.75

DRAG SCOOPS

No. 1, 100 lbs., \$15.50
No. 2, 90 lbs., 14.50
No. 3, 80 lbs., 13.00

ROYAL GRASS AND CLOVER SEEDER

No. 11, 14 ft. single hopper, chain feed, hopper capacity 1/2 bu., \$19.50; No. 11, 16 ft., \$20.50.
No. 10, 10 ft. double hopper, chain feed, for all grass seeds, grain, cowpeas and soybeans, hopper capacity 1 bu., \$22.00.

"SO-RITE" UNIVERSAL FERTILIZER AND LIME SOWERS

Subject to allotment.

As a Fertilizer Drill — Rubber spouts are adjustable to any width rows. The quantity to be sowed is regulated by lever on back of machine.

As a Broadcaster—Remove all stoppers and spouts.

No.	Width	No. Sprouts	Weight	Price
5-UW-6-1	3 ft.	1-Horse	225 lbs.	\$63.00
600-U1-9-1	6 ft.	1-Horse	325 lbs.	75.30
700-U1-9-1	7 ft.	1-Horse	350 lbs.	81.60
800-U1-9-1	8 ft.	1-Horse	375 lbs.	89.40
900-U1-9-2	9 ft.	2-Horse	400 lbs.	97.20
1000-U1-9-2	10 ft.	2-Horse	425 lbs.	105.00

Extra Spouts Complete \$1.10 Each

GARDEN TRACTORS

Planet Jr.

Booking orders
for future delivery.

MANNS' CHICKS

FROM UNITED STATES APPROVED—MARYLAND STATE
SUPERVISED AND INSPECTED FLOCKS PROVEN
TO BE PULLORUM FREE

WE GUARANTEE DELIVERY

100% LIVE VIGOROUS CHICKS

With Profit Producing Characteristics Bred Into Them

Manns' chicks are produced from hand selected, Blood-Tested, hens mated to large, true-to-type Blood-Tested, well bred cockerels. These breeders are continually culled for egg production and vigor to insure you of chicks that will not only live, but will grow uniformly, rapidly and profitably for meat or egg production. Upon maturity you will have strong and healthy pullets capable of making money.

ORDER EARLY—SPECIFY DATE WANTED

Order Early. Prices are subject to change but you will be given full benefit of any reduction in prices until shipping date.

	As Hatched	Pullets	Sexed Cockerels
Barred Rocks	\$14.00	\$19.00	\$12.00
White Leghorns	14.00	28.00	3.00
White Rocks	14.00	19.00	12.00
Barred Crosses	14.00	21.00	13.00
New Hampshire Reds	14.00	23.00	9.00

Heavy Mixed when available, \$12.50.

300 or more 50c per 100 less.
Less than 100 lots add 1c each.

TURKEY POULTS Broad Breasted Mammoth Bronze.
95c ea.; \$85.00 per 100

Rhode Island Red

White Leghorn

DOG FOODS

CONKEYS Y-O DOG RATION—Contains yeast and cod liver oil.

PERFECTION—A well balanced dog food containing meat and cereal plus the proper vitamins and minerals.
10 lbs., \$1.10; 25 lbs., \$2.40; 100 lbs., \$8.95.

FOR ECONOMY
Give Your Chicks The Best

FEED THEM

Conkeys

(The Original)

Let Us Quote

YO STARTING FEED
YO GROWING MASH
YO EGG MASH

SUPERIOR SCRATCH
PIGEON FEED
RABBIT FEED

CONKEYS Y-O

1 lb., 60c; 2 lbs., \$1.10; 5 lbs., \$1.75; 25 lbs., \$6.20; 50 lbs., \$10.75; 100 lb. drum, \$19.00.

CONKEYS

POULTRY REMEDIES

COLD PILLS 75-35c; 175-75c.
DIA TABBS (Liquefied) ½ pt. 65c; pt. \$1.00.
INHALENT SPRAY (Concentrated) ¼ pt. 65c; ½ pt. \$1.00.
INHALENT SPRAY (Ready to use) qt. \$1.00.
LICE POWDER 12 oz. 25c; 6 lbs. \$1.50.
NOXICIDE pt. 40c; qt. 70c; gal. \$1.75.
OLD RELIABLE POWDER 4 oz. 25c; 2½ oz. 50c; 7 oz. \$1.00.
100 TO 1 POWDER 4 oz. 30c; 1 lb. \$1.00.
PICK-END BITTERS 2½ oz. 25c; 7½ oz. 65c.
POULTRY TONIC 1½ lbs. 30c; 3½ lbs. 55c; 6½ lbs. \$1.00; 20 lbs. \$2.90.
SALVO 2 ozs., 25c.

LEE'S POULTRY REMEDIES

ACIDOX 4 oz. 50c; 12 oz. \$1.00; 32 oz. \$2.00; ½ gal. \$3.50; 1 gal. \$6.50.
GERMOZONE 4 oz. 40c; 12 oz. 75c; 32 oz. \$1.50; ½ gal. \$2.50; gal. \$4.50.
GIZZARD CAPSULES—Adult 50-75c; 100-\$1.25.
GIZZARD CAPSULES—Pullet 50-50c; 100-\$1.00.
GIZZARD CAPSULES—Chick 50-40c; 100-75c.
LEEMULSION 4 oz. 50c; 12 oz. \$1.00; 32 oz. \$2.00.
MITE KILLER qt. 60c; gal. \$1.50.
PICKPASTE 2 oz. 25c; 6 oz. 60c.
TONAX 2 lbs. 75c.
VAPO-SPRAY pt. 50c; qt. 75c; gal. \$2.00.

AVICOL

For white diarrhea, stops chicks dying. 60 tablets, 50c; 180 tablets, \$1.00.

DON SUNG

Makes hens lay. 45 tablets, 50c; 135 tablets, \$1.00.

GROUP-OVER

The sure way to treat Colds, Roup and Canker. 3 oz. 50c; 8 ozs. \$1.00.

"T. S. F."

Kills chicken lice. ½ lb. 35c; 1 lb. 60c.

TOXITE

Disease Control Spray — Controls poultry Coccidiosis, Round Worms and Red Mites which are transmitted by contaminated litter. Qt., 60c; gal., \$1.75.

"BLACK LEAF" WORM POWDER

4 oz., 100 birds 75c 1½ lbs. 600 birds \$3.00
CHARCOAL—Fine. 2 lbs., 15c; 50 lbs., \$2.25.
Coarse. 5 lbs., 35c; 50 lbs., \$2.25.

GRIT, coarse and fine, 100 lbs., \$1.00.

OYSTER SHELL, coarse and fine, 100 lbs., \$1.00.

CAPONIZING SETS

Dr. Salsbury—Set \$3.50

WRITE FOR FREE POULTRY BOOKS

Lederle VETERINARY PRODUCTS

Sulfaguanidine, Duatok, Phenothiazine, etc.
Free Literature on Request, state whether for poultry or live stock

OIL BROODER

No. 256B—54-inch; 8-gallon tank; 700 chicks. Without Fuel Stand. \$27.15.

COAL BURNING BROODERS

No. A16—56-inch hoover, capacity 500 chicks. \$31.90.

ELECTRIC BROODERS

No. UB42—Galv. Metal, 500 watt enclosed type heater, with thermostat, size 36 in. by 42 in., capacity 200 chicks. \$13.95.

WAFER THERMOSTATS

T-347—DeLuxe 3-in. Dual Stud. \$.35
T-434—4-in. Female Stud. .45
No. 128 Brooder Thermometers. .35
Incubator Thermometers on stand. .85
Putnam Brooder Stoves. 4.75

REEL TOP FEEDER

No. H224—24 in. galv. \$.45
No. C236R—36 in. galv. .75
No. H6360—36 in. galv. .90
No. H548—48 in. galv. 1.55

GRILL TOP FEEDER

No. H748—48 in. galv. \$2.00

FLOCK FEEDERS

No. H25S—60 in. galv. \$4.75
No. H28S—96 in. galv. 7.45

FOUNTAIN AND FEEDER

No. CG6—(Crystal). Fits any Mason Jar. (Jar not included.) \$1.15.

No. HG25—Galv., 15c.

SPIRAL BANDS. Dark blue, light blue, red, green, white.

Size Per 100
1/4 in. \$20
5/16 in. .30
9/16 in. .40
11/16 in. .50
3/4 in. .50

ADJUSTABLE LEG BANDS

Aluminum
Nos. 1 to 25, box. \$.20
Nos. 1 to 50, box. .35
Nos. 1 to 75, box. .50
Nos. 1 to 100, box. .60
Nos. 1 to 1000, per 100. .50

ELECTRIC BROODER

No. LG2—32x32 fibre board hover, cap. 150 day old chicks, 100 watt bulb recommended, to be used in room 60 degrees or more. \$3.00.

FEEDER AND WATERER

G16L—16 in. dia. 4 1/2 in. high, 16 quart capacity. \$1.95.

K. R. O.

Kills Rats Only
2 oz. (Mix with 2 lbs. bait) \$.75
Ready Mixed 6 oz. 35c; 1 lb. \$1.00.

SINGLE WALL FOUNTAINS

(Galvanized)
No. HA8—2 gal. \$1.15
No. HC3—3 gal. 1.75
No. HC5—5 gal. 2.40

TOP FILL FOUNTAINS

(Galvanized)
No. 303S—3 gal. \$2.70
No. 305S—5 gal. 3.50
No. HK3—3 gal. 2.60
No. HK5—5 gal. 3.55
No. HK5H—5 gal. with heater 6.30

No. 904—Automatic Valve and Float only 1.00

FOUNTAIN HEATERS

No. H5H—Oil, fits any 15 or 15 1/4 in. pan, \$2.75.
No. H82—Lamp with burner and wick. \$2.00.

No. H569—Elec. fits any 5 to 10 gal. fountain. \$5.25.

Galvanized Pipe, 2 ft. lengths, 4 in. 35c; 5 in. 40c.

Galvanized Elbows 4 in. 40c; 5 in. 45c.

Galvanized Caps, No. HPC5—5 in., 50c.

Roof Saddle—Adjustable No. 440 4 in. \$1.70; No. HRS5—5 in. \$1.75; No. N12—Non-adjustable 4 in. 60c.

Egg Cartons

Selected Eggs

Metal Egg Crates

1-dozen size. \$1.00
2-dozen size. 1.50
3-dozen size. 1.75
4-dozen size. 2.00
6-dozen size. \$2.50
Postage Extra

EGG PRESERVATIVE

Qt., 60c; gal., \$1.70.

Egg Candler

No. 700. \$1.75

Wire Egg Baskets

No. 44, capacity 12 to 15 doz. \$1.25

8910

No. 517 Egg Grading. \$1.75.
No. 8910—Spring balance. Capacity 100 lbs. by 1 lb. \$4.50.

PATENT PENDING

Egg Cleaners

No. 13. \$.35

No. 14—10 ft. Cleaning Cloth. .80

Here are practical, useful, and money-making ideas. 211 illustrations, 599 pages. \$4.00.

Successful Poultry Management, by Morley A. Jull, professor and head of Poultry Dept., University of Maryland. 467 pages, 188 illustrations many tables and charts. \$3.00.

HUMANE POULTRY KILLER

\$1.85

CEL-O-GLASS

Now guaranteed for 5 years, glass substitute, wire base, Standard roll 36 in. wide, 100 ft. long, 36c per running ft.

VIO-RAY WINDOW FABRIC

Scientifically processed white cloth, thin enough to admit violet rays, and yet strong enough for all weather. Sq. yd., 30c; 10 sq. yds. or more, 27c.

R-V-LITE VITAPANE

36 inches wide (cord base). 21c lineal foot
50 ft. roll (150 ft.). \$10.25 roll

POULTRY NETTING
GALVANIZED AFTER WEAVING 150-FOOT ROLLS

Hex-Cel

2-inch Mesh—20 Gauge
48-inch\$4.65
60-inch 5.70
72-inch 6.75

25 to 150 foot lengths.
2-in. mesh 1½c sq. ft.

AMERICAN FARM FENCE
Thoroughly galvanized, with hinge joint patent lock knot.
Put up regular in 20-rod Rolls.
No. 726—7 strands, 26 inches high, 6-inch stays, per rod, 60c.

PIONEER POULTRY FENCE

No. 1948—48 inches high, top and bottom wires No. 11, intermediate and stay wires No. 14½, 6-inch stays, per roll of 165 feet, \$7.75.

No. 2158—58 inches high, top and bottom wires No. 11, intermediate and stay wires No. 14½, 6-inch stays, per roll of 165 feet, \$8.50.

BARBED WIRE GALVANIZED
4-point, 12½-gauge, 5 inches between barbs,
80-rod\$5.75

POST HOLE DIGGERS
\$2.50

EARTH AUGERS
No. 8—8-14 in.\$6.85

TOWNSEND WIRE STRETCHER, \$2.25

FLOWER GUARD

Designed for protecting Flower Beds
22-inch, per foot 9½c; 100 ft. \$6.45

PRIME ELECTRIC FARM FENCE

Approved for Safety by Underwriters Laboratories

110-120 Volt
No. 48V\$34.50
No. 480A (illustrated) 42.50

Battery Type
No. 33V\$15.50
No. 680A 42.50

Accessories
Battery Cabinet No. 255, \$2.50.
Bulbs P-362, 30c; P-363, 50c; P-364, 75c.

Clips Spring Tie P-19, 45c per 100
Electric Fence Tester, \$2.95.

Fuse Plug, P-407, 10c each; box of 5, 45c.
Fuses P-523, 5c each.
Gate Handles, P-500, 7 inch, 30c.
Gate Springs, P-501, 8c.
Insulators End and Corner P-23, 5c.
Insulators End and Corner P-26, 10c.
Insulators Standard P-1, \$2.40 per 100.
Insulators Weatherproof P-2, \$2.90 per 100.
Lightning Arresters P-244, 30c.

Let us send descriptive catalog, prices and free booklet on Electric Fencing.

ROOFING MATERIAL
SMOOTH SURFACED

	Weight Per Lbs.	Per Roll
Panamoid, medium.....	.45	\$1.75
Everlastic, heavy.....	.55	2.15
Everlastic, extra heavy..	.65	2.40

(Underwriters' label)

TARRED SLATERS FELT
500 square feet25 1.50

KURE-A-LEAK

A semi-liquid mastic or cement-like composition, not affected by extreme heat or cold; absolutely water tight and fireproof. It "kures" the leaks in wornout tin, galvanized iron or composition roofings. Gal., 95c; 5 gals., \$2.75.

ORNAMENTAL LAWN FENCE

Very attractive and we believe the most durable wire lawn fence made. Heavy galvanized. Spaces, 1½ inches; wire, No. 9½ Crimped Pickets in No. 12½ Tw. Cables.

Double Loop	Per ft.	100 ft.
36-inch	18c	\$14.00
42-inch	19c	15.75
48-inch	20c	17.80

ORNAMENTAL GATES

Heavy steel frames, filled to match the fence; fittings for 1½ in. iron posts included.

Height	Width	Price
36-inch	36-inch	\$4.85
36-inch	42-inch	5.10
36-inch	48-inch	5.30

NEW E-Z AMERICAN SEPARATOR

No other separator gives you the advantages of the newly-developed American. Gets ALL the cream, low speed preventing frothing; bowl needs no rebalancing, new polished stainless steel discs, unmatched for easy turning, only separator with waist-low supply tank; greatest value for price charged. A size for any capacity. We offer the following three models for comparison.

Smaller models at exceedingly low prices. Let us quote.

No. 50, Hand—Capacity 500 pounds of milk per hour. skims about 62 quarts in 15 minutes. \$100.87.

No. 80, Combination Elec. and Hand, with Standard make Motor (illustrated). \$152.97.

STANDARD GLASS CHURNS

Size	Churns	Price
4 quart—2 quart		\$2.70
8 quart—4 quart		3.70

GLASS JARS ONLY

2 qt., 50c; 4 qt., 85c; 6 qt., \$1.00; 8 qt., \$1.20.

CYLINDER CHURN

No. 1—3 Gal. (churns 1½ gal.) \$5.95

PARCHMENT BUTTER PAPER

Sizes 6x9, 9x12 Lb. 30c

Postage Extra.

DANDELION

BUTTER COLORING

Small, colors 500 lbs. \$.35

Medium, colors 1250 lbs.65

STRAINER PADS

Plain round rapid-flo filter disks for sanitary milk production.

6-inch, 100 in box \$.45

6½-inch, 100 in box50

CALF WEANERS, No. 102 Medium. \$.55

TEAT DILATORS for Cows, box of 18, 25c.

PERFECTION ANTI-COW KICKERS, \$1.00.

HUDSON BARN EQUIPMENT

No. 2A—Stall,	\$10.60.
No. 193 — Stanchion,	\$4.80.
No. 181 — Stanchion,	\$3.30.
No. 1309 — Gutter Drain,	\$7.50.
No. 94—Floor Drain,	\$2.65.
No. 69—Water Bowls,	\$4.85.
No. 89—Water Bowls,	\$5.05.
No. 96S—Milk Stool,	90c.

No. 262—Hay Carriers, \$18.50.
No. 268—Harpoon Fork, \$4.25.
No. 249S—Rafter Brackets, \$7.60 per 100.
No. 290—Hanger Hooks, \$25.40 per 100.
No. 401—Track, \$33.30 per 100 ft.

SAW FRAMES

(Blades Extra)
Frame Only No. 9 Steel \$39.48
With Flywheel 44.50

BLADES (Crosscut)—Bore 1¾-inch

18-inch, \$4.65; 24-inch, \$7.55; 26-inch, \$8.90; 28-inch, \$10.25; 30-inch, \$11.60.

SAWS

No. AA3—24 in. 8 pt. Penna. Hand Saw	\$4.00
No. 400—3 ft. Penna. One Man Saw	3.15
No. 400—3½ ft. Penna. One Man Saw	3.70
No. K-854—5 ft. Keystone Cross-Cut Saw	5.10
No. 800—5½ ft. Penna. Cross-Cut Saw	5.60
No. K-854—6 ft. Keystone Cross-Cut Saw	6.10
No. 1½—Penna. Buck Saw	1.65

FARM BELT

Rubber coated canvas transmission belting; 4 in. wide; 4 ply; flat sides; black; 45c ft.

Bag Balm, 60c.

Kow-Kare, 1¼ lbs., 65c; 2¾ lbs., \$1.25.

Conkeys Fly Knocker, qt., 60c; gal., \$1.50.

Conkeys Stock Tonic, lb., 30c; 2¾ lbs., 55c; 6 lbs., \$1.10.

Conkeys Calf Meal, 25 lbs., \$2.20.

Hog Oil Wormer, 12 oz., \$1.00; qt., \$2.00.

MOUNTED GRINDSTONES

VICTOR. Tubular steel frame, adjustable steel seat, treadle type, ballbearing journals and crank attachment. Stone 19 to 22 inches in diameter by 1¼ to 2¼-in. face. \$14.25.

WESTERN. Angular Steel frame, adjustable steel seat and equipped with treadles, ball-bearing, strong and rigid. Stone 19 to 20 inches in diameter by 1¼ to 2-inch face. \$10.75.

KING. The frame is constructed of tubular steel, very rigid, ball bearing, adjustable seat, and equipped with treadles. Stone is 20-22 inches in diameter by 2-inch face. \$15.75

LOOSE GRINDSTONES (centered) 20-22 in. dia. by 2 in. face. \$7.50.

Loose Grindstones, 6c per pound.

TOOL GRINDER

This very useful grinder is especially suited to farm work and can be easily clamped to a mower wheel or bench; compact, simple and serviceable.

82—With Bevel Tool Wheel only	\$9.00
83—With both Flat and Bevel Tool Wheels	10.30
171—4½x1½ Dymo - Grit Tool Wheel	2.95
DG3½—Beveled Wheel only	1.85

SOIL IMPROVEMENT

Look to your Soil for therein lies the very foundation of your farming or gardening success. Does your soil need plant food? If so, what elements are lacking? Does it need lime? How much lime? Or, does it need acid?

Accurate answers to these questions are worth many dollars to every grower because they often mean the difference between a successful crop and a poor crop. Save money and increase your profits by knowing the possibilities of your soil in relation to the chemical requirements of the crop you plan to grow.

The accompanying chart and tabulation of varieties show that most vegetables thrive best in a slightly acid soil. It is very necessary however, to first know the pH (or degree of acidity) of your soil as determined by soil tests, before applying acid or lime, rather than by guesswork. The desired amounts of nitrogen, phosphorus and potash should also be determined as a matter of economy. Use a soil test kit and feed your soil the elements which are needed.

PLANT FOOD ELEMENTS

Plants require nitrogen, phosphorus, potassium (the three most important), oxygen, hydrogen and carbon (obtained from air and water) and the minor elements usually found in the soil in sufficient quantity but also supplied in the better brands of mixed fertilizers.

These minor elements are calcium, sulphur, magnesium, manganese, iron and boron. Their functions are largely indirect, but very essential as they aid the chemical changes which render other ingredients more available. Calcium (lime), for example, aids in making the nitrogenous materials more quickly available and changes the physical nature of soils. Sulphur seems to exert a beneficial influence on plant growth and iron is necessary in the formation of chlorophyll.

Nitrogen is the "top growth" element needed for leafy vegetables such as spinach, kale, parsley, etc. Aside from mixed fertilizers, nitrogen can be had in various organic forms as in bone meal, blood meal, tankage, fish meal, cotton seed meal and inorganic forms such as nitrate of soda (tending toward an alkaline reaction), ammonium sulphate (tending toward an acid reaction), urea and potassium nitrate. The organic materials are safest to use as they react slowly and do not burn.

Phosphorus is generally the most needed element, as the continued use of manures possessing such a little of it, combined with the fact that most crops are heavy phosphorus feeders, soils worked for a number of years are practically depleted of this element. A real fertile soil is rich in readily available phosphorus. It is the element which promotes growth and vigor, flowers, fruit and seeds. Beans, corn, cucumber, tomatoes, turnips and rutabagas seem to respond to heavy feedings of phosphorus. It is available in mixed fertilizers, superphosphate, bone meal and tankage.

Potash is the root growing element. Asparagus, beets, carrots, celery, cucumbers, lettuce, potatoes and radish all respond to extra potash feeding. Sulphate of potash is best for tobacco, lettuce and leaf crops, while muriate of potash is most beneficial to carrots, potatoes and root crops.

KNOW which elements are needed in your soil

Practical tests with the Sudbury Soil Test Kit will show the acidity of soil and any possible deficiency in nitrogen, phosphorus, and potash. Each kit is accompanied by complete instructions and tables of plant needs.

MODEL D (as illustrated)—Contains enough soil testing solutions to make 20 individual tests. \$2.50.

JR. PROFESSIONAL—Makes 50 individual tests for nitrogen, phosphorus, potash and acidity. Cased in handsome sturdy imitation leather. \$4.75.

MODEL B—In permanent metal case. Contains sufficient chemical for 60 individual tests for nitrogen, phosphorus, potash and acidity. Case contains test tube rack, extra test tubes, special glass funnels, color charts and a supply of filter paper. \$12.50.

PROFESSIONAL MODEL—Widely used by large growers, nurseries and government departments. Makes 200 individual tests for nitrogen, phosphorus, potash and acidity. Cased in instrument type pine box. Complete instructions. \$22.50.

ACIDITY MODEL KIT—\$1.00.

TESTING FLUID for refill. Specify whether for nitrogen, phosphorus, potash or acidity. 2 oz., \$1.00; 6 oz., \$2.00.

ACID OR ALKALINE PREFERENCES

(Letters refer to degree of acidity in chart below)

VEGETABLES, GRAINS, GRASSES, ETC.

Alfalfa	A	Leek	B
Asparagus	A	Lettuce	A
Barley	A	Muskmelons	B
Beans	C	Oats	C
Beets	A	Onions	A
Bent Grass	D	Parsley	A
Blue Berries	E	Parsnips	D
Blue Grass	A	Peas	B
Broccoli	B	Peppers	C
Cabbage	A	Plums	D
Carrots	A	Potatoes	D
Cauliflower	A	Pumpkin	D
Celery	A	Radish	B
Chicory	B	Raspberries	B
Corn	B	Red Clover	B
Clover	A	Rhubarb	B
Cowpeas	C	Rye	C
Cranberries	E	Spinach	B
Cucumber	B	Squash	C
Currants	C	Strawberries	C
Eggplant	B	Tobacco	C
Endive	B	Tomato	C
Gooseberry	C	Turnip	C
Grapes	D	Rutabaga	C
Kale	B	Watermelon	B
Laurel	E	Wheat	A

FLOWERS

Azaleas	E	Hydrangea Blue	E
Anemone	B	Hydrangea Pink	C
Aster	B	Iris	B
Begonia	B	Lady Slipper	E
Bleeding Heart	C	Larkspur	B
Bouvardia	C	Lilac	B
Calendula	A	Lily	C
Candy-tuft	B	Lupine	C
Canna	B	Marigold	B
Carnation	B	Mignonette	B
Centaurea	B	Morning Glory	A
Cineraria	A	Myosotis	B
Chrysanthemum	B	Narcissus	B
Clarkia	B	Nasturtium	A
Clematis	A	Orchid	D
Columbine	B	Pansy	B
Cosmos	B	Peony	B
Cyclamen	C	Primula	B
Dahlia	B	Poinsettia	B
Delphinium	C	Petunia	A
Didiscus	B	Phlox	C
Easter Lily	C	Poppy	B
Euphorbia	C	Rhododendron	C
Feverfew	B	Rose	B
Ferns	C	St. Paulia	B
Forget Me Not	A	Salpiglossis	B
Fuschia	B	Scabiosa	B
Gardenia	E	Schizanthus	B
Genista	A	Snapdragon	B
Geranium	A	Stocks	B
Gerbera	A	Swainsonia	A
Gladiolus	B	Sweet Peas	A
Godetia	B	Tulips	B
Heather	D	Violet	B
Heliotrope	A	Westeria	B
Holly	E	Woodbine	B
Hyacinth	B	Yucca	B
		Zinnia	B

4pH	5pH	6pH	6½	7pH	7½	8pH
E	D	C	B	A		
Acid				Alkaline		
Neutral						

B, C, D and E indicate degrees of acidity from 7 pH, which is neutral, to 4 pH which is extremely acid. "A" indicates a slightly alkaline condition.—(1000 lbs. Hydrated Lime per acre will change a sandy loam from pH 5 to pH 6.)

HONEY JARS

No. 6738—Plain Round	$\frac{1}{2}$ lb. size	\$1.25 case 2 doz.
No. 6741—Plain Round	1 lb. size	\$1.45 case 2 doz.
No. 6752—Plain Round	2 lb. size	\$.85 case 1 doz.
No. 6558—Honey Jar	5 lb. size	\$1.50 doz.
White coated caps included.		

CORN SHELLERS

No. 3	\$26.65
-------	---------

SALT BRICKS

Dr. Blackman's,	\$.25
Worcester,	\$.25

MEAT CURING PRODUCTS

Mortons Sugar Cure, (Smoke Salt) 7½ lbs.,	80c.
Mortons Tender Quick, 2½ lbs.,	50c.
Mortons Sausage Seasoning, 10 ozs.,	25c.
Mortons Meat Pump,	\$1.50.

RURAL MAIL BOX

No. 1—18¾ in. long, 6¾ in. wide, 8¾ in. high,	\$2.00.
No. 2—23½ in. long, 11¼ in. wide, 14 in. high,	\$4.25.

HANDLES

Axe, 19 in. Bobolink, House	\$.20
Axe, 34 in. Bobolink, Bent	.70
Axe, 36 in., Bent	.50
Hammer, 14 in. Bobolink	.15
Hatchet, 14 in. Bobolink	.15
Hay Fork, 4½ ft., with ferrule	.95
Hay Fork, 6 ft. with ferrule	.85
Hoe, 4 ft. socket	.45
IDL, Steel "D" tops only	.30
Manure Fork, No. 128, 32 in. Jr. Steel top, with ferrule	.70
Manure Fork, No. 170, IDL top, heavy, with ferrule	.85
Mattock, 36 in. Natural, Bobolink	.70
Rake, 6 ft., with ferrule	.70
Sledge, 36 in. Bobolink	.60
Spade, No. 1005, Razor Back, "D" hdl.	.55
Spading Fork, No. 159, 30 in., IDL Steel "D" top, with ferrule	.75

StimRoot guards against fungous attacks on seeds, tubers and cuttings, promotes amazing root development, vigorous healthy plants. Contains two essential hormones and a fungicide. Easy to use, inexpensive. A dollar package treats 800 tubers, 2600 seedlings or 18 pounds of seed. $\frac{3}{4}$ oz. pkt., 50c.

FRUITONE

REG. U. S. PAT. OFF.

FRUITONE, the hormone spray for stopping premature drop of fruit, flowers and leaves. When sprayed on flowers of tomatoes or beans it produces better set and larger crop. Prevents premature drop of apples and pears. Makes hollies and other Christmas greens hold their leaves longer. $\frac{3}{4}$ -ounce packet, 25c; 2-ounce package, \$1.00; 12-ounce can, \$5.00.

ROOTONE

Reg. U. S. Pat. Off.

The New Hormone Powder for dusting seeds, cuttings and bulbs. Requires no solutions nor soaking and is easy to use. Assures better germination of seeds, produces better plants with longer roots, greater top growth and vigor. Rootone kills fungi and prevents damping off.

$\frac{1}{4}$ oz. will treat 2½ lbs. seed or 400 cuttings, 25c.

2-oz. size will treat 8 bu. seed or 3,000 cuttings, \$1.00.

1 lb. will treat 30 bu. seed or 30,000 cuttings, \$5.00.

TRANSPLANTONE

Reg. U. S. Pat. Off.

Contains Vitamin B-1 and other parts of the Vitamin B fraction, plus plant Hormones which are active in root formation.

This Vitamin-Hormone tonic stimulates the growth of seedlings, plants, trees, shrubs, rose bushes, lawns, etc., by not only forming new roots but by also continuing their growth and making plant food more available. Very beneficial to transplanted seedlings, shaded lawns and backward garden plants. 1 ounce makes 10 gal. transplanting solution or 900 gal. watering solution. $\frac{1}{2}$ oz. pkt., 25c; 3 oz., \$1.00; lb., \$4.00.

VERMICULITE (Terra-Lite Brand)

Expanded Vermiculite is a new sensational sterile, inert, plant growing medium obtained from natural deposits in Montana. Work done by the U.S.D.A. at Beltsville and Glen Dale, Md., definitely proves this propagating material far superior to mixtures of sand and soil, sphagnum moss, etc., for producing the finest seedlings and best rooted cuttings. Processed at 2200° heat, there are no weed seeds, no disease organisms, no "dampening off". It holds water, air and applied plant foods readily available, therefore seeds germinate quickly, grow faster with much stronger roots and therefore transplant better. Cuttings of even very difficult varieties are easily rooted. Vermiculite has many other horticultural uses such as soil corrective, mulch, for bulb storage, etc. Packed in bags of approximately 2½ cu. ft. weighing about 20 lbs. \$1.50 Each. Bu. \$1.15; pk. 40c.

FERTILIZERS

Analysis C. O. D. List Price
Per Ton Per Ton 100 Lbs.

0-14- 7	\$30.06	\$33.40	\$2.60	ALFALFA, CLOVERS (200-800), SOYBEANS, COWPEAS (200-300). In rotation, on manured land. CORN and GRASS land (200-400) that is heavily manured. WHEAT, RYE, WINTER BARLEY, (200-400) on Piedmont and Mountain Valley soils. For annual legumes on heavy unmanured soils (200-400). Fall applications on PASTURES, TURF GRASSES (200-400) and HOME LAWN (10-20 lbs. per 1000 square feet). Recommended for legume sods in orchards.
10-6- 4	42.48	47.20	3.45	TOP DRESSER, Spinach, kale, cabbage, lettuce, mustard, turnip greens and other leafy vegetables.
3-12- 6	34.65	38.50	2.85	SWEET CORN (200-500), and TOMATOES (500-1000) for canning on heavy soils and where manure is used. FIELD CORN (200-500), on light soils.
4-12- 8	38.25	42.50	3.15	TOMATOES (500-1000) in rotation with field crops on light soils. Late POTATOES (500-1000), ASPARAGUS (400-800), SWEET POTATOES (800-1200), CARROTS, PARSNIPS, TURNIPS and other root crops (400-800).
5-10- 5	36.85	40.95	3.00	Cannery PEAS and BEANS on heavy soil or well-manured soil (400-800). SWEET CORN (200-600) for market, early and mid-season STRAW-BERRIES (300-600). EARLY POTATOES (2000), ASPARAGUS, LEAFY VEGETABLES and other truck crops (400-800).

Ton prices include delivery to farm. If hauled from factory deduct \$1.50 per ton.

AGRICULTURAL CHEMICALS, ETC.

	Lb.	10 lbs.	25 lbs.	100 lbs.
Aluminum Sulphate.....	\$.10	\$.50	\$1.00	\$3.25
Asparagus Salt.....		.40	.65	1.65
Calcium Chloride.....	.05		1.00	
Epsom Salts.....	.10	.65	1.25	4.50
Hydrated Lime (50 lbs., 75c).....		.20		1.25
Iron Sulphate (Crystal).....	.20			
Nitrate of Soda.....	.10	.80	1.50	3.85
Pulverized Ground Limestone.....			(80 lbs. .75)	
Sulphate of Potash.....	.10	.80		
Super Phosphate (20%).....	.10	.40	.75	2.15
Top Soil (500 lbs. \$5.00).....		.20	.50	1.25
Zinc Sulphate.....	.20			

ORGANIC PLANT FOODS

	lb.	5 lbs.	10 lbs.	25 lbs.	100 lbs.
Blood Meal (3 lbs., 25c).....	\$.10				
Bone Meal (Raw).....		\$.35	\$.65	\$1.25	\$4.90
Bone Meal (Steamed).....					\$4.25
Cow Manure.....		.30	.50	.90	2.75
Sheep Manure.....		.25	.40	.80	2.60
Tobacco Stems (Meal).....			.50	.90	2.50

G & O ROSE FOOD

An organic plant food. Analysis 5-7-4. 5 lbs., 65c; 10 lbs., \$1.15; 25 lbs., \$2.50.

FULTON'S
PLANTABBS
Odorless Plant Food Tablets
Containing Vitamin B₁

10 Tablets, 10c; 30 Tablets, 25c; 75 Tablets, 50c; 200 Tablets, \$1.00; 1000 Tablets, \$3.50. (By mail add 10%.)

ADCO

Is a powder, which, when mixed with almost any non-woody vegetable waste, and kept wet, gradually converts it into manure.

50 pounds of ADCO makes a ton of manure. Equal to stable manure—Odorless. 7½ lbs., 85c; 25 lbs., \$2.00; 150 lbs., \$10.50.

VITAMIN B-1 PELLETS

Box 10 Pellets (1 milligram each) makes 200 gallons solution, 25c.

Box 100 Pellets (1 milligram each) makes 2,000 gallons solution, \$1.00.

TAT VITAMIN B-1 (Liquid)

½ fluid ounce makes 100 gallons, 25c.

2 fluid ounces make 800 gallons, \$1.00.

VITA-FLOR

Vitamin B Solution

A solution containing all Vitamin B growth substances necessary for plant development. Two drops make one gallon solution, ¼ oz., 50c.

HY-GRO SOLUBLE PLANT FOOD

Formulated by America's greatest authority on soils, an ideal starter solution and all season fertilizer. A proven product that helps growers increase their profits. Hy-gro analyses 13-26-13 plus minor elements, completely soluble in water, absorbed quickly by the roots. Use 2 to 4 lbs. per 50 gal. water.

3-ounce jar, \$.25; 20-ounce jar, \$1.00

Large Grower Sizes

10 lbs., \$2.85; 25 lbs., \$5.75; 100 lbs., \$20.00

HYPONEX
Chemical Plant Food
Contains Vitamin B-1

For growing plants in soil, sand or water. Ideal for "tank farming," a complete and balanced plant food; odorless and keeps indefinitely.

3 oz. makes 18 gallons.....\$.25
7 oz. makes 42 gallons......50
1 lb. makes 100 gallons..... 1.00
10 lbs. makes 1000 gallons..... 8.00
25 lbs. makes 2500 gallons.....15.00

HY-TROUS

A Concentrated Liquid Fertilizer

For all house plants, flowers, vegetables, fruits, flowering shrubs, lawns and trees.

3 oz. size makes 6 gallons.....\$.25
8 oz. size makes 16 gallons......59
16 oz. size makes 32 gallons......99

FLORALIFE "B"

Prolongs life of cut flowers, retards wilting, prevents fading, maintains fragrance. Used by practical florists since 1933.

\$.10 size makes two quarts solution
1.00 size makes thirty quarts solution

SALEM SPREADERS

Automatic shut off; six quantity adjustments.

16 in. 22 lb. cap. \$ 5.95
20 in. 40 lb. cap. 9.95
30 in. 80 lb. cap. 16.75

E-Z—Cheap but practical—\$1.25 ea.

VIGORO SPREADERS

"B".....16 in., 15 lb. capacity.....\$ 4.15
Junior.....16 in., 35 lb. capacity..... 8.55
Standard.....24 in., 65 lb. capacity..... 17.45

SYPHONETTE VITAMIN AND FERTILIZER DISTRIBUTOR

Unique solid brass device, attached to garden hose enables distribution of Vitamin B-1 soluble fertilizers, fungicides, arsenate of lead for grub control, \$1.85.

Hayes Proportioner, \$1.95.

Inoculate all Legume Seeds with

NITRAGIN

1898 — Nearly A Half Century of Service — 1947
When ordering, Always state name of seed.

ALFALFA

Swt., Bur, Hubam Clovers
Size Retail
1 bu. each...\$.50
2½ bu. each... 1.00

CLOVERS

Red, Alsike, Crimson,
White and Ladino.
1 bu. each...\$.50
2½ bu. each... 1.00

LESPEDEZA

100 lb. size (Inoculates
up to 100 lbs.) ..\$.50

PEAS (All Varieties)

VETCHES (All Varieties)

100 lb. size (Inoculates
up to 100 lbs.) ea.\$.50
1200 lb. size ea.. 5.70
(12-100 lb. cans)

LUPINES (All Varieties)

100 lb. size (Inoculates up to 100 lbs. seed) ea. \$.50

GARDEN SIZE—Peas, Beans, Sweet Peas, Lupines, Lima
Beans and Edible Soybeans
Enough for 8 lbs. seed — Retail Price 10c each

SOYBEANS

Size Retail
Small, (Inoculates up
to 120 lbs. seed) \$.30
5 bu. each..... .55
25 bu. each..... 2.50
(One can)
30 bu. each..... 3.25
(6-5 bu. cans)

BEANS — Navy, Pinto, Wax, String, Kidney and Great Northern

1 bu. each\$.35

PEANUTS, LIMA BEANS, COW PEAS

Small, (Inoculates up
to 120 lbs. seed) \$.30
5 bu. each..... .55
25 bu. each..... 2.50
(One can)
30 bu. each..... 3.25
(6-5 bu. cans)

Hyper-Humus

Completely organic, maintains high soil fertility by bacterial conversion. Worked into the soil before planting it makes poor soil loamy and holds moisture and plant foods where they do the roots most good. For faster results add 5 to 10 lbs. organic plant food per 100 lbs. Humus.

AMOUNT TO APPLY PER SQUARE FOOT:

NEW LAWNS, 1 to 3 lbs.; OLD LAWNS, 1 to 2 lbs.
GARDENS AND FLOWER BEDS, 2 to 4 lbs.

5 lbs., 25c; 10 lbs., 40c; 25 lbs., 75c; 50 lbs., \$1.10;
100 lbs., \$1.75; 500 lbs., \$7.50; 1000 lbs., \$12.50;
ton, \$22.50. Let us quote 5 ton and carload lots.

PEAT MOSS

Promotes Growth by Improving Texture of Soils and as a mulch, keeps roots moist and cool; discourages weeds. Ideal for rose beds and perennial borders.

Large Bale, \$4.65; 1 bu., 60c.

VIGORO

Here's how to
have a more
beautiful
Lawn

Don't be satisfied with a sparse, spotty lawn. You can very easily have one that's "the finest in the neighborhood." Feed your lawn with Vigoro, complete plant food. Vigoro supplies all growing things with the nourishment needed from the soil. It is clean, odorless, sanitary, and easy to use! Most economical, too!

100 lbs.....	\$4.00
50 lbs.....	2.50
25 lbs.....	1.50
10 lbs.....	.85
5 lbs.....	.45
1 lb.....	.10

ESSKAY QUALITY PLANT FOOD

(Analysis: 5-9-4)

A complete organic fertilizer consisting of blood, bone meal, tankage and potash scientifically blended for Flowers, Lawns, Vegetables, Trees and Shrubs. It builds up the soil and leaves no acid residue.

100-lb. bag.....	\$4.00
50-lb. bag.....	2.75
25-lb. bag.....	1.65
10-lb. bag.....	.83

How to cure a BALD-HEADED TERRACE

USE BEMIS EROSIONET

EROSIONET

Now you can grow grass on that stubborn slope. Unroll this mesh blanket and laugh at the rain. Your seeds will not be washed out, and you will get a sturdy stand of grass.

45 in. wide.....
10 yds. or more.....

AGRICO

Gardens

5-10-5	\$4.00
2.50	
1.50	
.80	
.45	

Lawns, Trees and Shrubs

6-10-4	\$4.00
100-lb.	2.50
50-lb.	1.50
25-lb.	.80
10-lb.	.45

For Broadleaf Evergreens (6-10-4) acid forming.
10 lbs., \$1.00; 25 lbs., \$2.00; 100 lbs., \$5.00.

VEGETABLE SEEDS

Anise	19
Artichoke	3
Asparagus	3
Basil	19
Beans	4, 5, 6
Beets	7
Borecole	10
Broccoli	11
Brussels Sprouts	10
Cabbage	8, 9
Caraway	19
Carrots	12
Cantaloupe	22
Cauliflower	11
Celeriac	16
Celery	13
Celtuce	13
Chicory	16
Chinese Cabbage	16
Chives	18
Citron	22
Collards	10
Corn	14, 15
Corn Salad	18
Cress	16
Cucumber	17
Dandelion	18
Dill	19
Egg Plant	18
Endive	18
Escarolle	18
Fennel	18, 19
Gumbo	25
Herbs	19
Kale	19
Kohlrabi	19
Lavender	19
Leek	19
Lettuce	20, 21
Marjoram	19
Mushroom Spawn	23
Muskmelon	22
Mustard	23
Okra	25
Onion	24
Onion Sets	24
Parsley	25
Parasnips	29
Peanuts	27
Peas	26, 27
Pepper	28
Popcorn	13
Potatoes	32
Pumpkins	29
Radishes	30, 31
Rhubarb	31
Rosemary	19
Rutabagas	38
Sage	19
Salsify	31
Sorrel	31
Spinach	34, 35
Squash	33
Summer Savory	19
Sweet Potatoes	32
Swiss Chard	16
Thyme	19
Tomatoes	36, 37
Turnips	38
Varieties of Special Merit	3
Vegetable Planting Chart	2
Watermelon	23

FIELD SEEDS, ETC.

Bird Seed	40
Field Seeds	40, 41
Pasture Mixture	40
Wild Bird Seed	40

PLANTS, ROOTS AND NURSERY STOCK

Amaryllis	56
Asparagus Roots	58
Azaleas	59
Barberry	59
Begonias	56
Bleeding Hearts	56
Caladiums	56
Cannas	56
Clematis Vines	50
Daffodil, Peruvian	56
Dahlia Roots	60

Evergreens	59
Flower Plants	43
Gladiolus	57
Hedge Plants	58
Horseradish Roots	58
Iris	56
Lilies	56
Peonies	56
Rhododendrons	59
Rhubarb Root	58
Rose Bushes	50
Strawberry Plants	60
Shrubs	59
Trees	58, 59
Tuberose	56
Vegetable Plants	58

FLOWER SEEDS

Annuals	43 to 50
Perennials	51 to 55
Vines	50

SUPPLIES, IMPLEMENTS, ETC.

Adco	78
Agrico	79
Ant Traps and Sets	63
Arsenates	62, 63
Asparagus Bunchers	68
Asparagus Knives	68
Asparagus Salt	78
Axes	69
Back Bands	70
Bag Balm	75
Bamboo Stakes	67
Barbed Wire	74
Beetle Traps	63
Bee Supplies	77
Belting	75
Berry Boxes	58
Black Leaf Forty	63
Blood Meal	78
Bone Meal	78
Books	39
Bordeaux Mixture	62
Brooders	73
Brooder Thermometers	73
Broom Rakes	69
Brooms	69
Brush Hooks	69
Butter Coloring	75
Butter Paper	75
Calf Weaners	75
Caponizing Sets	72
Carbola	63
Carbolineum	63
Caulking Gun	67
Celery Bleachers	13
Celery Holder	13
Cemetery Vases	67
Chains	70
Charcoal	72
Chicks	72
Churns	75
Copper Arsenate	62
Copper Sulphate	63
Cordage	70
Corn Ear Worm Drops	63
Corn Planter	15
Corn Shellers	77
Cow Manure	78
Crabex	65
Crow Repellent	63
Cucurbit Dust	63
Cultivators	71
Cyano Gas	63
DDT	63
DX	63
Dairy Supplies	75
Dibbles	69
Disc Harrows	70
Dog Food	72
Dog Repellents	62
Double Trees	70
Drag Scoop	71
Ducks	72
Dusters	66
Earth Augers	74
Egg Baskets	73
Egg Candler	73
Egg Cartons	73
Egg Cleaners	73
Egg Grading Scale	73
Egg Preservative	73
Electric Farm Fence	74

Engines	74
Erosionet	79
Esskay Plant Food	79
Evergreen	63
Fencing	74
Fertilizer	78
Fertilizer Distributors	71
Fish Oil Soap	64
Flame Sprayer	66
Floralife	78
Flour of Sulphur	65
Flower Guard	71
Flower Pots	67
Formaldehyde	64
Fountain Heaters	73
Fruitone	77
Fruit Pickers	68
Fungtrogen	64
Garden Cart	69
Garden Trowels	68
Glass	67
Glass Cloth	73
Glazing Points	67
Glazing Putty	67
Gloves	69
Go-West	64
Grafting Wax	68
Grape Dust	64
Grass Hooks	69
Grindstones	75
Grit	72
Halter Chains	70
Handles	77
Hand Weeders	68
Hay Carriers	75
Hay Forks	69
Hedge Shears	68
Hoes	69
Hog Oil Wormer	75
Honey Jars	77
Horse Hoes	71
Hose	68
Hot Bed Heater	39
Hotkaps	67
Hyacinth Stakes	67
Hydrated Lime	78
Hyper Humus	79
Hy-Gro	78
Hy-Trous	79
Hyponex	79
Incubator Thermometers	73
Insecticides	62, 63, 64, 65
Insecticide Cartridges	66
Japidemic	64
Kryocide	64
Kura Leak	74
Land Plaster	78
Lawn Fence	74
Lawn Gates	74
Lawn Roller	69
Lawn Sprinklers	68
Leg Bands	73
Lime Spreader	71
Lime and Sulphur	62, 64
Mail Box	77
Manure Forks	69
Mattocks	69
Meat Curing Products	77
Metal Egg Crates	73
Mole Nots	64
Mole Traps	69
Mologen	69
Mortar Hoe	64
Mortar Mixer	69
Napthalene Flakes	64
Neck Yoke	70
Neponset Pots	67
Nico Fume	64
Nitragin	79
Norcross Cultivators	69
Nozzles	68
Optox	64
Oyster Shell	72
Paradichlorobenzene	64
Para-Scalecide	64
Paris Green	62
Peat Moss	79
Pestex	64
Planet Jr. Implements	71
Plantabbs	78
Plant Bands	67
Plant Boxes	67
Plant Stakes	67

Pomo Green	64
Pot Labels	67
Post Hole Diggers	74
Potato Hooks	69
Poultry Feeds	72
Poultry Fencing	74
Poultry Killer	73
Poultry Remedies	72
Poultry Supplies	72, 73
Pruners	69
Pruning Paint	64
Pyrox	64
Raffia	67
Rakes	69
Rat Exterminator	73
Red Arrow	64
Rope	70
Roofing Materials	74
Rootone	77
Rose Spray	64
Rotenone Dust	62, 65
Salt Bricks	77
Sash	67
Saw Blades	75
Saw Frames	75
Saws	75
Scalecide	65
Scythes	69
Scythe Stones	69
S.E.C. Oil	65
Seeders	17, 41, 71
Selocide	65
Separators	75
Semesan	63
Sheep Manure	78
Shovels	69
Slug Shot	65
Snarol	65
Snaths	69
Soil Improvement	76
Soil Soaker	68
Soil Tester	76
Spades	69
Spading Forks	69
Spike Tamp	69
Spray Catalizer	63
Spray Chart	61
Sprayers	66
Spraying Materials	63, 64, 65
Spreaders	71, 78
Sprinklers	68
Stalls	75
Stanchions	75
StimRoot	77
Stock Tonic	75
Strainer Pads	75
Sulphur	62, 65
Sulfocide	65
Syphonette	78
Tartar Emetic	65
Teat Dilators	75
Terogen	65
Tobacco Dust	65
Tobacco Stems	78
Tool Grinders	75
Toptox	65
Tractor	71
Transplantone	77
Traps	63
Tree Labels	67
Tree Pruners	68
Tree Banding Compound	65
Tree Wound Paint	64
Tri-ogen	65
Turkey Poults	72
Vegetable Tying Mach's	70
Vermiculite	79
Vigoro	79
Vio-Ray	73
Vitamin B-1	78
Volck	65
Weed Cutters	69
Weeders	68, 71
Weedone	65
Weed Killer	65
Weed Slugger	69
Wheelbarrows	70
Wheel Hoes	71
Wire Stretchers	74
Whale Oil Soap	64
Worm Powder	72
Y-O	72
Zotox	65

[illegible]

Quality of Strains Proven at Our Trial Grounds

ORDER SHEET

Established 1887

J. MANNS & CO.

Superior Seeds

BALTIMORE 2, MD.

ENSOR AND FORREST STREETS

AT BELAIR MARKET

**HAVE YOU
ALLOWED FOR
POSTAGE ON
MANUFACTURED
ARTICLES?**

Cotton bags 25¢ each

**No charge for boxes
or other packing**

Date.....19.....

Name.....

Post Office..... R. F. D. No.

Freight Office..... State.....

Please Forward Via.....
(Express, Freight or Parcel Post)

Enclosed.....For \$.....
(Check, Money Order or Stamps)

We give no warranty, express or implied, as to the productiveness of any seeds we sell and will not be in any way responsible for the crop. Our liability in all instances is limited to the purchase price of the seed.

[illegible]

WANTED—Names and addresses of your acquaintances who should receive our Annual Catalog, Price Lists, etc. We will appreciate your kindness and so will they.—Thank you.

NAMES	POST OFFICE	STATE

MANNS' SUPERIOR FLOWER SEEDS

12 Packages \$1.00—Your selection—pages 43-55

Flower Seeds for Particular Purposes

BORDER AND EDGING

- Ageratum
- x Alyssum, Saxatile
- x Arabis, Alpina
- x Bellis Perennis
- Calendula
- x Campanula, Carpatia
- Candytuft
- Centaurea
- x Cerastium
- x Dianthus, Barbatus
- x Iberis, Sempervirens
- Lobelia
- Nasturtium
- Marigold
- x Nierembergia
- Pansy
- x Papaver, Nudicaule
- Petunia
- x Phlox, Subulata
- Portulaca
- x Sedum

FRAGRANCE

- Ageratum
- Alyssum, Sweet
- Antirrhinum
- Candytuft
- Centaurea
- x Dianthus
- Heliotrope
- x Iris
- Mignonette
- Nasturtium
- Nicotiana
- Pansy
- Petunia
- Scabiosa
- Stock
- Stock, Virginian
- Sweet Peas
- Verbena

x Perennial Varieties.

EVERLASTINGS

- Globe Amaranth
- Helichrysum
- Linaria
- Statice

PARTIAL SHADE

- Alyssum, Sweet
- x Anchusa Italica
- x Anemone
- Antirrhinum
- x Aster, Hardy
- x Candytuft, Iberis
- Centaurea
- China-Aster
- Clarkia
- x Foxglove or Digitalis
- x Hibiscus, Moschata
- x Lathyrus
- Lupinus
- Myosotis, Forget-me-not
- Nicotiana
- Pansy
- Petunia
- x Primula, English Cowslip
- x Rudbeckia
- Schizanthus
- x Violas

MOIST PLACES

- x Heliotrope
- Mimulus
- x Viola
- x Wallflower

ROCK GARDENS

See Annuals and Perennials
Marked *

DRY PLACES

- x Aster
- California Poppy
- x Coreopsis
- x Dianthus
- Dimorphotheca
- x Gypsophila, Paniculata
- x Helianthus
- x Iris
- Mesembryanthemum
- Mimosa
- x Papaver, Nudicaule
- Phlox, Annual
- x Phlox, Hardy
- x Statice, Latifolium

CUT FLOWERS

- Ageratum
- Arctotis
- Asters
- Babysbreath
- Calendula
- Cornflower
- Cosmos
- Dianthus
- Gaillardia
- Larkspur
- Marigold, African
- Mignonette
- Nasturtium
- Nigella
- Phlox, Drummondii
- Salpiglossis
- Scabiosa
- Snapdragon
- Stocks
- Strawflower
- Xeranthemum
- Zinnia

TALL VARIETIES

- Amaranthus, Caudatus
- x Campanula, Pyramidalis
- x Coreopsis
- Cosmos
- x Dahlia
- x Digitalis
- x Hollyhock
- Marigold, African
- Nicotiana
- Ricinus

WINDOW BOXES

- Ageratum
- Alyssum
- Begonia
- Centaurea
- Lobelia
- Nasturtium
- Pansy
- Petunia
- Phlox
- Portulaca
- Salvia Splendens
- Thunbergia
- Vinca
- Zinnia, Lilliput

POOR SOIL

- Alyssum, Sweet
- Amaranthus
- Balsam
- California Poppy
- Calliopsis
- Cornflower
- Four-O'Clock
- Marigold
- Nasturtium
- Poppy
- Portulaca

Manns' Lawn Mixtures have been known for their Superior Quality for more than half a century

Manns' Superior Lawn Grass

A correctly proportioned mixture of the best varieties of grasses blended according to a formula resulting from years of study and experience. Every variety has its special duty to perform in the maintenance of a beautiful and permanent lawn.

1 lb.....	\$1.00	25 lbs.....	\$23.25
5 lbs.....	4.85	100 lbs.....	90.00

Manns' Shady Place Lawn Grass

This mixture contains grasses which are best adapted for growing under trees and in shaded spots. It quickly produces an abundant and even growth of beautiful grass, harmonizing in color and general appearance with our Superior mixture.

1 lb.....	\$1.00	25 lbs.....	\$23.25
5 lbs.....	4.85	100 lbs.....	90.00

Manns' Shoreland Lawn Grass

A mixture of turf varieties particularly adaptable for growing in sandy soils.

1 lb.....	\$1.00	25 lbs.....	\$23.25
5 lbs.....	4.85	100 lbs.....	90.00

Manns' Evergreen Lawn Grass

(Without clover)

A good, clean mixture of high germinating stock, of low weed content. An excellent value where clover is not desired.

1 lb.....	\$.90	25 lbs.....	\$20.75
5 lbs.....	4.35	100 lbs.....	80.00

Lawn Making and Maintenance, See Page 42.

ENSOR AND
FORREST STS.

Manns'
SUPERIOR SEEDS
BALTIMORE, MD.

AT
BELAIR MARKET