Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE
PLANT DISEASE REPORTER
ISSUED BY
THE OFFICE OF MYCOLOGY AND DISEASE SURVEY

Supplement 66

Index to Supplements 58-65

December 31, 1928

BUREAU OF
PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES
IN

THE PLANT DISEASE REPORTER
SUPPLEMENTS LVIII--LXV, 1928

Plant Disease Reporter
Supplement 66

December 31, 1928

Prepared by Mary G. Van Meter and Rosella C. Loftus

- Actinomyces scabies*, beet, 294.
 potato, 41, 93, 227.
 sp., sweet potato, 251, 385.
Actinonema rosae (see *Diplocarpon rosae*), 355.
Agallia sticticollis, sugar beet, 292.
Albugo candida, horseradish, 40, 267.
 mustard, 267.
 radish, 43, 267.
 turnip, 268.
 ipomoeae-panduranae, sweet potato, 252.
 tragopogonis, salsify, 299.
Alternaria brassicae, cabbage, 86, 264.
 cauliflower, 266.
 horseradish, 40, 89, 267.
 brassicae nigrescens, Brussels sprouts, 267.
 citri, citrus, 214.
 dianthi, *Dianthus caryophyllus*, 420.
 forsythiae, *Forsythia* sp., 53.
 herculaea, Chinese cabbage, 265.
 horseradish, 267.
 turnip, 268.
 panax, *Panax quinquefolium*, 57.
 solani, potato, 42, 43, 94, 227, 383.
 tomato, 46, 241, 386.
 sp., bell pepper, 41.
 carrot, 294.
 cotton, 284.
 ginseng, 296.
 okra, 297.
 pepper, 298.
 Rosa spp., 355.
 Sorbus americana, 411.
 tobacco, 287.
 turnip, 103, 268.
Ameris rosicola (see *Uromyces rosicola*), 355.
Amerosporium oeconomicum, cowpea, 348.
 Ammoniation, citrus, 216.
Aphanomyces euteiches, *Lathyrus odoratus*, 425.
 pea, 91, 104, 279.
 raphani, radish, 43, 267.
Aphelenchus agricola, *Anemone coronaria*, 412.
 olesistus, *Begonia* sp., 413.
 subtenuis, *Narcissus* spp., 426.
Apiosporella rhodophila, *Rosa setipoda*, 355.
Aplanobacter insidiosum, alfalfa, 17, 70, 343.
 michiganense, tomato, 100, 104, 117, 245.
 stewartii, corn, 337.
 sweet corn, 11.
Armillaria mellea, cherry, 177.
 citrus, 215.
 peach, 171.
 Pinus monticola, 403.
 potato, 237.
 Pseudotsuga douglasii, 404.
 Quercus spp., 410.
 raspberry, 204.
 Rosa sp., 356.
 strawberry, 187.
Ascochyta medicaginis, alfalfa, 345.

pea, 92.
 pinodella, pea, 280.
 pisi, pea, 280.
 plumbaginicola, *Limonium latifolium*,
 55.
 rhei, rhubarb, 44, 299.
 spp., alfalfa, 72.
 pea, 279.
Ascochyta asparagina, *Asparagus*
plumosis, 413.
Ascospora rubi, raspberry, 204.
Aspergillus niger, fig, 217.
 onion, 262.
terreus, *Rosa* sp., 356.
Asteroma rosae (see *Diplocarpon rosae*),
 356.
 Aster yellows, *Erigeron annuus*, 433.
 Aster yellows virus, *Leptilon canadense*,
 433.

B

Bacillus amylovorus, apple, 24, 26, 69,
 105, 109, 138, 392.
 apricot, 178.
Crataegus monogyna, 52, 408.
Crataegus oxyacantha, 52.
Malus coronaria, 408.
 pear, 26, 28, 69, 108, 109, 153, 395.
 quince, 159.
Rosa sp., 356.
 aroideae, *Zantedeschia aethiopica*,
 432.
carotovorus, cabbage, 265.
 carrot, 39, 86, 294.
 celery, 277.
Iris spp., 55, 424.
 lettuce, 277.
 onion, 262.
 squash, 273.
 sweet potato, 252.
 turnip, 268.
phytophthorus, potato, 42, 43, 93, 104,
 229, 331.
 sorghi, sugar sorghum, 77.
tracheiphilus, cucumber, 39, 269.
 muskmelon, 38, 272.
 pumpkin, 273.
 squash, 44, 274.
 watermelon, 275.
 Bacterial blight, bean, 32.
 lima bean, 89.
 strawberry, 109, 117.

wheat, 81.
 Bacterial bud rot, *Gardenia florida*,
 421.
 Bacterial canker, tomato, 69.
 Bacterial disease, sorghum, 342.
 Bacterial leaf spot, alfalfa, 345.
Convallaria majalis, 417.
 strawberry, 188.
 Bacterial soft rot, pepper, 298.
 Bacterial wilt, squash, 100.
 Bacteriosis, bean, 69, 82.
Bacterium andropogoni, sorghum, 341.
angulatum, tobacco, 285.
apii, celery, 277.
atrofaciens, wheat, 321.
campestre, cabbage, 37, 264.
 cauliflower, 266.
 kale, 267.
 rutabaga, 268.
 turnip, 268.
cerasi, cherry, 177.
 peach, 171.
 plum, 174.
citrarefaciens (see *B. citripu-*
teale), 212.
citri, citrus, 212.
citriputeale, citrus, 212.
coronafaciens, oats, 12.
coronafaciens atropurpureum, *Agro-*
pyron repens, 351.
 quack grass, 22.
delphinii, *Delphinium belladonna*, 53.
Delphinium sp., 419.
Delphinium spp., 53.
erodii, *Pelargonium* sp., 427.
gummisudans, *Gladiolus* sp., 412.
juglandis, walnut, 222.
lachrymans, cucumber, 39, 88, 269.
maculicolum, cabbage, 265.
 cauliflower, 266.
malvacearum, cotton, 232, 389.
marginatum, *Gladiolus* sp., 421.
Gladiolus spp., 54.
Tigridia pavonia, 431.
medicaginis, alfalfa, 18, 70, 81,
 344.
mori, *Morus alba tartarica*, 56.
Morus spp., 56.
 mulberry, 212.
pelargoni, *Pelargonium* sp., 428.
phaseoli, bean, 36, 37, 82, 104,
 255, 256.
 lima bean, 260.

phaseoli sojense, soybean, 23, 349
pisi, pea, 90, 280.
pruni, apricot, 28, 178.
 cherry, 29, 177.
 German prune, 32.
 peach, 30, 164.
 plum, 31, 174.
 Prunus besseyi, 58.
 Prunus spp., 59.
 Rocky Mountain dwarf cherry, 177.
puerariae, kudzu, 350.
sojae, soybean, 349.
solanacearum, bean, 255, 256.
 Dahlia sp., 418.
 eggplant, 295.
 pepper, 298.
 potato, 232.
 tobacco, 287.
 tomato, 245, 386.
 sp., *Pelargonium* sp., 428.
 spp., bean, 387.
striaefaciens, oats, 12, 333.
tabacum, tobacco, 285.
translucens, barley, 6, 74, 81, 329.
translucens undulosum, wheat, 15,
 17, 78, 319, 372.
trifoliorum, red clover, 21, 346.
tumefaciens, apple, 24, 105, 141.
 beet, 294.
 blackberry, 203.
 grape, 107, 182.
 Lathyrus odoratus, 425.
 loganberry, 209.
 peach, 107, 171.
 pear, 158.
 plum, 174.
 poplar, 113.
 Populus bolleana, 58.
 Populus spp., 58.
 raspberry, 35, 108, 203.
 Rosa spp., 60, 113, 356, 429.
 Salix spp., 410.
 tomato, 246.
vesicatorium, pepper, 298.
 tomato, 46, 246.
vignae, cowpea, 343.
viridifaciens, lima bean, 260.
woodsii, *Dianthus caryophyllus*, 420.
 Baldwin spot, apple, 150.
 Basal stem rot, wheat, 320.
Basisporium gallarum, corn, 8, 338.
 sweet corn, 11.
 Bastard seed head, onion, 262.

Bitter pit, apple, 145.
 pear, 158.
 Black end rot, pear, 159.
 Black heart, celery, 87, 277.
 potato, 238.
 Black root, strawberry, 185.
 Black spot, cabbage, 265.
 Blast, oats, 13, 333.
Blastocladia tenuis, *Rosa* sp., 356.
 Rosa spp., 429.
 Blight, citrus, 215.
 Phlox spp., 428.
 Blossom drop, bean, 259.
 tomato, 247.
 Blossom end rot, tomato, 46, 102, 246.
 watermelon, 47, 103, 275.
 Blossom shed, persimmon, 219.
 Body-cankers, cherry, 106, 178.
 peach, 107.
 planetree, 112.
Botryosphaeria berengeriana, pecan, 221.
 ribis, currant, 209.
 Rosa spp., 356.
Botrytis cinerea, *Abies lasiocarpa*, 401.
 Chrysanthemum spp., 416.
 citrus, 214.
 currant, 209.
 Dahlia sp., 418.
 Dendrobium thyrsiflorum, 420.
 eggplant, 295.
 feijoa, 217.
 Hydrangea sp., 423.
 Pseudotsugae douglasii, 404.
paeonia, *Paeonia* sp., 426.
 sp., *Anemone* sp., 412.
 Begonia sp., 413.
 cabbage, 265.
 fennel, 296.
 fig, 217.
 gooseberry, 210.
 grape, 182.
 Iris spp., 424.
 lettuce, 277.
 Marsilea sp., 426.
 Paeonia sp., 427.
 Pelargonium sp., 428.
 pepper, 298.
 Picea sp., 402.
 potato, 237.
 raspberry, 204.
 Rhododendron spp., 429.
 Rosa spp., 356, 429.
 Senecio cruentus, 430.

strawberry, 187.
 tomato, 247.
 spp., onion, 90, 261.
 tulipae, *Tulipa* spp., 431.
 Breakdown, apple, 151.
Bremia lactucae, lettuce, 278.
 Brown blight, lettuce, 278.
 Brown root rot, tobacco, 287.
 Budrot, *Canna* sp., 416.
Bulgaria inquinans, *Quercus* spp., 410.
polymorpha, *Quercus* spp., 410.

C

Caenema radiculicola, alfalfa, 345.

apple, 105.
 bean, 259.
 beet, 86, 294.
Begonia sp., 413.
Buddleia sp., 414.
 cabbage, 265.
 carrot, 87, 294.
 celery, 277.
Chrysanthemum spp., 416.
 cotton, 283, 389.
 cucumber, 271.
Cyclamen sp., 418.
Dahlia sp., 418.
 fig, 217.
Forsythia sp., 421.
Gardenia florida, 421.
 muskmelon, 273.
 okra, 297.
 onion, 262.
Paeonia sp., 427.
 pea, 93, 280.
 peach, 172.
 potato, 237.
 privet, 113.
 rhubarb, 99, 299.
Rosa spp., 356.
Schinus molle, 411.
Spiraea lucida, 431.
 squash, 274.
 strawberry, 187.
 sugar beet, 86.
 sweet potato, 252.
 tobacco, 287.
 tomato, 103, 247.
 watermelon, 275.

Calico, alfalfa, 72.

potato, 95, 236.

Calypsotheca columnaris, *Vaccinium*

parvifolium, 434.
 Canker, asparagus, 294.
 flax, 340.
 pear, 108.

Capnodium citricolum, citrus, 215.
 sp., watermelon, 275.

Cenangium acuum, *Pinus resinosa*, 403.

Cephaleuros mycoidea, avocado, 217.
 citrus, 215.
 guava, 218..
 loquat, 218.

Cephalobus elongatus, *Anemone coronaria*, 412.

Cephalosporium acremonium, corn, 9, 338.

Cephalothecium roseum, apple, 148.

Ceratostomella fimbriata, sweet potato, 250, 385.

Cercospora althaeina, *Althaea rosea*, 412.

ampelopsidis, *Ampelopsis engelmannii*, 49.

Ampelopsis quinquefolia, 49.

amphakodes, *Phlox glaberrima suffruticosa*, 57.

Phlox spp., 57.

anethi, dill, 295.

angulata, currant, 33, 210.

antipus, *Lonicera sempervirens*, 56.

apii carotae, carrot, 39, 294.

apii, celery, 39, 276.

apii pastinacae, parsnip, 40, 297.

armoraciae, horseradish, 40, 267.

asparagi, asparagus, 293.

atricincta, *Zinnia elegans*, 432.

beticola, beet, 37, 294.

sugar beet, 23, 83, 293.

swiss chard, 45, 300.

capsici, pepper, 298.

catalpae, *Catalpa* sp., 51.

caulicola, asparagus, 293.

circumscissa, *Prunus serotina*, 59.

Prunus virginiana, 59.

citrullina, watermelon, 275.

cruenta, bean, 259.

cowpea, 349.

soybean, 349.

davisii, sweet clover, 21, 348.

desmanthi, *Desmanthus illinoensis*, 432.

deutziae, *Deutzia gracilis*, 53.

Deutzia spp., 53.

fusca, pecan, 221.

- hydrangeana, *Hydrangea* sp., 423.
 hyperici, *Hypericum adpressum*, 424.
 kellermanii, *Althaea rosea*, 49.
 kikuchii, soybean, 349.
 macromaculans, *Syringa* spp., 62.
 mali, apple, 148.
 medicaginis, alfalfa, 72, 345.
 moricola, *Morus* spp., 56.
 nicotianae, tobacco, 287.
 omphakodes, *Phlox* spp., 428.
 opuli, *Viburnum opulus*, 62.
 Viburnum opulus sterile, 62.
 Viburnum trilobum, 62.
 personata, peanut, 297.
 rosicola, *Rosa* spp., 60, 357, 429.
 rosicola undosa, *Rosa humilis*, 357.
 rosigena, *Rosa* sp., 357.
 rubi, blackberry, 200.
 raspberry, 204.
 rudbeckiae, *Rudbeckia laciniata*, 433.
 Rudbeckia purpurea, 60.
 sp., *Phlox* spp., 428.
 Rhododendron spp., 429.
 sorghum, 341.
 soybean, 349.
 spp., fig, 217.
 squalidula, *Clematis*, 110.
 Clematis spp., 417.
 vexans, *Fragaria vesca*, 187.
 Fragaria virginiana, 187, 453.
 strawberry, 187.
 violae, *Viola cucullata*, 63.
 zebrina, alsike clover, 346.
 hop clover, 346.
 red clover, 346.
 white clover, 76, 346.
Cerotelium fici, fig, 217.
Chlorosis, apple, 105, 109, 116, 151.
 bean, 259.
 citrus, 216.
 fruits, 69, 115.
 grape, 34, 107, 109, 116, 182.
 lettuce, 278.
 muskmelon, 273.
 ornamentals, 115.
 pea, 280.
 peach, 107, 116, 172.
 peanut, 297.
 pear, 159.
 persimmon, 219.
 raspberry, 103, 109, 116, 205.
 Rosa spp., 369.
 shrubs, 116.
 trees, 116.
 woody plants, 68.
Cladosporium carpophilum, apricot, 178.
 peach, 30, 31, 164, 393.
 cucumerinum, cucumber, 271.
 muskmelon, 273.
 fulvum, tomato, 46, 247.
 fuscum, *Rosa* sp., 357.
 Rosa spp., 429.
 paeoniae, *Paëonia* sp., 427.
 Paëonia spp., 57.
 sp., *Rosa* spp., 357.
 Viola sp., 431.
 vignae, cowpea, 349.
Claviceps purpurea, barley, 6, 329.
 Bromus sp., 351.
 Chaetochloa viridis, 351.
 rye, 14, 15, 323, 373.
 wheat, 15, 318.
 sp., dallis grass, 351.
Coccomyces hiemalis, cherry, 29, 30, 106, 176, 398.
 plum, 31.
 Prunus melanocarpa, 409.
 prunophorae, German prune, 32.
 plum, 175.
 sp., apricot, 28.
 Cold injury, sweet potato, 253.
Coleosporium solidaginis, *Callistephus chinensis*, 50, 414.
 Collar rot, apple, 105.
Colletotrichum antirrhini, *Antirrhinum majus*, 412.
 atramentarium, eggplant, 88.
 potato, 94.
 cereale, wheat, 15.
 circinans, onion, 262.
 destructivum, alsike clover, 75.
 red clover, 75.
 falcatum, sugar cane, 289.
 gloeosporioides, citrus, 215.
 gossypii, cotton, 389.
 graminicolum, barley, 6, 329.
 Holcus sorghum sudanensis, 351.
 oats, 12.
 rye, 14.
 wheat, 318.
 griseum, *Euonymus* spp., 420.
 higginsianum, turnip, 268.
 lagenarium, cucumber, 270.
 muskmelon, 38, 272.
 watermelon, 47, 274.
 lindenuthianum, bean, 36, 37, 254, 387.
 lineola, *Holcus halepensis*, 351.

- phomoides, tomato, 247.
 pisi, pea, 280.
 sp., asparagus, 294.
 date, 217.
 fig, 218.
 strawberry, 187.
 spinaceae, spinach, 299.
 trifolii, red clover, 346, 347.
 Collybia dryophila, dewberry, 209.
 Comandra umbellata, Rosa spp., 357.
 Concave gum disease, citrus, 216.
 Coniosporium limoniforme, Rosa sp., 357.
 Coniothyrium concentricum, Yucca sp., 432.
 fuckelii, (see Leptosphaeria coniothyrium), 357.
 pyrina, apple, 25.
 pear, 27.
 rosarum, Rosa spp., 357.
 sp., peach, 172.
 Rosa spp., 358, 429.
 wernsdorffiae, Rosa spp., 357.
 Cork, apple, 151.
 Corn root worm, corn, 10.
 Corticium koleroga, citrus, 215.
 fig, 218.
 persimmon, 219.
 stevensii, Rosa sp., 358.
 vagum, bean, 83, 104, 258.
 beet, 84, 294.
 cabbage, 265.
 carrot, 87, 294.
 cauliflower, 266.
 Cordyline terminalis, 417.
 cotton, 283.
 Delphinium sp., 419.
 Dianthus caryophyllus, 420.
 eggplant, 295.
 lettuce, 278.
 lima bean, 260.
 pea, 279.
 pepper, 298.
 potato, 42, 43, 94, 104, 230, 381.
 sugar beet, 84, 292.
 tobacco, 287.
 tomato, 102, 247.
 Coryneum beijerinckii, almond, 105.
 apricot, 106, 178.
 cherry, 177.
 peach, 107, 172.
 microstictum, Rosa sp., 358.
 sp., Rosa spp., 358.
 Crinkle joint, wheat, 322.
 Cronartium cerebrum, Pinus resinosa, 403.
 comptoniae, Pinus sylvestris, 404.
 harknessii, Pinus ponderosa, 403.
 ribicola, Pinus strobus, 403.
 Crown rot, alfalfa, 19, 69, 72, 81, 344.
 Cryptosporella viticola, grape, 182.
 Cucurbitaria pithyophila, Pinus monticola, 403.
 rosae, Rosa sp., 358.
 Curl, blackberry, 208.
 Lucretia blackberry, 208.
 raspberry, 197.
 Rubus allegheniensis, 208.
 Curly top, (see yellows), 243.
 bean, 83, 259.
 beet, 85.
 carrot, 87, 295.
 cucumber, 271.
 horseradish, 89, 267.
 muskmelon, 273.
 pepper, 298.
 spinach, 100, 299.
 squash, 100, 274.
 sugar beet, 69, 104, 291.
 tobacco, 287.
 tomato, 386.
 Cuscuta indecora, Rosa sp., 358.
 paradoxa, Rosa sp., 358.
 sp., alfalfa, 117, 345.
 Chrysanthemum spp., 417.
 citrus, 215.
 spp., alfalfa, 72, 115.
 beet, 115.
 carrot, 115.
 onion, 115.
 pea, 115.
 potato, 115.
 sugar beet, 115.
 tomato, 115.
 Cylindrocyladium scoparium, Rosa spp., 358, 429.
 Cylindrosporium caryigenum, pecan, 221.
 chrysanthemi, Chrysanthemum spp., 416.
 fillipendulae, Spiraea douglasii, 62.
 Spiraea margarita, 62.
 Spiraea spp., 62.
 Spiraea thunbergii, 62.
 Spiraea vanhouttei, 62.
 fraxini, Fraxinus americana, 54.
 Fraxinus lanceolata, 54.

heraclei, *Heracleum*, 90.
Heracleum lanatum, 433.
 parsnip, 90.
 pastinaceae, parsnip, 90.
 salicifoliae, *Spiraea lucida*, 431.
 salicinum, *Salix pentandra*, 61.
Salix spp., 61.
Salix vitellina, 61.
 shepherdiae, buffaloberry, 110.
Shepherdia argentea, 431.
Shepherdia canadensis, 433.
 sp., *Rosa* sp., 358.
Cystospora batata, sweet potato, 45.
Cytospora chrysosperma, poplar, 113.
Populus sp., 409.
Populus spp., 58.
 leucostoma, peach, 172.
 nivea, *Populus alba*, 409.
 rubescens, *Sorbus aucuparia*, 61.
 sp., apple, 105.
Rosa sp., 358.
Sorbus quercifolia, 411.

D

Damping-off, bean, 259.
 onion, 262.
Dasyscypha calicyformis, *Pinus monticola*, 403.
 calycina, *Larix* sp., 402.
 fuscousanguinea, *Pinus albicaulis*, 403.
Dendrophoma obscurans, strawberry, 187.
Diabrotica duodecimpunctata, muskmelon, 38.
 vittata, muskmelon, 38.
Diaporthe batatatis, sweet potato, 252, 253.
 citri, citrus, 213.
 oligocarpoides, *Rosa* sp., 358.
 phaseolorum, lima bean, 260.
 sojae, soybean, 349.
 sp., *Rosa* sp., 361.
 umbrina, *Rosa* spp., 358, 430.
Diatrype tristicha (see *Valseutypella tristicha*), 361.
Dicoccum rosae (see *Diplocarpon rosae*), 361.
Didymaria clematidis, clematis, 110.
Clematis spp., 417.
 didymia, *Ranunculus septentrionalis*, 433.
Didymella nigrificans, *Rosa* sp., 361.

rauii, *Rosa* sp., 361.
Didymellina iridis, *Iris*, 111.
Iris spp., 55, 424.
 Die-back, apple, 151.
 cherry, 69, 106, 109.
 citrus, 216.
 peach, 69, 107.
Dimerosporium collinsii, *Amelanchier elliptica*, 406.
 galactis, *Galax aphylla*, 421.
Diplocarpon earliana, strawberry, 187.
 rosae, *Rosa* spp., 60, 361, 430.
 rose, 113.
Diplodia, corn, 11.
 gossypina, cotton, 284.
 natalensis, citrus, 213.
 rosae, *Rosa* spp., 361.
 sp., citrus, 214.
 fig, 218.
Rosa spp., 361.
 tubericola, sweet potato, 253.
 zeae (see *Basisporium gallarum*), 11.
 corn, 8, 9, 335.
 sweet corn, 11.

Discella populina, *Populus alba nivea*, 58.
Populus sp., 58.
Discosia artocreas, *Rosa* spp., 361, 430.
 Distortion of heads, wheat, 322.
Dothichiza populea, *Populus deltoides*, 409.
Populus nigra italica, 409.
Populus sp., 409.
Populus spp., 58.
Dothidea rosae (see *Phyllachora rosae*), 361.
Dothiorella sp., *Rosa* spp., 361.
 Drought injury, corn, 8.
 Drought spot, apple, 151.
 Dry root rot, alfalfa, 73.
 citrus, 216.
 Dwarf, blackberry, 207.
 Dahlia sp., 419.
 loganberry, 209.
 Dwarfing, sugar beet, 84.

E

Earlea speciosa (see *Phragmidium speciosum*), 361.
 Ear rots, corn, 335, 380.

Endothia parasitica, *Castanea dentata*,
51, 406.

Castanea sp., 51.

Entyloma australe, groundcherry, 40.

lineatum, *Zizania aquatica*, 352.

Erysiphe cichoracearum, *Callistephus*
chinensis, 415.

Chrysanthemum spp., 417.

cucumber, 39, 271.

golden glow, 111.

Helianthus giganteus, 54.

Helianthus debilis, 54.

muskmelon, 86, 273.

Phlox spp., 57, 428.

pumpkin, 43, 275.

squash, 44, 100.

sunflower, 114, 350.

watermelon, 275.

Zinnia elegans, 432.

Zinnia sp., 63.

graminis, barley, 329.

bluegrass, 22.

Kentucky bluegrass, 75.

oats, 77.

Poa pratensis, 352.

rye, 14, 324.

wheat, 15, 78, 319.

polygoni, *Aquilegia* sp., 413.

Aquilegia spp., 50.

bean, 37, 63, 259.

Clematis spp., 417.

cowpea, 22, 349.

Dahlia spp., 53.

Delphinium sp., 111, 419.

Lathyrus odoratus, 425.

Oenothera biennis, 433.

Oenothera laciniata, 433.

pea, 40, 91, 280.

Plantago major, 347.

red clover, 21, 75, 346.

sweet pea, 114.

turnip, 47, 103, 268.

spp., *Dahlia* sp., 413.

Eutypella sorbi, *Sorbus* sp., 411.

Exanthema, citrus, 216.

Exoascus cerasi, *Prunus serotina*, 177.

communis, plum, 174.

confusus, *Prunus virginiana*, 410.

deformans, peach, 30, 31, 107, 163,
393.

mirabilis, plum, 175.

Prunus hortulana, 59.

pruni, plum, 31, 174.

Exosporium palmivorum, date, 217.

F

Fabraea maculata, *Amelanchier glabra*,
406.

Amelanchier sp., 49.

Crataegus oxyacantha pauli, 52.

pear, 27, 28, 157, 395.

quince, 23, 159.

False blossom, cranberry, 211.

False canker, citrus, 215.

Fasciation, asparagus, 294.

Rosa sp., 369.

Fire blight, apple, 69.

pear, 69.

Pomes fulvus, plum, 31, 175.

Foot rot, wheat, 320.

Freezing injury, citrus, 216.

Frenching, tobacco, 287.

Frost injury, apple, 147.

boxwood, 147.

Buxus sempervirens, 414.

cherry, 30.

grape, 183.

Japanese maple, 147.

Norway maple, 147.

peach, 171.

pear, 147.

raspberry, 205.

tulip, 147.

Fruit gumming, peach, 172.

Fruit mold, raspberry, 205.

Fruit rots, tomato, 102, 248.

Fuligo sp., grasses, 351.

vagans, strawberry, 187.

Fumago sp., apple, 148.

vagans, *Chrysanthemum* spp., 417.

Fusaria, corn, 9, 338.

onion, 262.

Fusarium affine, tobacco, 287.

batatatis, sweet potato, 44, 45,
249, 385.

conglutinans, cabbage, 38, 263.

kale, 267.

conglutinans *callistephi*, china
aster, 110.

Callistephus chinensis, 415.

corn, 11, 335.

culmorum letetius, barley, 329.

wheat, 321.

culmorum, wheat, 79.

eumartii, potato, 232.

hyperoxysporum, sweet potato, 44,
 45, 249, 385.
 lini, flax, 22, 340.
 lycopersici, tomato, 46, 102, 242,
 386.
 malli, onion, 89, 262.
 martii phaseoli, bean, 259.
 martii pisi, pea, 41, 92, 279.
 moniliforme, corn, 335.
 moniliforme fici, fig, 218.
 niveum, watermelon, 47, 103, 275.
 oxysporum gladioli, Gladiolus sp.,
 422.
 oxysporum nicotianae, tobacco, 287.
 oxysporum, potato, 42, 43, 231, 381.
 sweet potato, 44.
 potato, 104.
 roseum, Rosa sp., 362.
 salicis, Laburnum vossi, 425.
 sp., alfalfa, 345.
 asparagus, 294.
 Campanula americana, 416.
 celery, 277.
 corn, 9, 380.
 Dianthus caryophyllus, 420.
 Freesia refracta alba, 421.
 Lathyrus odoratus, 425.
 muskmelon, 273.
 Narcissus spp., 426.
 parsley, 297.
 pea, 279.
 pepper, 298.
 Picea sp., 403.
 Pseudotsuga douglasii, 404.
 red pepper, 41.
 Rosa sp., 362.
 soybean, 349.
 spinach, 299.
 squash, 274.
 strawberry, 188.
 spp., bean, 37, 83, 259, 387.
 corn, 9.
 Crocus sp., 418.
 Gladiolus sp., 422.
 Larix spp., 402.
 pea, 92.
 potato, 94, 231.
 tomato, 69, 104.
 vasinfectum, cotton, 281, 389.
 okra, 297.
 vasinfectum tracheiphilus, cowpea,
 349.
 wheat, 320.

Fusicladium effusum, pecan, 219.
 pisicola, pea, 92, 280.
 saliciperduum, Salix spp., 410.
 Fusicoccum castaneum, Castanea sp., 51.
 sp., Rosa sp., 362.
 Fusisporium rubi, blackberry, 208.
 dewberry, 209.

G

Gibberella, corn, 11, 335.
 moricola, Morus spp., 56.
 saubinetii, barley, 6, 329.
 corn, 335, 379.
 oats, 12.
 rye, 14, 324.
 wheat, 15, 17, 316, 371.
 spp., corn, 9.
 Gloeodes pomigena, apple, 24, 143.
 Gloeosporium apocryptum, Acer plata-
 noides, 405.
 caulivorum, red clover, 21, 347.
 limetticolum, citrus, 215.
 medicaginis, alfalfa, 74.
 perennans, apple, 148.
 rosae, Rosa spp., 362.
 rumicis, sour grass, 299.
 sp., Acer palmatum, 405.
 avocado, 217.
 Euonymus spp., 421.
 Rosa sp., 362.
 Ulmus pumila, 411.
 Glomerella cincta, Rosa sp., 362.
 cingulata, apple, 136, 391.
 Cyclamen sp., 418.
 Ficus elastica, 421.
 fig, 218.
 pecan, 221.
 quince, 159.
 raspberry, 200.
 tomato, 248.
 gossypii, cotton, 282.
 sp., pepper, 298.
 Glutinium macrosporium, apple, 148.
 Gnomonia leptostyla, Juglans cinerea,
 55, 408.
 Juglans nigra, 55.
 ulmea, Ulmus spp., 62, 411.
 veneta, planetree, 112.
 Platanus occidentalis, 57.
 Platanus sp., 409.
 Quercus spp., 59, 410.
 Graphiola phoenicis, date, 217.

Gray disease, *Narcissus* spp., 426.
Guignardia aesculi, *Aesculus glabra*, 48.
Aesculus hippocastanum, 48.
Aesculus spp., 406.
bidwellii, *Ampelopsis quinquefolia*, 49.
Ampelopsis spp., 412.
Ampelopsis tricuspidata, 49.
 grape, 34, 35, 179, 390.
 sp., *Rhododendron* spp., 429.
 Gummosis, citrus, 216.
Gymnoconia interstitialis, blackberry, 33, 206.
 dewberry, 209.
 raspberry, 35, 202.
rosae gymnocarpace, *Rosa gymnocarpa*, 362.
Gymnosporangium, apple, 391.
botryapites, *Chamaecyparis* spp., 401.
germinale, *Malus floribunda*, 408.
 quince, 159.
juniperi-virginianae, apple, 24, 26, 130.
Malus angustifolia, 408.
Malus arnoldiana, 408.
Malus ioensis, 56, 133.
Malus sargentii, 409.
nootkatensis, *Sorbus americana* sit-
 chensis, 411.

H

Hainesia lythri (see *Pezizella lythri*), 362.
 Heat canker, pear, 159.
Pyrus ussuriensis, 159.
 Heat necrosis, potato, 258.
Helminthosporium avenae, oats, 76, 81.
californicum, barley, 329.
gramineum, barley, 6, 74, 81, 327, 375.
sacchari, sugar cane, 290.
sativum, barley, 7, 74, 81, 328.
 wheat, 79, 320.
 sp., wheat, 320.
 spp., wheat, 16.
teres, barley, 7.
 wheat, 320.
Hendersonia hypocarpa, *Rosa* sp., 362.
Herpotrichia nigra, *Abies amabilis*, 401.
Heterodera radiculicola (see *Caconema radiculicola*).

schachtii, beet, 86.
 sugar beet, 293.
Heterosporium phlei, *Phleum pratense*, 352.
 spp., wheat, 321.
variabile, spinach, 300.
 Hollow heart, potato, 238.
 Hollow-stem, celery, 277.
 Hopperburn, potato, 42, 43, 236, 383.
Hormodendrum cladosporioides, wheat, 321.
Hypochnus sp., apple, 148.
Hypoderma lineare, *Pinus strobus*, 403.
Hypodermella abietis concoloris, *Abies grandis*, 401.
Abies lasiocarpa, 401.

I

Internal breakdown, apple, 105.
 sweet potato, 253.
 Internal browning, apple, 151.
 potato, 238.
 Internal brown spot, potato, 238.
 Intumescences, cabbage, 265.
Isariopsis griseola, bean, 259.

J

Jonathan spot, apple, 105, 151.

K

Kabatiella sp., (see *Polyspora* sp.), 362.
 Kernel spot, pecan, 222.
 King David spot, apple, 151.
Kuehneola uredinis, blackberry, 208.
 raspberry, 204.
Kunkelia nitens, blackberry, 33, 206.
 dewberry, 209.
 raspberry, 202.
rosae gymnocarpace (see *Gymnosporangium rosae-gymnocarpace*), 362.

L

Labrella aspidistrae, *Aspidistra* sp., 413.
Laestadia rhodora, *Rhododendron* spp., 429.
 Late blight, sugar beet, 84.
 Leaf blight, poplar, 113.

Leaf curl, raspberry, 36, 399.
 Leaf hopper, alfalfa, 20.
 Leaf roll, potato, 42, 43, 95, 104,
 234, 381.
 tomato, 248.
 Leaf scorch, apple, 151.
 Leaf spot, *Berberis* spp., 414.
 Berberis thunbergi, 414.
 cherry, 106.
 Papaver orientale, 427.
 privet, 113.
 sunflower, 350.
 sweet clover, 78.
Leptosphaeria agminalis, *Clematis* spp.,
 417.
 berberidis, *Berberis vulgaris*, 50.
 coniothyrium, blackberry, 208.
 raspberry, 35, 201.
 Rosa spp., 362.
 heterospora, *Iris* spp., 55.
Leptothyrium pomi, apple, 24, 143.
 Malus floribunda, 408.
 rosarum (see *Pezizella lythri*), 362.
 Lightning injury, cotton, 284.
 potato, 239.
 Limb blight, *Cedrus deodara*, 401.
 Little leaf, grape, 183.
 Little peach, peach, 31, 169, 393.
Lophiostoma auctum, *Rosa* sp., 363.
Lophodermium juniperinum, *Juniperus* spp.,
 402.
 nervisequium, *Abies lasiocarpa*, 401.
 pinastri, *Libocedrus decurrens*, 402.
 Pinus flexilis, 403.
 Pinus monticola, 403.
 rhododendri, *Rhododendron* spp., 429.

M

Macrophoma candollei, *Buxus sempervirens*,
 414.
 fici, fig, 218.
 parca, *Abies lasiocarpa*, 401.
 phaseoli, bean, 258.
 potato, 237.
 sweet potato, 252.
 sp., potato, 237.
 Rosa sp., 363.
Macrosporium calycanthi, *Calycanthus*
 floridus, 50.
 carotae, carrot, 295.
 chevianthi, (see *Alternaria* sp.), 363.
 cucumerinum, cantaloupe, 86.

 cucumber, 86, 88, 271.
 muskmelon, 271.
 squash, 86, 100, 274.
 watermelon, 86, 103, 275.
 porri, onion, 90, 262.
 sarcinaeforme, red clover, 347.
 sarcinula parasiticum, leek, 296.
 onion, 262.
 sp., alfalfa, 18, 345.
 eggplant, 295.
 Iris spp., 424.
 lettuce, 278.
 Rosa sp., 363.
 Malnutrition, cotton, 284.
 Marl disease, celery, 277.
Marssonina populi, *Populus angustifolia*,
 112.
 Populus nigra italica, 409.
 rosae (see *Diplocarpon rosae*), 363.
Marssonina brunnea, *Populus eugenei*, 58.
 martini, *Quercus alba*, 59.
 Quercus rubra, 59.
 panattoniana, lettuce, 278.
 populi, *Populus* spp., 58.
 Measles, apple, 151.
Melampsora lini, flax, 340.
 medusae, *Populus candicans*, 58.
Melampsoropsis abietina, *Ledum groen-*
 landicum, 426.
 cassandrae, *Chamaedaphne calyculata*,
 432.
Melanconium bicolor, *Betula alba*, 50.
 fuligineum, grape, 182.
Metasphaeria taxicola, *Taxus canadensis*, 404.
Microsphaera alni, *Gleditsia tria-*
 canthos, 408.
 Juglans nigra, 55, 408.
 Juglans regia, 55.
 Lathyrus odoratus, 425.
 Lonicera spp., 56.
 Lonicera tartarica alba, 56.
 Lonicera tartarica rosae, 56.
 Lonicera tartarica sibirica, 56.
 Ostrya virginiana, 409.
 Platanus sp., 409.
 Quercus spp., 60.
 Syringa spp., 62.
 alni vaccinii, *Catalpa bignonioides*,
 51.
 diffusa, *Symphoricarpos racemosa*, 62.
 Symphoricarpos spp., 62.
 S. vulgaris variegatus, 62.

Microstroma juglandis, *Hicoria* sp., 408.
 Mild mosaic, potato, 232.
Mollisia cinerea, *Rosa* sp., 363.
Monilochaetes infuscans, sweet potato, 44, 251.
 Mosaic, alfalfa, 72.
 apple, 151.
 bean, 37, 69, 83, 104, 257, 387.
 beet, 85, 294.
 blackberry, 207.
 cabbage, 265.
 Calendula officinalis, 50, 414.
 cantaloupe, 38.
 celery, 87, 277.
 Celtis occidentalis, 51.
 corn, 333.
 cowpea, 22, 349.
 cucumber, 39, 88, 270.
 Dahlia sp., 418.
 dewberry, 209.
 eggplant, 295.
 horseradish, 89.
 Lathyrus odoratus, 425.
 muskmelon, 272.
 Narcissus spp., 426.
 Paeonia sp., 427.
 Paeonia spp., 57.
 parsnip, 90.
 pea, 93, 280.
 pepper, 298.
 Petunia hybrida, 428.
 Physalis, 102.
 potato, 42, 43, 94, 104, 232, 381.
 raspberry, 35, 36, 192, 399.
 red clover, 21, 347.
 Rosa spp., 369.
 Rudbeckia laciniata, 430.
 Solanum pseudocapsicum, 431.
 sorghum, 341.
 soybean, 349.
 spinach, 44, 300.
 squash, 274.
 strawberry, 186.
 sugar beet, 85, 293.
 sugar cane, 289.
 sweet clover, 78, 348.
 sweet potato, 45, 252.
 tobacco, 286.
 tomato, 46, 102, 104, 244.
 turnip, 265.
 watermelon, 47.
 Zinnia elegans, 432.

Mosaic-like disease, alfalfa, 345.
 buckwheat, 342.
Mycosphaerella brassicicola, cabbage, 265.
 cauliflower, 266.
 citrullina, cucumber, 271.
 convexula, pecan, 221.
 fragariae, *Fragaria americana*, 433.
 strawberry, 36, 109, 184.
 gossypina, cotton, 284.
 grossulariae, currant, 33, 210.
 gooseberry, 34, 210.
 lethalis, sweet clover, 21, 348.
 lythracearum, pomegranate, 219.
 pinodes, pea, 92, 280.
 rosigena (see *Sphaerella rosigena*), 363.
 rubi, blackberry, 33, 208.
 dewberry, 209.
 raspberry, 35, 205.
 rubina, raspberry, 205.
 sentina, pear, 158.
Myxosporium corticolum, apple, 148.
 rosae, rose, 363.
 (See *Diaporthe umbrina*), 363.

N

Napicladium tremulae, *Populus* spp., 58.
Nectria cinnabarina, *Acer platanoides*, 405.
 Acer spp., 405.
 rousselliana, *Buxus sempervirens*, 414.
Nematospora phaseoli, lima bean, 260.
Neofabraea malicorticis, apple, 148.
Nezara viridula, pecan, 222.
Nummularia discreta, *Amelanchier canadensis*, 49.
 Amelanchier spp., 406.
 apple, 24, 143.
 pear, 27, 158.
 Sorbus aucuparia, 61.
 Sorbus sp., 411.
 Nut grass, potato, 239.

O

Oedema, cabbage, 265.
 Rosa sp., 369.
Oidium hortensii, *Hydrangea* sp., 423.
 sp., *Hydrangea* sp., 423.

Nicotiana trigonophylla, 433.
Olpitrichum macrosporum, rose, 363.
Oospora citri-aurantii, citrus, 214.
lactis parasitica, tomato, 248.
Ophiobolus graminis, barley, 329.
 wheat, 319.
heterostrophus, corn, 338.
Ovularia obliqua, *Plantago* sp., 433.
pulchella, *Agrostis palustris*, 77,
 352.
 red top, 77.
Ozonium omnivorum (see *Phymatotrichum*
omnivorum), 363, 404, 411, 413, 425,
 430, 433.

P

Papery leaf spot, *Panax quinquefolium*,
 57.
Paratrioza cockerelli, potato, 97.
Penicillium digitatum, citrus, 214.
gladioli, *Gladiolus* sp., 422.
italicum, citrus, 214.
 spp., onion, 263.
Peridermium sp., *Abies amabilis*, 401.
Peristomium sp., *Rosa* sp., 363.
Peronospora effusa, spinach, 44, 100.
manshurica, soybean, 349.
parasitica, cabbage, 265.
 cauliflower, 266.
schleideni, onion, 261.
sparsa, *Rosa* spp., 363.
trifoliorum, alfalfa, 19, 71, 81,
 344.
viciae, pea, 91, 280.
Pestalozzia bullata, *Rosa* sp., 363.
compacta, *Rosa* sp., 363.
discosioides, *Rosa* sp., 363.
foliorum, *Rosa* sp., 363.
guepini, *Camellia japonica*, 416.
 rose, 364.
hartigii, pear, 159.
macrotricha, *Rhododendron* spp., 429.
rosae, *Rosa* sp., 364.
Rosa spp., 430.
 sp., avocado, 217.
Chamaecyparis spp., 401.
Cryptomeria japonica, 402.
 date, 217.
Forsythia sp., 421.
Hedera helix, 423.
Photinia serrulata, 428.
Pinus montana mughus, 403.

Rosa spp., 364, 430.
Taxus canadensis, 404.
Thuja sp., 404.
suffocata, *Rosa* sp., 364.
Peteca, citrus, 216.
Pezicula rosae, *Rosa* sp., 364.
Pezizella lythri, *Rosa* spp., 364.
 strawberry, 188.
Phlyctaena linicola, flax, 340.
Phoma anothi, dill, 39.
berberina, *Berberis vulgaris*, 50.
betae, beet, 294.
 mangel wurzel, 296.
 sugar beet, 23, 83, 84, 293.
caudata, *Pinus strobus*, 404.
destructiva, tomato, 248.
lingam, cabbage, 264.
 cauliflower, 266.
 onion, 262.
 pomi, apple, 144.
 quince, 160.
rhodocarpa, rose, 364.
sepiicola, rose, 364.
 sp., *Buxus sempervirens*, 414.
Cedrus deodara, 401.
 onion, 89.
Rosa spp., 364.
Smilax sp., 431.
Thuja sp., 404.
tuberosa, potato, 237.
Phomatospora rosa, *Rosa* sp., 364.
Phomopsis californica, citrus, 214.
citri (see *Diaporthe citri*), 213.
 citrus, 213.
juniperovora, *Chaemacyparis* spp.,
 402.
Juniperus spp., 55, 402.
kalmiae, *Kalmia latifolia*, 425.
lebiseyi, *Acer* spp., 48.
 sp., *Abies grandis*, 401.
Abies lasiocarpa, 401.
Pseudotsuga douglasii, 404.
Rosa spp., 364.
Thuja sp., 404.
stewartii, *Cosmos* sp., 417.
Cosmos spp., 52.
vexans, eggplant, 40, 295.
Phoradendron juniperinum, juniper, 112,
 117.
Phragmidium americanum, *Rosa* spp., 364.
disciflorum, *Rosa* spp., 365.
imitans, raspberry, 205.
montivagum, *Rosa* spp., 365.

- mucronatum (see *P. disciflorum*), 365.
 mucronatum americanum (see *P. americanum*), 365.
 occidentale, rose, 365.
 rosae-acicularis, *Rosa* spp., 365.
 rosae-arkansanae, *Rosa* spp., 365.
 rosae-californicae, *Rosa* spp., 365.
 rosae-pimpinellifoliae (see *P. subcorticinum*), 366.
 rosae-setigerae, *Rosa* spp., 366.
 speciosum, *Rosa* spp., 366.
 sp., rose, 114.
 subcorticinum, *Rosa* spp., 366.
Phylladhora rosae, *Rosa* sp., 366.
 trifolii, alsike clover, 75, 347.
 red clover, 347.
 white clover, 76, 347.
Phyllactinia corylea, *Rosa* spp., 366.
Phyllosticta antirrhini, *Antirrhinum* majus, 413.
 batatas (see *P. bataticola*), 253.
 bataticola, sweet potato, 253.
 caryae, pecan, 222.
 chenopodii, spinach, 300.
 latifolia, *Kalmia latifolia*, 425.
 lychnidis, *Lychnis coronaria*, 56.
 nymphaeicola, *Nuphar advena*, 426.
 paupercula, *Amelanchier* spp., 406.
 prunicola, plum, 31, 175.
 punctata, *Viburnum opulus*, 431.
 rosae, *Rosa* spp., 367, 430.
 rosicola, *Rosa* spp., 367.
 rubra, *Crataegus oxyacantha*, 52.
 solitaria, apple, 24, 26, 127, 391.
 sorbi, *Sorbus aucuparia*, 61.
 sp., *Gardinia florida*, 421.
 Hydrangea sp., 424.
 Malus floribunda atropurpurea, 408.
 pepper, 298.
 Rosa sp., 367.
 spp., plum, 175.
 straminella, rhubarb, 44, 99, 299.
 virginiana, plum, 31, 175.
 wisteriae, *Wisteria* sp., 432.
Phymatotrichum omnivorum, *Abelia grandiflora*, 411.
 alfalfa, 345.
 apple, 149.
 Bauhinia tomentosa, 413.
 bean, 259.
 castor bean, 295.
 citrus, 215.
 cotton, 284.
 cowpea, 349.
 eggplant, 295.
 fig, 218.
 grape, 182.
 guar, 350.
 Lagerstroemia indica, 425.
 lettuce, 278.
 okra, 297.
 olive, 219.
 peach, 172.
 peanut, 298.
 pepper, 298.
 Phytolacca americana, 433.
 potato, 237.
 Rosa spp., 430.
 Rosa sp., 363.
 roselle, 299.
 sweet potato, 253.
 Thuja sp., 404.
 tomato, 248.
 Ulmus pumila, 411.
Physalospora cydoniae (see *P. malorum*).
 malorum, apple, 24, 26, 133, 391.
 pear, 158.
 quince, 160.
 Quercus spp., 410.
 Rosa spp., 367.
 rhodina, rose, 367.
 Physarum, grasses, 351.
 Physoderma zeae-maydis, corn, 337, 379.
 Phytomonas atrofaciens, (see *Bacterium atrofaciens*), 321.
 dissolvens, corn, 338.
 medicaginis phaseolicola, bean, 255, 256.
 sp., sugar cane, 290.
 Phytophthora cactorum, apple, 149.
 ginseng, 296.
 Panax quinquefolium, 57.
 pear, 158.
 strawberry, 188.
 capsici, pepper, 298.
 citrophthora, citrus, 214, 215.
 infestans, potato, 42, 43, 224, 381.
 tomato, 248.
 nicotianae, tobacco, 287.
 phaseoli, lima bean, 260.
 sp., citrus, 214.
 Paeonia sp., 427.
 rhubarb, 99.
 terrestris, tomato, 248.
 thalictri, *Thalictrum polygonum*, 434.

- Pink root, onion, 69, 89, 262.
Piricularia grisea, grass, 352.
 oryzae, rice, 340.
Plasmodiophora brassicae, broccoli,
 266.
 cabbage, 264.
 cauliflower, 266.
 Chinese cabbage, 266.
 rape, 268.
Plasmopora epilobii, *Epilobium color-*
 atum, 433.
 halstedii, sunflower, 114, 350.
 viticola, grape, 34, 180.
Plectodiscella veneta, blackberry, 33,
 207.
 raspberry, 35, 189.
Plenodomus destruens, sweet potato, 45,
 251, 385.
Pleosphaerulina corticola rosae, *Rosa*
 spp., 367.
Pleospora aculeorum, *Rosa sp.*, 367.
 maculans, mulberry, 212.
Plowrightia morbosa, cherry, 106, 178.
 plum, 32, 174.
Podosphaera leucotricha, apple, 105,
 148.
 oxyacanthae, apple, 148.
 apricot, 28.
 cherry, 29, 178.
 peach, 108.
 plum, 32, 175.
 Prunus sp., 59.
 Prunus tomentosa, 59.
Podosporiella verticillata, wheat, 79.
Polyspora sp., *Rosa spp.*, 367.
Poria incrassata, *Pseudotsuga douglasii*,
 404.
 Potash hunger, tomato, 248.
 Powdery mildew, hydrangea, 111.
 Premature dropping, fig, 218.
Protomyces pachydermus, *Taraxacum*
 officinale, 68, 433.
Pseudomonas holci, corn, 9, 338.
 Holcus sorghum sudanensis, 352.
 sorghum, 23, 341.
 Sudan grass, 23.
Pseudoperonospora cubensis, cucumber,
 270.
 muskmelon, 272.
 squash, 274.
 watermelon, 275.
Pseudopeziza medicaginis, alfalfa, 19,
 71, 343.
 ribis, currant, 33, 210.
 gooseberry, 34, 211.
 trifolii, red clover, 347.
Psorosis, citrus, 216.
 Psyllid yellows, potato, 69, 95, 117.
Puccinia anomala, barley, 327.
 antirrhini, *Antirrhinum majus*, 49,
 413.
 snapdragon, 114.
 asparagi, asparagus, 36, 294.
 clematidis, *clematis*, 111.
 Clematis spp., 417.
 coronata, oats, 12, 13, 332, 377.
 Rhamnus lanceolata, 12.
 dispersa, rye, 14, 15, 322, 373.
 epiphylla, bluegrass, 22.
 Poa pratensis, 352.
 fraxinata, *Fraxinus americana*, 54.
 Fraxinus lanceolata, 54.
 glumarum, wheat, 81.
 graminis, *Agropyron repens*, 352.
 barley, 7, 75, 81, 326, 376.
 Hordeum jubatum, 352.
 oats, 13, 77, 81, 331, 377.
 Phleum pratense, 352.
 quack grass, 22.
 rye, 14, 15, 322, 373.
 timothy grass, 23.
 wheat, 16, 17, 80, 81, 309, 371.
 helianthi-mollis, *Helianthus debilis*,
 54.
 Helianthus giganteus, 54.
 sunflower, 114, 350.
 hibisciata, *Althaea rosea*, 412.
 cotton, 284.
 malvacearum, *Althaea rosea*, 49, 412.
 hollyhock, 111.
 poarum, Kentucky bluegrass, 75.
 purpurea, sorghum, 341.
 Holcus halepensis, 352.
 simplex, barley, 8, 376.
 smilacis, *Smilax hispida*, 433.
 sorghii, corn, 9, 11, 76, 337, 379.
 Oxalis, 9.
 popcorn, 11.
 sweet corn, 11.
 triticina, wheat, 16, 17, 80, 81,
 313, 371.
 vincae, *Vinca major*, 431.
Pucciniastrum americanum, raspberry,
 205.
 Puffing, tomato, 248.
 Purple leaf-sheath-spot, corn, 76.

Pyrenopeziza medicaginis, alfalfa, 19, 72, 343.

Pyrenophora teres, barley, 328.

Pythiacystis citrophthora (see *Phytophthora citrophthora*), 214.

Pythiacystis gummosis, citrus, 215.

Pythium sp., *Lathyrus odoratus*, 425.
pea, 280.

R

Rabenhorstia tiliae, *Tilia americana*, 62.

Ramularia armoraciae, horseradish, 89, 267.

cercosporioides, *Epilobium angustifolium*, 432.

macrospora, rose, 367.

sp., *Rosa* sp., 367.

taraxici, *Taraxacum officinale*, 433.

Red blotch, citrus, 216.

Rhabditis cylindrica, *Tulipa* spp., 431.

Rhabdocline pseudotsugae, *Pseudotsuga douglasii*, 404.

Rhizoctonia bataticola (see *Sclerotium bataticola*), 252.

crocorum, alfalfa, 345.

carrot, 295.

red clover, 347.

pea, 92.

solani (see *Corticium vagum*), 43, 230, 247, 381.

sp., celery, 277.

Iberis pectinata, 424.

okra, 297.

Papaver orientale, 427.

peanut, 298.

Rosa sp., 367.

Salvia splendens, 430.

strawberry, 188.

sweet potato, 253.

Thuja sp., 405.

watermelon, 275.

spp., grass, 351.

Rhizopus nigricans, peach, 172.

strawberry, 188.

sweet potato, 45, 252.

tomato, 248.

sp., corn, 338.

Rhynchosporium secalis, barley, 329.

Rhytisma ilicis-canadensis, *Ilex verticillata*, 424.

Ring spot, *Delphinium* sp., 419.
tobacco, 288.

Rio Grande disease, lettuce, 278.

Robillardia sp., rose, 367.

Root and basal stem rot, wheat, 430.

Root pitting, alfalfa, 345.

Root rot, alfalfa, 69, 72, 81, 344.
bean, 259.

beet, 84.

celery, 277.

corn, 10, 335.

lettuce, 278.

pea, 92, 104, 279.

peach, 172.

peony, 112.

rhubarb, 299.

sugar beet, 84, 104.

sugar cane, 290.

sweet pea, 114.

Rosellinia rosarum, *Rosa* sp., 367.

Rosette, apple, 152.

Dahlia sp., 419.

peach, 170.

pecan, 221.

Rugose mosaic, potato, 233.

S

Sclerospora graminicola, corn, 338.

Setaria, 338.

sweet corn, 12.

Sclerotinia americana (see *S. fructicola*), 160, 162.

carunculoides, mulberry, 212.

cinerea, cherry, 30.

German prune, 32.

peach, 31.

pear, 158.

Prunus, 162.

cinerea f. *mali*, peach, 162.

f. *pruni*, peach, 162.

(see *S. fructicola*).

fructicola, cherry, 29, 175, 398.

peach, 160, 162, 393.

plum, 32, 173, 397.

prune, 397.

Prunus besseyi, 29, 58.

Prunus cerasifera pissartii, 74.

Prunus sp., 29, 59.

fructigena, peach, 162.

sclerotiorum, apricot, 178.

bean, 260.

cabbage, 265.

celery, 277.

- citrus, 214.
 cucumber, 271.
 escarolle, 296.
 fig, 218.
 lettuce, 278.
 okra, 297.
 parsley, 297.
 pepper, 298.
 strawberry, 188.
 sunflower, 114.
 tomato, 248.
 seaveri, *Prunus virginiana*, 410.
 sp., *Campanula medium*, 416.
 mulberry, 212.
 Rosa sp., 368.
 spp., apricot, 178.
 trifoliorum, alfalfa, 345.
 red clover, 347.
Sclerotiopsis concava (see *Pezizella lythri*), 368.
Sclerotium bataticola, sweet potato, 252.
 bifrons, poplar, 112.
 delphinii, *Iris* spp., 424.
 lettuce, 278.
 oryzae, rice, 340.
 rhizodes, *Agrostis palustris*, 352.
 (see *Typhula graminum*), 321.
 rolfsii, *Antirrhinum majus*, 413.
 cabbage, 265.
 Calendula officinalis, 414.
 carrot, 295.
 Cosmos sp., 418.
 eggplant, 295.
 guar, 350.
 muskmelon, 273.
 peanut, 298.
 pepper, 298.
 potato, 238.
 soybean, 350.
 sugar beet, 293.
 sweet potato, 253.
 tobacco, 288.
 tomato, 248.
 Viola sp., 432.
 watermelon, 275.
 sp., *Centaurea montana*, 416.
 Digitalis purpurea, 420.
 Gladiolus sp., 422.
 Hemerocallis sp., 423.
 lettuce, 278.
 Muscari botryoides, 426.
 Narcissus spp., 426.
 sesame, 342.
 spp., *Delphinium* sp., 419.
Scolecotrichum graminis, barley, 329.
 Dactylis glomerata, 352.
 Phleum pratense, 352.
 timothy grass, 23.
 Seedling blights, beet, 84.
 pea, 92.
 sugar beet, 84.
Septobasidium pseudopedicellatum, *Acer saccharum*, 405.
 sp., apple, 149.
Septogloeum acerinum, *Acer dasycarpum pyramidale*, 48.
 Acer platanoides, 48.
 Acer platanoides schwedleri, 48.
Septoria ampelopsidis, *Ampelopsis tricuspidata*, 49.
 apii, celery, 39, 87, 276.
 argyraea, *Eleagnus angustifolia*, 53.
 aucupariae, *Sorbus aucuparia*, 61.
 bataticola, sweet potato, 45, 253.
 betulina, *Betula* sp., 50.
 cannabis, *Cannabis sativa*, 50.
 chrysanthemella, *Chrysanthemum maximum*, 52.
 Chrysanthemum sp., 52.
 Chrysanthemum spp., 417.
 cornicola, *Cornus paniculata*, 52.
 Cornus spp., 52.
 Cornus stolonifera, 52.
 divaricata, *Phlox* spp., 428.
 elaeagni, *Elaeagnus angustifolia*, 408.
 flagellifera, pea, 280.
 gaillardiae, *Gaillardia* sp., 54.
 gladioli, *Gladiolus* sp., 422.
 glycines, soybean, 349.
 helenii, *Helenium hoopesi*, 54.
 lactucae, lettuce, 278.
 lycopersici, tomato, 46, 240, 386.
 marginata, *Acer negundo*, 48.
 musiva, *Populus angustifolia*, 409.
 Populus occidentalis, 112.
 Populus sargentii, 409.
 negundinis, boxelder, 110.
 nodorum, wheat, 318.
 oenotherae, *Oenothera lamarckiana*, 56.
 phlogis, *Phlox paniculata*, 57.
 Phlox spp., 57.
 pisi, pea, 281.
 populi, *Populus* spp., 58.

- rhoina, *Rhus glabra laciniata*, 60.
 rosae, *Rosa* sp., 368.
 secalis, rye, 14, 324.
 sedi, *Sedum spectabile*, 61.
Sedum spectabile variegata, 61.
 sp., blue grass, 22.
Paeonia sp., 427.
 parsley, 297.
Poa pratensis, 352.
 poplar, 112.
 rye, 324.
 wheat, 16.
 tritici, wheat, 319.
 Sheath spot, corn, 338.
 Shelling, grape, 183.
 Shot-hole, *Laurocerasus officinalis*, 425.
 Smelter injury, alfalfa, 345.
 Smut, oats, 69.
 Soil fungi, strawberry, 185.
Sorosporium reilianum, corn, 338.
 sorghum, 341.
 sugar sorghum, 78.
 Soured fruit, fig, 218.
 Spanish measles, grape, 183.
Sphaceloma ampelinum, grape, 34, 182.
 fawcettii, citrus, 213.
 sp., avocado, 217.
Sphacelotheca cruenta, sorghum, 341.
 occidentalis, *Andropogon furcatus*, 352.
 sorghum, sorghum, 341.
 sugar sorghum, 78.
Sphaerella rosigena, *Rosa* sp., 368.
 spinicola, *Rosa* sp., 368.
Sphaeronema fimbriatum, sweet potato, 45.
Sphaeronemella rosae, *Rosa* spp., 368.
Sphaeropsis albescens, *Acer negundo*, 48.
 ampelopsidis, *Ampelopsis* spp., 412.
 malorum (see *Physalospora malorum*), 368.
 rhodocarpa, *Rosa lutea*, 368.
 rosarum, *Rosa* sp., 368.
 sp., *Caragana arborescens*, 51.
 Ilex opaca, 424.
 Pinus sylvestris, 404.
 Rosa spp., 368, 369.
Sphaerotheca humuli, blackberry, 208.
 Humulus sp., 423.
 pear, 158.
 raspberry, 108, 203.
 Rhus canadensis, 410.
 Rhus glabra laciniata, 60.
 Rosa spp., 368.
 strawberry, 188.
 mors-uvae, gooseberry, 34, 106, 211.
 Rosa spp., 368.
 pannosa, peach, 172.
 Rosa multiflora, 60.
 Rosa setigera, 60.
 Rosa spp., 60, 113, 368, 430.
Sphaerulina corticola, *Rosa* sp., 369.
 trifolii, alsike clover, 347.
 red clover, 347.
 white clover, 347.
 Spindle tuber, potato, 43, 95, 235.
Spondylocadium atrovirens, potato, 238.
Sporotrichum citri (see *Sphaeloma fawcettii*), 213.
 malorum, apple, 149.
 poae, *Dianthus caryophyllus*, 420.
 Spray injury, apple, 146.
 citrus, 216.
 peach, 172.
 Sprout tuber, potato, 239.
Stagonospora meliloti, sweet clover, 348.
 Stalk rot, corn, 335.
 Starvation, tobacco, 288.
 Stem canker, pea, 92.
 Stem girdle, lettuce, 278.
 Stem rot, *Cyclamen* sp., 418.
 Sterile leaf spot, wheat, 322.
Stereum rameale, *Rosa* sp., 369.
 Sterility, oats, 13, 333.
 Storage rots, sweet potato, 45, 252, 385.
 Straighthead, rice, 340.
 Streak, raspberry, 200.
 tomato, 46, 103, 244.
 Stripe, barley, 69.
 wheat, 322.
Strumella coryneoides, *Quercus alba*, 410.
 Stunt, *Dahlia* sp., 419.
 Stunting, strawberry, 185.
 Sulphur dioxide injury, ornamentals, 115.
 Sun scald, cowpea, 349.
 onion, 263.
 pepper, 93, 298.
 tomato, 248.
 T
 Target canker, apple, 152.

pear, 159.
Taphrina coerulescens, *Quercus* spp.,
 60, 410.
 lethifer, *Acer rubrum*, 405.
 Terminal bleaching, wheat, 81, 322.
Thielavia basicola, *Lathyrus odoratus*,
 425.
 pea, 281.
 potato, 238.
 tobacco, 285.
 watermelon, 103, 275.
Tilletia anthoxanthemi, *Anthoxanthum*
odoratum, 352.
horrida, rice, 340.
laevis, rye, 324.
 wheat, 16, 17, 79, 81, 303, 371.
tritici, wheat, 16, 17, 79, 81, 303,
 371.
 Tipburn; cabbage, 265.
 lettuce, 89, 278.
 potato, 43, 236, 383.
 tomato, 248.
Trametes peckii, *Populus trichocarpa*,
 409.
suaveolens, *Salix* spp., 411.
Tranzschelia punctata, apricot, 179.
 peach, 172.
 plum, 32, 175.
Tubercularia fici, fig, 218.
 Twig blight, poplar, 113.
Tylenchus dipsaci, alfalfa, 72, 343.
Narcissus spp., 426.
Primula sp., 428.
 red clover, 347.
 strawberry, 188.
 teasel, 300.
tritici, wheat, 321.
Typhula graminum, wheat, 321.

U

Uncinula australiana, *Lagerstroemia*
indica, 425.
flexuosa, *Aesculus hippocastanum*,
 48.
Aesculus spp., 406.
necator, *Ampelopsis quinquefolia*,
 49.
 grape, 34, 107, 181.
salicis, poplar, 113.
Uredinopsis macrosperma, *Abies grandis*,
 401.
Urocystis cepulae, onion, 40, 261.

occulta, rye, 14, 15, 324, 373.
tritici, wheat, 309.
Uromyces appendiculatus, bean, 37, 257.
betae, sugar beet, 293.
caryophyllinus, carnation, 110.
Dianthus barbatus, 53.
Dianthus caryophyllus, 53, 420.
fallens, red clover, 21, 348.
hybridi (see *U. trifolii*), 347.
medicaginis, alfalfa, 19, 74, 345.
proeminens, *Euphorbia marginata*, 53.
rosicola, *Rosa* spp., 369.
trifolii, alsike clover, 21, 347.
 mammoth clover, 348.
 red clover, 75, 348.
 white clover, 21, 76, 348.
vignae, cowpea, 349.
Urophlyctis alfalfae, alfalfa, 70, 81,
 345.
lathyræ, *Lathyrus sulphureus*, 433.
Ustilago avenae, oats, 13, 77, 81, 330,
 377.
coicis, *Coix lachryma-jobi*, 352.
echinata, *Phalaris arundinacea*, 352.
hordei, barley, 8, 75, 81, 325, 375.
levis, oats, 13, 77, 81, 330, 377.
nuda, barley, 75, 325, 375.
rabenhorstiana, *Syntherisma sanguin-*
alis, 352.
striaeformis, *Agrostis palustris*,
 352.
 blue grass, 22.
Phleum pratense, 352.
Poa pratensis, 352.
 timothy grass, 23.
tritici, rye, 324.
 wheat, 16, 17, 79, 81, 308, 372.
zeae, corn, 9, 11, 76, 81, 334, 379.
 popcorn, 11.
 sweet corn, 12.

V

Valsa ambiens, *Rosa* sp., 369.
ambiens rosae, *Rosa suffulta*, 369.
leucostoma, plum, 175.
Valseutypella tristicha, *Rosa* spp., 369.
Venturia inaequalis, apple, 25, 26,
 119, 392.
 . *Malus ioensis*, 25, 56.
pyrina, pear, 27, 28, 157, 395.
Verticillium albo-atrum, *Chrysanthemum*
 spp., 417.

cotton, 283.
 eggplant, 88, 296.
 okra, 297.
 potato, 94, 238.
 raspberry, 205.
 tomato, 102, 248.
 potato, 104.
 sp., *Acer* spp., 405.
Senecio cruentus, 430.
 tomato, 69, 104.
 Virus diseases, strawberry, 186.
Volutella dianthi, *Dianthus* spp., 420.

W

Water core, apple, 105.
 Western blight, tomato, 386.
 Western yellow blight (see yellows), 243.
 Whiptail, cauliflower, 266.
 White speck, tobacco, 288.
 White spot, alfalfa, 74, 346.
 peach, 173.
 sweet clover, 78, 348.
 Wilt, beet, 85.
 citrus, 215.
 lettuce, 278.
 pea, 279.
 strawberry, 188.
 sunflower, 114, 350.
 zinnia, 115.
 Wind whipping, raspberry, 35, 206.
 Winter injury, alfalfa, 19, 69, 72, 81,
 344.
 apple, 25, 147.
 blackberry, 33, 208.

cherry, 30, 69, 178.
 grape, 183.
 peach, 69, 171.
 raspberry, 35, 206.
 strawberry, 185.
 sweet clover, 348.
 syringa spp., 62.
 Winter killing, *Pinus strobus*, 57.
 Witches' broom, potato, 236.
 strawberry, 186.

X

Y

Yellow blight (see yellows), 102.
 tomato, 104.
 Yellow dwarf, potato, 236.
 Yellows, alfalfa, 20, 346.
Callistephus chinensis, 50, 415.
 celery, 87, 117.
 china aster, 110.
 Dahlia sp., 418.
 delphinium, 111.
 Delphinium sp., 420.
 endive, 296.
Helichrysum bracteatum, 423.
 lettuce, 278.
 peach, 31, 166, 393.
 potato, 104.
 red clover, 348.
 Rosa sp., 369.
 salsify, 299.
 strawberry, 186.
 tomato, 69, 102, 243.

ERRATA AND EXPLANATION

Page

- 25 Read "Coniothyrium pyrina" instead of "C. pirina".
- 34 Read "Guignardia bidwellii" instead of "G. bidwelli".
- 238 Read "Thielavia basicola" instead of "Thielavie basicola".
- 297 Read "Sclerotinia sclerotiorum" instead of "S. sclerotorium".
- 350 Read "Bacterium puerariae" instead of "B. pueriae".
- 363 Read "Marssonia" instead of "Marsonia".
- 385 Read "Ceratostomella fimbriata" instead of "C. fimbriatum".
- 386 Read "Bacterium solanacearum" instead of "Bacillus solanacearum".
- 405 Read "Nectria cinnabarina" instead of "N. cinnabarine".