QC
B351i
1892

MICROSCOPES.

ACCESSORIES.

NATIONAL LIBRARY OF MEDICINE

NLM 00097486 9

ARMY MEDICAL LIBRARY

FOUNDED 1836

WASHINGTON, D.C.

ILLUSTRATED CATALOGUE

OF

MICROSCOPES, OBJECTIVES

. . AND . .

ACCESSORIES,

MANUFACTURED BY

Bausch & Lomb Optical Co.

FACTORY AND OFFICE:
515-543 N. ST. PAUL STREET,
ROCHESTER, N. Y.
P. O. DRAWER 1033.

BRANCH OFFICE:
48 AND 50 MAIDEN LANE,
NEW YORK CITY.
P. O. BOX 432.

THIRTEENTH EDITION.

3251
1832

PRESS OF A. J. WEDMAN, ROCHESTER, N. Y.

TERMS.

Goods should be ordered under their respective letters and numbers.

Our terms are cash at catalogue prices.

Parties unknown to us, when ordering, should give satisfactory reference ; otherwise remittance should accompany the order. Remit by Post-office or Express Order, or New York Draft, made payable to us. Expense of collecting, if any, must be defrayed by the purchaser. Money in letters is at the risk of sender.

Goods will be sent by Express C. O. D., expense of collection to be borne by purchaser. One-fourth of total amount should accompany order.

We make no charge for packing.

We assume responsibility for all goods shipped by Express during transportation and rectify any damages which may occur.

Freight should never be used for any of our goods. Shipments so ordered are at the risk of the purchaser.

Goods sent by mail are likewise at purchaser's risk.

Correspondents are requested to give exact Post-office address, and state distinctly by what Express line goods are to be shipped.

When goods are returned for exchange, repair or otherwise, a tag bearing sender's name and address should be attached ; this is very essential and will avoid delays.

Our book, "Manipulation of the Microscope" (second edition, bound in cloth, price 75 cents), is furnished free to every purchaser of one of our instruments. In case it is desired to study the subject before making a selection, the book should be paid for, but we give credit for the amount when an instrument is purchased at its full price. It gives all necessary information on the principles and leads to the intelligent use of the microscope in plain and concise language. It is spoken of in high terms by those most conversant with the subject of microscopy.

PREFACE.

After years of indefatigable and unceasing efforts to reduce the cost of production of microscopes, so as to bring them within the means of the practitioner and student, to offer such patterns as will meet the variety of tastes and requirements, to raise the standard of excellence of the optical and mechanical perfection, we have reached the gratifying state, which may be aptly called the first era of this portion of our business. With the issue of this edition of our catalogue we have

MADE AND SOLD 10,000 MICROSCOPES,

not including the thousands of dissecting microscopes.

There are few colleges or other educational institutions with well equipped microscopical laboratories which have not our instruments in constant use. They are used by our Government in its various departments. The most eminent individual microscopists and practitioners throughout this country use and recommend our products.

This result is not alone due to the worth of our products, but in a large measure to the kindly and patriotic desire of our scientists to use American microscopes, and to see their production successfully carried on within our borders. That they possess unusual merit is evinced by the fact that a demand has arisen for them in European countries.

This issue is entirely revised and provided almost throughout with new illustrations, showing new apparatus, as well as giving exact representations of instruments which have undergone changes to meet modern requirements and improvements in structure.

BAUSCH & LOMB OPTICAL CO.

June 1892.

IMPORTANT FACTS.

Buy American Microscopes.—The development of our instruments is the result of suggestions from the most eminent American scientists, and they are therefore particularly well adapted to American wants. The practical advantages are that they may be obtained in short time, and with the absolute assurance that they are the best of their kind, and that any repairs which may be required are quickly and cheaply done, and bring an instrument up to its original excellence.

We guarantee all our products.—In doing this we are fully cognizant of the responsibility and adequately in position to accomplish it. Whenever it is possible, we apply special machinery, which we devise and build, and there is probably no optical establishment in the world which possesses such a quantity of precise and delicate tools. As adjunct to these we have in our employ a class of mechanics of superior accomplishments. All work is under our personal supervision, and none is sent out until after a painstaking personal scrutiny.

We offer a larger variety of instruments than any manufacturer in the world.—This variety does not exist for the sake of variety, but is retained to meet the difference of tastes and requirements. Each instrument offers advantages either in price, size or utility.

All apparatus enumerated is produced entirely at our factory and under our constant personal supervision.—It is almost impossible for faulty work to pass unnoticed. In a business so extensive as ours, however, this may occasionally occur, but when so, we are thankful to have our attention drawn to the same and cheerfully remedy any defects.

We keep a stock of all apparatus on hand.—While this is often difficult on account of the constantly increasing demand for our products, we bend all our efforts to keep pace, and ordinarily are in condition to supply any demand promptly. In this connection we may state that we supplied the United States Government with 300 microscopes for the inspection of pork, which were delivered within *two* months from date of order.

We guarantee the safe arrival of our instruments when shipped by Express.—A purchaser may therefore rely upon receiving an instrument in perfect condition. If any accident should occur, we remedy the defect.

We make exchanges in our products.—This is important, as purchasers often find that certain apparatus is unsuitable for the work intended. We make the condition, however, that articles to be exchanged correspond with our current catalogue, and that we be remunerated for putting articles in salable condition.

Our draw-tubes are all graduated with the exception of a few inexpensive forms. Besides this, they are all arranged to be used for the short and long standards, which have been established by the American Society of Microscopists.

It is with pleasure that we announce to the scientific world that by an agreement with the well-known firm of

CARL ZEISS OF JENA,

we are made the sole manufacturers under license of the American patents of their photographic lenses, which we have this year introduced into the American market. Without desiring to enlarge on this subject, it is gratifying to us, as no doubt it is to our patrons, to show the good feeling existing between the two firms, and the esteem in which they hold one another.

Our photographic catalogue, containing a list of different series of Zeiss-Anastigmat, Rapid Universal and Alvan G. Clark Lenses, as well as Diaphragm Shutter, will be sent to any address.

BAUSCH & LOMB OPTICAL CO.

Continental Microscopes.

Following out the principle of giving the public whatever there may be a demand for, we are now making a Series of these microscopes which correspond with the principal types of the instruments supplied by the best European Continental makers.

We have endeavored to combine the best features of the various patterns in our instruments, and have made some modifications at the suggestion of eminent gentlemen who favor this type, such as larger stages and broader bases, so that for solidity and comfort of working, we believe that ours possess advantages.

The working parts are made to work with the greatest smoothness, and the finish as well as perfection of the optical adjuncts, are of the highest order.

The demand for these instruments has been especially from educational institutions, and it is our object to supply them for this purpose at prices which meet those of European productions, when imported *duty free*.

(Cut one-half of actual size.)

A—CONTINENTAL MICROSCOPE.
SMALL.

A CONTINENTAL MICROSCOPE.

(SMALL.)

The base of this stand has the horseshoe form, and is of japanned iron. Pillar is of brass; the stage is square and has spring clips which are readily removable; a revolving diaphragm is attached to the under side of the stage having four different size apertures. The mirror-bar is secured to the arm and can be swung to any obliquity below the stage; the mirrors are plane and concave. Coarse adjustment is by sliding tube, and fine adjustment by micrometer screw acting on triangular bearing of the arm. Main tube is provided with draw-tube, which will allow extension of tubes to the for standard.

The instrument is made in two forms:

- A, with solid pillar and arm;
- AA, with joint for inclination.

Eyepieces are the Continental, objectives of Series

Upright polished case with receptacles for eyepieces and objectives accompanes the outfit.

A.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	\$18.00
A1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. objective,	-	-	-	-	-	-	25.00
A2.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	40.00
A3.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	43.00
A4.	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	49.00
AA.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	20.00
AA1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. objective,	-	-	-	-	-	-	27.00
AA2.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	42.00
AA3.	Stand with 1 eyepiece and 2 in., $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	48.00
AA4.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	45.00
AA5.	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in. and $\frac{1}{6}$ in. objectives,	-	-	-	-	-	-	51.00
	Double nosepiece, brass finish extra,	-	-	-	-	-	-	5.00

For table of magnifying powers, refer to page 47.

(Cut one-half of actual size.)

BB—CONTINENTAL MICROSCOPE.
MEDIUM.

B—CONTINENTAL MICROSCOPE.

(MEDIUM.)

This microscope is made of brass throughout, highly polished and lacquered. The base is of larger dimensions than any of the foreign instruments, and therefore more firm, particularly when the body is inclined. The stage is also of large size, thus allowing the use of culture slides without the danger of tilting; a groove is provided on its lower surface for the slide with cylinder diaphragms, for convenience called slide A. This slide may be replaced by another (slide B), carrying standard size sub-stage, arranged to be centered, provided with our dome diaphragm. To this may also be fitted any of our regular sub-stage accessories, particularly the series of sub-stage condensers. Fine adjustment is by large micrometer screw and works on the triangular bearing of the arm. The main tube has a draw-tube, which, when contracted, gives short standard of tube length with double nosepiece. The draw-tube may be extended and is graduated in millimeters.

The instrument is made in two forms:

B, with joint for inclination and sliding tube for coarse adjustment.

BB, with joint for inclination, and rack and pinion for coarse adjustment

Eyepieces are the Continental, objectives of Series I.

Upright polished case, with receptacles for eyepieces and objectives, accompanies the outfit.

B .	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	\$25.00
B1 .	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	47.00
B2 .	Stand with 1 eyepiece and 2 in., $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	53.00
B3 .	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	50.00
B4 .	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	56.00
B5 .	Stand with 2 eyepieces and $\frac{2}{3}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, objectives,	-	-	-	-	-	-	95.00
B6 .	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, objectives,	-	-	-	-	-	-	101.00
BB .	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	35.00
BB1 .	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	57.00
BB2 .	Stand with 1 eyepiece and 2 in., $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	63.00
BB3 .	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	60.00
BB4 .	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	66.00
BB5 .	Stand with 2 eyepieces and $\frac{2}{3}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, objectives,	-	-	-	-	-	-	105.00
BB6 .	Stand with 2 eyepieces and 2 in., $\frac{2}{3}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, objectives,	-	-	-	-	-	-	111.00
	Slide B, carrying standard sub-stage ring, with dome diaphragm, extra,	-	-	-	-	-	-	4.00
	Abbe condenser, 1.20 N. A., in mounting, No. 1678,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A., in mounting, No. 1678,	-	-	-	-	-	-	16.00
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra.	-	-	-	-	-	-	9.00

For table of magnifying powers refer to page 47.

(Cut one-half of actual size.)

CC—CONTINENTAL MICROSCOPE.
LARGE.

C-CONTINENTAL MICROSCOPE.

(LARGE.)

This instrument is made entirely of brass; the base is of large dimensions and heavy, to secure extreme steadiness under manipulation in an inclined, upright or horizontal position; coarse adjustment is by rack and pinion; fine adjustment by large micrometer screw working on the triangular bearing of the arm; the head of the micrometer screw is graduated to 100 parts, an index point is provided. The main tube has a draw-tube which is graduated. When contracted, the tubes give short standard tube length with double nosepiece.

This instrument is made up in five forms:

C. Plain square stage with groove, fitted with slide and cylinder diaphragms. Swinging mirror-bar with adjustable plane and concave mirrors.

CA. Plain square stage as in C; sub-stage attachment, complete, No. 1684.

CB. Revolving stage with centering arrangement; swinging mirror-bar with adjustable plane and concave mirrors.

CC. (As in cut.) Revolving stage with centering arrangement; sub-stage attachment, complete, No. 1684.

CD. Mechanical stage, revolving, with graduations and vernier; rectangular movements with graduations; centering arrangement; sub-stage attachment, complete, No. 1684.

Eyepieces are the Continental, objectives of Series I. Upright polished case, with receptacles for eyepieces and objectives, accompanies the outfit.

C.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	-	\$ 55.00
C1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	77.00
C2.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	80.00
CA.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	-	80.00
CA1	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	102.00
CA2.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	105.00
CA3.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	111.00
CA4.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	150.00
CA5.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in., $\frac{1}{8}$ in. and $\frac{1}{2}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	156.00
CB.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	-	65.00
CB1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	87.00
CB2.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	90.00
CB3.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	96.00
CB4.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	135.00
CB5.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in., $\frac{1}{8}$ in. and $\frac{1}{2}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	141.00
CC.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	-	90.00
CC1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	112.00
CC2.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	115.00
CC3.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	121.00
CC4.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	160.00
CC5.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in., $\frac{1}{8}$ in. and $\frac{1}{2}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	166.00
CD.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	-	130.00
CD1.	Stand with 1 eyepiece and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	152.00
CD2.	Stand with 2 eyepieces and $\frac{2}{3}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	155.00
CD3.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	-	161.00
CD4.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in. and $\frac{1}{8}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	200.00
CD5.	Stand with 2 eyepieces and $\frac{2}{3}$ in., in., $\frac{1}{8}$ in. and $\frac{1}{2}$ in. oil immersion, objectives,	-	-	-	-	-	-	-	206.00

For table of magnifying powers refer to page 47.

American Type.

This class of microscopes is almost generally preferred for individual use, and will always remain favorites because they possess features which are specifically the outcome of American ingenuity. The designs and finish are made pleasing to the eye as well as being effective for the purpose. Many of the parts are for convenience of manipulation, while others are for obtaining the best results with the least expenditure of time, and also for lasting qualities. Many of the important features have originated with us and are only produced by our firm.

(Cut one-half of actual size.)

D—LIBRARY MICROSCOPE.

D-LIBRARY MICROSCOPE.

This microscope is intended mainly for young beginners. It is well made and thoroughly reliable.

It has japanned foot and arm with joint for inclination. The adjustment is by rack and pinion of such delicacy that it is readily serviceable with a high power objective. The body is provided with draw-tube and society screw. The eyepieces are of the Continental pattern; the mirror is concave, swinging so as to give oblique illumination, and capable of being brought above the stage for illumination of opaque objects. The stage is provided with spring clips.

We make two forms of this instrument:

- D. As described above.
- DD. The same, but with the addition of an adjustable stage plate, provided with micrometer screw, which, while limited in its motion, forms a serviceable fine adjustment.

Objectives are Series II, unless otherwise stated.

In upright case with handle.

D.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	\$10.00
D1.	Stand with 1 eyepiece and 1 in. objective,	-	-	-	-	-	-	16.00
D2.	Stand with 1 eyepiece and 1 in. and $\frac{1}{4}$ in. objectives,	-	-	-	-	-	-	30.00
D3.	Stand with 1 eyepiece and non-achromatic doublet objective; no society screw,	-	-	-	-	-	-	10.00
D4.	Stand with 1 eyepiece and achromatic doublet objective; no society screw,	-	-	-	-	-	-	12.00
DD.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	13.00
DD1.	Stand with 1 eyepiece and 1 in. objective,	-	-	-	-	-	-	19.00
DD2.	Stand with 1 eyepiece and 1 in. and $\frac{1}{4}$ in. objectives,	-	-	-	-	-	-	33.00

For table of magnifying powers, refer to page 47.

(Cut one-half of actual size.)

EE—HARVARD MICROSCOPE.

H—HARVARD MICROSCOPE.

The stand is made entirely of brass, with bronze pillar and arm. Although compact so as to allow its convenient use in an upright position on an ordinary table, it still gives sufficient range of adjustment for all ordinary work. The base is of the horseshoe form, with a projection at the back to give it steadiness when the body is inclined. Coarse adjustment is by a sliding tube in a cloth-lined sleeve, which gives an exceedingly smooth and firm movement; fine adjustment is by micrometer screw, with milled head of more than ordinary size, acting on our patent movement. The main tube also has a cloth lining and is provided with a draw-tube graduated in millimeters, and with a mark indicating standard length. The stage is large and provided with spring clips; our dome diaphragm is attached to its lower surface by a sub-stage. The mirrors are plane and concave, of large size, and swing with the mirror-bar to any obliquity below the stage, and above it for the illumination of opaque objects; they also have adjustment on the mirror-bar.

E. Is arranged with joint for inclination of the body.

EE. Is provided with rack and pinion for coarse adjustment, as well as with joint for inclination of the body.

Eyepieces are the Huyghenian, objectives of Series II, unless otherwise stated.

Polished case, with receptacle for eyepieces and objectives, with handle and lock, accompanies the outfit.

With every complete outfit (stand and objectives) we supply eyepiece micrometer No. 1734 free, this cannot be used on powers less than C or 1 in.

E.	Stand with 1 eyepiece, (any power),	-	-	-	-	-	-	\$27.00
E1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	50.00
E2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	56.00
E3.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	54.00
E4.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	60.00
E5.	Stand with 2 eyepieces and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, (Series III.) objectives,	-	-	-	-	-	-	99.00
EE.	Stand with 1 eyepiece, (any power),	-	-	-	-	-	-	35.00
EE1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	58.00
EE2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	64.00
EE3.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	62.00
EE4.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	68.00
EE5.	Stand with 2 eyepieces and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	107.00
EE6.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{12}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	113.00
	Abbe condenser, 1.20 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	16.00
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra,	-	-	-	-	-	-	9.00

For table of magnifying powers, refer to page 47.

•Cut one-half of actual size).

F — MODEL MICROSCOPE.

F-MODEL MICROSCOPE.

The tripod base, pillars and arm, are neatly japanned ; the axis is arranged with strong bearings to allow inclination of the body to any angle. Coarse adjustment is by perfect rack and pinion, provided with tightening screws ; fine adjustment by a delicate micrometer screw, acting on our patent movement.

The stage is of brass, circular in form, thin to allow great obliquity, but of sufficient strength to be firm under manipulation. Attached to its lower side is a sub-stage ring and dome diaphragm, both of which may be removed.

The main tube is arranged with cloth lining in which the graduated draw-tube is fitted ; it is provided with the society screw. Plane and concave mirrors are of large size, adjustable on the mirror-bar ; the mirror-bar swings on a bearing (the axis of which lies in the plane of the stage) to any obliquity below and above the stage, the latter for the illumination of opaque objects.

Eyepieces are the Huyghenian, objectives of Series II, unless otherwise stated.

Upright polished case with drawer for accessories and receptacles for eyepieces and objectives, with handle and lock, accompanies the outfit.

With every complete outfit (stand and objectives) we supply eyepiece micrometer No. 1734 free, this cannot be used on powers less than C or 1 in.

F.	Stand with 1 eyepiece (any power).	-	-	-	-	-	-	\$25.00
F1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	48.00
F2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	54.00
F3.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	52.00
F4.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	58.00
F5.	Stand with 2 eyepieces and $\frac{3}{4}$ in. $\frac{1}{8}$ in., and $\frac{1}{18}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	97.00
F6.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{18}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	103.00
	Revolving stage, with removable spring clips, extra,	-	-	-	-	-	-	5.00
	Glass stage with slide carrier, which slips over either plain or revolving stages, extra,	-	-	-	-	-	-	5.00
	Graduated mirror bar, with mirror and sub-stage (both adjustable), same as used on Investigator, in place of one accompanying stand, extra,	-	-	-	-	-	-	5.00
	Abbe condenser, 1.20 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	16.00
	Mechanical stage No. 1728, in place of the regular, extra,	-	-	-	-	-	-	18.00
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra,	-	-	-	-	-	-	9.00

For table of magnifying powers, refer to page 47.

(Cut one-half of actual size.)

C — PHYSICIAN MICROSCOPE.

G—PHYSICIAN MICROSCOPE.

The base is japanned iron. Pillar and arm are of bronze, connected by a joint for inclination of the body. Coarse adjustment is by rack and pinion, giving a long range; fine adjustment by micrometer screw, acting on our patent movement; main tube has cloth lining and is provided with graduated draw-tube. The stage consists of our *square glass stage* and slide-carrier attached to a firm projecting stage plate. The mirror-bar is provided with adjustable sub-stage, carrying dome diaphragm, and plane and concave mirrors. It swings on its axis in plane of the stage to any obliquity below or above the stage.

Eyepieces are the Huyghenian, objectives of Series II, unless otherwise stated.

Upright polished case with drawer for accessories and receptacles for eyepieces and objectives, with handle and lock, accompanies the outfit.

With every complete outfit (stand and objectives), we supply eyepiece micrometer No. 1734 free, this cannot be used on powers less than C or 1 in.

G.	Stand with 1 eyepiece (any power).	-	-	-	-	-	-	\$40.00
G1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	-	-	-	-	-	-	63.00
G2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	-	-	-	-	-	-	69.00
G3.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	-	-	-	-	-	-	67.00
G4.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	-	-	-	-	-	-	73.00
G5.	Stand with 2 eyepieces and $\frac{3}{4}$ in., $\frac{1}{2}$ in. and $\frac{1}{4}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	112.00
G6.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{2}$ in. and $\frac{1}{4}$ in. oil immersion, (Series III) objectives,	-	-	-	-	-	-	118.00
	Investigator base in place of japanned iron base, with suitable case, extra,	-	-	-	-	-	-	2.50
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra,	-	-	-	-	-	-	9.00
	Abbe condenser, 1.20 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A., in mounting, No. 1678, extra,	-	-	-	-	-	-	16.00

For table of magnifying powers refer to page 47.

(Cut one-half of actual size.)

H — INVESTIGATOR MICROSCOPE.

H—INVESTIGATOR MICROSCOPE.

The base is of brass and has the tripod form; pillar and arm of bronze, connected by a solid joint for inclination of body; rack and pinion for coarse adjustment, fine adjustment by our patent frictionless motion; main tube with two draw-tubes, one of which is graduated in millimeters, arranged with cloth lining. The stage lies in the same plane as center of movement for mirror, is of bronze and has concentric, revolving motion with removable clips.

The mirror-bar swings upon its bearing to any obliquity below and above the stage. It is provided with a sliding arrangement, whereby the mirror may be moved to and from the object. The mirrors are plane and concave and adjustable. The sub-stage is adjustable and provided with dome diaphragm. Steel pin for centering stage and sub-stage is provided.

Eyepieces are the Hughenian, objectives of Series II, unless otherwise stated.

Upright polished case with drawer for accessories and receptacles for eyepieces and objectives, with handle and lock, accompanies the outfit.

With every complete outfit (stand and objectives), we supply eyepiece micro-meter No. 1734 free, this cannot be used on powers less than C or 1 in.

H.	Stand with 1 eyepiece (any power),	-	-	-	-	-	-	\$45.00
H1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	68.00
H2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	74.00
H3.	Stand with 2 eyepieces, and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	72.00
H4.	Stand with 2 eyepieces, and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	78.00
H5.	Stand with 2 eyepieces, and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion, (Series III)	-	-	-	-	-	-	117.00
H6.	Stand with 2 eyepieces, and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ oil immersion, (Series III)	-	-	-	-	-	-	123.00
	objectives,	-	-	-	-	-	-	
	Glass stage and slide-carrier which slips over brass stage, extra,	-	-	-	-	-	-	5.00
	Mechanical stage No. 1728, in place of the regular, extra,	-	-	-	-	-	-	17.00
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra,	-	-	-	-	-	-	9.00
	Abbe condenser, 1.20 N. A., in mounting No. 1678, extra,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A., in mounting No. 1678, extra,	-	-	-	-	-	-	16.00

For table of magnifying powers refer to page 47.

(Cut one-half of actual size.)

J — UNIVERSAL MICROSCOPE.

J—UNIVERSAL MICROSCOPE.

The base is of the tripod form and made of brass. The bronze pillar is large, and connected by joint for inclination of the arm. A heavy thumb-screw permits the instrument to be fastened in any position on the base. The coarse adjustment is by rack and pinion of long range; the fine adjustment is by micrometer screw acting on our patent frictionless motion. The main tube has two draw-tubes, one being graduated, provided with cloth-lining. The stage has concentric, revolving motion with removable spring clips. The mirrors are plane and concave and of large size, and both these and the sub-stage, carrying dome diaphragm, are adjustable on their respective bars; the circular bearings of these are large and are graduated to degrees and silvered. The mirror and sub-stage bars have their axis in the plane of the stage and move independent of one another or together to any obliquity below or above the stage. A steel pin for centering stage and sub-stage accompanies the instrument.

Eyepieces are the Huyghenian, objectives of Series II, unless otherwise stated.

Upright polished case with drawer for accessories and receptacles for eyepieces and objectives, with handle and lock, accompanies the outfit.

With every complete outfit (stand and objectives) we supply eyepiece micrometer No. 1734 free, this cannot be used on powers less than C or 1 in.

J.	Stand with 1 eyepiece (any power).	-	-	-	-	-	-	\$55.00
J1.	Stand with 1 eyepiece and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	78.00
J2.	Stand with 1 eyepiece and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	84.00
J3.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	82.00
J4.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	-	-	-	-	-	-	88.00
J5.	Stand with 2 eyepieces and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion (Series III) objectives,	-	-	-	-	-	-	127.00
J6.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion (Series III) objectives,	-	-	-	-	-	-	133.00
	Glass stage and slide-carrier which slips over brass stage, extra,	-	-	-	-	-	-	5.00
	Mechanical stage No. 1728, in place of the regular,	-	-	-	-	-	-	17.00
	Double nosepiece, brass finish, extra,	-	-	-	-	-	-	5.00
	Triple nosepiece, brass finish, extra,	-	-	-	-	-	-	9.00
	Abbe condenser, 1.20 N. A. in mounting No. 1678, extra,	-	-	-	-	-	-	14.00
	Abbe condenser, 1.42 N. A. in mounting No. 1678, extra,	-	-	-	-	-	-	16.00
	Rack and pinion adjustment to the sub-stage, extra,	-	-	-	-	-	-	15.00
	Centering adjustments by micrometer screw to either stage or sub-stage, extra, for each,	-	-	-	-	-	-	15.00

For table of magnifying powers, refer to page 47.

(Cut one-half of actual size.)
K — PROFESSIONAL MICROSCOPE.

K—PROFESSIONAL MICROSCOPE.

This instrument may be considered as the highest attainment in microscopical construction, in design, solidity and practical utility of the various parts. It is entirely constructed of brass and bronze. The base is unusually large and heavy. To its upper surface is fastened a revoluble plate graduated and provided with index, to which is attached two pillars. The arm is fitted to pillars by joint for inclination with steel axis. Coarse adjustment is by rack and pinion with large milled heads. The micrometer screw acting on fine adjustment is graduated to hundred parts and provided with index finger. Main tube has draw-tube working in cloth lining. Tubes when contracted are of the long standard. Mirror and sub-stage bars are separate and have independent movements working on an axis in the plane of the stage; both are graduated to degrees. Mirrors are plane and concave, of unusual large size and adjustable on mirror-bar. The sub-stage consists of the entire attachment No. 1684, and has a long adjustment by rack and pinion. The stage is revolving, graduated to degrees and provided with vernier. It has spring clips and centering adjustment. Graduations are all silvered.

Eyepieces are the Huyghenian, objectives of Series II, unless otherwise stated.

Upright polished case, with handle, lock and key, drawer for accessories and receptacles for eyepieces and objectives, accompanies the outfit.

With every complete outfit (stand and objectives) we supply eyepiece micrometer No. 1734 free, this cannot be used on powers less than C or 1 in.

K.	Stand with 2 eyepieces, - - - - -	\$135.00
K1.	Stand with 2 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	158.00
K2.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	164.00
K3.	Stand with 2 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. objectives, - - - - -	182.00
K4.	Stand with 3 eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	162.00
K5.	Stand with 3 eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	168.00
K6.	Stand with 3 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. objectives, - - - - -	186.00
K7.	Stand with 2 eyepieces and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion, (Series III) objectives, - - - - -	203.00
K8.	Stand with 3 eyepieces and $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion, (Series III) objectives, - - - - -	207.00
K9.	Stand with 4 eyepieces and 2 in., $\frac{3}{4}$ in., $\frac{1}{8}$ in. and $\frac{1}{16}$ in. oil immersion, (Series III) objectives, - - - - -	217.00
	Double nosepiece, brass finish, extra, - - - - -	5.00
	Triple nosepiece, brass finish, extra, - - - - -	9.00
	Abbe condenser, 1.20 N. A. in mounting, No. 1678, extra, - - - - -	14.00
	Abbe condenser, 1.42 N. A. in mounting, No. 1678, extra, - - - - -	16.00
	Mechanical Stage No. 1732, in place of one accompanying stand, extra, - - - - -	30.00

For table of magnifying powers refer to page 47.

Microscopes for Special Purposes.

(Cut one-half of actual size.)

LL — PETROGRAPHICAL MICROSCOPE.

I—PETROGRAPHICAL MICROSCOPE.

The base, upright pillars and arm of this instrument are of japanned iron ; the stage will be made in two ways, first, plain revolving, having silvered graduations at right angles and second, our mechanical stage, No. 1728, with silvered graduations on the edge, with vernier and graduations for the rectangular movements ; mirror-bar is adjustable and graduated, mirror of large size, plane and concave ; coarse adjustment is by rack and pinion, fine adjustment by micrometer screw, with graduated head into hundred parts ; pitch of screw, 72. The nosepiece has centering adjustment and opening for the use of the various accessories, also ring to exclude light when not in use. The double chambered box in the main tube carries in the one opening the upper nicol or analyzer, the second being vacant and which may be slid in or out at will, without at any time leaving an opening through which dust may enter. The eyepiece tube is moved in the main tube by rack and pinion and has two openings to receive accessories ; the lower nicol in polarizer is mounted in cylindrical box beneath the stage, to which it is held by a swinging arm, so that it may be thrown instantly to one side if desired. The polarizer may be vertically raised or depressed by a rack and pinion movement, and is capable of an axial revolution upon a graduated and silvered circle with index. It is provided with a compound lens for securing converged polarized light, which may be removed at will ; the point at which both nicols are crossed, giving total extinction of light, is registered by a pronounced click, provided in the polarizer mounting. Eyepieces have projecting studs which fit into slits in eyepiece tube securing central position and allowing movement to 45 degrees either way. The following accessories are a part of the stand : *a*) Bertrand's lens for magnifying the interference figure ; *b*) a quarter undulation mica plate ; *c*) a quartz wedge ; *d*) a gypsum plate, red of the first order.

Eyepieces are the Huyghenian, objectives of Series II.

A polished case with handle, lock and key, drawer for accessories and receptacles for eyepieces and objectives, accompanies the outfit.

I.	Stand with plain revolving stage and 1 eyepiece, provided with cross hairs,	\$125.00
I.1.	Stand with plain revolving stage and 1 eyepiece, and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	148.00
I.2.	Stand with plain revolving stage and 2 eyepieces (one provided with cross hairs), and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	152.00
II.	Stand with mechanical stage No. 1728, and 1 eyepiece provided with cross hairs,	142.00
II.1.	Stand with mechanical stage No. 1728, and 1 eyepiece, and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	165.00
II.2.	Stand with mechanical stage No. 1728, and 2 eyepieces (one provided with cross hairs), and $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	169.00
II.3.	Stand with mechanical stage No. 1728, and 2 eyepieces (one provided with cross hairs), and 2 in., $\frac{3}{4}$ in. and $\frac{1}{2}$ in. objectives,	175.00
II.4.	Stand with mechanical stage No. 1728, and 2 eyepieces (one provided with cross hairs), and 2 in., $\frac{3}{4}$ in., $\frac{1}{2}$ in. and $\frac{1}{8}$ in. objectives,	193.00
	Double nosepiece brass finish, extra,	5.00
	Triple nosepiece, brass finish, extra,	9.00
	Bertrand's quadrant eyepiece with revolving prism, extra,	16.50

Prices of separate petrographical accessories will be found on another page. For table of magnifying powers refer to page 47.

(Cut one-third of actual size.)

M—LABORATORY MICROSCOPE.

Combined Inverted and Vertical Microscopes.

The principles involved in the microscopes described on this and the following pages, are to the best of our knowledge entirely new. Although the Inverted microscope has been used for some time, it does not seem to have occurred to any one to combine this, which is used for special work, with the ordinary vertical instrument. There is no question that the fact, that the Inverted could only be used as such and that it was but incomplete at the best, has precluded its more general use, and we have no doubt, that offering them as we do now, by combining two instruments in one and supplying each with such complete adjustments as modern requirements demand, they will be found to fill a necessity in certain branches and prove a great convenience in others.

In the Inverted microscope, the usual conditions are reversed. The mirror is above the stage, while the objective is below it, and the object is therefore viewed from the lower side instead of from the upper one. After the rays have passed through the objective, they must be given an upward direction, so that the image which they form may be viewed; and in order to accomplish this, we make use of a four-sided prism, of which we give a sectional cut, its angles being respectively 57° , 150° , 48° , 105° . The prism is large and its surfaces accurately made, so that there is no noticeable depreciation in light and none at all in definition.

This form of instrument is particularly adapted for chemical investigations, diatomaceæ and other objects in water.

For examinations with low powers, the ordinary slide may be used, but for high powers, a cover glass of proper dimensions may be substituted.

We make these instruments in two styles.

(Cut one-third of actual size.)

N — UNIVERSITY MICROSCOPE.

M—LABORATORY MICROSCOPE.

In this microscope the pillar and arm are japanned. The stage is of solid metal and provided with spring clips. The mirror-bar swings on an axis in the plane of the stage, to any point above or below it. The mirrors are plane and concave and adjustable on the mirror-bar, as is also the sub-stage. This carries a revolving diaphragm, and is fixed on a pivot so that it will swing in or out of the optical axis. The coarse adjustment is by rack and pinion; the fine adjustment by micrometer screw acting on our patent movement. Attached to the slide is the arm, to the lower side of which is fastened the prism-box; on the upper horizontal surface is the nosepiece, with an extra adapter for high powers; in the oblique surface is a screw socket, to which the tube attaches; this is provided with cloth lining and has draw-tube.

To transform the instrument into an ordinary microscope, the tube is unscrewed, the milled head at the front of the arm loosened, which releases the prism-box, and the arm is swung on its axis from between the pillars into an upright position. The tube is now attached to the opposite side of the nosepiece and, after the clips are reversed, it is ready for work.

M. Stand with 1 Huyghenian eyepiece (any power) in polished case with handle, lock and key, - - - - - \$45.00

N—UNIVERSITY MICROSCOPE.

This instrument is in its general construction similar to the Laboratory. It is, however, made entirely of brass, with the exception of the stage, which consists of a heavy glass plate, mounted in a solid brass ring. The base is of the tripod form, of graceful construction. One solid pillar supports the instrument. In transforming this into an ordinary instrument, the tube and prism-box are removed as in the preceding, and the instrument is swung on its axis, which is the same as that of the mirror bar, into an upright position. The instrument may be used in an upright or inclined position.

N. Stand with 1 Huyghenian eyepiece (any power) in polished case with handle, lock and key, - - - - - \$70.00

BINOCULAR TUBE AND NOSEPIECE WITH PRISM ATTACHMENT.

BINOCULAR MICROSCOPES.

(Patented Feb. 12, 1884.)

The purpose of the Binocular microscope is to give a stereoscopic vision of objects, whereby their form, relative distance and position of the various parts are most plainly seen. We use the plan devised by Mr. Wenham, but with the modification that the prism is held by a swinging carrier instead of being in a sliding box. This plan admits no dust and leaves the tube unobstructed when the monocular tube only is used.

Eyepieces are the Huyghenian, objectives of Series II.

Polished case with receptacles for eyepieces and objectives accompanies the outfit.

F Binocular.	Model stand with binocular body, 1 pair of eyepieces, - -	\$45.00
F Binocular 1.	Model stand with 1 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	68.00
F Binocular 2.	Model stand with 1 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	74.00
G Binocular.	Physician stand with binocular body, 1 pair of eyepieces, -	60.00
G Binocular 1.	Physician stand with 1 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	83.00
G Binocular 2.	Physician stand with 1 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	89.00
H Binocular.	Investigator stand with binocular body, 1 pair of eyepieces, -	65.00
H Binocular 1.	Investigator stand with 1 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	88.00
H Binocular 2.	Investigator stand with 1 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	94.00
J Binocular.	Universal stand with binocular body, 1 pair of eyepieces, -	75.00
J Binocular 1.	Universal stand with 1 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives,	98.00
J Binocular 2.	Universal stand with 1 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	104.00

All of the above have arrangement for pupillary distance by a sliding adjustment.

K Binocular.	Professional stand with binocular body, adjustment for pupillary distance by rack and pinion, 1 pair of eyepieces, - -	175.00
K Binocular 1.	Professional stand with 1 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	198.00
K Binocular 2.	Professional stand with 1 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	204.00
K Binocular 3.	Professional stand with 2 pair of eyepieces and $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	206.00
K Binocular 4.	Professional stand with 2 pair of eyepieces and 2 in., $\frac{3}{4}$ in. and $\frac{1}{8}$ in. objectives, - - - - -	212.00

Binocular body with sliding adjustment for pupillary distance, fitted to rack of any of our monocular microscopes, with 1 pair of eyepieces, extra, - 27.50
(When so ordered, stand must in every case be sent on for adaptation.)

Simple Microscopes.

(Cut full size.)

R — HANDY DISSECTING MICROSCOPE.

(Cut two-thirds of actual size.)

S — EXCELSIOR POCKET AND DISSECTING MICROSCOPE.

R—HANDY DISSECTING MICROSCOPE.

The dissecting microscopes represented on the previous page are very efficient and convenient for examination of minerals, insects, flowers. etc.

They consist of an iron base with glass plate inlaid, forming a white back ground. A steel stem is screwed into the base plate, to which the magnifier is fitted and arranged to slide. The magnifiers are furnished with one, two or three lenses, which give a power of from 5 to 25 diameters. Those with two or three lenses are provided with a diaphragm which secures distinctness of definition.

The stem can be easily unscrewed, and the whole packed in a small box.

Nickel plated pliers are furnished with the instruments.

R1 , with one lens,	- - - - -	\$1.25
R2 , with two lenses,	- - - - -	1.50
R3 , with three lenses,	- - - - -	2.00
R4 , with three lenses, magnifier not in folding case, as shown,	- - - - -	1.25

S—EXCELSIOR POCKET AND DISSECTING MICROSCOPE.

This instrument consists of a small wooden case, to one end of the lid is attached one of the ends of the box, which, when reversed, forms a stand for the lenses and stage. These are supported by a steel rod, D, the lower end of which is hinged to the lid so that it may be turned down and lie in a groove. The glass stage, G, and magnifier are adjustable, and the former may be fixed by the set-screw. An adjustable mirror, H, is fitted into the case, by means of which light may be reflected on the objects; when these are opaque, all transmitted light may be shut off by the stop, N. Dissecting needles, K and L, with neat handles, fit into appropriate grooves.

As a dissecting microscope for botanical and entomological work, this instrument is very efficient. The glass plate in the stage forms a cell for holding water, so that aquatic animals may be examined. The lenses and stage may be packed in the case, which readily admits of its being carried in the vest pocket.

The lenses may be used either singly or together; are well made, and are provided with a proper diaphragm which secures distinctness of definition. They give a range of power of from five to twenty-five diameters. Under good management they show the individual corpuscles in the blood of the frog, and will exhibit very clearly the circulation in the foot of this animal.

S1 , with two lenses,	- - - - -	\$2.00
S2 , with three lenses,	- - - - -	2.25
S3 , set of three hard rubber slides, with opening of different kinds, to serve as linen provers,	- - - - -	0.25

(Cut one-half of actual size.)

T — PRIMARY DISSECTING MICROSCOPE.

(Cut one-half of actual size.)

U — EDUCATIONAL DISSECTING MICROSCOPE.

T-PRIMARY DISSECTING MICROSCOPE.

This represents a most effective and low priced dissecting instrument. The body is a solid block of wood so shaped that the sides serve the purpose of hand rests ; mirror and movable glass stage plate are provided for in a simple manner. The lens holder slides in a brass tube driven into a hole in the block. The lens is of 1 in. focus and mounted in hard rubber.

[illegible]

U—EDUCATIONAL DISSECTING
MICROSCOPE.

This instrument has been specially designed for class and laboratory use, and is of the utmost simplicity, nothing, however, having been sacrificed of its thorough efficiency. The base is of japanned iron; the pillar is of finished brass, and contained therein is the sliding rod, provided with projecting pin; the arm is partly adjustable in the rod; the stage is of bronzed brass provided with spring clips. The mirror is concave, and on the opposite side has a white opaque surface. The instrument is supplied in cherry case with handle.

U1. with 1 mounted lens of 1 in. focus,	-	-	-	-	-	-	\$6.00
U2. with 2 mounted lenses of 2 in. and 1 in. focus,	-	-	-	-	-	-	7.00
Arm for lenses, with joint in place of single arm, extra,	-	-	-	-	-	-	1.00
Single lenses mounted of $\frac{3}{4}$ in., $\frac{1}{2}$ in. or $\frac{1}{4}$ in focus, extra, each,	-	-	-	-	-	-	1.00

(Cut one-third of actual size.)

V—FOLDING DISSECTING MICROSCOPE.

V—FOLDING DISSECTING MICROSCOPE.
(Pat. Aug. 3, 1880.)

This instrument is compact, portable and efficient. It has all the elements of the ordinary dissecting microscopes, and besides these the important feature that, when folded, it is brought into a very small compass.

The base is japanned iron. The stage is of brass, blackened, has spring clips, and in its center contains a removable glass disc. It is of convenient height, so that any amount of work may be done without any fatigue to the arms or hands. The arm holding the lenses is adjustable in a triangular rack-rod, and is arranged with society screw, thus permitting the use of low-power objectives. The rack and pinion give a perfectly smooth adjustment. The mirror is detachable from the base, and can be readily attached to the stage for oblique light or illumination of opaque objects. The brass work is all highly finished and lacquered. In folding, the rack is brought down and arm detached, the stage swings backwards on the pillar and the base on the stage, so that the space occupied is merely the size of the base, and thickness of this, stage and arm.

Mounted lenses, of 2 and 1 in. focus, and nickel-plated pliers accompany the instrument, and are so arranged that they may be used singly or in conjunction. The whole packed in a neat case. Grooves are provided on lower surface of stage to receive brass hand-rests.

V, as above, - - - - -	\$12.00
Compound erecting body, extra, - - - - -	12.00
Hand-rests as shown in cut, per pair, - - - - -	2.00
Arm for lenses, with joint in place of single arm, extra, - - - - -	1.00
Single lenses, mounted, of $\frac{3}{4}$ in., $\frac{1}{2}$ in. or $\frac{1}{4}$ in. focus, extra, each, - - -	1.00
Coddington magnifiers, 1 in., $\frac{3}{4}$ in. or $\frac{1}{2}$ in. focus, extra, each, - - -	2.50
Achromatic Triplets, giving large flat field with beautiful definition, 1 in., $\frac{3}{4}$ in. or $\frac{1}{2}$ in. focus, extra, each, - - - - -	6.00

Objectives.

Our list of objectives has been added to from time to time, and now embraces a variety from which a suitable selection may be made for every field of investigation. Our objectives are all carefully computed for the utmost freedom of color, largest amount of light, greatest working distance, and extreme flatness of field for their respective angular apertures and magnifying powers. The process of production is carried out on a system which was developed after constant efforts to reach the highest results, and eliminates every possibility of chance, so common to optical work generally. A faulty objective never leaves our hands, and every opportunity for improvement is utilized. The glass employed is of the celebrated Jena production, but only such is used, which after years of constant use has proven itself to be not liable to the least deterioration. The many thousands of objectives which are in constant use, and the constantly increasing demand, fully attest their comparative merits as well as moderate prices.

Our objectives are all classified according to their numerical aperture and divided into series. We draw particular attention to the fact that all of our objectives have our name in full, "Bausch & Lomb Optical Co.," cut upon them. We deem this necessary, as we often learn that unscrupulous parties palm off worthless productions as ours which are similar in appearance. All objectives have the standard society screw and are furnished in neatly finished brass boxes.

All non-adjustable objectives are corrected for a cover thickness of 0.16 mm. (about 0.006 in.), and the medium point of adjustment in all adjustable objectives is for the same thickness. This thickness is about the average in the No. 2 cover glass, but there is a wide difference between the two extremes. While a variation in thickness of the cover glass is admissible in the low powers, it disturbs the correction in medium powers and very considerably so in high powers, and, as a consequence, objectives fail proportionately to give good results. Cover glasses should therefore either be measured, for which purpose our Cover Glass Gauge is admirably adapted, and to which we call particular attention, or where means will permit, adjustable objectives should be selected. With these it is possible to obtain the highest degree of their performance under any condition, and where correct thickness is used, they may be left at the medium point of adjustment.

NUMERICAL APERTURE TABLE.

(Reprint from "The Journal of the Royal Microscopical Society.")

NUMERICAL APERTURE.	Corresponding Angle (2α) for			Limit of Resolving Power, in Lines to an Inch.			Illuminating Power. (a 2.)	Pene- trating Power $\left(\frac{1}{a}\right)$
	Air ($n \sin \alpha = a$.)	Water ($n = 1.33$.)	Homogeneous Immersion ($n = 1.52$.)	White Light ($\lambda = 0.5260 \mu$, Line E.)	Monochromatic (Blue) Light ($\lambda = 0.4861 \mu$, Line F.)	Photography ($\lambda = 0.4000 \mu$, Near Line H.)		
1.52	..	..	180° 0'	146,543	158,845	193,037	2.310	.658
1.51	..	..	166° 51'	145,579	157,800	191,767	2.280	.662
1.50	..	..	161° 23'	144,615	156,755	190,497	2.250	.667
1.49	..	..	157° 12'	143,651	155,710	189,227	2.220	.671
1.48	..	..	153° 39'	142,687	154,665	187,957	2.190	.676
1.47	..	..	150° 32'	141,723	153,620	186,687	2.161	.680
1.46	..	..	147° 42'	140,759	152,575	185,417	2.132	.685
1.45	..	..	145° 6'	139,795	151,530	184,147	2.103	.690
1.44	..	..	142° 39'	138,830	150,485	182,877	2.074	.694
1.43	..	..	140° 22'	137,866	149,440	181,607	2.045	.699
1.42	..	..	138° 12'	136,902	148,395	180,337	2.016	.704
1.41	..	..	136° 8'	135,938	147,350	179,067	1.988	.709
1.40	..	..	134° 10'	134,974	146,305	177,797	1.960	.714
1.39	..	..	132° 16'	134,010	145,260	176,527	1.932	.719
1.38	..	..	130° 26'	133,046	144,215	175,257	1.904	.725
1.37	..	..	128° 40'	132,082	143,170	173,987	1.877	.729
1.36	..	..	126° 58'	131,118	142,125	172,717	1.850	.735
1.35	..	..	125° 18'	130,154	141,080	171,447	1.823	.741
1.34	..	..	123° 40'	129,189	140,035	170,177	1.796	.746
1.33	..	180° 0'	122° 6'	128,225	138,989	168,907	1.769	.752
1.32	..	165° 56'	120° 33'	127,261	137,944	167,637	1.742	.758
1.30	..	155° 38'	117° 35'	125,333	135,851	165,097	1.690	.769
1.28	..	148° 42'	114° 44'	123,405	133,764	162,557	1.638	.781
1.26	..	142° 39'	111° 59'	121,477	131,674	160,017	1.588	.794
1.24	..	137° 36'	109° 20'	119,548	129,584	157,477	1.538	.806
1.22	..	133° 4'	106° 45'	117,620	127,494	154,937	1.488	.820
1.20	..	128° 55'	104° 15'	115,692	125,404	152,397	1.440	.833
1.18	..	125° 3'	101° 50'	113,764	123,314	149,857	1.392	.847
1.16	..	121° 26'	99° 29'	111,835	121,224	147,317	1.346	.862
1.14	..	118° 0'	97° 11'	109,907	119,134	144,777	1.300	.877
1.12	..	114° 44'	94° 55'	107,979	117,044	142,237	1.254	.893
1.10	..	111° 36'	92° 43'	106,051	114,954	139,698	1.210	.909
1.08	..	108° 36'	90° 34'	104,123	112,864	137,158	1.166	.926
1.06	..	105° 42'	88° 27'	102,195	110,774	134,618	1.124	.943
1.04	..	102° 53'	86° 21'	100,266	108,684	132,078	1.082	.962
1.02	..	100° 10'	84° 18'	98,338	106,593	129,538	1.040	.980
1.00	180° 0'	97° 31'	82° 17'	96,410	104,503	126,998	1.000	1.000
0.98	157° 2'	94° 56'	80° 17'	94,482	102,413	124,458	.960	1.020
0.96	147° 29'	92° 24'	78° 20'	92,554	100,323	121,918	.922	1.042
0.94	140° 6'	89° 56'	76° 24'	90,625	98,233	119,378	.884	1.064
0.92	133° 51'	87° 32'	74° 30'	88,697	96,143	116,838	.846	1.087
0.90	128° 19'	85° 10'	72° 36'	86,769	94,053	114,298	.810	1.111
0.88	123° 17'	82° 51'	70° 44'	84,841	91,963	111,758	.774	1.136
0.86	118° 38'	80° 34'	68° 54'	82,913	89,873	109,218	.740	1.163
0.84	114° 17'	78° 20'	67° 6'	80,984	87,783	106,678	.706	1.190
0.82	110° 10'	76° 8'	65° 18'	79,056	85,693	104,138	.672	1.220
0.80	106° 16'	73° 58'	63° 31'	77,128	83,603	101,598	.640	1.250
0.78	102° 31'	71° 49'	61° 45'	75,200	81,513	99,058	.608	1.282
0.76	98° 56'	69° 42'	60° 0'	73,272	79,423	96,518	.578	1.316
0.74	95° 28'	67° 37'	58° 16'	71,343	77,333	93,979	.548	1.351
0.72	92° 06'	65° 32'	56° 32'	69,415	75,242	91,439	.518	1.389
0.70	88° 51'	63° 31'	54° 50'	67,487	73,152	88,899	.490	1.429
0.68	85° 41'	61° 30'	53° 9'	65,559	71,062	86,359	.462	1.471
0.66	82° 26'	59° 30'	51° 28'	63,631	68,972	83,819	.436	1.515
0.64	79° 36'	57° 31'	49° 48'	61,702	66,882	81,279	.410	1.562
0.62	76° 38'	55° 34'	48° 9'	59,774	64,792	78,739	.384	1.613
0.60	73° 44'	53° 38'	46° 30'	57,846	62,702	76,199	.360	1.667
0.58	70° 54'	51° 42'	44° 51'	55,918	60,612	73,659	.336	1.724
0.56	68° 6'	49° 48'	43° 14'	53,990	58,522	71,119	.314	1.786
0.54	65° 22'	47° 54'	41° 37'	52,061	56,432	68,579	.292	1.852
0.52	62° 40'	46° 2'	40° 0'	50,133	54,342	66,039	.270	1.923
0.50	60° 0'	44° 10'	38° 24'	48,205	52,252	63,499	.250	2.000
0.45	53° 30'	39° 33'	34° 27'	43,385	47,026	57,149	.203	2.222
0.40	47° 9'	35° 0'	30° 31'	38,564	41,801	50,799	.160	2.500
0.35	40° 58'	30° 30'	26° 38'	33,744	36,576	44,449	.123	2.857
0.30	34° 56'	26° 4'	22° 46'	28,923	31,351	38,099	.090	3.333
0.25	28° 58'	21° 40'	18° 56'	24,103	26,126	31,749	.063	4.000
0.20	23° 4'	17° 18'	15° 7'	19,282	20,901	25,400	.040	5.000
0.15	17° 14'	12° 58'	11° 19'	14,462	15,676	19,050	.023	6.667
0.10	11° 29'	8° 38'	7° 34'	9,641	10,450	12,700	.010	10.000
0.05	5° 44'	4° 18'	3° 46'	4,821	5,252	6,350	.003	20.000

LINEAR MAGNIFYING POWERS OF OBJECTIVES AND EYEPIECES.

STANDARD TUBE LENGTH, 8.5 in., 216 mm.

OBJECTIVES.		3 in.	2 in.	1½ in.	1 in.	¾ in.	½ in.	¼ in.
EYEPIECES {	2 in. (A)	15	25	33	40	50	70	176
	1½ in. (B)	21	35	42	55	70	102	247
	1 in. (C)	30	50	66	80	100	140	353
	¾ in. (D)	42	70	84	110	140	205	495
	½ in. (E)	60	100	132	160	200	280	705

STANDARD TUBE LENGTH, 8.5 in., 216 mm.

TUBE LENGTH, 160 mm.

OBJECTIVES.		½ in.	⅓ in.	¼ in.	⅓ in.	⅓ in.	⅓ in.	⅓ in.	⅓ in.
EYE-PIECES {	2 in. (A)	210	265	360	450	570	690	18	29
	1½ in. (B)	295	385	540	660	845	1025	26	42
	1 in. (C)	420	530	720	900	1140	1380	37	58
	¾ in. (D)	590	770	1080	1320	1690	2050	52	84
	½ in. (E)	840	1060	1440	1800	2280	2760	74	116

INSTRUCTIONS FOR USING EYEPIECE MICROMETER.

As the eyepiece micrometer is not compared directly with the object itself, but only with the image of it formed in the focus of the eyepiece, it is only when the exact proportion between the size of the object and that of its image is known, that measurements of the object can be readily determined by the eyepiece micrometer.

This proportion depends upon: 1st, the focus of the objective; 2d, the distance of the image from the object; 3d, the focus and the place of the field-lens when the latter is situated between the objective and the image.

As these relative conditions are not of equal value in all microscopes, and consequently the relative sizes of the images, as formed by different objectives of the same rating, are not always the same, these sizes have to be ascertained for each microscope and objective separately.

To reach this result, a reliable stage micrometer should be used as an object, and its image accurately measured with the eyepiece micrometer.

The figures designate the proportion of the linear measure of the object, the latter being taken as 1.

The actual size of any object is therefore obtained when the size of its image, which is obtained by direct measurement by means of the eyepiece micrometer, is divided by the figures so obtained.

For adjustable objectives, the figures are intended for close adjustment.

In instruments having draw-tube, make measurements when tube is at standard length.

25.4 mm.=1 in

OBJECTIVES—SERIES I.

(Old Biological Series.)

These objectives were specially designed for the Continental Microscopes, and are corrected for the short tube length of 160.0 mm. They are therefore not suited for use with our other instruments unless the length of tube is decreased to the proper point by means of the draw-tube. They are intended for biological investigations and give results which are unsurpassed by any European productions. The $\frac{2}{3}$ in. has an unusual flatness of field with excellent definition; the $\frac{1}{6}$ in. has an excellent resolving power, resolving *P. Angulatum* easily with central light and good working distance; the $\frac{1}{12}$ in. oil immersion is mounted in non-adjustable mounting, and so perfectly corrected that it will resolve *A. Pellucida* in balsam; it is well suited to the study of Bacteriology and all work requiring a higher power than the dry objective.

NUMBER.	FOCUS.	NUMERICAL AP.	PRICE.
1000,	2 in.	0.10	\$ 6.00
1002,	$\frac{2}{3}$ in.	0.25	7.00
1004,	$\frac{1}{6}$ in.	0.85	15.00
1006,	$\frac{1}{12}$ in. Oil Immersion.	1.25	45.00

OBJECTIVES—SERIES II.

(Old Student Series).

These objectives possess qualities which fit them excellently for the requirements of every-day work. They are unexcelled by any objectives of approximate price, and indeed by many which are higher in cost and more pretentious. We use them in making up our outfits.

The lower powers of this Series up to $1\frac{1}{2}$ in. are composed of a single system triplet ; they give good definition. The 1 in., $\frac{3}{4}$ in. and $\frac{1}{2}$ in. are two system, of excellent definition and exceptionally flat field. The remainder of the Series are three system and offer various advantages. The $\frac{1}{4}$ in. N. A. 0.62 and $\frac{1}{5}$ in. N. A. 0.62 are especially designed lenses, having extra ordinary long working distance, sufficient to illuminate opaque objects, and they resolve P. Angulatum by oblique light ; their resolving power, however, does not equal that of the $\frac{1}{4}$ in., N. A. 0.77, and $\frac{1}{5}$ in., N. A. 0.82, which both resolve P. Angulatum easily by central light. Unless it is expressly stated which objectives are desired, we always send the $\frac{3}{4}$ in. and $\frac{1}{5}$ in., N. A. 0.82., with our instruments. The $\frac{1}{8}$ in. is good for general histological work where higher power is desired, although on account of the unavoidable loss of light, we recommend objectives of higher numerical aperture when these powers are required.

NUMBER.	FOCUS.	NUMERICAL AP.	ADJUSTMENT.	PRICE.
1020	3 in.	0.8	Non-Adjustable.	\$ 6.00
1022	2 in.	0.10	"	6.00
1024	$1\frac{1}{2}$ in.	0.14	"	6.00
1026	1 in.	0.18	"	6.00
1028	$\frac{3}{4}$ in.	0.24	"	8.00
1030	$\frac{1}{2}$ in.	0.36	"	9.00
1032	$\frac{1}{4}$ in.	0.62	"	14.00
1034	$\frac{1}{4}$ in.	0.77	"	14.00
1036	$\frac{1}{5}$ in.	0.62	"	15.00
1038	$\frac{1}{5}$ in.	0.82	"	15.00
1040	$\frac{1}{8}$ in.	0.85	"	18.00

OBJECTIVES—SERIES III.

(Old Professional Series).

These objectives have a better resolving and defining power than the preceeding, and from the fact that they have larger lenses, give better illumination under the same conditions. They are substituted for those in the outfits for the difference in price.

The 3 to 5 in. is a variable objective. The variation is obtained by a revolving collar, and when at its highest power has a working distance of $\frac{1}{2}$ in., and at its lowest power about 2 in. The lower powers from 3 in. to $\frac{3}{4}$ in. are composed of two systems, each in itself achromatic and of such a combination as will give the highest attainable results. The 3 in., 2 in. and $1\frac{1}{2}$ in. have a particularly flat field. In the immersion objectives the front is not affected by fluids. The $\frac{1}{2}$ in. resolves P. Angulatum with oblique light. The $\frac{1}{4}$ in., $\frac{1}{5}$ in. and $\frac{1}{8}$ in. are newly constructed objectives of excellent capacity, resolving No. 17 of Moeller's test plate, and possess such working distance that no difficulty is experienced in comfortably working through any cover glass thickness. They are well suited to biological investigations, giving results closely approaching immersion objectives.

The water immersion objectives are notable for their long working distance and clearness of definition.

The oil immersion are mounted in both fixed and adjustable mountings. They are admirable objectives, adapted to close work of every day occurrence, in which very large working distance and excellent resolving power are required. They will resolve A. Pellucida in balsam.

A phial of immersion fluid accompanies each objective.

The oil immersion $\frac{1}{12}$ in. referred to in all microscope outfits is the one in non-adjustable mounting.

NUMBER.	FOCUS.	NUMERICAL AP.		ADJUSTMENT.	PRICE.
1060	3 to 5 in.		Dry.	Variable.	\$18.00
1062	3 "	0.10	"	Non-Adjustable.	13.00
1064	2 "	0.14	"	"	13.00
1066	$1\frac{1}{2}$ "	0.20	"	"	15.00
1068	1 "	0.31	"	"	15.00
1070	$\frac{3}{4}$ "	0.35	"	"	15.00
1072	$\frac{1}{2}$ "	0.54	"	"	18.00
1074	$\frac{1}{4}$ "	0.88	"	Adjustable.	24.00
1076	$\frac{1}{5}$ "	0.90	"	"	28.00
1078	$\frac{1}{5}$ "	0.92	"	"	30.00
1090	$\frac{1}{8}$ "	0.99	Water Im.	"	25.00
1092	$\frac{1}{10}$ "	0.99	"	"	28.00
1094	$\frac{1}{12}$ "	0.99	"	"	30.00
1096	$\frac{1}{16}$ "	0.99	"	"	35.00
1100	$\frac{1}{8}$ "	1.18	Oil Im.	Non-Adjustable.	40.00
1102	$\frac{1}{10}$ "	1.18	"	"	40.00
1104	$\frac{1}{12}$ "	1.18	"	"	45.00
1106	$\frac{1}{16}$ "	1.18	"	"	55.00

Nos. 1100, 1102, 1104, 1106 in adjustable mounting with graduated silvered collar,

extra, - - - - - \$10.00

OBJECTIVES—SERIES IV.

(Old First-Class Series.)

These objectives are of the highest attainable perfection, and we believe stand unrivaled. They will bear almost any amount of amplification. The $\frac{1}{6}$ in. stands pre-eminent as a dry objective, and is particularly valuable on account of its freedom from inconvenience of immersion fluids. It resolves No. 18 of Moeller's balsam plate; its adjustment is by rectilinear movement of the posterior system, and it has graduated and silvered collar.

The oil immersion objectives are four system, and we believe are unequalled in those qualities which are necessary in objectives of this class—extreme angular aperture with large working distance, resolution and flatness of field. Their numerical aperture is not less than 1.40, and the resolving power is commensurate with it.

After considering the fact that the slightest variation in immersion fluid and length of tube, change of eyepieces, cover-glasses of different refraction, in a word, circumstances differing in the slightest degree from those under which the objective was corrected, seriously affect its utility; and believing that the highest grade immersion objective should work equally well under any of these conditions, we have decided to make the above series in adjustable mountings only.

A phial of immersion fluid accompanies each objective.

NUMBER.	FOCUS.	NUMERICAL AP.		ADJUSTMENT.	PRICE.
1120	$\frac{1}{8}$ in.	0.94	Dry.	Adjustable.	\$40.00
1122	$\frac{1}{8}$ "	1.40	Oil Immersion,	"	75.00
1124	$\frac{1}{10}$ "	1.40	" "	"	80.00
1126	$\frac{1}{12}$ "	1.40	" "	"	90.00
1128	$\frac{1}{18}$ "	1.40	" "	"	125.00

Eyepieces.

Our regular eyepieces are all provided with adjustable cap on eye lens; they give the largest and flattest possible field. We have adopted the par-focal plan and nomenclature as recommended by the committee of the American Society of Microscopists on eyepieces, which is the same as that used on objectives, and designates them according to the equivalent foci of the lenses. This method gives an approximate idea of the amplification.

All of these eyepieces, except when they vary from our standards, are so constructed that the neck or small tube, flange with milled edge, and large tube, are made of continuous metal, which insures not only extreme rigidity, but enables us to make the various parts exactly true with one another.

In addition to the above regular eyepieces, we make a series after the so-called Continental pattern, which consists of a straight tube, with the eye-lens and field-lens attached at each respective end. They are entirely contained in the tube of the microscope with the exception of the mounting for eye-lens and are intended to be used particularly with the Continental microscopes

The solid eyepieces consist of one piece of homogeneous glass. They are fixed in a standard size mounting which slips into an adapter for microscope tube.

The tubes of our microscopes take eyepieces of the following sizes :

A, B, C, D, E, F, G, L, M and N,	26.3 mm. diam.
H and J,	- - - 30.5 mm. diam.
K,	- - - - 38.6 mm. diam.

HUYGHENIAN.

CONTINENTAL.

HUYGHENIAN EYEPIECES.

No.																		Price.
1500,	2 in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	\$ 4.00
1502,	1½ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
1504,	1 in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
1506,	¾ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
1508,	½ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00

1504, 1506 and 1508 can be arranged with slot to receive micrometer No. 1734 ;
covered by cap to exclude light, eye-lens being adjustable for focus with
micrometer No. 1734, extra, - - - - - 1.75
1500 and 1502 can only be used with micrometer No. 1736,

CONTINENTAL EYEPIECES.

No.																		Price.
1520,	2 in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	\$ 3.00
1522,	1½ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00
1524,	1 in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00
1526,	¾ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00
1528,	½ in.,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00

Micrometer No. 1736 can only be used with the above.

SOLID EYEPIECES.

No.																		Price.
1540,	½ in., with adapter for any size tube,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	\$ 6.00
1542,	⅜ in., with adapter for any size tube,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00
1544,	¼ in., with adapter for any size tube,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00
1546,	⅓ in., with adapter for any size tube,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00
1548,	⅔ in., with adapter for any size tube,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00

DIRECTIONS FOR ORDERING EYEPIECES.

When orders for eyepieces are given by measurement for other instruments than our own, we follow them exactly ; but our experience has shown that this method is unreliable from the fact that the ordinary means of measuring are not sufficiently accurate. We would suggest that the best method of informing us of the size desired, is to send us a strip of good paper, of such a length that when wound around the eyepiece, the two ends will just meet.

Microtomes.

(Cut one-third of actual size.)

STUDENT MICROTOME.

(Pat. September 8, 1885.)

(Cut one-third of actual size.)

LABORATORY MICROTOME.

MICROTOMES.

In the Laboratory, the base, curved arm, upright and V-shaped beds are made of one continuous casting, thus insuring extreme rigidity, without excessive weight. The knife carrying block is fitted in the angular way in such a manner that the knife moves steadily through it without deviating from its plane and without requiring any extra pressure. Stop-screws with soft rubber cushions are fastened at the ends of the way, which serve to overcome any sudden concussion, and thus prevent a vibration of the knife. The upper surface of the block is provided on its entire length with a grooved slot, to which is fitted a sliding thumb-screw, so that the knife may be fastened at any point upon it.

The front vertical bed is planed and polished, and is arranged with a grooved slot its full length. The adjustable carriage is fitted to it, and may be securely fastened at any point upon it by means of two heavy screws. The tightening pin for these, when not in use, has a receptacle in the solid bed. It will thus be seen that whether it is desired to make a straight or very oblique cut, the carriage with object may be placed at such a point where it is the most convenient in its relation to the cutting edge.

To the carriage are directly fitted the micrometer screw with graduated disk and a slide which is acted upon by the former. A provision is made for taking up the possible wear on the screw. At one side of the carriage a spring is attached which works in the grooves on the edge of the disk with a pronounced click, so that the feed may be controlled without watching it; this may be loosened so that it will not act when it is desired to use the index only. A lever with ivory handle is connected with the slide in the large size, so that this may be returned after the screw has come to the limit of its motion.

The slide is provided with a grooved slot, which admits of the quick vertical adjustment of the universal joint and clamp for specimens of different lengths. The universal joint permits inclination in any direction, and the clamp is arranged in such a manner that it swings on an axis and may be independently adjusted for height, thus giving five different adjustments for the specimens.

The Student is of smaller dimensions, but the construction of bed, curved arm, V-shaped bed and knife carrying block is the same. The feed-screw attachment is placed at one end of the bed, and for all ordinary work the best position of clamp is as shown in cut.

A drip-pan is countersunk in the upper surface of the bed, and is easily removable for the purpose of cleaning.

It is impossible to use a knife with a thin edge for all kinds of work, it will invariably nick or be otherwise damaged when such a one is used on hard substances; a knife with an edge not ground as thin as they usually are, should be used expressly for cutting hard substances. The knives we furnish are made of the very finest English steel and carefully tempered.

No.					Price.
1600,	Student Microtome (no case), with knife in cherry case,	-	-	-	\$18.00
1602,	Laboratory Microtome, small size, with knife in morocco case, the whole packed in polished case with lock and key,	-	-	-	42.50
1604,	Laboratory Microtome, large size, with knife in morocco case, the whole packed in polished case with lock and key,	-	-	-	50.00
1610,	Microtome Knife, cutting edge $3\frac{1}{4}$ in., in cherry case, each,	-	-	-	3.00
1612,	Microtome Knife, cutting edge 4 in., in morocco case, each,	-	-	-	8.00
1614,	Microtome Knife, cutting edge 6 in., in morocco case, each,	-	-	-	10.00

No. 1620.

No.		Price.
1620,	Microtome, - - - - -	\$10.00

This instrument is dissimilar from the foregoing in not having a mechanical movement for the knife. It is intended to be fastened to the table-top by means of the thumb-screw. The clamp for this specimen, slide and feed-screw are the same as in the Student Microtome. Two glass plates are fastened on the top and will permit a long sweep of knife.

No. 1622.

1622,	Freezing Attachment, - - - - -	9.00
-------	--------------------------------	------

This attachment consists of nickel-plated cylinder with atomizer, and is fastened in the place of the clamp. The object to be frozen is placed upon it. The bottle for fluid is connected on one side with the atomizer, on the other with the pressure regulating bladder and hand-bulb. Objects may be frozen with it in from one to three minutes, and may be easily kept in this condition. This method of freezing commends itself for effectiveness, cleanliness and economy in time. Ether or Rhigolene may be used.

(Adaptable to our Student and Laboratory Microtomes, but as fittings vary, state when ordering, for which instrument it is intended.)

No. 1624.

No.		Price.
1624,	Knife-Holder, - - - - -	\$2.50

This attachment has been devised for holding other knives than those which are especially made for the microtomes. It is provided with a slot, so that it may be adjusted upon the block, and with set-screws, so that the angle of the cutting edge of the knife may be varied. The knife is firmly fixed by the thumb-screws.

1626,	Section Flattener, - - - - -	1.25
-------	------------------------------	------

This is an exceedingly simple and effective device for preventing the curling of thin sections as they are cut. *We must have the knife in order to fit it, however.*

Accessories.

The following list of accessories is very complete, and a selection suitable to every field of investigation may be made therefrom. Many of the articles are original with us, and are only found in this catalogue, and all are carefully constructed with a view to their practical application and fully covering the purpose for which they are intended. Many articles which within the past few years have been found unsuited to modern requirements, have been entirely dropped, while others of great utility have been added. Thus many of the sub-stage condensers listed in former catalogues have become obsolete and are replaced by several new devices for effectually controlling sub-stage illumination.

It will be observed that we have made a reduction in price in many of our accessories. This is in the line of the policy we have followed from the outset, and is productive of good results in two directions. By placing a reasonable price on a new article, we bring it within the means of many who could not otherwise purchase, which again, on account of the increased quantity, enables us to work more economically and make a corresponding reduction. While practical utility and workmanship are always the *first considerations*, an opportunity is also given to improve in these directions under this policy.

All the sub-stage accessories are made to one uniform standard, and will fit our instruments as well as others constructed on this basis, so that they may be ordered separately.

It is often found that certain accessories are absolutely necessary for certain classes of work, whereas the instruments on which they are to be used (and as a general thing foreign instruments) are not suited to receive them. In such instances we make the required changes and give estimates of cost on inquiry.

ACCESSORIES.

No. 1644.

No. 1648.

No. 1650.

No.		Price.
1640,	Adapter for foreign objectives, (as there is no standard among foreign objectives, all those to be fitted to adapters should be sent us), - - - - -	\$1.00
1642,	Adapter for fitting objectives in sub-stage, - - - - -	1.00
1644,	Adapter, same, with centering adjustment, - - - - -	5 00
1646,	Amplifier, achromatic, with society screw, in brass box, - - - - -	7.50
1648,	Blue Glass, Hopkins', graduated, - - - - -	3.50
	This glass is in the form of a disk. It revolves upon the adapter and gives intermediate shades between white and dark blue, both transparent and translucent.	
1650,	Camera Lucida. in brass mounting, - - - - -	1.50

No. 1652.

1652,	Camera Lucida, Double Prism, - - - - -	7.50
-------	--	------

It may be used with the instrument in an upright or inclined position, and shows the image and pencil point clearly at the same time. It is far superior to the Wollaston in size of field and non-distortion of image.

No. 1654.

No.		Price.
1654,	Camera Lucida, Improved Abbe, - - - - -	\$10.00

This form of Camera Lucida is without question the best form in giving distinct image of the object and pencil point. To obtain distinct pencil point, a series of different colored smoke glasses have been required in the Abbe form, which have been inconvenient. Our mounting is improved to take a smoke glass wedge, counterbalanced by a transparent wedge to avoid the prism effect, which is interposed between the prism and mirror and held by spring clips. Any degree of modulation is thus easily obtained. This Camera Lucida is provided with adapter to fit the neck of our eyepieces.

1656,	Camera Lucida, Improved Abbe, - - - - -	11.00
-------	---	-------

Same as above, but provided with binding and centering screws, to attach to our or other eyepieces as well as microscope tubes.

In ordering, the outside diameter of tube to be fitted should be given us, preferably as in eyepieces.

No. 1662.

No. 1660.

No. 1658.

No. 1668.

1658,	Compressor, Wenham's, - - - - -	1.50
1660,	Compressor, Parallel, - - - - -	3.50
1662,	Compressor, new construction, large size. In use by the Bureau of Animal Industry for the inspection of pork, - - - - -	2.00
1664,	Condenser, Bulls-eye, lens $1\frac{1}{2}$ in. diameter, - - - - -	4.00
1666,	Condenser, Bulls-eye, lens $2\frac{1}{4}$ in. diameter, - - - - -	7.00
1668,	Condenser, Bulls-eye, lens 3 in. diameter, - - - - -	10.00

SUB-STAGE CONDENSERS, ABBE.

The lenses composing these condensers are of such a size that they will utilize almost all the rays which may pass through the sub stage ring. Their numerical aperture are about 1.20 and 1.42; the former suited for objectives of medium angular aperture, the latter will do justice to objectives of the largest angular aperture; its volume of light is sufficient with the highest amplification, and although it gives an intense light at the focal point, it may be distributed over a larger space, or its volume decreased by varying its distance from the object. It will work both dry and immersion. The pin-hole cap provides means for exactly centering the condenser.

These condensers can be fitted to mountings No. 1676 and 1678, as desired. The condensers are reversible and adjustable in the adapters, thus they can be used on any stand having standard size of sub-stage.

Optical part of Condenser 1.20 N. A.

Optical part of Condenser 1.42 N. A.

No.		Price.
1670,	Sub-stage Condenser, Abbe, 1.20 N. A., in plain sub-stage adapter, without means for regulating light, with pin hole cap, in morocco case, - - -	\$ 8.00
1672,	Sub-stage Condenser, Abbe, 1.42 N. A., same as above, in morocco case, - - -	10.00
1674,	Sub-stage Condenser, Abbe, achromatic 1.0 N. A , with pin hole cap, in morocco case, - - - - -	20.00

This condenser gives a colorless image of the source of light. While desirable for general work, it is particularly useful in photo-micrography. It is specially adapted to mountings No. 1676 and 1678, and when so used the mounting is placed between the systems of the condenser.

No. 1676.

1676,	Condenser Mounting with five stops and diaphragms and blue glass, -	5.00
-------	---	------

The mounting is simplified to the greatest extent. It is reversible, adjustable and can be used on any sub-stage. The diaphragms are separate, and may be used so or in conjunction with a blue glass, by dropping into the slide, which passes diametrically below the condenser. A click is provided when it is in central position. It can be used with Condensers No. 1670, 1672 and 1674.

No. 1678.

No.		Price.
1678,	Condenser Mounting, with Iris diaphragm, - - - - -	\$ 6.00

This mounting offers a ready means for controlling the volume of light, and is well suited to the ordinary needs of the physician and student. The diaphragm may be decreased from full opening to a pin hole by means of a lever, and a graduated scale is provided for making record of the aperture used ; central stops and blue glass accompany same. The mounting is reversible and can be attached to any sub-stage and may be used with Condensers No. 1670, 1672 and 1674. For bacteriological work it is to be preferred to mounting No. 1676.

No. 1682.

(Showing the swinging sub-stage with Condenser attached as applied to the stage of **B** Continental stand.)

1682,	Swinging Sub-stage Attachment (exclusive of Condenser), - - - - -	6.00
-------	---	------

This is adaptable to the stages of all of the Continental, as well as Harvard and Model stands. It is simple in construction, yet a very serviceable accessory, being adjustable; a Condenser attached to the same can be readily focused ; centering arrangement is also provided.

No. 1684.

No.		Price.
1684,	Sub-stage Attachment complete with mirror, (exclusive of Condenser),	\$25.00

This complete sub-stage arrangement can be used on any of our microscopes, excepting the less expensive forms. It is unquestionably the most perfect of any heretofore introduced. Adjustment to the sub-stage is by rack and pinion, the Condenser mounting provides a movement similar to No. 1676, but by rack and pinion, it also swings on its axis, leaving the Condenser stationary; it has in addition the Iris diaphragm and recess for receiving diaphragms with central stops and blue glass, which are furnished with it. Mirror is plane and concave and of large size.

No. 1694.

No. 1686.

No. 1688.

1686,	Diaphragm, Iris, with sub-stage adapter, having society screw,	-	-	3.00
1688,	Diaphragm Dome, can be used on any substage,	-	-	2.00

State when ordering, whether it is to be inserted in the substage from above or below.

No.		Price.
1690,	Draw-tube, graduated for any instrument, - - - - -	\$3.00
1692	Micrometer Screw, graduated and silvered, for fine adjustment, with any of our instruments in place of those accompanying them, - - - - -	1.50
1694,	Eyeshade, Ward's, - - - - -	.50

The construction of this shade was first suggested by Dr. R. H. Ward. By its use both eyes may be kept open, which is less fatiguing than using only one eye. It has the advantage over similar devices in price, and that the eyepieces may be changed without removing the shade. In ordering, it is necessary to send approximately the size of the tube to which it is to be attached.

No. 1696.

1696,	Eyeshades, Aubert's Binocular, - - - - -	1.50
-------	--	------

These eyeshades effectually overcome the reflections which often occur in the eyepieces of binocular microscopes. In ordering the diameter of milled edge of eyepiece cap should be given.

(Patented Aug. 15, 1882).

No. 1698.

No. 1704.

1698,	Fine adjustment, Differential Screw, applied to any of our instruments, -	6.00
	As applied to instruments not made by us, - - - - -	8.00 to 10.00

As high-power objectives are in more common use than was formerly the case, particularly in biological research, it has been found that a more delicate movement than the ordinary fine adjustments is desirable, and the one we now offer is the most simple as well as efficient, and particularly valuable inasmuch as it can be applied to almost every existing instrument in which the micrometer screw is attached to the arm. It is put in connection with the micrometer screw, and comes into play at will by tightening the thumb-screw at the top. The one milled head operates one or the other. It can be made to almost any degree of fineness, but that which we have found most desirable is the $\frac{1}{8}$ in. for the fine, and $\frac{1}{30}$ in. for the Differential Screw fine adjustment, for one revolution of the milled head.

No.		Price.
1700,	Fish Trough, for retaining life in fish while examining circulation of blood in its tail, - - - - -	\$2.00
1702,	Illuminator, Hemispherical, an excellent accessory in the resolution of difficult tests, - - - - -	1.50
1704,	Same as above, adjustable, with sub-stage adapter, - - - - -	5.00
1706,	Illuminator, Vertical, with rotating diaphragm, in neat brass box, - - - - -	4.50

No. 1708.

1708,	Glass Stage and Slide Carrier, for stages $3\frac{1}{2}$ in. diameter, - - - - -	5.00
1710,	Holman's Current-Slide, with cover, in box, - - - - -	1.50

No. 1712.

1712,	Holman's Life Slide, with cover, in box, - - - - -	1.50
1714,	Holman's Syphon Slide, cover and flexible tubes, no bottles, - - - - -	4.00

No. 1716.

1716,	Life Box, new construction, - - - - -	2.50
-------	---------------------------------------	------

No. 1718.

1718,	Life Box, - - - - -	2.00
1720,	Life Box, extra large size, - - - - -	3.00
1722,	Life Box, with spiral open slot for obtaining close adjustment, - - - - -	3.50
1724,	Maltwood Finder, in case, - - - - -	4.00
1726,	Mechanical Finger, Dr. W. B. Reznern's, - - - - -	6.00

No. 1728.

No.		Price.
1728,	Mechanical Stage, - - - - -	\$20.00
1730,	Mechanical Stage, graduated and silvered on edge with vernier and with silvered graduations for the rectangular movements, otherwise same as above, -	27.50

No. 1732.

1732,	Mechanical Stage, as above, with vernier and with silvered graduations provided for the rectangular movements, - - - - -	40.00
-------	--	-------

The advantages of mechanical stages for every variety of work, now generally conceded and particularly in original research, are as follows: The ability to systematically examine the entire surface of an object; the easy manipulation of an object, especially with high powers; the ability to count objects within a given space; its use as a finder after repeated examinations. Further than this there is nothing in their construction which would prevent their use as ordinary stages. The mechanical movements are entirely contained in the upper surface of the stage, and this being revolving, may be completely rotated on its axis. They are of the same thickness as our ordinary stages, and therefore offer no obstruction to extreme oblique illumination. The movements are all extremely delicate.

No. 1728 can be adapted to our microscopes, or any other instrument which will admit of a stage $3\frac{1}{2}$ in. diameter. The slide-carrier is provided with clips and stop for maltwood finder.

No. 1732 is of more elaborate design and workmanship than the preceding one, and of larger size, its diameter being $4\frac{1}{2}$ in. It is intended to be used on our Professional Microscope. The rectangular movements are actuated by the two milled heads, placed one above the other. The slide-carrier is provided with clips and stop for maltwood finder on a hinge, so that it may be swung out of position. The stage is graduated to degrees and silvered.

No.		Price.
1734,	Micrometer, Eyepiece, oblong, to fit slotted eyepieces, - - -	\$ 1.00
1736,	Micrometer, Eyepiece, disk fitted to any eyepiece, - - -	1.50
1738,	Micrometer, Eyepiece, Jackson, with screw for adjusting, (can be fitted to Huyghenian eyepieces only), - - -	6.00
1740,	Micrometer, Filar, small size, adapted to any tube, - - -	32.00

No. 1742.

1742,	Micrometer, Filar, large size, adapted to any tube, - - -	45.00
-------	---	-------

An internal frame is provided with a longitudinal, and transverse cross hair which is adjustable within a limited range for position, by a milled head at one end. The micrometer screw, which is cut either to one-half millimeter or one-fiftieth inch, is adjustable by graduated disk, and carries the cross hair across the field. The graduation is in 100 parts on a silver ring, and the reading is made from a stationary index. The graduated disk may be revolved on its axis. A comb is in the field corresponding exactly with the pitch of the screw, thus enabling the determination of the number of revolutions. A Ramsden eyepiece is used which is stationary in the optical axis but adjustable for focus.

1744,	Micrometer, Stage, $\frac{1}{10}$ and $\frac{1}{100}$ in., - - -	1 25
1746,	Micrometer, Stage, $\frac{1}{100}$ and $\frac{1}{1000}$ in., - - -	1.50
1748,	Micrometer, Stage, $\frac{1}{10}$, $\frac{1}{20}$ and $\frac{1}{50}$ mm., - - -	2.00
1750,	Micrometer, Stage, $\frac{1}{10}$ and $\frac{1}{100}$ mm., - - -	2.00
1752,	Micrometer, Stage, $\frac{1}{10}$, $\frac{1}{100}$, $\frac{1}{1000}$ in. and $\frac{1}{10}$ and $\frac{1}{100}$ mm., - - -	4.00

No. 1754.

No. 1758.

No. 1762.

No.									Price.
1754,	Nosepiece, double, brass finish,	-	-	-	-	-	-	-	\$ 5.00
1756,	Nosepiece, double, aluminum,	-	-	-	-	-	-	-	6.75
1758,	Nosepiece, triple, brass finish,	-	-	-	-	-	-	-	9.00
1760,	Nosepiece, triple, aluminum,	-	-	-	-	-	-	-	11.00
1762,	Nosepiece, quadruple, brass finish,	-	-	-	-	-	-	-	15.00
1764,	Nosepiece, quadruple, aluminum,	-	-	-	-	-	-	-	18.00

Since the introduction of our various nosepieces, they have become very popular and are now in general use. This is no doubt due to the perfection of their construction and practical adaptation in the first place, and then to the low price at which they are offered. The advantages of using two, three, or four objectives on an instrument, either of which can be used without the removal of one and attachment of the other, are so apparent that they need no argument. Further than this, when objectives are ordered with the apparatus, they are exactly centered, which is ordinarily not the case even in objectives of the same manufacture. We also adjust objectives to correspond exactly in focus with a certain eyepiece, so that they require no adjustment except with the micrometer screw. On account of the work involved to obtain this convenience, we make an extra charge of \$1.00 for each objective, except in pairs, No. 1028 and No. 1038, which are constructed with this object in view.

1766,	Paraboloid, for dark ground illumination,	-	-	-	-	-	-	7.50
1768,	Paraboloid, same with adjustable stop,	-	-	-	-	-	-	12.00

No. 1770.

No.		Price.
1770,	Polariscope with 1 selenite in morocco case,	\$12.00
	Analyzer in revolving mounting, extra, -	1.50

No. 1772.

1772,	Polariscope, with large prisms, polarizer has 3 selenites mounted in a revolving disk, having one clear aperture, analyzer is arranged to revolve, in morocco case, -	22.00
1774,	Polariscope with large prisms, polarizer is provided with 3 selenites mounted in revolving disk, analyzer is mounted in graduated disk, arranged to set over the neck of eyepiece and revolves thereon. Indicator is provided as well as cross hairs in eyepiece, -	32.50
1776,	Polariscope, with extra large prisms and 3 selenites, the analyzer is connected with goniometer and separate eyepiece, provided with cross hairs, -	40.00
1778,	Prism, Woodward, for extreme oblique illumination, -	1.25
1780,	Prism, Woodward, mounted with sub-stage fitting, -	5.50
1782,	Selenites, three colors, mounted on slide, -	5.00
1784,	Stage Forceps, fitted to stage, -	1.50

No. 1786.

1786,	Stage Forceps, on slide, -	2.00
-------	--------------------------------------	------

No. 1788.

No. 1792.

No.									Price.
1788,	Stage Forceps, best, fitted to stage,	-	-	-	-	-	-	-	\$2.75
1790,	Stage Forceps, best, fitted to slide,	-	-	-	-	-	-	-	3.25
1792,	Stage Forceps, three-pronged, for holding minerals, etc.,	-	-	-	-	-	-	-	5.00

No. 1794.

1794,	Table, revolving, black walnut, adjustable for height,	-	-	-	-	-	-	-	12.00
1796,	Wenham's Half Button,	-	-	-	-	-	-	-	2.00

No. 1800.

1798,	Zoophyte Trough, small size,	-	-	-	-	-	-	-	0.60
1800,	Zoophyte Trough, with wedge and spring,	-	-	-	-	-	-	-	2.50

No. 1804.

No.		Price.
1804,	Sorby's Spectroscope Eyepiece, for the microscope, in mahogany case,	- \$50.00
1806,	Abbe's Spectroscope Eyepiece, for the microscope, in mahogany case,	-

(Can supply No. 1806 to those entitled to duty free entry, at European prices.)

APPARATUS FOR THE INVESTIGATION OF MICRO-ORGANISMS.

No.		Price.
2800,	Steam Sterilization Apparatus, as designed by Dr. R. Koch. Large size, felt covered, with stop-cock and gauge, - - - - -	\$22.00
	With thermometer, - - - - -	24.00

Directions for using : Fill the apparatus with water to point indicated on gauge, place the helmet on, having previously inserted in it a thermometer ; apply heat, and when the thermometer has reached 100° C. (which will be indicated by escaping steam) then the material should be put in, but no sooner. The hooks on the side serve as supports for the material, or the latter is placed in the inner vessel.

No. 2800.

No. 2802.

2802,	Steam Sterilization Apparatus, for Blood Serum, with gauge, stop-cock and felt covering, - - - - -	24.00
-------	--	-------

Directions for using : Fill both cover and apparatus with water, being careful to keep the inner space perfectly dry. By means of two burners raise the temperature to 60° C., the blood serum contained in the sterilization glasses, which have been sterilized in apparatus No. 2806 is placed in the hollow space of the apparatus, the helmet placed on, and the inner temperature raised as quickly as possible to 58° C. (consequently it is not advisable to place too many tubes in at one time). The blood serum must remain perfectly liquid, therefore the temperature must not be raised above 60° C.

2804,	Apparatus for Solidifying Blood Serum, to take 50 or 100 tubes, the whole apparatus covered with felt, having glass cover and movable legs. Large, - - -	24.00
-------	--	-------

Directions for using : The blood serum having been sterilized in apparatus No. 2802 is put in this apparatus (laying the tube in a slanting position) and heated from 65° to 75° C. The serum, as a result of this treatment, must become a transparent solid, therefore the heating has to be continued, and the tubes frequently examined, until this result has been attained. The small quantity of water which forms is allowed to remain, as it serves as Nutritive (Nährboden).

No. 2804.

No. 2840.

No. 2842.

No.		Price.
2840,	Water Bath and Oven, with thermometer, - - - - -	\$12.50

This convenient and really valuable addition to the armamentarium of the working microscopist, has won from those competent to judge its merits, many expressions of approval. Indeed, it is impossible to do good and fine work in mounting without such aid. To heat the bath and oven, it may be connected by means of rubber tubing, with a gas burner, or placed over a coal oil flame, the temperature being easily regulated by the thermometer.

2842,	Paraffine Bath, polished copper, tin lined, with nickel plated copper cups ; size 3½ x 7 in., - - - - -	7.50
-------	---	------

No. 2850.

No. 2852.

2850,	Hot Water Funnel, on legs, with rubber stopper and funnel made of heavy copper, - - - - -	6.00
2852,	Thermostat (temperature regulator) after Prof. Reichert, - - - - -	3.00

APPARATUS FOR NUMERATION OF BLOOD CORPUSCLES.

2900,	Haemacytometer (Dr. Gowers), in case, containing: Pipette for measuring the diluting solution; Capillary tube for measuring the blood; Cell with divisions on the floor mounted on a slide, to which springs are fixed to secure cover glass; Vessel, in which the solution is made; Spud for mixing the blood and solution; Guarded spear, pointed needle, - - - - -	28.00
2902,	Haemaglobinometer (Dr. Gowers), in case, containing: Bottle with pippette stopper for holding the diluting solution; capillary pipette for measuring the blood; Graduated tube for measuring the amount of Haemaglobin; Standard tint of normal blood; Support for graduated tube and standard; Puncturing needle, - - - - -	10.00
2904,	Both of the above in one case, - - - - -	37.50

(Instruction circular accompanies each instrument.)

No.	No. 3022.	No. 3026.	No. 3028.	No. 3034.	Price.			
3022,	Capped Bottles, with triangular stopper, to prevent gumming, 1 oz. capacity, each,				\$.35			
3024,	Capped Bottles, with triangular stopper, to prevent gumming, 2 oz. capacity, each,				.50			
3026,	Dropping Bottles, with glass bulb, each,				.20			
3028,	Dropping Bottles, with rubber top, each,				.25			
3030,	Beaker Glasses, wide, with pour-out,							
	Capacity.	1 oz.	2 oz.	3 oz.	4 oz.	6 oz.	8 oz.	10 oz.
	Size,	2x1 $\frac{3}{8}$ in.	2 $\frac{1}{4}$ x1 $\frac{5}{8}$	2 $\frac{1}{4}$ x1 $\frac{7}{8}$	2 $\frac{3}{4}$ x2	2 $\frac{7}{8}$ x2 $\frac{1}{4}$	3 $\frac{1}{4}$ x2 $\frac{1}{2}$	3 $\frac{5}{8}$ x2 $\frac{3}{4}$
	Each,	\$.15	.15	.18	.18	.20	.20	.22
	Dozen,	1.60	1.60	1.75	1.80	2.00	2.10	2.20
	Capacity,	12 oz.	16 oz.	24 oz.	32 oz.	48 oz.	64 oz.	
	Size,	4x3 in.	4 $\frac{1}{4}$ x3 $\frac{1}{4}$	5x3 $\frac{3}{8}$	6x4	6 $\frac{3}{8}$ x4 $\frac{3}{8}$	7 $\frac{1}{4}$ x4 $\frac{3}{4}$	
	Each,	\$.25	.30	.35	.45	.60	.80	
	Dozen,	2.50	3.00	3.50	5.15	6.00	8.00	
3032,	Beaker Glasses, wide, without pour-out, (same prices as No. 3030.)							
3034,	Beaker Glasses, nested, wide.							
	1, 2, 3, 4 and 6 oz., each,	-	-	-	-	-	-	.75
	1, 2, 3, 4, 6 and 8 oz., each,	-	-	-	-	-	-	1.00
	1, 2, 3, 4, 6, 8, 10, 12 and 16 oz., each,	-	-	-	-	-	-	1.75
	1, 2, 3, 4, 6, 8, 10, 12, 16, 24 and 32 oz., each,	-	-	-	-	-	-	2.50
	1, 2, 3, 4, 6, 8, 10, 12, 16, 24, 32 and 48 oz., each,	-	-	-	-	-	-	3.00
	1, 2, 3, 4, 6, 8, 10, 12, 16, 24, 32, 48 and 64 oz., each,	-	-	-	-	-	-	3.75
3036,	Evaporating Dishes Glass, plain.							
	Diameter,	2 in.	3 in.	4 in.	5 in.	6 in.		
	Each,	\$.25	.30	.35	.40	.50		
	Dozen,	2.00	2.50	3.00	3.50	4.50		
3033,	Evaporating Dishes, Glass, plain, nested.							
	Diameter,	2 to 4 in.		4 to 6 in.		2 to 6 in.		
	Each,	\$.75		1.00		1.25		
3040,	Evaporating Dishes, Glass, with lips.							
	Diameter,	2 in.	3 in.	4 in.	5 in.	6 in.		
	Each,	\$.45	.50	.60	.70	.80		
	Dozen,	4.50	4.75	6.00	6.75	7.50		
3042,	Evaporating Dishes, Glass, with lips, nested.							
	Diameter,	2 to 4 in.		4 to 6 in.		2 to 6 in.		
	Each,	\$1.25		1.75		2.50

No. 3048.

No. 3050.

No. 3046.

No.		Price.
3044,	Watch-Glasses, per dozen, - - - - -	\$.40
3046,	Watch-Glasses, Syracuse solid :	
	No. 1, Unground edges, each 10 cts.; in set of six, - - - - -	.50
	No. 2, Ground and polished edges, each 15 cts.; in set of six, - - - - -	.75
	No. 3, Ground and polished edges and concaves, each, 50 cts.; in set of six, - - - - -	3.00

The Syracuse solid watch glass rests solidly upon the table or microscope stage, and is not liable to be overturned and its contents spilled. In it on the microscope stage, can be examined from time to time, or dissected and studied, transparent tissues while in water, alcohol, oil of cloves or other bath. When the edges are cut and the top covered, specimens may remain for long staining or soaking, without becoming dirty and without loss of fluid by evaporation.

We have secured the exclusive selling right for the American market.

3048,	Standard for the above, adapted for a nest of six or less, - - - - -	.50
3050,	Porcelain Saucers, $2\frac{3}{4}$ in. diameter, in nest of five, with cover, - - - - -	.60
3052,	Porcelain Saucers, $2\frac{3}{4}$ in. diameter, in nest of five, with cover, - - - - -	.70
3054,	Porcelain Saucers, $3\frac{1}{4}$ in. diameter, in nest of five, with cover, - - - - -	.80
3056,	Porcelain Saucers, $3\frac{3}{4}$ in. diameter, in nest of five, with cover, - - - - -	1.00
3058,	Porcelain Saucers, deep, $2\frac{5}{8}$ in. diameter, in nest of three, with cover, - - - - -	1.25
3060,	Porcelain Saucers, deep, $3\frac{1}{4}$ in. diameter, in nest of three, with cover, - - - - -	1.50
3062,	Porcelain Saucers, deep, $3\frac{3}{4}$ in. diameter, in nest of three, with cover, - - - - -	1.75

No. 3064.

3064,	Injecting Syringe, $\frac{1}{8}$ oz. capacity, lacquered brass, with four canulas and stop-cock, in case, - - - - -	8.00
3066,	Injecting Syringe, 1 oz. capacity, lacquered brass, with four canulas and stop-cock, in case, - - - - -	10.00

No. 3070.

No. 3074.

No. 3072.

No.		Price.
3068,	Brass Table, with lamp for heating slides,, - - - - -	\$1.50
3070,	Mounting Stand, with lamp and separating sand bath, - - - - -	2.00
3072,	Mounting Table, for the preparation of mounted slides, - - - - -	.80

This mounting table was devised by J. M. Van Cott, Jr., adjunct Professor of Histology and Pathology at Long Island College Hospital, Brooklyn, N. Y. Its value lies in the greater facility it affords for the accurate preparation of mounted slides, and above all, the opportunity it gives for the study of stained sections in gross. The elevation of the section on the slide from the table admits of the greater certainty of its being thoroughly "cleared," and also gives opportunity for the study of the localized action of differential stains.

3074,	Glass Spirit-Lamp, No. 1, with extinguisher, $\frac{3}{8}$ in. burner, - - - - -	.75
3076,	Glass Spirit-Lamp, No. 2, with extinguisher, $\frac{1}{4}$ in. burner, - - - - -	.90
3078,	Glass Spirit-Lamp, No. 3, with extinguisher, $\frac{1}{2}$ in. burner, - - - - -	1.10

No. 3080.

3080,	Cover-Glass Forceps, - - - - -	.60
-------	--------------------------------	-----

This forcep is a pattern suggested by Dr. J. H. Linsley and is a modification of a forcep for similar use generally employed in the German laboratories. The merits are these: It holds the cover-glass firmly without any danger of breaking it, the upper surface of the cover-glass is level and the forcep is laid upon its flat surface on the table. Its advantages for the purpose of staining preparations of Bacteria (Tubercle Bacillus, etc.,) is manifestly apparent.

3082,	Spring Compressors, nickeled, for holding down thin covers, per dozen, -	.40
3084,	Spring Compressors, wood, for holding down thin covers, per dozen, -	.25

COVER-GLASS GAUGE.

No.									Price.
3086,	Cover-Glass Gauge,	-	-	-	-	-	-	-	\$3.00

While the first purpose of this apparatus is to determine the thickness of cover-glass, it goes further in introducing a new system of cover-glass correction by means of the draw-tube. In devising it, the object has been to provide a mechanical means for obtaining the best optical results without any possibility of doubt, and it is conceded by prominent workers that it accomplishes its purpose admirably.

This instrument is provided with a stand of japanned iron, cut horizontally through the top is a thread $\frac{1}{16}$ in. pitch and $\frac{3}{16}$ in. outside diameter. A recess is cut in the top below the line of the screw and at right angle to it, for placing the covers. The one-half of the top of the stand, which receives the micrometer screw, is slotted longitudinally to the depth of the screw, and is provided with a set-screw to take up wear; the other half has the fixed screw, adjustable, however, for final adjustment. The end of the micrometer screw is milled, but of a smaller diameter, so that no force can be exerted so as to endanger the cover-glass. Fixed on the screw, between two nuts, is a brass drum with a $\frac{1}{2}$ in. face. A knife-edge index finger is fixed to the top of the stand and projects over the top of the drum.

To the outside diameter of the drum is fixed a strip of glazed paper provided with a series of divisions. The first gives the thickness of cover-glass in one thousandth inches, the second one-hundredth millimeter. The third indicates the proper tube length with various thickness of cover-glass with a non-adjustable $\frac{1}{4}$ corrected under a tube length of $8\frac{1}{2}$ in. and cover thickness of 0.16 mm.; the fourth gives the tube length of a $\frac{1}{8}$ in. objective under the same conditions; the fifth for a $\frac{1}{8}$, and the sixth for a $\frac{1}{12}$ for same conditions of tube length and cover; the seventh is for a $\frac{1}{8}$, with the same cover and tube length of 160.0 mm.

In objectives provided with cover-correction, the graduation is so arranged as to read to 1-100 mm. No matter what the power of objective or whether dry or water immersion, the number gives proper correction for a thickness corresponding to it.

Its price has been reduced to a minimum, so as to put it in the power of every microscopist to have one in his possession. *It should be found on the work-table of every one possessing a microscope.*

DISSECTING AND SECTION KNIVES.

No. 3088.

Nos. 3096 3094 3092 3090

No.																Price.
3088,	Dissecting Knives, ebony handles, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	\$.65
3090,	Dissecting Scalpels, ebony handles, $\frac{7}{8}$ in. cutting edge of blade, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.50
3092,	Dissecting Scalpels, ebony handles, $1\frac{1}{8}$ in. cutting edge of blade, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.50
3094,	Dissecting Scalpels, ebony handles, $1\frac{1}{4}$ in. cutting edge of blade, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.50
3096,	Dissecting Scalpels, ebony handles, $1\frac{1}{2}$ in. cutting edge of blade, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.50
3098,	Cartilage Knives, all steel, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.75
3100,	Cartilage Knives, large, stout, ebony handles, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.50
3102,	Cartilage Knives, extra large, stout, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.00
3104,	Brain Knives, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.00
3106,	Tenaculum, ebony handle, each,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.75

No. 3110.

3108,	Section Knives, ebony handles, in morocco case, each,	-	-	-	-	3.25
3110,	Section Knives, ebony handles, large size, in morocco case, each,	-	-	-	-	5.00

Holding knife in right hand with concave side uppermost, and drawing towards the body, we consider right-handed.

3112,	Valentine Knives, for making thin sections of soft substances, each,	-	-	6.00
3114,	Fritsch's Knives, for making thin sections of soft substances, each,	-	-	6.00

DISSECTING NEEDLES AND SCISSORS.

Nos. 3116 3118 3120 3122 3124 3126 3128 3130

No.								Price.
3116,	Dissecting Needles, ebony handles, round, each,	-	-	-	-	-	-	\$.40
3118,	Dissecting Needles, ebony handles, curved, each,	-	-	-	-	-	-	.45
3120,	Dissecting Needles, ebony handles, curved, blunt, each,	-	-	-	-	-	-	.45
3122,	Dissecting Needles, ebony handles, spear pointed, each,	-	-	-	-	-	-	.50
3124,	Dissecting Needles, ebony handles, triangular pointed, each,	-	-	-	-	-	-	.50
3126,	Dissecting Needles, ebony handles, harpoon shaped, each,	-	-	-	-	-	-	1.00
3128,	Dissecting Needles, ebony handles, hook shaped, each,	-	-	-	-	-	-	.75
3130,	Dissecting Needle Holder, with clamp and four needles, each,	-	-	-	-	-	-	.20

No. 3132.

3132,	Dissecting Scissors, ivory handle, with spring,	-	-	-	-	-	-	6.00
-------	---	---	---	---	---	---	---	------

DISSECTING SCISSORS AND FORCEPS.

No.	No. 3134.	No. 3136.	No. 3138.	No. 3158.	No. 3160.	No. 3174.	Price.
3134,	Scissors, Dissecting, very delicate, $4\frac{1}{2}$ in. long, straight, each,	-	-	-	-	-	\$1.00
3136,	Scissors, Dissecting, very delicate, $4\frac{1}{2}$ in. long, bent, each,	-	-	-	-	-	1.25
3138,	Scissors, Dissecting, very delicate, $4\frac{1}{2}$ in. long, curved, each,	-	-	-	-	-	1.50
3140,	Scissors, Dissecting, delicate, 4 in. long, straight, each,	-	-	-	-	-	.90
3142,	Scissors, Dissecting, delicate, 4 in. long, bent, each,	-	-	-	-	-	1.00
3144,	Scissors, Dissecting, delicate, 4 in. long, curved, each,	-	-	-	-	-	1.25
3146,	Scissors, Dissecting, medium heavy, $4\frac{1}{4}$ in. long, straight, each,	-	-	-	-	-	.75
3148,	Scissors, Dissecting, heavy, $5\frac{1}{2}$ in. long, straight, each,	-	-	-	-	-	1.00
3150,	Scissors, Anatomical, $6\frac{3}{4}$ in. long, very heavy and extra large, each,	-	-	-	-	-	1.75
3152,	Forceps, Dissecting, brass, nickeled, 3 in. long, straight, each,	-	-	-	-	-	.15
3154,	Forceps, Dissecting, steel, $3\frac{3}{4}$ in. long, straight, each,	-	-	-	-	-	.40
3156,	Forceps, Dissecting, steel, $3\frac{3}{4}$ in. long, curved, each,	-	-	-	-	-	.60
3158,	Forceps, Dissecting, steel, nickeled, very delicate, 4 in. long, straight, each,	-	-	-	-	-	1.00
3160,	Forceps, Dissecting, steel, nickeled, very delicate, 4 in. long, curved, each,	-	-	-	-	-	1.25
3162,	Forceps, Dissecting, steel, nickeled, delicate, 4 in. long, straight, each,	-	-	-	-	-	.75
3164,	Forceps, Dissecting, steel, nickeled, delicate, 4 in. long, curved, each,	-	-	-	-	-	1.00
3166,	Forceps, Dissecting, steel, nickeled, heavy, 4 in. long, each,	-	-	-	-	-	.60
3168,	Forceps, Dissecting, steel, nickeled, heavy, $4\frac{3}{4}$ in. long, each,	-	-	-	-	-	.75
3170,	Forceps, Dissecting, steel, nickeled, heavy, $5\frac{1}{4}$ in. long, each,	-	-	-	-	-	1.00
3172,	Forceps, Dissecting, steel, nickeled, very heavy, $5\frac{3}{4}$ in. long, each,	-	-	-	-	-	1.50
3174,	Cover-Glass or Slide Forcep, steel, nickeled, 4 in. long, each,	-	-	-	-	-	1.00

SECTION LIFTERS AND CAMEL'S HAIR PENCILS.

Nos.	3178	3176	3180	3182	3184	3186	3188	3190	Price.
No.									
3176,	Section Lifters, brass, nickeled, single, $\frac{5}{8}$ in. wide, each,								\$.20
3178,	Section Lifters, brass, nickeled, (better finish), single, $\frac{3}{4}$ in. wide, each,								.50
3180,	Section Lifters, brass, nickeled, ebony handles, double ended, $\frac{1}{4}$ and $\frac{3}{8}$ in wide, each,								.60
3182,	Section Lifters, brass, nickeled, ebony handles, single, $\frac{1}{8}$ in. wide, each,								.40
3184,	Section Lifters, brass, nickeled, ebony handles, single, $\frac{1}{2}$ in. wide, each,								.45
3186,	Section Lifters, brass, nickeled, ebony handles, single, $\frac{3}{4}$ in. wide, each,								.50
3188,	Section Lifters, brass, nickeled, ebony handles, single, $1\frac{1}{2}$ in. wide, each,								.60
3190,	Section Lifters, brass, nickeled, ebony handles, spoon, perforated, each,								1.00

No. 3194.

3192,	Camel's Hair Pencils, miniature, in quills, red silk and gold thread binding.								
	Number	1	2	3	4	5	6	7	8
	Length,								
	Each,	\$.05	.06	.07	.08	.09	.10	.12	.15
	Dozen,	.50	.60	.70	.80	.90	1.00	1.25	1.50
									Assorted No. 1 to 8. .65
3194,	Camel Hair Swan Quill Pencils, pointed, $\frac{3}{4}$, $\frac{7}{8}$ or 1 in. long, red silk and gold thread binding, each,								
		-	-	-	-	-	-	-	.1

ANATOMICAL, BOTANICAL AND MICROSCOPICAL SETS OF DISSECTING INSTRUMENTS.

No.		Price.
3200,	Anatomical Set No. 1, Contains 2 Scalpels, (No. 3092 and 3096); 1 Tenaculum, (No. 3106); 1 Cartilage Knife, (No. 3098); 1 Scissors, (No. 3146); 1 Forceps, (No. 3166); 1 Blow-Pipe and 1 Pair Chain Hooks, in cherry case, - - - - -	\$4.80
3202,	Anatomical Set No. 2, Contains 3 Scalpels, (No. 3092 to 3096); 1 Tenaculum, (No. 3106); 1 Cartilage Knife, (No. 3098); 1 Scissors, (No. 3146); 1 Forceps, (No. 3166); 1 Blow-Pipe and 1 Pair Chain Hooks, in cherry case, - - - - -	5.60
3204,	Anatomical Set No. 3, Contains, 4 Scalpels, (No. 3090 to 3096); 1 Tenaculum, (No. 3106); 1 Cartilage Knife, (No. 3098); 2 Scissors, (No. 3146 and 3148); 1 Forceps, (No. 3166); 1 Blow-Pipe and 1 Pair Chain Hooks, in cherry case, - - - - -	6.75
3206,	Botanical Set No. 1, Contains 1 Knife, (No. 3092); 1 Needle Holder and Needles, (No. 3130); 1 Forceps, (No. 3154); 1 Scissors, (No. 3140); 1 Magnifier, (No. 112), in cherry case, - -	3.60
3208,	Botanical Set No. 2, Contains 2 Knives, (No. 3092 and 3096); 1 Needle Holder and Needles, (No. 3130); 1 Forceps, (No. 3154), 1 Forceps, (No. 3164); 1 Scissors, (No. 3140), 1 Scissors, (No. 3142); 1 Magnifier, (No. 112), in cherry case, - - - - -	5.60
3210,	Microscopical Set No. 1, Contains 1 Knife, (No. 3088); 1 Needle Holder and Needles, (No. 3130); 1 Scissors, (No. 3140); 1 Forceps, (No. 3154), in cherry case, - - - - -	2.75
3212,	Microscopical Set No. 2, Contains 3 Knives, (No. 3088); 1 Needle Holder and Needles, (No. 3130); 1 Scissors, (No. 3140), 1 Scissors, (No. 3142); 1 Forceps, (No. 3162), 1 Forceps, (No. 3164), in cherry case, - - - - -	6.00

RE-AGENT CASES.

No. 3220.

No.		Price.
3220,	Block of wood (bird's-eye maple), polished, fitted for and with five re-agent bottles, No. 3026, labeled, and receptacles for cover-glass, glass slips and groove to receive dissecting instruments; 1 oz. each of the following media, in separate bottles: Gentian Violet, Bismarck Brown, Absolute Alcohol, Turpentine and 3 per cent. solution Nitric Acid in Alcohol. (Other media may be selected.)	
Each,	- - - - -	\$3.00

No. 3222.

3222,	Re-Agent Case, of highly polished bird's-eye maple wood, with cover and lock, containing five bottles, No. 3026, labeled, and arranged with receptacle for dissecting instruments. The same media as No. 3220 accompany this case. (Other media may be selected).	4.50
Each,	- - - - -

No. 3224.

No.

Price.

3224,	Re-agent case of highly polished bird's-eye maple, with cover and lock, containing 15 bottles, No. 3026, labeled, and having groove provided for knives, scissors, forceps, etc. The following media (1 oz. of each in separate bottles) accompany each case: Gentian Violet, Bismarck Brown, Fuchsine, Aniline Blue, Eosine, 0.3 per cent. solution, Nitric Acid in Alcohol, 0.3 per cent. Iodo-Iodide Potassa, 0.5 per cent. solution Caustic Potassa, 0.3 per cent. solution Carbonate Potash, Phenolphthaline, Pot. Ferro-Cyanide, with 0.1 per cent. Acetic Acid, Absolute Alcohol, Turpentine, each,	\$10.75
-------	--	---------

No. 3244.

3240,	Turn-Table, "National,"	2.50
3242,	Turn-Table, same, with detachable hand-rests,	3.00
3244,	Turn-Table, "National," centering,	3.50

The centering arrangement of this turn-table consists of three stops, against which the slide is placed and is held in position by the spring clips. Although not strictly centering, it is approximately so on the usual slide, and, for all ordinary purposes, quite efficient.

3246,	Same, with detachable hand-rests,	4.00
3248,	Turn-Table, self-centering with hand-rests. The advantage which this turn-table has over others, is, that glass slips of the various standard sizes used, can be centered thereon,	6.00

GLASS SLIPS.

No.		Per Dozen in Package.	Per Gross in box.	In 10 gross lots Per Gross.
3400,	Crown, 3 x 1 in., cut edges, extra white, - - -	\$.12	\$1.00	\$.80
3402,	Crown, 3 x 1 in., ground edges, rounded, extra white, -	.15	1.75	1.35
3404,	Crown, 3 x 1 in., ground edges, square, extra white, -	.14	1.40	1.15
3406,	Crown, 3 x 1 in., thin, ground edges, rounded, extra white,	.20	2.00	1.60
3408,	Crown, 3 x 1 in., thin, ground edges, square, extra white, -	.18	1.80	1.40
3410,	Crown, $1\frac{3}{4}$ x 1 in., ground edges, rounded, extra white, -	.20	2.00	1.60
3412,	Crown, 2 x 1 in., ground edges, rounded, extra white, -	.20	2.00	1.60
3414,	Crown, 3 x 2 in., ground edges, rounded, extra white, -	.40	4.00	3.25
3416,	Crown, 5 x 4 in., cut edges, extra white, - - -	.50	4.75	
3418,	Crown, 5 x 4 in., ground edges, extra white, - - -	.75	7.50	
3420,	Crown or Plate, 3 x 1 in., ground bevels, - - -	.40	4.00	
3422,	Crown or Plate, 3 x 1 in., polished bevels, - - -	.50	5.00	
3424,	Crown, 3 x 1 in., with ground edges and concave centres, extra white, - - - - -		1.00	

THIN GLASS COVERS.

		Per Dozen.	Per Ounce.	In 10 oz. lots. Each oz.
3440,	In sheets, No. 1, $\frac{1}{150}$ to $\frac{1}{200}$ in. thick, - - -		\$1.00	
3442,	In sheets, No. 2, $\frac{1}{150}$ to $\frac{1}{180}$ in. thick, - - -		.65	
3444,	In sheets, No. 3, $\frac{1}{250}$ to $\frac{1}{1000}$ in. thick, - - -		.50	
3446,	In squares, No. 1, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$ or 1 in. diameter, - -	\$.18	1.80	\$1.60
3448,	In squares, No. 2, " " " " - -	.16	1.40	1.20
3450,	In squares, No. 3, " " " " - -	.14	1.00	.80
3452,	In circles, No. 1, " " " " - -	.20	2.25	2.00
3454,	In circles, No. 2, " " " " - -	.18	1.80	1.60
3456,	In circles, No. 3, " " " " - -	.16	1.40	1.20
3458,	Oblong sizes, $\frac{1}{100}$ to $\frac{1}{350}$ in. thick, 10 x 15 mm., - -	.20	} 1.40	
	15 x 20 mm., - -	.20		
	18 x 25 mm., - -	.25		
	18 x 27 mm., - -	.25		
	20 x 25 mm., - -	.25		
	21 x 24 mm., - -	.25		
	23 x 50 mm., - -	.45		
	24 x 32 mm., - -	.40		
	26 x 34 mm., - -	.40		
	30 x 40 mm., - -	.45		
	40 x 50 mm., - -	.50		
	50 x 60 mm., - -	.75		

LABELS AND COVERS FOR SLIDES.

3470,	Adhesive Labels, white, round or oval, per 100 in box, - - -	.10
3472,	Adhesive Labels, white, square with black border, per 100 in box, -	.15
3474,	Adhesive Labels, square with fancy border, assorted colors, per 100 in box,	.25
3476,	Adhesive Labels, same as No. 3474, with imprint of two lines on each label, per 1000 uncut, - - - - -	2.00
3478,	Adhesive Labels, gilt fronts, for covering slides, per 100, - - -	.25
3480,	Adhesive Labels, backs, per 100, - - -	.25
	Backs and Fronts, if with holes punched, per 100, extra, - - -	.15

Special net quotations in extra large quantities

MOUNTING AND STAINING MEDIA.

No.		Oz. Bottle Solution.	Pint Bottle Solution	Dry per oz.
3500,	Xylol, pure, - - - - -	\$.20	\$1.50	
3502,	Absolute Alcohol, Dr. Squibb's, - - - - -	.20	1.50	
3504	Benzole, pure, - - - - -	.20	1.00	
3506,	Canada Balsam, paper filtered, in flexible tubes, - - - - -	.25	2.75	.30
3508,	Canada Balsam, in benzole, - - - - -	.50	4.25	
3510,	Canada Balsam, in chloroform, - - - - -	.50	5.00	
3512,	Canada Balsam, in Xylol, - - - - -	.50	5.00	
3514,	Damar, in benzole, - - - - -	.50	3.50	
3516,	Deane's Medium, - - - - -	.35		
3518,	Farrant's Medium, - - - - -	.50		
3520,	Glycerine, pure, - - - - -	.25	1.00 per lb.	
3522,	Glycerine, camphorated, for delicate vegetable tissues, - - - - -	.25		
3524,	Glycerine, jelly, - - - - -	.50		
3526,	Oil of Cloves, - - - - -	.35	4 00 per lb.	
3528,	Asphaltum, - - - - -	.25	2.00 per pint.	
3530,	Asphaltum, quick drying, - - - - -	.35		
3532,	Turpentine, - - - - -	.25	.60	
3534,	Brown's Transparent Rubber Cement, - - - - -	.35		
3536,	Brunswick Black, - - - - -	.25	2.00	
3538,	Gold Size, - - - - -	.25	2.00	
3540,	Hollis' Glue, - - - - -	.30		
3542,	King's Amber Cement, transparent, with directions, - - - - -	.25		
3544,	King's White Cement, transparent, with directions, - - - - -	.25		
3546,	King's Lacquer Cell and Finish, scarlet, with directions, - - - - -	.50		
3548,	King's Lacquer Cell and Finish, blue, with directions, - - - - -	.50		
3550,	Marine Glue, hard, melting point 250° F., box, - - - - -	.35		
3552,	Marine Glue, fluid, - - - - -	.35		
3554,	Marine Glue, colorless, - - - - -	.40		
3556,	White Zinc Cement, - - - - -	.50		
3558,	Ammonia, Carmine, Beale's, - - - - -	.25	2.00	
3560,	Borax, Carmine, - - - - -	.25	2.00	
3562,	Picro, Carmine, - - - - -	.25	$\frac{1}{8}$ oz. .75	
3564,	Aniline, blue, - - - - -	.20	2.00 .50	
3566,	Aniline, green, - - - - -	.20	2.00 .40	
3568,	Aniline, red, - - - - -	.20	2.00 .35	
3570,	Aniline, violet, - - - - -	.20	2.00 .60	
3572,	Methyl, blue, - - - - -	.20	2.00 1.00	
3574,	Methyl, violet, - - - - -	.20	2.00 1.00	
3576,	Methyl, green, - - - - -	.20	2.00 .50	
3578,	Eosine, - - - - -	.20	2 00 .50	
3580,	Haematoxylin, - - - - -	.20	2.00 $\frac{1}{8}$ oz. .75	
3582,	Sulpho-Indigotate Soda, - - - - -	.20	2.00 $\frac{1}{8}$ oz. .75	
3584,	Burril's Stain for Bacillus Tuberculosis, with directions, - - - - -	.35		
3586,	Gentian Violet, - - - - -	.20	2.00 .60	
3588,	Bismarck Brown, - - - - -	.20	2.00 .30	
3590,	Osmic Acid, $\frac{1}{32}$ oz. or 1 gramme, - - - - -	2 00		
3592,	Carmine Injecting Gelatine, Dr. Seiler's, - - - - -	1.00		
3594,	Aniline Oil, pure, for use in preparation of Bacillus Tuberculosis, - - - - -	.20	2.50	
3596,	Paraffine, pure, soft, melting point 109° F., pound, - - - - -	.50		
3598,	Paraffine pure, hard, melting point 129° F., pound, - - - - -	.50		
3600,	Celloidine, 1 oz. box, - - - - -	1.25		
3602,	Cedar Oil, for microscopic purposes, - - - - -	.50		
3604,	Dr. Gibbs Double Stain for Bacillus Tuberculosis, - - - - -	.50		
3606,	Fuchsin, - - - - -	.25	.50	
3608,	Saffranine, - - - - -	.25	.40	
3610,	Vesuvium, - - - - -	.25	.40	
3612,	Nitric Acid in Alcohol, 3 per cent. Solution, - - - - -	.25		
3614,	Iodo-Iodide Potassa, 0.3 per cent. Solution, - - - - -	.25		
3616,	Caustic Potassa, 0.5 per cent. Solution, - - - - -	.25		
3618,	Carbonate of Potash, 0.3 per cent. Solution, - - - - -	.25		
3620,	Phenolphthaline, - - - - -	.25		
3622,	Pot. Ferro-Cyanide, with 0.1 per cent. Acetic Acid, - - - - -	.25		

These media we guarantee to be of the quality best suited for microscopical purposes and are put up in the neatest possible manner; each bottle is plainly labeled and enclosed in paper cartoon.

Special net quotations in extra large quantities.

CELLS.

No.		Price.
3640,	Glass cells, various sizes and depths, per dozen, - - - -	\$1 00
3642,	Rubber cells, various sizes and depths, per dozen, - - - -	.15
3644,	Block tin cells, various sizes and depths, per dozen, - - - -	.20
3646,	Zylonite cells, various sizes and depths, transparent, per dozen, -	.25

No. 3650.

3650,	Atwood Rubber Cells, for mounting opaque objects, per dozen, - -	.30
-------	--	-----

These cells are made by us. They are exceedingly neat, require but little time in mounting, and have the advantage that objects can be mounted and preserved independent of the slip. They are made for one-half in. covers.

BOXES AND CABINETS FOR OBJECTS.

A.

No. 3660.

B.

3660,	Mailing Cases, Bradley's, per dozen tops, - - - -	.06
	Mailing Cases, Bradley's, per dozen bottoms, - - - -	.06
	Mailing Cases, Bradley's, per dozen centers, - - - -	.06

The new mailing case here illustrated is designed to supply a demand for some safe and cheap means of packing one or more microscope slides for mailing. The entire device comprises three differently shaped pieces of wood so formed that two, three or more may be put together, as shown in the cut, figure A. For one slide two pieces are used, for two slides three pieces, and so on to any convenient number.

The cross section, figure B, shows the relation of the parts of the case to the slide. The pinching of the wooden lips on the margin of the glass, outside the mounting, serves to hold the slide securely in place, and to protect the mounting from possible injury. The three pieces are designated as tops, bottoms and centers.

3662,	Mailing Boxes, wood, to hold 3 objects, 3 x 1 in., per dozen, -	\$.80,	each,	\$.07
3664,	Mailing Boxes, wood, to hold 6 objects, 3 x 1 in., per dozen, -	.85,	each,	.08
3666,	Mailing Boxes, wood, to hold 12 objects, 3 x 1 in., per dozen, -	.90,	each,	.09
3668,	Mailing Boxes, wood, to hold 25 objects, 3 x 1 in., per dozen, -	1.00,	each,	.10
3670,	Mailing Boxes, wood, to hold 12 objects, 1 3/4 x 1 in., per dozen, -	.90,	each,	.09
3672,	Mailing Boxes, wood, to hold 25 objects, 1 3/4 x 1 in., per dozen, -	1.00,	each,	.10
3674,	Mailing Boxes, wood, to hold 50 objects, 1 3/4 x 1 in., per dozen, -	1.50,	each,	.15
3676,	Mailing Boxes, wood, to hold 25 objects, 3 x 2 in., per dozen, -	2.00,	each,	.20
3678,	Cloth covered slide box, with lid and sliding cover and numbered index to hold, 25 objects, 3 x 1 in., - - - -		each,	.35

CABINETS.

No. 3694.

No. 3700.

No.		Price.
3680,	Cabinet, portable, white wood, 4 trays, holding 24 objects, - - -	\$1 00
3682,	Cabinet, portable, white wood, 6 trays, holding 36 objects, - - -	1 50
3684,	Cabinet, portable, white wood, 8 trays, holding 48 objects, - - -	1.75
3686,	Cabinet, portable, white wood, 10 trays, holding 60 objects, - - -	2 00
3688,	Cabinet, portable, white wood, 12 trays, holding 72 objects, - - -	2.50
3690,	Cabinet, portable, white wood, 12 trays, holding 144 objects, - - -	3.50
3692,	Cabinet, portable, mahogany, 6 trays, holding 36 objects, - - -	2.00
3694,	Cabinet, portable, mahogany, 12 trays, holding 72 objects, - - -	3.25
3696,	Cabinet, portable, mahogany, 12 trays, holding 144 objects, - - -	5.00
3698,	Cabinet, portable, Pillsbury's, containing 10 boxes for 250 slides, - - -	3.00
3700,	Cabinet, portable, Pillsbury's, containing 20 boxes for 500 slides, - - -	4 00.

The Pillsbury Cabinet consists of a finely polished cherry case, containing ten or twenty boxes, grooved on the inside, to receive twenty-five slides each, and provided with a lock. When the boxes are in place in the cabinet, the slides lie horizontally, thus avoiding all liability of damage to slides in top.

The top of each box as placed in the cabinet, is provided with an index, and on the bottom of the box, inside, is a corresponding number to show the proper location of each slide. If a cabinet is not required the boxes may be used singly, as a simple rubber band serves to hold the cover securely in place. They are of plain white-wood, neatly finished. (See No. 3668.)

3702,	Cabinets, mahogany, solid door, for 500 objects, - - -	35 00
3704,	Cabinets, mahogany, solid door, for 750 objects, - - -	45 00
3706,	Cabinets, mahogany, solid door, for 1000 objects, - - -	55.00
3708,	Cabinets, mahogany, glass panel door, for 500 objects, - - -	40.00
3710,	Cabinets, mahogany, glass panel door, for 750 objects, - - -	50.00
3712,	Cabinets, mahogany, glass panel door, for 1000 objects, - - -	70.00.

Objects in all above cabinets lie flat. In cabinets Nos. 3702 to 3712 the knobs are numbered, and porcelain tablets are inlaid into the fronts of the drawers, they are made to order only.

IMPROVED PHOTO-MICROGRAPHIC GAMERA.

SMALL SIZE.

The camera portion of this apparatus is in general construction the same as the large size described on page 95, except that the size is $4\frac{1}{4} \times 5\frac{1}{2}$ in., and that the front is so arranged that a 4×5 plate in kit can be adjusted directly to the same, which in the case of the large size, using $6\frac{1}{2} \times 8\frac{1}{2}$ in. plate would require the use of the plate holder. Kits $3\frac{1}{4} \times 4\frac{1}{4}$ and 4×5 accompany this outfit. The microscope attachment is simple; the tube to receive objective is fastened directly to the front board, and is arranged with draw-tube to receive eyepiece if such is required to be used. The coarse adjustment is effected by sliding the stage of mirror-bar upon a solid base and is focused at any point by a screw with pin. The fine adjistment is contained in the base plate, and is acted upon by a micrometer screw at the back and the connecting rod as shown.

The camera bellows when drawn out have an extension of 2 feet 6 in. Microscope attachment the same as No. 3764 can also be applied to this camera.

No.		Price.
3750,	Improved Photo-Micro Camera, small size, (no microscope attachment),	\$30.00
3752,	Improved Photo-Micro Camera, as described above and as shown in cut,	42.00
3754,	Improved Photo-Micro Camera, with microscope attachment, same as No. 3764,	65.00
	New rectangular tube with prism, can be fitted to any microscope or camera,	
	extra, - - - - -	10.00
	Fitting other microscopes than our own to camera, extra, according to the	
	amount of work involved, - - - - -	
	Revolving stage, with removable spring clips, extra, - - - - -	5.00
	Glass stage with slide carrier, which slips over either plain or revolving stages,	
	extra, - - - - -	5.00
	Mechanical stage No. 1728, in place of the regular, extra, - - - - -	18.00
	Graduated mirror bar, with mirror and sub-stage (both adjustable), same as	
	used on Investigator, in place of one accompanying stand, extra, - - - - -	5.00
	Abbe Condenser, 1.20 N. A., in mounting No. 1678, extra, - - - - -	14.00
	Abbe Condenser, 1.42 N. A., in mounting No. 1678, extra, - - - - -	16.00
	Abbe Condenser, Achromatic, 1.0 N. A., in mounting No. 1678, extra,	26.00

No. 3752.

No. 3764.

IMPROVED PHOTO-MICROGRAPHIC CAMERA. LARGE SIZE.

This camera is designed for photo-micrographic, copying, enlarging and reducing work. The camera sections are made of mahogany highly finished, bellows of rubber and well made. The camera slides on V shaped ways; the sections have clamps, thus allowing each to be fastened at any point upon the bed and insuring extreme firmness. The center section is arranged to receive front board for rectilinear lens. The front of the camera has adjustment in two directions (rising and falling front and side movements); plate-holder can either be used in the front or the back of the camera, as the case may require. The ground glass is removable and cover glass is cemented to the matted surface of the same to allow of more delicate focusing. Alongside of the bed the focusing rod is attached, which is separable at the junction of the two sections of the bed; by means of a clamping screw the connection of the rod can easily be made.

The size of plate is $6\frac{1}{2} \times 8\frac{1}{8}$ in. Kits $3\frac{1}{4} \times 4\frac{1}{4}$, 4×5 and $4\frac{1}{4} \times 5\frac{1}{2}$ accompany the outfit. The plate-holder is single and reversible.

The microscope attachment consists of our Model stand (see description page 21) having draw-tube, thus giving short and long standard of tube length in cases where eyepieces are used. A valuable feature in connection with the microscope is our new rectangular tube carrying a prism in mounting, which is attached to the nosepiece. By raising or lowering the latter, the prism is brought in or out of the field of the image circle. In the case of the former the object is plainly visible in the eyepiece, and may be centered at will and light adjusted, by withdrawing the tube all light is excluded and the object can be focused on the ground glass of the camera. The microscope is fastened to the bed by cleats and thumb-screw, and is easily removable when the attachment is not required. The camera bellows when drawn out have an extension of 3 feet 6 in.

Microscope attachment as No. 3752 can also be applied to this camera.

No.		Price.
3760,	Improved Photo-Micro Camera, large size, (no microscope attachment), -	\$40.00
3762,	Improved Photo-Micro Camera, with microscope attachment, same as No. 3752.	52.00
3764,	Improved Photo-Micro Camera, with microscope attachment as described above, and shown in cut, including Continental eyepiece (any power), - -	75.00
	New Rectangular Tube with prism, can be fitted to any microscope or camera, extra, - - - - -	10.00
	Fitting other microscopes than our own to camera, extra, according to the amount of work involved, - - - - -	
	Revolving stage, with removable spring clips, extra, - - - - -	5.00
	Glass stage with slide carrier, which slips over either plain or revolving stages, extra, - - - - -	5.00
	Mechanical stage No. 1728, in place of the regular, extra, - - - - -	18.00
	Graduated mirror bar, with mirror and sub-stage (both adjustable), same as used on Investigator, in place of one accompanying stand, extra, - - -	5.00
	Abbe Condenser, 1.20 N. A., in mounting, No. 1678, extra, - - -	14.00
	Abbe Condenser, 1.42 N. A., in mounting, No. 1678, extra, - - -	16.00
	Abbe Condenser, Achromatic, 1.0 N. A., in mounting No. 1678, extra, -	26.00

No. 370.

THE PROFESSIONAL PHOTO-MICRO CAMERA.

This instrument has been designed by Mr. George W. Rafter, with special reference to doing photo-micrographic work of a high character with the greatest possible economy of time. It is provided with a number of new and important features, which enable work to be done with the utmost facility and certainty. The work which has been done on this instrument is of the highest order, and is in the greatest measure owing to the perfection of the instrument, and to the new features involved.

The base of the instrument consists of a wooden frame in which are inlaid two racks. On one side of the base is a graduation in feet, tenths and hundreds of a foot, which forms a record of the positions of the screen for producing given magnifications. The length of the frame may be extended to eight feet by the addition of supplementary frame, which are easily attached and automatically form connection of the adjusting rod. The bellows rest and slide upon the frame, and the ground glass is adjusted by pinions. The bellows are made in sections and may thus be extended to the length of the bed. The plate holder is for $6\frac{1}{2} \times 8\frac{1}{2}$ plate, but so arranged that smaller plates may be used. The fine adjustment is effected by a micrometer screw, which is acted upon by the adjusting rod, and works with promptness with any amplification. The stage is round and provided with spring clips, and may be fastened at any point upon the bed for approximate focus. The sub-stage bar has adjustable sub-stage and swings to any obliquity on a center in line with the stage.

The tubes rest upon two brass supports and are connected with the tapering front of the camera. The main tube is provided with two inner tubes, the smaller of which is graduated and intended to carry the amplifier, or when desired, an eye-piece. Both tubes are adjusted by means of a rack and pinion, and arranged with pulley for cord. The main tube has at its posterior end a rectangular tube provided with draw-tube, eyepiece with cross hairs, and rectangular prism by which the image may be viewed and centered upon the ground glass. At the front is a similar rectangular tube intended for use with high powers.

The new features which we claim make it the efficient instrument it is, are :

1. The application of specific appliances for moving the amplifier, in order to find by trial, for any given extension of the camera, the best position of the amplifier.
2. The application of two horizontal prism-tubes, one for use with high powers and the amplifier, and the other for use with low powers without the amplifier.
3. The cross wires in the eyepieces for centering.
4. The making of bellows in sections to admit of their ready extension or removal.
5. The making of the base in sections in connection with the coupling focusing rod.
6. The plate holder, which admits of all sizes of plates up to $6\frac{1}{2} \times 8\frac{1}{2}$ in.
7. The ability to use an eyepiece in place of the amplifier.

To those interested in the subject, we will send a pamphlet giving complete description on application.

3770, Professional Photo-Micro Camera, with tapering bellows and one section of	
ground glass, posterior and anterior rectangular tubes, one frame section,	
complete adjustments, one $6\frac{1}{2} \times 8\frac{1}{2}$ plate holder, one achromatic amplifier,	\$125.00
One additional sectional Bellows and Frame extra,	15.00
Mechanical stage No. 1728, with grooved pulleys for cords in place of plain stage,	
extra,	20.00
Plane and Concave Mirror with Attachments, extra,	4.00
Apparatus for instantaneous exposures, extra,	35.00
Sub-stage, with rack and pinion, extra,	15.00
Abbe Condenser, 1.20 N. A., in mounting No. 1678, extra,	14.00
" " 1.42 N. A., " " " " " " " " " " " "	16.00
" " Achromatic, 1.0 N. A., in mounting No. 1678, extra,	26.00

CALCSPAR, QUARTZ, SELENITE AND MICA PREPARATIONS.

GUARANTEED OF THE BEST QUALITY.

NICOL'S PRISMS, DIAGONAL FACE.

No.									Price.
3940,	6 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	\$1.50
3942,	7 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	1.75
3944,	8 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	2.00
3946,	9 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	2.50
3948,	10 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	3.25
3950,	11 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	3.75
3952,	12 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	4.50
3954,	13 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	5.50
3956,	14 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	6.50

NICOL'S PRISMS, SQUARE FACE, WIDE FIELD.

3958,	6 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	1.75
3960,	7 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	2.00
3962,	8 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	2.50
3964,	9 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	3.00
3966,	10 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	3.75
3968,	11 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	4.50
3970,	12 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	5.00
3972,	13 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	6.00
3974,	14 mm., opening angle $31^{\circ} 16'$, each,	-	-	-	-	-	-	-	7.00
3976,	Quartz Wedge Compensator mounted on glass plate, 55 x 14 mm., each,								6.00
3978,	Quartz Wedge, 12 mm. wide, 32 mm. long, colors 1 to 3 order,	-	-						6.00
3980,	Quartz Wedge, 12 mm. wide, 32 mm. long, colors 3 to 5 order,	-	-						6.00
3982,	Quartz Wedge, 12 mm. wide, 32 mm. long, colors 1 to 6 order,	-	-						6.00
3984,	Quartz Wedge, 12 mm. wide, 45 mm. long, colors 1 to 3 order,	-	-						8.00
3986,	Quartz Wedge, 12 mm. wide, 45 mm. long, colors 3 to 5 order,	-	-						6.00
3988,	Quartz Wedge, 12 mm. wide, 45 mm. long, colors 1 to 4 order,	-	-						6.00
(Number 3978 to 3988 are made to order only.)									
3990,	Quartz Plate, Bertrand's quadrant, 24 mm. diameter, mounted, each,	-							10.00
3992,	Gypsum Plate, red of the first order, 12 mm. diameter, unmounted, each,								2.00
3994,	Bertrand's Lens, for magnifying the interference figure, mounted,	-							2.50
3996,	Selenite films, 18 mm. diameter, unmounted, red and green,	-	-	-					1.50
3998,	Selenite films, 18 mm. diameter, unmounted, blue and yellow,	-	-	-					1.50
4000,	Selenite films, 18 mm. diameter, unmounted, purple and green,	-	-	-					1.50
4002,	Quarter Undulation mica plate, 12 mm. diameter, unmounted,	-	-						2.00

TELESCOPE OBJECTIVES, GUARANTEED OF FINEST QUALITY.

No.								Price
4010,	1	in. diameter,	5 $\frac{1}{4}$	in. focus, mounted in cell,	-	-	-	\$5.00
4012,	1 $\frac{3}{16}$	in. diameter,	7	in. focus, mounted in cell,	-	-	-	5.50
4014,	1 $\frac{3}{8}$	in. diameter,	8	in. focus, mounted in cell,	-	-	-	5.50
4016,	1 $\frac{3}{8}$	in. diameter,	11 $\frac{1}{4}$	in. focus, mounted in cell,	-	-	-	6.50
4018,	1 $\frac{3}{8}$	in. diameter,	14 $\frac{1}{2}$	in. focus, mounted in cell,	-	-	-	6.50
4020,	1 $\frac{3}{8}$	in. diameter,	16 $\frac{1}{2}$	in. focus, mounted in cell,	-	-	-	6.50
4022,	1 $\frac{1}{2}$	in. diameter,	20	in. focus, mounted in cell,	-	-	-	9.00
4024,	2	in. diameter,	24	in. focus, mounted in cell,	-	-	-	12.00
4026,	2 $\frac{1}{2}$	in. diameter,	30	in. focus, mounted in cell,	-	-	-	25.00
4028,	3	in. diameter,	42	in. focus, mounted in cell,	-	-	-	40.00
4030,	3 $\frac{1}{2}$	in. diameter,	48	in. focus, mounted in cell,	-	-	-	70.00
4032,	4	in. diameter,	60	in. focus, mounted in cell,	-	-	-	90.00

All of the above objectives of 1 $\frac{1}{2}$ in. and larger diameter we make to order, and are of a quality which will equal the best extant. The foci for the different sizes are in our opinion the most desirable, but may be changed according to the wish of the purchaser.

ACCESSORIES FOR TELESCOPES.

4040,	Celestial Eyepieces, Huyghenian, any power,	-	-	-	-	4.00
4042,	Celestial Eyepieces, Periscopic, any power,	-	-	-	-	10.00
4044,	Celestial Eyepieces, Solid, any power,	-	-	-	-	6.00
4046,	Comet Eyepieces, Periscopic, large field,	-	-	-	-	15.00
4048,	Terrestrial Eyepieces,	-	-	-	-	7.50
4050,	Ramsden Positive Eyepieces,	-	-	-	-	4.00
4052,	Diagonal Eyepieces,	-	-	-	-	15.00
4054,	Sun-shade, fitted to either of the above,	-	-	-	-	1.00
4056,	Sun-shade, wedge shape, giving intermediate tints between light and very dark,	-	-	-	-	4.50
4058,	Finder, with objective 1 $\frac{3}{8}$ in. diameter, with cap, in lacquered tube, with draw-tube and eyepiece with cross-wires,	-	-	-	-	16.00
4060,	Same as 4058, with the addition of centering standards,	-	-	-	-	20.00

We also make to order tubes with and without rack and pinion adjustment suitable for any size objectives; also portable and fixed equatorial mountings in iron or brass, which are adapted to objectives up to 6 in. aperture. They are from new patterns of exceedingly neat design. It will give us pleasure to furnish estimates on application.

RECTANGULAR PRISMS—CROWN GLASS.

4070,	$\frac{1}{4}$	in. square, face 90°,	-	-	-	-	-	2.00
4072,	$\frac{1}{2}$	in. square, face 90°,	-	-	-	-	-	2.50
4074,	$\frac{3}{4}$	in. square, face 90°,	-	-	-	-	-	3.00
4076,	1	in. square, face 90°,	-	-	-	-	-	4.00
4078,	1 $\frac{1}{4}$	in. square, face 90°,	-	-	-	-	-	5.00
4080,	1 $\frac{1}{2}$	in. square, face 90°,	-	-	-	-	-	6.50
4082,	1 $\frac{3}{4}$	in. square, face 90°,	-	-	-	-	-	8.50
4084,	2	in. square, face 90°,	-	-	-	-	-	11.00

ACHROMATIC TRIPLETS AND CODDINGTON MAGNIFIERS.

No. 345.

No. 380.

No.				Price.
340,	Coddington Magnifier, $\frac{1}{2}$ in. focus, in German silver mounting,	-	-	\$2.00
345,	Coddington Magnifier, $\frac{3}{4}$ in. focus, in German silver mounting,	-	-	2.00
350,	Coddington Magnifier, 1 in. focus, in German silver mounting,	-	-	2.00
355,	Coddington Magnifier, 2 in. focus, in German silver mounting,	-	-	2.00
360,	Doublet Magnifier, new construction, giving large and flat field,	-	-	4.00
370,	Achromatic Triplet, $\frac{1}{2}$ in. focus, in German silver mounting,	-	-	6.00
375,	Achromatic Triplet, $\frac{3}{4}$ in. focus, in German silver mounting,	-	-	6.00
380,	Achromatic Triplet, 1 in. focus, in German silver mounting,	-	-	6.00

The above Coddington Magnifiers are of the best possible construction, and are made with great care throughout. Although the size of the field is limited, it is flat and the definition excellent.

The Achromatic Triplets are, as their name implies, thoroughly achromatic systems composed of one crown and two flint glass lenses cemented together. The image given by them is the nearest approach to that given by the compound microscope, and for preliminary examinations where powers up to twenty diameters are required, will well take the place of low-power objectives. They give a very large and flat field, have great depth of focus, and give perfect definition even when the optical axis is held at great obliquity.

MAGNIFIERS.

No. 50.

No. 51.

No.				Price.
50,	Rubber Case,	size of glass, $\frac{3}{4}$ in. diameter,	- - -	\$.30
56,	Rubber Case, same as No. 50,	size of glass, 1 in. diameter,	- - -	.40
62,	Rubber Case, same as No. 50,	size of glass, $1\frac{1}{4}$ in. diameter,	- - -	.60
68,	Rubber Case, same as No. 50,	size of glass, $1\frac{1}{2}$ in. diameter,	- - -	.70
74,	Rubber Case, same as No. 50,	size of glass, $1\frac{3}{4}$ in. diameter,	- - -	.90
78,	Rubber Case, same as No. 50,	size of glass, 2 in. diameter,	- - -	1.15
51,	Rubber Case,	size of glasses, $\frac{5}{8}$ and $\frac{3}{4}$ in. diameter,	-	.60
57,	Rubber Case, same as No. 51,	size of glasses, $\frac{7}{8}$ and 1 in. diameter,	-	.80
63,	Rubber Case, same as No. 51,	size of glasses, $1\frac{1}{8}$ and $1\frac{1}{4}$ in. diameter,	-	1.00
69,	Rubber Case, same as No. 51,	size of glasses, $1\frac{1}{4}$ and $1\frac{1}{2}$ in. diameter,	-	1.25
75,	Rubber Case, same as No. 51,	size of glasses, $1\frac{1}{2}$ and $1\frac{3}{4}$ in. diameter,	-	1.65
79,	Rubber Case, same as No. 51,	size of glasses, $1\frac{3}{4}$ and 2 in. diameter,	-	2.15

No. 101.

No. 102.

No. 103.

101,	Rubber Case,	size of glass, $\frac{3}{4}$ in. diameter,	- - -	.40
110,	Rubber Case, same as 101,	size of glass, $\frac{7}{8}$ in. diameter,	- - -	.50
119,	Rubber Case, same as 101,	size of glass, 1 in. diameter,	- - -	.60
102,	Rubber Case,	size of glasses, $\frac{5}{8}$ and $\frac{3}{4}$ in. diameter,	-	.60
111,	Rubber Case, same as 102,	size of glasses, $\frac{3}{4}$ and 1 in. diameter,	-	.75
120,	Rubber Case, same as 102,	size of glasses, $\frac{7}{8}$ and 1 in. diameter,	-	1.00
103,	Rubber Case,	size of glasses, $1\frac{1}{2}$, $1\frac{3}{4}$ and $1\frac{1}{2}$ in. diameter,	-	.80
112,	Rubber Case, same as 103,	size of glasses, $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ in. diameter,	-	1.00
121,	Rubber Case, same as 103,	size of glasses, $\frac{3}{4}$, $\frac{1}{2}$ and 1 in. diameter,	-	1.30

MAGNIFIERS.

No.						Price.
56 A,	Aluminum Case, (shape and size of No. 56),	-	-	-	-	\$.60
101 A,	Aluminum Case, (shape and size of No. 101),	-	-	-	-	.60
110 A,	Aluminum Case, (shape and size of No. 110),	-	-	-	-	.75
102 A,	Aluminum Case, (shape and size of No. 102),	-	-	-	-	.90
111 A,	Aluminum Case, (shape and size of No. 111),	-	-	-	-	1.10

No. 128.

128,	Rubber Case, with diaphragm ; single lens,	-	-	-	-	.50
129,	Rubber Case, with diaphragm, size of No. 128 ; two lenses,	-	-	-	-	.75
130,	Rubber Case, with diaphragm, size of No. 128 ; three lenses,	-	-	-	-	1.25

No. 143.

141,	Linen-Prover, Brass, with 1 in. open square,	-	-	-	-	1.75
142,	Linen-Prover, Brass, with $\frac{1}{4} \times \frac{1}{2}$ in. open square,	-	-	-	-	.50
143,	Linen-Prover, Brass, with $\frac{1}{4}$ in. open square,	-	-	-	-	.50
143 $\frac{1}{2}$,	Linen-Prover, Brass, with round openings,	-	-	-	-	.50

No. 144.

No. 144 A.

 No. 144 $\frac{1}{2}$.

144,	Watchmaker Glasses, assorted (three sizes and different focus), each,	-	-	-	-	.40
144 $\frac{1}{2}$,	Watchmaker Glass, one lens, strong focus,	-	-	-	-	.40
144A,	Watchmaker Glass, with two lenses, giving two powers,	-	-	-	-	.75
144 L. P.,	Watchmaker Glasses, with springs, (three sizes and different focus), each,	-	-	-	-	.60

No. 146.

No.			Price.
145,	Engraver Glass, with double plano-convex lenses, $1\frac{3}{8}$ in. diameter,	-	\$2.00
146,	Engraver Glass, with double plano-convex lenses, $1\frac{5}{8}$ in. diameter,	-	2.50
147,	Engraver Glass, with double plano-convex lenses, $1\frac{7}{8}$ in. diameter,	-	3.00
148,	Engraver Glass, with double plano-convex lenses, $2\frac{1}{8}$ in. diameter,	-	3.75
145A,	Engraver Glass, with single double-convex lens, $1\frac{3}{8}$ in. diameter,	-	.75
146A,	Engraver Glass, with single double-convex lens, $1\frac{5}{8}$ in. diameter,	-	1.10
147A,	Engraver Glass, with single double-convex lens, $1\frac{7}{8}$ in. diameter,	-	1.50
148A,	Engraver Glass, with single double-convex lens, $2\frac{1}{8}$ in. diameter,	-	1.90

No. 252.

			Black enameled wood handle.		Ivory Zylonite handle.	
			No.	Price.	No.	Price.
Metal Frame, size of glass, 2 in. diameter,	-	-	252,	\$.80	270,	\$1 20
Metal Frame, size of glass, $2\frac{1}{4}$ in. diameter,	-	-	253,	.90	271,	1.30
Metal Frame, size of glass, $2\frac{1}{2}$ in. diameter,	-	-	254,	1.00	272,	1.40
Metal Frame, size of glass, $2\frac{3}{4}$ in. diameter,	-	-	255,	1.25	273,	1.75
Metal Frame, size of glass, 3 in. diameter,	-	-	256,	1.50	274,	2.00
Metal Frame, size of glass, $3\frac{1}{4}$ in. diameter,	-	-	257,	1.75	275,	2.35
Metal Frame, size of glass, $3\frac{1}{2}$ in. diameter,	-	-	258,	2.00	276,	2 75
Metal Frame, size of glass, $3\frac{3}{4}$ in. diameter,	-	-	259,	2.25	277,	3.00
Metal Frame, size of glass, 4 in. diameter,	-	-	260,	2.50	278,	3 25
Metal Frame, size of glass, $4\frac{1}{2}$ in. diameter,	-	-	261,	3.25	279,	4.00
Metal Frame, size of glass, 5 in. diameter,	-	-	262,	4.00	280,	5.00
Metal Frame, size of glass, $5\frac{1}{2}$ in. diameter,	-	-	263,	5.00	281,	6.00
Metal Frame, size of glass, 6 in. diameter,	-	-	264,	6.00	282,	7.00

A Classified List of

First-Class Microscope Objects.

In revising this list and classifying the subjects and studies represented, we have been guided altogether by the demand of the past years, and only enumerate such preparations as are most generally called for by the busy microscopist who has not the time to prepare them himself. We have made arrangements with reliable and, in their line of study, representative parties to prepare these objects for us, and we offer only the very best obtainable in quality and finish of mount. It shall be our endeavor to carry the stock as complete as possible, and thus avoid all vexatious delays in the filling of orders. It will give us pleasure to send out a reasonable number of objects for examination and selection to any person known to us, giving good references, with the understanding that he bear the cost of transportation and loss of breakage.

We preface the Educational Series with remarks, to which we beg to call your attention. In many instances these preparations will fill all need fully as well for demonstration purposes as some of the best quality, and we can recommend them to give good satisfaction.

Where so stated, we will put up sets of preparations according to the number given, in a neatly finished wooden case with trays, and in such cases will leave the selection entirely to the purchaser. All subjects classified are considered typical slides in their respective series.

HISTOLOGICAL SERIES.

No. 4500. Each, 75 cents ; per dozen, \$7.50 ; set of 24 in case with trays, \$15.00.

Aorta, Normal, Human.	Muscle, Unstriated.
Bladder, Human.	Nerve Cells.
Bone, Adult, Longitudinal,	Nerve Fibres.
“ “ Transverse.	Nerve, T. S. Normal, Human.
“ Developing.	Oesophagus.
Brain, Cerebellum, Normal, Human.	Optic Nerve, Trans. Sect.
“ Cerebrum, “ “	Ovary, Normal, Human.
“ Medulla, “ “	Pancreas, “ “
Cartilage, Elastic.	Pigment Cells.
“ Hyaline.	Scalp, Human, Caucasian.
Compound Lymphatic Gland.	“ “ Negro.
Crystalline Lens, Human, showing ultimate fibre.	Skin, Human, African.
Endothelium.	“ “ Caucasian.
Epithelium, Columnal.	Spinal Cord, Trans. Sec., Normal, Human.
“ Squamous.	“ “ Long. Sec., “ “
Finger-Nail.	Spleen.
Heart, Normal, Human.	Stomach.
Ileum, Human.	Supra-Renal Body, Normal Human.
Intestine, Injected, Cat.	Tendon Cut, Transverse.
“ Normal, Human.	“ “ (Teased).
Kidney, Injected, Human.	Testicle, Normal, Human.
“ Normal, “	Thyroid Lymphatic Gland.
Liver, Bile Ducts, Injected.	Tissue, Adipose.
“ Normal, Human.	“ Adult, Connective,
Lung, “ “	“ Embryonal, Connective.
Mammary Gland, Normal, Human.	“ Growing, “
Membrane, Mucous.	“ Yellow, Elastic.
“ Serous.	Tooth, Longitudinal.
Muscle, Striated.	“ Transverse.
	Uterus, Normal, Human.

PATHOLOGICAL SERIES.

No. 4502. Each, 75 cents ; per dozen, \$7.50 ; set of 24 in case with trays, \$15.00.

Brain, Cerebrum, General Paralysis.	Lung, Acute Miliary Tuberculosis.
“ “ Softening.	“ Catarrhal Pneumonia and Tuberculosis.
“ Medulla Oblongata, Locomotor Ataxia.	“ Croupous Pneumonia, 1st stage.
“ Pons Varolii, Diabetes.	“ “ “ 2nd stage.
Heart, Fatty Degeneration.	“ “ “ 3rd stage.
“ Fatty Infiltration.	“ Fibroid Phthisis.
Intestine, Enlarged Peyer's Patch.	“ Haemorrhagic Infarction.
“ Tubercular.	“ Solitary Tubercle.
Kidney, Acute Catarrhal Nephritis.	“ Nailer's Consumption.
“ Amyloid.	Muscle, Trichinous.
“ Chronic, Bright's Disease.	Skin, Lupus Vulgaris.
“ Chronic Catarrhal Nephritis.	“ Scarlet Fever.
“ Interstitial Nephritis.	Spinal Cord, General Paralysis.
Liver, Amyloid Degeneration.	“ “ Hydrophobia.
“ Carcinoma.	Spleen, Amyloid.
“ Cirrhosis.	“ Leukaemia.
“ Fatty Degeneration.	Thyroid Glands, Colloid Degeneration.
“ “ Infiltration.	Tongue, Epithelioma.
Lung, Acute Catarrhal Pneumonia.	Tonsil, Hypertrophy.

TUMOR SERIES.

No. 4504. Each 75 cents ; per dozen, \$7.50 ; in set of 24 in wooden case, \$15.00.

Adenoma, Breast.	Myoma, Rhabdo., Kidney.
“ Cystic, Ovary.	Neuroma, Thigh after Amputation.
Carcinoma, Encephaloid, Breast.	Osteoma, Left Frontal Region.
“ Endothelial. “	Papilloma, hard, Face.
“ Scirrhus, “	“ soft, Bladder.
Chondroma, Testicle.	Sarcoma, Giant Cell, Head of Humerus.
Epithelioma, Cylindrical, Rectum.	“ Large Spindle Cell, Elbow.
“ Squamous, Lip.	“ Melanotic, Eye.
Fibroma, hard, Palm of hand.	“ Osteo, Knee Joint.
“ soft, Back of Neck.	“ Small Round Alveolar, Neck.
Glioma, Cerebrum.	“ Small Round Cell, Arm.
Myoma, Leio., Uterus.	“ Small Spindle Cell, Jaw.

BACTERIOLOGICAL SERIES.

No. 4506. Each, 85 cents ; per dozen, \$9.00 ; set of 24 in case with trays, \$18.00.

Anthrax, Bacillus.	Bacillus Tuberculosis from Lung Cavity.
“ Blood of Guinea-Pig(Gram's method).	“ Tuberculosis, Pure Culture.
“ Colonies.	“ “ in Sputum.
“ Liver, (section).	Comma Bacillus.
“ Spleen, “	Comma Bacillus with Flagella.
“ Threads and Spores.	Deneke's Bacillus.
Bacillus Anthracis in Kidney.	Eberth's Bacillus of Typhoid Fever.
“ of Chicken Cholera.	Emmerich's Bacillus.
“ of Glanders.	Finkler-Prior's Bacillus.
“ of Green Pus.	Fraenkel's Pneumococcus.
“ of Hog Erysipelas.	Friedlander's Pneumobacillus.
“ of Malignant Oldema.	Gonococcus.
“ of Swine-Plague (Am.)	Löffler's Diphtheria Bacillus.
“ of Symptomatic Anthrax.	Micrococcus Tetragenus.
“ of Tetanus.	Prudden's Diphtheria Streptococcus.
“ Leprosy in Ear.	Spirilla and Vibriones.
“ Leprosy in Skin.	Staphylococcus pyog. Aureus.
“ Tuberculosis.	Streptococcus Erysipelatis.
“ Tuberculosis in Human Lung, (sec.)	Vibrio Metschnikoff.

BLOOD, SPERMATOZOA AND URINARY DEPOSITS.

No. 4508. Each, 60 cents ; per dozen, \$6.00.

BLOOD DISKS—	URINARY DEPOSITS—	URINARY DEPOSITS.
Frog.	Chloride of Sodium.	Phosphate of Lime.
Dove.	Carbonate of Lime.	Phosphate of Calcium.
Human.	Cystine.	Phosphate of Soda.
Turtle.	Epithelium.	Pus.
SPERMATOZOA—	Glucose.	Sugar in Diabetes.
Dog.	Leusine.	Triple Phosphate.
Fish.	Mucus.	Tube Casts.
Horse.	Murexide.	Tyrosine.
Man.	Nitrate of Urea.	Urate of Ammonia.
URINARY DEPOSITS—	Oil Globules.	Urate of Soda.
Amorphous Phosphates.	Oxalate of Lime, Dum-bell.	Urea.
Amorphous Urates.	Oxalate of Lime, Octahedral.	Uric Acid.

PARASITIC INSECTS.

No. 4510. Each, 50 cents ; per dozen, \$5.00.

Bed-Bug, <i>Cimex lectularius</i> , Male.	Head Louse, <i>Pediculus capitis</i> , Male.
“ “ “ Female.	“ “ “ “ Female.
Body Louse, <i>Pediculus vestimenti</i> .	“ “ “ “ Egg.
Crab Louse, <i>Pediculus pubis</i> , Male.	Itch Insect, <i>Sarcoptes scabiei</i> , \$1.00.
“ “ “ “ Female.	“ “ “ “ Male, Female
Face Insect, <i>Demodex folliculorum</i> .	and Larva, (\$2 50).
Flea of Cat, <i>Pulex felis</i> .	Itch, Insect, <i>Sarcoptes scabiei</i> , Male, Female.
Flea of Dog, <i>Pulex canis</i> .	Male, Female, Egg and Larva, (\$3.00).
Flea of Man, <i>Pulex irritans</i> , Male.	Parasite of Bee.
Flea of Man, <i>Pulex irritans</i> , Female.	Sheep Thick, <i>Melophagus ovinus</i> .

PARTS OF INSECTS.

No. 4512. Each, 50 cents ; per dozen, \$5.00.

Antennae, Blow Fly.	Proboscis, Honey Bee.
Eggs, Butterfly.	“ House Fly.
Eyes, Beetle.	Scales, Butterfly.
“ Green Head Fly.	“ Mosquito.
“ House Fly.	“ <i>Lipisma saccharina</i> , (60 cents).
Foot, Green Head Fly.	“ <i>Podura Plumbea</i> , (75 cents).
“ Water Beetle.	Spinnerets, Spider.
Gizzard, Cockroach.	Spiracle, Blow Fly.
“ Cricket.	“ Cricket.
Head, Blow Fly.	“ Tomato Worm.
“ Mosquito, Male, (showing Antennae).	Sting, Bumble Bee.
“ “ Female, (showing Lancets).	“ Honey Bee.
Lancets, Green Head Fly.	Trachea, Potato Bug, showing hairs.
Leg and Foot, Blow Fly.	“ Water Beetle.
“ “ “ Honey Bee.	Wing, Bee, showing hooklets.
“ “ “ Spider.	“ Butterfly,
Mouth Parts, Honey Bee.	“ Honey Bee.
Proboscis, Blow Fly, (75 cents).	“ Mosquito.
“ Bumble Bee.	

SECTIONS OF AMERICAN WOODS.

No. 4514. Each, 60 cents ; per dozen, \$6.00.

Apple, <i>Pyrus Malus</i> .	Fir, <i>Abies Balsamea</i> .
Ash, <i>Fraxinus Americana</i> .	Hickory, <i>Carya alba</i> .
Asp, <i>Populus tremuloides</i> .	Holly, <i>Ilex Opaca</i> .
Balm of Gilead, <i>Populus Balsamifera</i> .	Ironwood, <i>Carpinus Caroliniana</i> .
Basswood, <i>Tilia Americana</i> .	Laurel, <i>Magnolia Grandiflora</i> .
Bay, <i>Magnolia glauca</i> .	Lime, <i>Nyssa Capitata</i> ,
Beech, <i>Fagus ferruginea</i> .	Linden, <i>Tilia Europaea</i> .
Birch, <i>Betula, papyracea</i> .	Locust, <i>Robinia Pseudacacia</i> .
Box, <i>Buxus, sempervirens</i> .	Maple, <i>Acer saccharinum</i> .
Buckwheat Tree, <i>Cliftonia ligustrina</i> .	Oak, <i>Quercus alba</i> .
Cedar, <i>Torreya taxifolia</i> .	Persimmon, <i>Diospyros Virginiana</i> .
Cherry, <i>Prunus Pennsylvanica</i> .	Pine, <i>Pinus resinosa</i> .
Chestnut, <i>Castanea vesca</i> .	Poplar, <i>Populus alba</i> .
Cottonwood, <i>Populus monolifera</i> .	Sassafras, <i>Sassafras officinale</i> .
Cucumber Tree, <i>Magnolia acuminata</i> .	Spruce, <i>Abies nigra</i> .
Cypress, <i>Taxodium distichum</i> .	Sycamore, <i>Platanus occidentalis</i> .
Dogwood, <i>Cornus florida</i> .	Tamarack, <i>Larix Americana</i> .
Elder, <i>Negundo aceroides</i> .	Walnut, <i>Juglans nigra</i> .
Elm, <i>Ulmus Americana</i> .	Willow, <i>Salix alba</i> .

VEGETABLE KINGDOM.

No. 4516. In two Series of 24 preparations each, illustrating the structure of the higher order of plants. Each, 60 cents; set of 24 in case with trays, \$12.00.

Series I on structure, illustrating plant anatomy. This shows the most important features of plant structure, from the simple cell and its contents, to the most elaborate tissue formations. The student starts with the *cell*, studies its structure and contents, then takes up *cell aggregates* or *tissues*, and finally *tissue systems*. The arrangement being according to Prof. Bessey's Botanies. The practical studies given in his books have been followed where possible, so as to make the set fit the text and work there given. The "mounts" have been prepared to show some special feature plainly and correctly, but at the same time care has been taken to make the "mounts" comprehensive, so that each one is valuable for a number of practical studies, at the same time showing the relation of the various tissues and tissue systems to each other in the plant body.

THE CELL AND ITS PRODUCTS.

1. Protoplasm and nucleus, stained, showing chromatin threads, Long. sec. of Pine Cone.
 2. Cell-Walls. Black rust spores of wheat. (See also 4.)
 3. Cell-formation by budding. Ferment of Wine (yeast) stained.
 4. Chlorophyll. Leaf of Moss.
 5. Starch and Aleurone in cross section of Pea. Stained.
 6. Crystals of Cactus fruit (aggregate) and prisms in scale of Onion bulb.
- TISSUES.
7. Parenchyma (soft tissue), sunflower pith.
 8. Collenchyma (thick angled), cross section of stem of white water lily.
 9. Sclerenchyma (stony tissue, long. and cross section of hickory-nut shell.)
 10. Fibrous tissue, cross and long. section of maple, showing bast and wood, (stained).
 11. Laticiferous (milk tissue), Euphorbia.
 12. Sieve tissue, cross and long. section of squash stem.
- TRACHEARY.
13. Spiral ringed, etc., in longitudinal section of *Impatiens* sp.
 14. Scalariform vessels, cross and long. section of *Pteris aquilena* (underground stem).
 15. Pitted vessels *Nicotinna glaucer*. (See also 16 and 12.)
 16. Tracheids in Douglas Spruce.
- PRIMARY MERISTEM.
17. Growing point; long. section from tip of corn root.
- SYSTEMS OF TISSUES—EPIDERMAL.
18. Epidermis of "Liveforever" leaf; top view showing stomata and cells, also cross section showing guard cells of stomata.
 19. Epidermis of *Fiens elastica*, showing thickened epidermal walls and stomata in cross section. Many of these sections show fine cystoliths.
 20. Hairs, various kinds on one slide.
- FIBROVASCULAR SYSTEM.
21. Bundle of corn, cross and long. section.
 22. Bundle of "ground-pine," *Lycopodium dendroideum*.
- INTERCELLULAR SPACES.
23. Star-shaped cells and spaces, cross section yellow pond lily. (See also 8).
 24. Turpentine canals in leaf of pine.

*The fundamental system may be studied from 1, 2, 7, 8 and others,

VEGETABLE KINGDOM—CONTINUED.

Series II illustrating "The Vegetable Kingdom." Starts with the lowest plants and shows typical representatives of the various classes throughout the Kingdom. Great care has been taken to make each specimen complete.

CYANOPHYCEAE.

1. *Oscillaria*.
2. *Bacteria*.

CHLOROPHYCEAE.

3. *Protococcus viridis*.
4. *Desmids*.
5. *Spirogyra* sp.
6. *Rhizopus nigricaus*.
7. *Euteromorpha intestinalis*.
8. *Vaucheria sessilis*.
9. *Peronospora parasitica*.

PHAEOPHYCEAE.

10. *Lauimaria*, (cross section).
11. *Fucus vesiculosus*, (cross section).

FLORIDEAE.

12. *Coleochaete* sp.
13. *Ectocarpus littorales*, (red sea-weed).

CHARACEAE.

14. *Chara*, in fruit.

ASCOMYCETES.

15. Lichen, vertical section of fruit of *Physcia stellaris*.

BASIDIOMYCETES.

16. Cross section of gills of *Ayarius* sp. showing spores, etc.

HEPATICAEE.

17. *Marchantia polymorpha*.

MUSCI.

18. A moss showing leaves and fruit.

EQUISETINAE.

19. *Equisetum arvense*, long. section of cone.

FILICINAE.

20. Prothallium of fern.
21. Sori of fern.

LYCOPODINAE.

22. *Selaginella* sp.

GYMNOSPERMAE.

23. Pine cones, male and female, long. section.

ANGIOSPERMAE.

24. Long. section of flower and fruit of sunflower.

MINERAL SERIES.

No. 4518. Each, \$1.00; set of 15 in box, \$14 50.

Selected preparations constituting a small set of typical mineral slides.

Serift Granite (Graphic Granite).
 Melite Basalt.
 Noseau Phenolite.
 Eustalite diabase.
 Harzburgite.
 Hypersthene Anderite.
 Pitchstone.
 Uralite Porphyrite.

Pearlite.
 Syenite.
 Andalusite Schist.
 Ottrelite Schist.
 Cyanite granulite.
 Cordierite Gneiss.
 Topaz Tourmaline rock.

Mounted on glass slips 45 x 26 mm.

We can also supply the complete "Standard Collections" as recommended by Prof. C. Klein and H. Rosenbusch, upon import order, however, only. These comprise:

- 4520, 1st Collection—115 thin sections of the most important petrographical minerals, mounted on glass slips 45 x 26 mm.
- 4522, 2nd Collection—314 thin sections of igneous rocks, mounted on glass slips 45 x 26 mm.

To institutions of learning and others entitled to "duty free importation," we can furnish the above at European prices, which we will quote upon request.

CHEMICAL SERIES.

No. 4524. Each, 50 cenis ; per dozen, \$5.50.

Aloin.	Oxide of Arsenic.
Boracic Acid.	Phosphate of Magnesium.
Bromine (Bromide of lead).	Silver (Reduced).
Caffeine.	Sulphate of Atropia.
Carbonate of Cerium.	Sulphate of Chinchonidia.
Chromium (Potassium Chromate).	Sulphate of Iron.
Hydrastine.	Sulphate of Lithium.
Iodide of Lead.	Sulphate of Morphia.
Iodide of Mercury.	Sulphate of Quinia.
Manganese (Potassium Permanganate.)	Sulphate of Quinidia.
Molybdate of Ammonium.	Sulphate of Strychnia.
Hippuric Acid.	Sulphate of Zinc.
Nitrate of Nickel.	Sulphide of Tin.
Nitrate of Strontium.	Sulphur.
Oxalate of Calcium.	Tartrate of Antimony.

PREPARATIONS SPECIALLY SELECTED FOR USE WITH THE
POLARISCOPE.

No. 4526. Each, 50 cents ; per dozen \$5.50.

Borate of Sodium.	Pyrogallol.
Chloride of Barium.	Quinidine.
Chloride of Cobalt.	Salicin.
Eikonogen.	Saccharine (Benzoic sulfinine).
Ethyl Gallate.	Santonin.
Hydroquinone.	Sulphate of Brucia.
Kinate of Quinia.	Sulphate of Cadmium.
Murexide (Dichromatic).	Sulphate of Codia.
Phenacitin.	Sulphate of Copper.
Pyro-Gallic Acid.	Triple Phosphate.

MISCELLANEOUS.

No.		Price.
4528,	WORMS—	
	Ascarides and Ova from Child, - - - - -	Each, \$.75
	Cysticerous, vesiculosus, - - - - -	" .75
	Eels from Vinegar, - - - - -	" .75
	Hydatid from Liver of Man. - - - - -	" .75
	Oxyuris vermicularis (human entozoon), - - - - -	" .75
	Tape-worm, - - - - -	" .75
	Trichina spiralis, Encysted, - - - - -	" .75
	" " Free, - - - - -	" .75
4530,	MOLLUSCA—	
	Bugula avicularia, - - - - -	" .60
	Embryo oysters, in fluid moving, - - - - -	" 1.00
	Garden Snail, - - - - -	" .60
4532,	RADIATA—	
	Brittle Star Fish, - - - - -	" .60
	Campanularia, - - - - -	" .60
	Holothuria, - - - - -	" .60
	Section of Coral, - - - - -	" .60
	Spines, - - - - -	" .60
	Synapta, - - - - -	" .60

ARTIFICIAL MICROSCOPIC OBJECTS.

No. 4556. Micro-Photographs. Each, 50 cents ; per dozen, \$5.00.

Address to Light, by Milton.	Planet Saturn, Rings and Moons.
A Glimpse at an English Homestead.	President Lincoln and ten Union Statesmen.
Apollo and Daphne.	Psalm of Life, by Longfellow.
A Portrait badly paid for.	Pyramid of Ghizeh.
Apostrophe to the Ocean, Byron.	Rustic Felicity.
" Bab Ballads", Captain Reece, R. N.	Sermon on the Mount.
Benjamin Franklin.	Signing of the Declaration, 1776.
Cupid and Psyche.	Song of the Shirt.
Dignity and Impudence.	"Suffer Little Children to come unto Me."
Dr. Carpenter, (W. B)	Taking Down from the Cross.
Ecce Homo.	The Bashful Lover and the Maiden Coy.
Fingal's Cave.	The Bower of Adam and Eve, Milton.
Genesis, Chap. I. (New Version after Darwin).	The Creed.
George Washington.	The Crucifixion, (M. Angelo).
Gladstone.	The Death of the Stag.
Gray's Elegy.	The Gardener's Daughter.
Group of Elephants, from life.	The Great Rosse Telescope.
Hamlet's Soliloquy.	The Lord's Prayer.
Happy as a King.	The Moon.
Jesus bearing the Cross.	The Moon, two Phases, Full and Gibbous (75c.)
Laying down the Law.	The Stag at Bay.
Map of North America.	The Ten Commandments.
Morning Hymn, Milton.	The Three Graces.
Niagara Falls.	The Village Blacksmith, by Longfellow.
Origin of Species, made easy.	Title- page of <i>Punch</i> .
Panoramic View of Paris.	Venus.
Paul Preaching at Athens, (Raphael).	Yarn of the Nancy Bell.
Planet Jupiter, Belts and Moons.	Windsor Castle.

EDUCATIONAL SERIES.

Each 30 cents ; per dozen, \$3.00.

For the use of schools, students and investigators who often find the need of special microscopic preparations, we offer the following line of objects. They are neatly mounted on the usual 3 x 1 in. slides, and securely finished with a plain ring of transparent cement ; they are, however, less elaborately prepared and finished than the preceeding. We recommend them as thoroughly reliable for use, whether in the laboratory or class-room. For teachers desiring to illustrate widely different lines of study, at small cost, they are particularly well adapted.

No. .	
4558,	ANATOMICAL.
	Blood of man, dog, cat, ox, frog, fish, snake, fowl, etc.
	Human. Sections of finger, eye-lid, chin, nose, liver, lung, kidney, bone, ear, skin, scalp, spinal cord, brain, etc.
	Bird. Sections of brain, spinal cord, trachea, stomach, intestine, skin, lung, etc.
	Calf. Sections of ear, retina, skin, spinal cord, artery, vein, stomach, kidney, lung, etc.
	Cat. Sections of tongue, nose, lip, trachea, stomach, duodenum, ileum, kidney, lung, liver, pancreas, spleen, foot, skin, etc.
	Lizard. Sections of stomach, and other organs in situ.
	Rabbit. Sections of brain, medulla, spinal cord, ear, tongue, lip, nose, foot, stomach, duodenum, ileum, kidney, lung, liver, pancreas, etc.

EDUCATIONAL SERIES—CONTINUED.

No.

Rat. Sections of tongue, nose, lip, jaw, stomach, duodenum, ileum, kidney, lung, liver, pancreas, foot, skin, etc.

Snake. Sections of brain, stomach, kidney, intestine, etc.

4560,

CRYSTALS.

Actinolite, asbestos, amygdalin, berberine, bi-chromate of potassa, caffeine, chloride of strontium, chrome alum, hippuric acid, limonite in muscovite, nitra-prusside of sodium, oxalate of ammonia, picrate of ammonia, palmitic acid, sulphate of copper, stearic acid, salicin, satin spar, theine, etc.

4562,

PLANT TISSUES.

Epidermis with stomata of grass, Indian corn, aloe, apple, iris, yucca, equisetum, deutzia, etc.

Leaves. Sections of aloe, ricinus, India rubber tree, iris, lily, etc.

Pollen of mallow, Hibiscus, Althea, Coboea, passion flower, pine, morning glory, Oenothera, etc.

Seeds opaque, of Silene, Lychnis, Stellaria, Portulaca, Drosera, Oxalis, Gerardia, Pens-temon, etc.

Spirals (dissected) of ricinus, lotus, etc., and *scalariform* ducts of fern.

Stems. Sections of burdock, clematis, maple, mahogany, cane, sedge, lily, fern, equisetum, etc.

4564,

MISCELLANEOUS.

Antennae of butterfly, moth, beetle, cricket, bee, cockroach, centipede, etc.

Corner of house fly, meat fly, horse fly, bumble bee, honey bee, wasp, hornet, moth, butterfly, beetle, grasshopper, cricket, cockroach, dragon fly, etc.

Feathers of fowl, guinea fowl, bobolink, humming bird, parrot, peacock, sparrow, canary, blue jay, etc.

Fibres of cotton, flax, ramie, hemp, jute, manilla hemp, pine-apple, merino wool, Lincoln wool, Cotswold wool, Donskoi wool, Bagdad wool, Cashmere goat hair, camel's hair, alpaca, vicuna; silk of Chinese, Italian and French silk-worm; silk of Cecropia silk-worm, etc.

Gizzard of field cricket, mole cricket, cockroach, katydid, beetle, etc.

Hairs of cat, dog, mouse, rat, mole, ground mouse, goat, cow, horse, bat, caterpillar, dermestes, rabbit, squirrel, man, etc.

Head of small bee, house fly, meat fly, male mosquito, female mosquito, bug, grasshopper, etc.

Legs and feet of spider, honey bee, beetle, cricket, house fly, meat fly, centipede, mosquito, gyrimus, notonecta, etc.

Ovipositor of house fly, meat fly, cricket, grasshopper, katydid, etc.

Parasites. Flea of cat, dog and man; bed-bug, head louse, wood tick, sheep tick; lice of fowl, pigeon, swallow, beetle, house fly, grasshopper, etc.

Proboscis of butterfly, moth, honey bee, bumble bee, fly, etc.

Scales (opaque) of diamond beetle, wings of moth, silkworm moths, butterfly, etc.

Scales of azure blue butterfly, silkworm moths, various butterflies, dermestes, lepisma, etc.

Scales of trout, shad, eel, perch, sole, pike, herring, shark, etc.

Spicules of sponge, gorgonia, etc.; foraminifera, polycystina, etc.

Spiracles of blow fly, house fly, silk worm, tobacco worm, honey bee, grasshopper, spider, etc.

Wings of honey bee, bumble bee, crane fly, mosquito, house fly, meat fly, butterfly, moth, lace-wing fly, dragon-fly, etc.

STUDENT SERIES.

Each 10 cents; per dozen, \$1.00.

4566, Imported objects, on slides $2\frac{3}{8} \times \frac{3}{4}$ in. paper covered, comprising parts of insects, hair, feathers, starch, fibres, etc.

BOOKS ON OPTICS AND OPTICAL INSTRUMENTS.

No.		Price.
4800,	ALLING, CHAS. E. Microscopical Records. It is based on a form prepared by Prof. S. H. Gage, B. S. of Cornell University, and fills a want for which nothing has heretofore been provided. 500 objects. Postage 16 cents. Net, - - - - - 1000 objects. Postage 16 cents. Net, - - - - -	\$3.00 4.00
4802,	BAILEY, W. W. Botanical Collector's Handbook, with many illustrations, 12mo., cloth. Postage 9 cents. Net, - - - - -	1.50
4804,	BALLARD, J. P. Among the Moths and Butterflies. A revised and enlarged edition of "Insect Lives," 8vo. Illustrated. Postage 15 cents. Net,	1.35
4803,	BAUSCH, EDWARD. Manipulation of the Microscope. Second Edition. Bound in cloth. Postage 5 cents, - - - - -	.75
4808,	BEALE, LIONEL S. How to work with the Microscope. Fourth Edition. Postage 24 cents. Net, - - - - -	7.50
4810,	BEALE, LIONEL S. The Microscope in Medicine. Fifth Edition. Postage 26 cents. Net, - - - - -	7.50
4812,	BEHRENS, J. W. A Guide for the Microscopical Investigation of Vegetable Substances Translated from the German of Dr. Julius Wilhelm Behrens. By Rev. A. B. Hervey. 475 pages, profusely illustrated. Postage 27 cents. Net,	5.00
4814,	BEHRENS, J. W. Guide to the Microscope in Botany. Translated and revised by Rev. A. B. Hervey, A. M. Postage 24 cents. Net, - - - - -	5.00
4816,	BESSEY, CHARLES E., Ph. D. Advanced Course, Botany for High Schools and Colleges. Postage 24 cents. Net, - - - - -	2.50
4818,	BESSEY, CHARLES E., Ph. D. Briefer Course. The Essentials of Botany. Postage 11 cents. Net, - - - - -	1.25
4820,	BLACKHAM, DR. GEO. E. Angular Aperture of Microscope Objectives. Postage 8 cents. Net, - - - - -	1.00
4822,	CARPENTER, WM. B. The Microscope and its Revelations. Seventh Edition. Revised by the Rev. W. H. Dallinger, L. L. D., F. R. S., etc. Postage 36 cents. Net, - - - - -	6.00
4824,	COOKE, M. C. 1000 Objects for the Microscope, with 400 engravings. Post free. Net, - - - - -	.45
4826,	COOKE, M. C. Ponds and Ditches. Cloth, 250 pages, with over 100 excellent illustrations, especially referring to microscopical objects. Postage 6 cts. Net,	.85
4828,	COOKE, M. C. Microscopic Fungi; an introduction to the study of Rust, Smut, Mildew and Mould. Illustrated by nearly 300 figures, colored. Postage 8 cents. Net, - - - - -	2.00
4830,	CROOKSHANK, EDW. M., M. B. A Manual of Bacteriology. New Edition. Postage 20 cents. Net, - - - - -	6.00
4832,	CROOKSHANK, EDW. M., M. B. Photography of Bacteria. Illustrated by 86 photographs, reproduced in autotype, and 6 wood cuts. R. 8vo., Cloth. Postage 14 cents. Net, - - - - -	4.50
4834,	DAVIES, THOMAS. The Preparation and Mounting of Microscope Objects. New Edition. Post free. Net, - - - - -	1.00
4836,	DAVIS, GEO. E. Practical Microscopy. Illustrated with 310 illustrations and a colored frontispiece. New and revised Edition. Postage 16 cents. Net,	2.00
4838,	DOLLEY, CHAS. S., M. D. The Technology of Bacteria Investigations. Explicit directions for the study of Bacteria. Postage 10 cents. Net, -	2.00

BOOKS ON OPTICS AND OPTICAL INSTRUMENTS—CONTINUED.

No.		Price.
4840,	FREY, H. The Microscope and Microscopic Technology. A text-book for physicians and students. Illustrated by 388 engravings on wood. Octavo, 660 pages, cloth. Post free. Net, - - - - -	6.00
4842,	FRIEDLANDER, CARL. Microscopical Technology. For use in the Investigations of Medicine and Pathological Anatomy. Translated from the second enlarged and corrected edition by Stephen Yates Howell, M. A., M. D. Post free. Net, - - - - -	1.00
4844,	GAGE, SIMON HENRY. The Microscope and Histology. Part 1., 5 full page plates and 8 figures in the text, heavy manilla. Postage 7 cents, -	1.00
	Half leather. Postage 7 cents, - - - - -	1.25
4846,	GIBBES, HENEAGE. Practical Histology and Pathology. Third Edition. Postage 5 cents. Net, - - - - -	1.40
4848,	GOSSE'S Evenings' at the Microscope, or researches among the minute organs and forms of animal life. 12mo. Postage 13 cents. Net, - -	1.20
4850,	HEITZMANN, C., M. D. Microscopical Morphology of the animal Body in Health and Disease. 380 original engravings, made expressly for this work from Drawings by the Author. 8vo., cloth. Postage 30 cents. Net,	7.00
4852,	JAMES, FRANK L., PH. D., M. D. Elementary Microscopical Technology. Part 1. The Technical History of a Slide from the crude Material to the finished mount. Cloth, stiff cover. Post free. Net, - - - - -	1.00
	Flexible cover. " " - - - - -	.75
	Paper cover, " " - - - - -	.50
4854,	HOGG, JABEZ. The Microscope; its History, Construction and Application. Illustrated with upwards of 500 engravings and colored illustrations. 750 pages. Seventh Edition. Postage 17 cents. Net, - - - - -	2.80
4856,	KINGSLEY, J. S. The Naturalists Assistant. With many Illustrations. A perfect Guide. 12mo., cloth. Postage 12 cents. Net, - -	1.35
4858,	LANCASTER, EDWIN. Half Hours with the Microscope; being a popular guide to its use. New Edition. Profusely illustrated. Postage 5 cents. Net,	1.00
4860,	LEE. Vade Mecum. Second Edition. Postage 15 cents. Net, - -	4.00
4862,	MACDONALD. Examination of Water. Postage 10 cents. Net, - -	2.75
4864,	MARSH, SYLVESTER. Section Cutting; a Practical Guide to the Preparation and Mounting of Sections for the Microscope, special prominence being given to the subject of Animal Sections. American Edition, 1879, cloth. Postage 4 cents. Net, - - - - -	.65
4866,	MATHEWS, CHAS. GEO. AND LOTT, FRANCIS E. The Microscope in the Brewery and Malt House. Illustrated 8vo., cloth. Postage 13 cents. Net,	7.50
4868,	MICROGRAPHIC DICTIONARY. By J. W. Griffiths and Arthur Henfrey. 875 pages, illustrated by 53 plates and 800 wood engravings. Fourth Edition. Postage 37 cents. Net, - - - - -	20.00
4870,	MILLER, MAURICE N. Practical Microscopy. Illustrated with 126 photographic reproductions of the author's pen drawings. Postage 13 cents. Net,	2.00
4872,	NAVE, JOHANN. Handy-Book to the Collection and Preparation of Fresh-Water and Marine Algae, Diatoms, Desmids, Fungi, Lichens, Mosses and other of the Lower Cryptogamia. Translated by Rev. W. W. Spicer, A. M., London, 1 vol., 16mo. Postage 5 cents, - - - - -	1.00
4874,	PEYER, ALEX, M. D. An Atlas of Clinical Microscopy. Translated by A. C. Girard, M. D. 8vo., cloth. Post free. Net, - - - - -	6.00
4876,	PENHALLOW, D. P. Vegetable Histology Tables for the use of Students. 8vo., cloth. Postage 7 cents. Net, - - - - -	1.00
4878,	PHIN, JOHN. Practical Hints on the Selection and Use of the Microscope. New Edition, 231 pages, highly recommended. Postage 8 cents. Net,	1.25
4880,	PRINGLE, ANDREW. Practical Photo-Micrography. Fully illustrated. Cloth bound. Post free. Net - - - - -	2.50

BOOKS ON OPTICS AND OPTICAL INSTRUMENTS—CONTINUED.

No.		Price.
4882,	PROCTOR, RICHARD A. Half Hours with the Telescope. With numerous illustrations on stone and wood Postage 4 cents. Net, - - -	1.00
4884,	SLACK, HENRY J. Marvels of Pond Life. Second Edition. With colored plates and numerous wood-cuts. Post free. Net, - - -	1.50
4886,	SMITH, J. EDWARDS. How to see with the Microscope. 400 pages, illustrated. Postage 14 cents. Net, - - -	1.60
4888,	STOKES, ALFRED C., M. D. Microscopy for Beginners, or common objects from the Ponds and Ditches. Illustrated. Postage 9 cents. Net, -	1.20
4890,	STRASBURGER, DR. E. The Microscope in Vegetable Histology. Translated and revised by Rev. A. B Hervey, A. M. Illustrated, 8vo., cloth. Postage 17 cents. Net, - - -	2 50
4892,	TRELEASE, WM. Botanical Micro-Chemistry. From the original of V. A. Poulsen. 12mo., cloth. Postage 5 cents. Net, - - -	1 00
4894,	WHITMAN, C. O. Methods of Microscopical Investigations in Anatomy and Embryology. Illustrated, 8vo., cloth. Postage 14 cents. Net, - -	3.00
4896,	WOOD, J. G. Common Objects of the Microscope. With upwards of 400 illustrations, printed in colors. Postage 3 cents. Net, - - -	.50
	Plain plates. Postage 3 cents Net, - - -	.35
4898,	WORMLEY, THEODORE G., M. D., PH. D., LL. D. Micro-Chemistry of Poisons. Including their Physiological, Pathological and Legal Relations. With an Appendix on the Detection and Microscopic Discrimination of the Blood. Adapted to the Use of the Medical Jurist, Physician, and General Chemist. By Theodore G. Wormley, M. D., Ph. D., LL. D., Professor of Chemistry and Toxicology in the Medical Department of the University of Pennsylvania. A new revised and enlarged Edition, with new Illustrations. Large 8vo. Extra cloth. Postage 35 cents Net, - - -	6.00

INDEX.

	Page.		Page.
Abbe Condensers, Sub-stage, -	62	Carrier Slide and Glass Stage, -	66
Abbe Improved, Camera Lucida, -	60, 61	Cartilage Knives, -	82
Absolute Alcohol, Dr. Squibbs, -	90	Cases, Mailing, Bradley's, -	91
Accessories, -	59-92	Cases, Re-agent, -	87, 88
Accessories for Telescopes, -	100	Caustic Potassa, -	90
Achromatic Amplifiers, -	60	Cedar Oil, -	90
Achromatic Triplets, -	101	Celloidine, -	90
Acid, Nitric, -	90	Cells, Atwood, Rubber, -	91
Adapters, -	60	Cells, Block, Tin, -	91
Alcohol, Absolute, Dr. Squibbs, -	90	Cells, Glass, -	91
Amber Cement, -	90	Cells, Rubber, -	91
Ammonia Carmine, -	90	Cells, Zylonite, -	91
Amplifier, achromatic, -	60	Cement, Brown's Transp. Rubber, -	90
Analyzer, -	70	Cement, Kings, -	90
Anatomical Instruments—Dissecting, -	86	Cement, White Zinc, -	90
Anatomical Scissors, -	84	Cloth Covered Slide Box, -	91
Anatomical Sets, Diss. Inst., -	86	Cloves, Oil of, -	90
Aniline Oil, -	90	Collecting Bottles, -	77
Aniline Stains, -	90	Combined, Inverted and Vertical Mi-	
Aperture, numerical table of, -	46	croscope, -	32-35
Apparatus, -	73	Compressors, -	61
Apparatus for Numeration of Blood Corp., -	76	Compressors, Springs, -	80
Apparatus for Solidifying Blood Serum, -	76	Concave and Convex Lenses, -	98
Apparatus for Steam Sterilization, -	73	Condenser, Mounting, -	62, 63
Apparatus for Vegetation, -	74	Condensers, Bulls Eye, -	61
Asphaltum, -	90	Condensers, Sub-stage, Abbe, -	62
Atwood Rubber Cells, -	91	Continental Eyepieces, -	53
Arnold's Steam Sterilizer, -	75	Continental Microscopes, -	9-13
Bacillus Tuberculosis Stain, -	90	Continental Microscope, (small) A, -	8, 9
Balsam, Canada, -	90	Continental Microscope, (medium) B, -	10, 11
Basket, Sterilization, -	74	Continental Microscope, (large) C, -	12, 13
Bath, Paraffine, -	76	Convex and Concave Lenses, -	98
Bath, Water and Oven, -	76	Convex Condensing Lenses, -	98
Beaker Glasses, -	78	Cover Glass Forceps, -	80
Bell Glasses, -	77	Cover Glass or Slide Forcep, -	84
Benzole, -	90	Cover Glass Gauge, -	81
Binocular Microscopes, -	36, 37	Covers, Thin Glass, -	89
Bismarck Brown, -	90	Covers and Labels for Slides, -	89
Block Tin Cells, -	91	Crown Glass Slips, -	89
Blue Glass, Hopkins, -	60	Current Slide, Holman's, -	66
Books on Optics and Optical Instru-		Damar, -	90
ments, -	115-117	Deane's Medium, -	90
Borax Carmine, -	90	Demonstration Lenses, -	98
Botanical and Microscopical sets Dis-		Diaphragm, Dome, -	64
secting Instruments, -	86	Diaphragm, Iris, -	64
Botanical Instruments, Dissecting, -	86	Differential Screw, Fine adjustment, -	65
Bottles, Capped, -	78	Dimensions of Microtomes, -	56
Bottles, Collecting, -	77	Directions for ordering Eyepieces, -	53
Bottles, Dropping, -	78	Dishes, Evaporating, -	78
Box metal sterilization, -	74	Dissecting Forceps, -	84
Box Slide, cloth covered, -	91	Dissecting Instruments, Anatomical,	
Boxes, Mailing, -	91	Botanical and Microscopical, -	86
Bradley's Mailing Cases, -	91	Dissecting Knives, -	82
Brain Knives, -	82	Dissecting and Section Knives, -	82
Brass Table, -	80	Dissecting Microscopes, -	38-43
Brown's Transparent Rubber Cement, -	90	Dissecting Microscope, (Educational) U, -	40, 41
Brunswick Black, -	90	Dissecting Microscope, (Excelsior	
Bulls Eye Condensers, -	90	pocket), S, -	38, 39
Cabinets, Pillsbury's, -	92	Dissecting Microscope, (Folding) V, -	42, 43
Cabinets, Portable, -	92	Dissecting Microscope, (Handy) R, -	38, 39
Cal'spar, Quartz Selenite and Mica		Dissecting Microscope, (Primary) T, -	40, 41
Preparations, -	99	Dissecting Microscope and Mounting	
Camel's Hair Pencils, -	85	Instruments, -	77
Camel's Hair Pencils, Swan quill, -	85	Dissecting Needle Holder, -	83
Camera Lucida, -	60, 61	Dissecting Needles, -	83
Camera Photo-Micro, small, -	93, 94	Dissecting Scissors, -	83, 84
Camera Photo-Micro, large, -	94, 95	Dome Diaphragm, -	64
Camera Photo-Micro, professional, -	96, 97	Double or Plano Convex and Concave	
Canada Balsam, -	90	Lenses, -	98
Capped Bottles, -	78	Double Prism, Camera Lucida, -	60
Carbonate of Potash, -	90	Double Wall Sterilization Apparatus, -	74
Carmine Gelatine, Injecting, -	90	Draw-tube, graduated, -	65

	Page.		Page.
Dropping Bottles, - - -	78	Instrument, Sterilizer, Special, - - -	75
Educational Microscope, Dissecting, U, -	40, 41	Instruments, Anatomical, - - -	86
Engraver Glass, - - - -	104	Instruments, Botanical, - - -	86
Eosine, - - - -	90	Instruments, Dissecting, - - -	86
Evaporating Dishes, - - -	78	Instruments, Microscopical, - - -	86
Excelsior Pocket and Dissecting Micro-		Instruments, Mounting and Dissecting, -	77
scopes, S, - - - -	38, 39	Inverted and Vertical Microscopes, -	32-35
Eye-piece Micrometer, - - -	68	Investigator Microscope, II, - - -	24, 25
Eye-piece Micrometer, how to use, -	47	Iodo-Iodide Potassa, - - - -	90
Eyepieces, - - - -	52, 53	Iris Diaphragm, - - - -	64
Eyepieces, power of, - - -	47	Iris Diaphragm, Condenser Mounting, -	63
Eyepieces, Spectroscopic, - - -	72	King's Cements, - - - -	90
Eye Shades, - - - -	65	King's Lacquer Cell, - - - -	90
Farrant's Medium, - - - -	90	Knife Holder, - - - -	58
Ferro-Cyanide Potassa, - - -	90	Knives, Brain, - - - -	82
Filar Micrometer, - - - -	69	Knives, Cartilage, - - - -	82
Finder, Maltwood, - - - -	66	Knives, Dissecting, - - - -	82
Fine Adjustment, Differential Screw, -	65	Knives, Dissecting and Section, - -	82
Finger, Mechanical, - - - -	66	Knives, Fritch's, - - - -	82
Fish Trough, - - - -	66	Knives, Microtome, - - - -	55
Folding Dissecting Microscope, V, -	42, 43	Knives, Section, - - - -	82
Forceps, Cover Glass, - - -	80	Knives, Valentine, - - - -	82
Forceps, Dissecting, - - - -	84	Labels and Covers for Slides, - - -	89
Forcep Slides or Cover Glass, - -	84	Laboratory Microscope, M, - - -	32, 33
Forcep Stage, - - - -	70, 71	Laboratory Microtomes, - - -	54, 55
Freezing Attachment, - - - -	57	Lacquer, Cell, King's, - - -	90
Fritsch's Knives, - - - -	82	Lamps, Spirit, Glass, - - -	80
Fuchsine, - - - -	90	Large Continental Microscope, - -	12, 13
Funnel, Hot Water, - - - -	76	Large Photo-Micro Camera, - -	94, 95
Gauge, Cover Glass, - - - -	81	Lenses, Concave and Convex, - -	98
Gentian, Violet, - - - -	90	Lenses, Condensing Plano Convex, -	98
Glass, Cells, - - - -	91	Lenses, Demonstration, - - -	98
Glass Covers, Thin, - - - -	89	Library Microscope, D, - - -	16, 17
Glass, Engraver, - - - -	104	Life Box, - - - -	66
Glass Pipettes, - - - -	77	Life Slide, Holman's, - - -	66
Glass Slips, Crown, - - - -	89	Lifter's, Section, - - - -	85
Glass Slips, Plate, - - - -	89	Linear Magnifying Powers of Objectives	
Glass Spirit Lamps, - - - -	80	and Eyepieces, - - - -	47
Glass Stage and Slide Carrier, - -	66	Linen-Provers, - - - -	103
Glass Stirrers, - - - -	77	Magnifiers, - - - -	101-104
Glasses, Beaker, - - - -	78	Magnifiers, Coddington, - - -	101
Glasses, Watch, - - - -	79	Magnifying Powers, Tube of, - -	47
Glasses, Watch, Syracuse, - - -	79	Mailing Boxes, - - - -	91
Glasses, Watchmaker, - - - -	103	Mailing Cases, Bradley's, - - -	91
Glue, Hollis, - - - -	90	Maltwood Finder, - - - -	66
Glue, Marine, - - - -	90	Marine Glue, - - - -	90
Glycerine, - - - -	90	Mechanical Finger, - - - -	66
Gold Size, - - - -	90	Mechanical Stages, - - - -	67
Graduated Blue Glass, - - -	60	Medium, Continental Microscope, -	10, 11
Graduated Draw-tube, - - -	65	Metal Sterilization Box, - - -	74
Haemacytometer, - - - -	76	Methyl Stains, - - - -	90
Haemoglobinometer, - - - -	76	Mica, Calc spar, Quartz and Selenite	
Haematoxylin, - - - -	90	Preparations, - - - -	99
Half Button, Wenham's, - - -	71	Micrometers, - - - -	68
Handy Dissecting Microscope, R, -	38, 39	Micrometer, Instructions for using, -	47
Harvard Microscope, E, - - -	18, 19	Micrometer Screw, - - - -	65
Hemispherical Illuminator, - - -	66	Microscopes, Binocular, - - -	36, 37
Holder, Dissecting, Needle, - - -	83	Microscopes for Special Purposes, -	30-35
Holder, Knife, - - - -	58	Microscopical Instruments, Dissecting,	86
Hollis, Glue, - - - -	90	Microscopic Objects, - - - -	105-114
Holman's Current Slide, - - -	66	Microtomes, - - - -	54-57
Holman's Life-Slide, - - - -	66	Microtome Freezing Attachment, -	57
Holman's Syphon-Slide, - - -	66	Microtome Knives, - - - -	55
Hopkins Blue Glass, - - - -	60	Microtome with clamp for Table Top,	57
Hot Water Funnel, - - - -	76	Model Microscope, F, - - - -	20, 21
Huyghenian Eyepieces, - - -	53	Mounting and Dissecting Instruments,	77
Illuminator, Hemispherical, - - -	66	Mountings for Sub-stage Condensers,	62, 63
Illuminator, Vertical, - - - -	66	Mounting Stand, - - - -	80
Improved Photo-Micro Camera (large),	94, 95	Mounting and Staining Media, - -	90
Improved Photo-Micro Camera (small),	93, 94	Mounting Table, - - - -	80
Injecting Gelatine, Carmine, - -	90	National Turn Table, - - - -	88
Injecting Syringe, - - - -	79	Needles, Dissecting, - - - -	83
Instructions for using Micrometer, -	47	Needle-Holder, Dissecting, - - -	83

	Page.		Page
Nicols, Prisms, - - - - -	99	Simple Microscopes, - - - - -	38-43
Nitric Acid, - - - - -	90	Slide Box, Cloth covered, - - - - -	91
Nosepieces, - - - - -	69	Slide-Carrier and Glass stage, - - - - -	66
Numerical Aperture, Table of, - - - - -	46	Slide or Coverglass Forcep, - - - - -	84
Numeration of Blood Corpuscles, - - - - -		Small Continental Microscope, A, - - - - -	8, 9
Apparatus for, - - - - -	76	Small Photo-Micro Camera, - - - - -	93, 94
Objectives, - - - - -	45-51	Solid Eyepieces, - - - - -	53
Objectives, Powers of, - - - - -	47	Solidifying Blood Serum Apparatus for	
Objectives, Series I, - - - - -	48	Sterilization Apparatus, - - - - -	73
Objectives, Series II, - - - - -	49	Special Instrument Sterilizer, - - - - -	75
Objectives, Series III, - - - - -	50	Spectroscopic Eyepieces, - - - - -	72
Objectives, Series IV, - - - - -	51	Spectroscopic Eyepieces, Abbe's, - - - - -	72
Objectives, Telescope, - - - - -	100	Spirit Lamps, Glass, - - - - -	80
Objects, Microscopic, - - - - -	105-112	Spring Compressors, - - - - -	80
Oil of Cloves, - - - - -	90	Stage Forceps, - - - - -	70, 71
Osmic Acid, - - - - -	90	Stage-Glass and Slide-Carrier, - - - - -	66
Oven and Water Bath, - - - - -	76	Stage, Mechanical, - - - - -	67
Paraboloid, - - - - -	69	Stage Micrometer, - - - - -	68
Paraffine, - - - - -	90	Stain for Bacillus Tuberculosis, - - - - -	90
Paraffine Bath, - - - - -	76	Standard Watch Glass, - - - - -	79
Pencils, Camel's Hair, - - - - -	85	Stand Mounting, - - - - -	80
Pencils, Camel's Hair, Swan Quill, - - - - -	85	Steam Sterilization Apparatus, - - - - -	73-75
Petrographical Microscope L., - - - - -	30, 31	Sterilization Apparatus, Steam, - - - - -	73-75
Petri Dishes, - - - - -	77	Sterilization Apparatus, Double Wall, - - - - -	73-75
Phenolphthaline, - - - - -	90	Sterilization Basket, - - - - -	71
Photo-Micro Camera, Improved, Small, - - - - -	93, 94	Sterilization, Box Metal, - - - - -	74
Photo-Micro Camera, Improved, Large, - - - - -	94, 95	Sterilizer Special Instrument, - - - - -	75
Photo-Micro Camera, Professional, - - - - -	96, 97	Stirrers, Glass, - - - - -	77
Physician Microscope, A, - - - - -	22, 23	Student Microtome, - - - - -	54, 55
Pillsbury's Cabinets, - - - - -	92	Sub-stage Attachment, - - - - -	63, 64
Pipettes, Glass, - - - - -	77	Sub stage Condenser, - - - - -	62
Plano-Convex Condensing Lenses, - - - - -	98	Sulpho-Indigotate Soda, - - - - -	90
Plano or Double Convex and Concave		Swan Quill, Camel's Hair Pencils, - - - - -	85
Lenses, - - - - -	98	Swinging Sub-stage Attachment, - - - - -	63
Plate Glass Slips, - - - - -	89	Syphon-Slide, Holman's, - - - - -	66
Pocket and Dissecting Excelsior Micro-		Syringe Injecting, - - - - -	79
scope, - - - - -	38, 39	Table, Brass, - - - - -	80
Polariscopes, - - - - -	70	Table, Mounting, - - - - -	80
Porcelain Saucers, - - - - -	79	Table, Numerical Aperture, - - - - -	46
Potash, Carbonate of, - - - - -	90	Table, Revolving, - - - - -	71
Potassa, Caustic, - - - - -	90	Telescope Accessories, - - - - -	100
Potassa Iodo Iodide, - - - - -	90	Telescope Objectives, - - - - -	100
Potas, Ferro-Cyanide, - - - - -	90	Tenaculum, - - - - -	82
Powers of Objectives and Eyepieces,		Test Tubes, - - - - -	77
Table of, - - - - -	47	Thermostat, - - - - -	76
Primary Dissecting Microscope, T, - - - - -	40, 41	Thin Glass Covers, - - - - -	89
Prisms, Nicols, - - - - -	99	Transparent Rubber Cement, Brown's, - - - - -	90
Prisms, Rectangular, - - - - -	100	Triples, Achromatic, - - - - -	101
Prisms, Woodward, - - - - -	70	Trough, Fish, - - - - -	66
Professional Microscope, K, - - - - -	28, 29	Trough, Zoophyte, - - - - -	71
Professional Photo-Micro Camera, - - - - -	96, 97	Turntable, National, - - - - -	88
Quartz, Calspar, Selenite and Mica Pre-		Turntables, - - - - -	88
parations, - - - - -	99	Turpentine, - - - - -	90
Razor-Holder, - - - - -	58	Universal Microscope, J, - - - - -	26, 27
Reading Glasses, - - - - -	104	University Microscope N, - - - - -	34, 35
Re-Agent Cases, - - - - -	87, 88	Valentine Knives, - - - - -	82
Rectangular Prism, - - - - -	100	Vegetation Apparatus, - - - - -	71
Revolving Table, - - - - -	71	Vertical Illuminator, - - - - -	66
Rubber Cells, Atwood, - - - - -	91	Vertical and Inverted Microscopes, - - - - -	32-35
Rubber Cells, - - - - -	91	Vesuvius, - - - - -	90
Rubber Cement, - - - - -	90	Ward's Eye-shade, - - - - -	65
Saffranine, - - - - -	90	Watchglasses, - - - - -	79
Saucers, Porcelain, - - - - -	79	Watchglasses, Standard, - - - - -	79
Scalpels, Dissecting, - - - - -	82	Watchmaker glasses, - - - - -	103
Scissors, Anatomical, - - - - -	84	Water Bath and Oven, - - - - -	76
Scissors, Dissecting, - - - - -	83, 84	Water Funnel Hot, - - - - -	76
Screw, Micrometer, - - - - -	65	Wenham's Half Button, - - - - -	71
Section and Dissecting Knives, - - - - -	82	White Cement, King's, - - - - -	90
Section Flatteners, - - - - -	58	White Zinc Cement, - - - - -	90
Section Knives, - - - - -	82	Woodward Prism, - - - - -	70
Section Lifters, - - - - -	85	Xylol, pure, - - - - -	90
Selenites, - - - - -	70	Zinc, Cement, White, - - - - -	90
Selenites, Calspar, Quartz and Mica		Zoophyte, Trough, - - - - -	71
Preparations, - - - - -	99	Zylonite Cells, - - - - -	91

JUN 5 1946

NATIONAL LIBRARY OF MEDICINE

NLM 00097486 9