3 1761 03990 1079

HARVARD UNIVERSITY

GRADUATE SCHOOL
OF BUSINESS
ADMINISTRATION

BAKER LIBRARY

FROM THE LIBRARY OF
SENATOR NELSON W. ALDRICH

RECORDS
OF THE
Seasons, Prices of Agricultural Produce,
AND
PHENOMENA OBSERVED.
IN
THE BRITISH ISLES.

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

RECORDS
OF THE
SEASONS, PRICES OF AGRICULTURAL PRODUCE,
AND
PHENOMENA OBSERVED
IN
THE BRITISH ISLES.

COLLECTED BY T. H. BAKER,
Fellow of the Meteorological Society.

London:
SIMPKIN, MARSHALL & CO.,
STATIONERS' HALL COURT.
WARMINSTER: B. W. COATES, "JOURNAL" OFFICE.

CANCELLED
FROM
BAKER LIBRARY

B. W. COATES,
PRINTER,
"JOURNAL" OFFICE, WARMINSTER.

HD
1925
B35

P R E F A C E.

THE following record of seasons, prices, and other facts interesting to the agriculturist, and also to every observer of natural phenomena, was collected by the writer in the first place from notes which he had made on the principle of Captain Cuttle, whose advice was—"When found, make a note of." After the succession of adverse seasons which culminated in 1879, remarks were continually being made that our English climate had deteriorated to a very great extent. This induced the writer to endeavour to ascertain whether any appreciable change had taken place within historical limits, or whether we were always liable to cycles of cold, wet, and ungenial seasons. The result of his researches is the following collection of facts, which have been extracted from old chronicles and other standard works; the authority whence taken being added to each. And it appears to him that the English climate was always much the same as at present. Periods of famine have occurred at various times, invariably caused by wet and cold seasons. One of these

lasted through nearly the whole of Edward II.'s reign, when, for twenty years or more, incessant rains were noted to have fallen every summer, with only two or three exceptions ; and as we were then dependent on our home produce, the sufferings of the people from scarcity were unparalleled, and the death of cattle and sheep (no doubt from rot) was a national calamity. Fifty years later corn was dear for some years owing to the wet seasons, but this period seems to have been of a less severe character than the preceding one. Then followed a series of years generally fruitful, although occasionally some wet years intervene, yet we find no long period of dearth till 1542, when we have a continuation of rainy summers and bad crops of corn till the end of the century, with occasionally a more fruitful year than its neighbours ; the consequence of which seems to have been the conversion of arable land into pasture, which is specially noted by Hume. In 1692 commenced a series of extraordinarily bad seasons. They have been traditionally referred to as the barren years at the close of the seventeenth century. Again in 1773, Gilbert White remarks : "Such a run of wet seasons as we have had the last ten or eleven years would have produced a famine a century or two ago." Then another cycle of bad seasons commenced in 1792, and continued with few intermissions up to 1817, since which the wet and dry years were pretty evenly balanced to 1875, then began the wet period through which we are now passing. Holinshed, who wrote in

the 16th century, says, speaking of England : "The aire (for the most part) throughout the Iland is such as by reason in maner of continuall clouds, is reputed to be gross, and nothing so pleasant as that is of the maine. Nevertheless it is more inclined to feeding and grazing, than profitable for tillage and bearing of corne."

Again : "Certes this fruitfulnessse was not unknown to the Britons long before Cæsar's time, which was the cause wherefore our predecessors living in those days in maner neglected tillage, and lived by feeding and grazing onelie."

Thus it will be seen that our climate, even from remote ages, was never considered so well adapted for the growth of corn as for the feeding and grazing of stock ; consequently it may be concluded that in general the atmosphere was humid, and dry seasons the exception rather than the rule. The writer had no idea that a somewhat similar collection of phenomena had been made till his work was nearly brought to a close, when "Lowe's Natural Phenomena" was brought to his notice, and to which he is indebted for a few of the incidents recorded. There is but little in this summary of facts which lays any claim to originality ; but as much of the information has been gathered from sources out of the reach of the general public, he trusts his work will be of some use as a reference, if nothing more, to those interested in its contents.

RECORDS OF THE SEASONS, PRICES, AND PHENOMENA,

RELATING TO

Agriculture in the British Isles.

B.C.

- 720 The first eclipse of the moon on record happened on March 19 (*Hone*).
55 August 30. A violent gale off the British coast when Julius Cæsar landed.

A.D.

- 47 or 48 Was a very severe famine (*Anglo Saxon Chronicle*).
94 A great piece of kalendar wood appeared to be on fire, but in the morning there appeared no such token (*query Aurora borealis*); and in Angus it rained frogs (*Holinshed*).
220 A great frost in England lasting five months (*Lowe*).
230 The river Thames at London frozen over for six weeks (some authors say A.D. 250) (*Lowe*).
245 In Lincolnshire many thousand acres were flooded by the sea which have never been recovered (*Camden*).
272 Dreadful famine. People obliged to eat the bark of trees.
291 Most English rivers frozen for six weeks (*Lowe*).
300 Great famine in Scotland.

- 306 Famine in Scotland ; thousands of persons died (*Lowe*).
- 310 Famine in England ; 40,000 persons are said to have perished (*Lowe*).
- 329 Most British rivers frozen for six weeks (*Lowe*).
- 353 Great flood in Cheshire ; 5,000 persons and great quantity of cattle perished (*Lowe*).
- 359 Very severe frost in Scotland for fourteen weeks (*Lowe*).
- 369 Nearly the whole world shaken by an earthquake (*Lowe*).
- 394-395 Earthquake throughout Europe, September to November (*Mallet*).
- 401 The Black Sea frozen over (*Chambers*).
- 430 In Britain so many persons were destroyed by plague that the living were scarcely sufficient to bury the dead (*Lowe*).
- 436 At York it rained blood, and trees in sundry places being blasted withered and died. Many houses in Cheap-side, London, were swallowed up (*Holinshed*).
- 447 A terrible famine, with pestilence and sword, came on the British so fiercely that the living were not sufficient to bury the dead (*Matthew of Westminster*).
- 452 The Danube frozen (*Chambers*).
- 465 Great tempest, with hail and rain, so that one might scarce see one another (*Holinshed*).
- 497 A star of marvellous size and brilliancy appeared, shining with one single ray, attached to which ray was extended a ball of fire in the shape of a dragon, and out of its mouth proceeded two rays (*M. of W.*).
- 508 In winter all the rivers in Britain were frozen up for above two months (*Lowe*).
- 526 Dry fog, accompanied by earthquake and volcanic eruptions (*Lowe*).
- 538 February 16. The sun was eclipsed from early dawn till 9 a.m. (*A. S. C.*).
- 539 The sun was obscured from the morning till the third hour (*M. of W.*).

- 540 June 20. The sun was eclipsed and the stars appeared full nigh half an hour after 9 a.m.
- 541 A comet appeared in Gaul so bright that the whole heaven appeared to be on fire. Also real blood rained out of the clouds ; and about the same time a certain individual's house was seen to be sprinkled with blood, and a terrible mortality of men followed (*M. of W.*).
- 542 The sun appeared about noondays, all wholly of a bloody colour. The element appeared full of bright stars to every man's sight, continually, for the space of two days together. Grass and herbs in Yorkshire appeared to be all stained with blood (*Hector Boetius*).
- 543 September 6. Earthquake felt universally throughout the then known world (*Mallet*).
- 545 Cold so intense in winter that the birds allowed themselves to be caught (*Lowe*).
- 554 The winter was so severe with frost and snow that the birds and wild beasts could be caught by the hand (*M. of W.*).
- 555 An appearance like that of lances was seen in the air, reaching from the north to the west (*M. of W.*).
- 558 The Danube was quite frozen over (*Dugdale*).
A dreadful plague over all Europe, Asia, and Africa (*Lowe*).
- 565 In this year there were seen many signs in the sun and moon (*M. of W.*).
- 567 Fiery spears were seen in the air (*M. of W.*).
- 580 Fire was seen to run along the heaven (*M. of W.*).
- 642 The cold so intense that the Black Sea was frozen over. Snow in some places drifted to the depth of ninety feet (*Chambers*).
- 664 Great eclipse of the sun, May 3, about ten of the clock. A great dearth and mortality ensued, both in Britain and Ireland. About this time a sore and grievous pestilence for three years together, consuming a greater number of men than were left alive (*Holinshed*).

May 1. The sun was eclipsed, and a great pestilence in Britain (*A. S. C.*).

665 There was so terrible a mortality in England that men came in crowds to the precipices which overhang the sea, and threw themselves headlong down, preferring to perish by a speedy death rather than by the slow torture of disease (*M. of W.*).

671 In this year was the great destruction of birds (*A. S. C.* ; *M. of W.*).

678 In the month of August a blazing star appeared, with a long bright beam, like to a pillar. It was seen every morning for the space of three months together. No rain fell in the province of the South Saxons for the space of three years, so that the people were brought into great misery by reason of famine (*Holinshed*). Matthew of Westminster puts the comet in 677.

In August the star comet appeared and shone for three months every morning like a sunbeam (*A. S. C.*).

685 In this year there was bloody rain in Britain (*A. S. C.*).

686 There was an eclipse of the moon. The sun was also eclipsed on the 3rd of May, at about ten o'clock. And the same year a most terrible pestilence ensued, which lasted all July, August, and September (*M. of W.*).

695 There was an eclipse of the sun this year (*M. of W.*). Great frost in England. The river Thames frozen over for six weeks (*Lowe*).

697 Corn in the harvest time appeared bloody, and in Scotland it rained blood (*Holinshed*).

729 January there appeared two comets very terrible to behold ; the one rising in the morning before the rising of the sun, and the other after the setting thereof, and they appeared thus every morning and evening for the space of a fortnight together (*Holinshed*).

In this year the star comet appeared (*A. S. C.* ; also *M. of W.*)

733 On the eighteen calends of September the sun suffered

a great eclipse about three of the clock in the afternoon, insomuch that the earth seemed to be covered with a black and horrible penthouse (*Holinshed*).

The sun was eclipsed, and all the sun's disc was like a black shield (*A. S. C. ; M. of W.*).

734 On the second day before the calends of February, the moon was covered with a redness like blood for nearly a whole hour at about the time of cock crow ; a darkness then coming on, she returned to her usual brightness (*Roger de Hoveden*).

In this year the moon was as if it had been sprinkled with blood (*A. S. C. ; Roger de Hoveden*).

738 Great inundation at Glasgow ; more than 400 families drowned (*Fordun*).

739 Dreadful famine (*Farmer's Almanack*).

743 January 1. Aurora borealis brilliant in England (*Lowe*).

744 Stars went shooting rapidly (*A. S. C.*).

745 Fiery strokes were beheld in the air, such as no men of that generation had ever seen before, and were visible throughout almost all the night of the calends of January (*Roger de Hoveden*).

747 There were seen stars falling from heaven, so that all who beheld them thought that the end of the world was at hand (*M. of W.*).

752 July 31. An eclipse of the moon (*M. of W. ; Roger de Hoveden*).

756 On the eighth day before the calends of December, the moon on her fifteenth day, being about her full, appeared to be covered with the colour of blood, and then the darkness decreasing, she returned to her usual brightness ; but in a wondrous manner a bright star followed the moon, and passing across her, preceded her when shining at the same distance at which it had followed her before she was darkened (*Roger de Hoveden*).

759 Greatest frost on record, from October 1st to February 26th (*F. A.*).

- 760 An eclipse of the moon took place about midnight on August 1 (*M. of W.*).
- 761 In this year was the great winter (*A. S. C.*).
- 763 Summer so hot the springs dried up (*Lowe*).
- 764 There fell such a marvellous great snow, and therewith so extreme a frost, as the like had not been heard of, continuing from the beginning of the winter almost till the midst of spring, with the rigour whereof trees and fruits withered away, and not only feathered fowls, but also beasts on the land and fishes in the sea died in great numbers (*Holinshed; Roger de Hoveden*).
- 765 Fiery strokes were seen in the air, such as formerly appeared on the night of the calends of January, 745 (*Roger de Hoveden*).
- 770 Stars were seen to fall from heaven in an awful manner (*M. of W.*).
- 772 34,000 persons killed at Chichester by an epidemic (*William of Malmesbury*).
- 773 A red cross appeared in the heavens after sunset (*A. S. C.*).
- 774 Dreadful signs in the heavens after sunset of a red colour, and to the great astonishment of people serpents were seen in Sussex (*Roger de Hoveden*).
- 776 Fiery and terrible signs were seen in the heavens after the setting of the sun (*M. of W.*).
- 788 Blood rained down on the earth from heaven (*M. of W.*).
- 790 Blood fell from heaven as drops of rain (*Holinshed*).
- 793 Excessive whirlwinds and lightnings; a great famine soon followed (*A. S. C.*).
- Dreadful prodigies alarmed the wretched nation of the English; for terrific lightnings and dragons in the air and strokes of fire were seen hovering on high, and shooting to and fro, which were ominous signs of the great famine and the frightful and ineffable slaughter of multitudes of men which ensued (*Roger de Hoveden*).

794 A tempest (*A. S. C.* ; *Roger de Hoveden*).

Aurora borealis brilliant (*Lowe*).

795 Fearful lightnings and dragons blazing in a dreadful manner were seen to fly through the air, signs which foreshadowed a mighty famine (*M. of W.*, 794 ; *Roger de Hoveden*).

March 28. The moon was eclipsed between cock crowing and dawn (*A. S. C.* ; *Roger de Hoveden*).

797 Seventeen days of unusual darkness (*L. Townsend*).

A great dearth and famine (*Holinshed*).

There were seen around the sun three other suns (*M. of W.*).

799 In the British seas a very great number of ships were wrecked or dashed against each other together and sunk, with a vast multitude of men (*Roger de Hoveden*).

800 On the ninth day before the calends of January, the day before the Nativity of our Lord, a mighty wind, blowing either from the south or south-west, by its indescribable force destroyed many cities, houses, and towns in various places ; innumerable trees were also torn up from the roots. In the same year an inundation took place, the sea flowing beyond its ordinary limits. An extensive murrain also prevailed among the cattle in various places (*Roger de Hoveden* ; *M. of W.*).

On Christmas Even chanced a marvellous tempest of wind, which overthrew whole cities and towns and trees in great numbers, besides other harm by death of cattle, etc. (*Holinshed*).

801 January 16. The moon was eclipsed at the second hour of the night (*A. S. C.*).

802 December 20. The moon was eclipsed at dawn (*A. S. C.*).

806 The Rhone frozen over. The cold was from 18 to 20 centigrade degrees below zero (*Anon*). The moon eclipsed September 1 and June 4. A sign of the cross appeared in the moon at dawn, and on August 30 a wonderful circle appeared about the sun (*A. S. C.*).

- 809 July 16. The sun was eclipsed the twenty-ninth day of the moon, the fifth hour of the day (*A. S. C.*).
- 810 Cattle plague very violent in England (*Lowe*).
- 823 Dreadful famine (*F. A.*). Thousands of people died in England.
- 827 The moon was eclipsed on midwinter's mass night (*A. S. C.*). Great frost for nine weeks (*Lowe*).
- 836 Great inundation of the river Tweed; the country for thirty miles round laid waste (*Lowe*).
- 839 Two comets of dreadful aspect to the beholders: the one went before the rising of the sun in harvest season, and the other followed the going down thereof in the spring of the year (*Holinshed*).
- 848 An eclipse of the sun took place at 6 o'clock on October 1 (*M. of W.*).
- 849 A pillar of light rose up to heaven and was visible for thirty days (*M. of W.*).
- 850 The Adriatic entirely frozen over (*Chambers*).
- 859 The Mediterranean so frozen that carriages were used on the Adriatic Sea (*L. Townsend*).
- 860 Beasts as they were pasturing in the fields, roaring after a strange sort suddenly died (*Holinshed*).
- 868 A comet was distinctly seen (*Roger de Hoveden; M. of W.*).
- 870 A sudden tempest arose and continued for many days (*M. of W.*).
- 874 All the lochs, rivers, and all manner of other waters were frozen in Scotland, from the beginning of November till the latter end of April; and when the frost brake and the snows melted there was such a flood flowing over all the plains as the like had not been seen. Moreover, there was a mighty comet seen, with fiery rays issuing forth from the same, during the month of April, to the great horror of all who beheld it (*Holinshed*).
- 877 A great storm in which perished 120 ships at Swanwick (*A. S. C.*).

880 March 14. The sun was eclipsed one hour of the day
(*A. S. C.*). October 13. Eclipse of the moon (*M. of W.*).

891 About the time of Rogation Sunday a comet appeared
(*M. of W.*).

892 The vines were killed by frost, and cattle died in their
stalls (*Chambers*).

About May 29, or earlier, appeared a comet (*A. S. C.*).

897 A mortality of cattle and of men (*A. S. C.*).

898 Vines killed by frost, and cattle died as in 892
(*Chambers*).

904 The moon was eclipsed (*A. S. C.*).

905 October 20. A comet (*A. S. C.*).

906 A comet appeared and lasted nearly half the year
(*M. of W.*).

908 Most of the rivers of England frozen for two months
(*Lowe*).

923 River Thames at London frozen for thirteen weeks
(*Lowe*).

926 In this year fiery beams of light appeared in the north
part of the sky (*A. S. C.*; *M. of W.*).

By the law of Athelstan a sheep was valued at 1s.; the
fleece was $\frac{2}{3}$ of the whole sheep. An ox was computed at
six times the value of a sheep, a cow at four. A horse was
valued at 30s., a mare a third less, a man at £3. The
board wages of a child was the first year 8s., together with
a cow's pasture in summer and an ox's in winter (*Hume*).

944 1,500 houses destroyed in London by a great storm.
This gale extended over the whole of England (*Preston
Herald*).

954 A great famine in England, Wales, and Scotland, which
lasted four years (*Lowe*).

962 Great mortality. The great fever was in London
(*A. S. C.*).

966 A palfrey was sold for twelve shillings (*Hume*).

970 About this time, for the space of six months together,
there appeared no sun by day nor moon by night in any

part of the realm ; but still was the sky covered with continual clouds, and sometimes such outrageous winds arose, with lightnings and tempests, that the people were in fear of present destruction (*Holinshed*).

971 The sun was continually covered with clouds for six months' space (*Holinshed*).

974 Earthquake in England (*M. of W.*).

There was a great earthquake throughout the whole of England (*Roger de Hoveden*).

975 A star appeared in the sky : above in the firmament ; which strong-minded men of deep learning, skilful men and wise soothsayers, universally call a comet. The vengeance of the Almighty was upon the nation, and a dire famine in the country (*Canterbury Annals*).

In the autumn of this year a comet was seen (*Roger de Hoveden*).

976 Here in this year was the great famine in England (*A. S. C.*).

A comet appeared, and a terrible famine ensued (*M. of W.*).

979 In this year was seen oftentimes a bloody cloud, in likeness of fire, and that was most apparent at midnight, and was coloured in various rays. Then, when it was about to dawn, it glided away (*A. S. C.* ; *Roger de Hoveden* ; *M. of W.*).

981 The winter was extremely severe and lasted long. Everything was frozen over, and famine and pestilence closed the year (*Chambers*).

986 The great murrain first came among the cattle into England (*A. S. C.*).

987 General mortality amongst cattle, and an epidemical disease which carried off great numbers of people (*Littleton*).

Frost began December 22, and lasted 120 days (*Lowe*).

The value of an ox was between seven and eight shillings, a cow about six shillings (*Hume*).

There occurred two plagues unknown to the English nation in preceding ages ; namely, a fever affecting the people, and a murrain among animals, called "seitha," being a flux of the bowels. These greatly ravaged the whole of England, and affected both men and animals with great devastation, and consuming the inner parts of the body raged in an indescribable manner (*Roger de Hoveden ; M. of W.*).

991 Frost extremely severe and long. Crops failed, and famine and pestilence ended the year (*Lowe*).

993 and 994 Summers so hot that the corn and fruit dried up (*Lowe*).

995 This year appeared a comet (*Elfric's Annals*).

998 River Thames frozen over for five weeks (*Lowe*).

1000 The moon appeared of a bloody colour, to the great terror of them that beheld it. In the summer next following corn failed and cattle died so generally that if there had not been more plenty of fish got than was accustomed to be, the people had been famished in many places. It rained stones (*Holinshed*).

March 29th. Earthquake throughout the whole of Europe (*Old Chronicle*).

1001 Divers kinds of sickness vexed the people, as the bloody flix and the burning agues, so that many died thereof (*Holinshed*).

1005 This year was the great famine throughout the English nation, such as no man can remember before so terrible (*Elfric's Annals* ; *Roger de Hoveden ; M. of W.*).

1007 A great famine, caused partly by the bad seasons and partly by the decay of agriculture (*Hume*).

1008 A sore tempest, with an outrageous wind, rose (*Holinshed ; Roger de Hoveden*).

1009 Such a wind came as no man before remembered, and beat all the ships to pieces and cast them upon the land (*A. S. C.*).

1013 Heavy rains this year (*Ingulfus*).

- 1014 September 28. Came the great sea flood widely through this country, and ran up so far as it never before had done, and drowned many vills, and of mankind a countless number (*A. S. C.*).
- 1015 The sea rose with such high spring tides, that overflowing the countries next adjoining, divers villages, with the inhabitants, were drowned and destroyed (*Holinshed*).
- 1016 An excessive famine throughout Europe (*Lowe*).
- 1022 Most excessive heat in summer. Men and animals died (*Lowe*).
- 1032 This year appeared that wild fire that no man before or since remembered such; and, moreover, it did harm in many places (*Stigand*).
- 1039 Here came the great wind (*Wulstan's Annals*). In this same year the "sester" * of wheat went to fifty-five pence, and even further (*A. S. C.*). There was a very severe storm (*Roger de Hoveden*).
- 1040 On Christmas day there was an earthquake. In the summer the sea rose higher and flowed further into the land, than ever it had been seen at any other time. On Midsummer day there was such a vehement frost that the corn and other fruits of the earth were blasted and killed, so that thereupon followed a great dearth in all the country (*Holinshed*; *Hector Boetius*).
- 1041 This year was a sad time for many things, and stormy bad weather for the fruits of the earth; and so much cattle perished as no man can remember, both from disease and bad weather (*Stigand*).
- 1041 to 1066 The most terrible famine ever known, insomuch that wheat rose to sixty pennies per quarter, or fifteen shillings of our present money; consequently it was as dear as if it now cost £7 10s. (*Hume*; *Saxon Chronicle*).
- 1042 Earthquake in England (*Mallet*).

* Sester, a quarter.

1043 Corn was so dear over all England as no man remembered, and so great famine (*Stigand*).

1044 Famine was so great that the "sester" of wheat went to sixty pence, and even further (*A. S. C.*).

1045 After Candlemas the winter more severe than ever remembered, with frost, snow, and all sorts of bad weather ; so was the death of men and cattle, fowls and fish, through much cold and hunger (*Stigand*).

1046 Great pestilence over all England this year (*Stigand*).

1047 There fell a marvellous great snow, covering the ground from the beginning of January until the seventeenth day of March. Besides this, there happened the same year such tempests and lightnings, that the corn upon the earth was burnt up and blasted, by reason whereof there followed a great dearth in England, and also death of men and cattle (*Holinshed*).

There was over all England a very great mortality this year (*A. S. C.*).

The snow fell in the west of England in such vast quantities that it even broke down the woods (*Roger de Hoveden*).

1048 Here was the severe winter (*Wulstan's Annals*). A great earthquake widely throughout England (*A. S. C.*).

On the calends of May, being the Lord's Day, there was a great earthquake at Worcester and at many other places. A mortality among men and animals prevailed throughout many of the provinces of England ; and fires in the air, commonly called woodland fires, destroyed towns and crops of standing corn in the province of Derby, and some other provinces (*Roger de Hoveden*).

1049 May 1. Earthquake at Worcester, Wick, and at Derby and elsewhere ; also a great mortality among men, and a murrain among cattle ; and the wild fire also did much evil in Derbyshire and elsewhere (*A. S. C.*).

A violent storm (*Roger de Hoveden*).

1051 Dreadful famine in Lincolnshire (*Lowe*).

1052 Very violent weather (*Wulstan's Annals*).

1053 Here was the great wind on Thomasmas night, which did much harm; and also all the midwinter was much wind (*Wulstan's Annals*).

On the night of the feast of Saint Thomas the Apostle there was a wind so strong and violent that it blew down many churches and houses, and broke numberless trees or tore them up by the roots (*Roger de Hoveden*).

1054 This year was so much death of cattle as no man remembered many winters before (*Stigand*).

1060 On this year was a great earthquake, on Translation of St. Martin, July 4 (*Wulstan's Annals*).

1063 The Thames frozen fourteen weeks.

1064 A blazing star appeared (*Holinshed*).

1066 April 24. A blazing star appeared, and continued the space of seven days (*Holinshed*). A comet appeared during seven days, and shone with extreme brightness (*Roger de Hoveden*).

There was seen over all England such a sign in the heavens as no man ever before saw. Some men said that it was the star cometa, which some men called the haired star; and it first appeared on April 24, and so shone all the seven nights (*A. S. C.*).

1067 A tempest (*M. of W.*).

1069 An extreme hard winter (*Holinshed*).

A famine prevailed to such a degree throughout almost the whole of England, but especially Northumbria and the provinces adjoining, that, compelled by hunger, men ate human flesh, and that of horses, dogs, and cats, and whatever was repulsive to notions of civilization. It was dreadful to behold human corpses rotting in the houses, streets, and high roads, there not being left sufficient to inter them (*Roger de Hoveden*).

1070 A great famine (*A. S. C.*).

1071 A great famine (*A. S. C.*).

1072 The cold weather was very severe (*Roger de Hoveden*).

1075 Some very rough weather (*A. S. C.*).

1076 March 27. Was a general earthquake in England, and in the following winter a frost from November 1 to middle of April, 1077 (*M. of W.*).

A blazing star appeared on Palm Sunday, being 16th April, about six of the clock, when the air was fair and clear (*Holinshed*).

April 6 and 22. Shocks of earthquakes throughout England (*M. of W.*).

1078 The moon was eclipsed three nights before Candlemas. This was the dry summer, and wild fire came in many shires, and burned many towns; and also many burghs were burnt (*A. S. C.*).

1080 An earthquake, a roaring and shaking of the earth (*Holinshed*).

1081 December 25. An earthquake all over England, accompanied with a terrible subterraneous noise (*M. of W.*).

1082 A great famine (*A. S. C.*).

1083 Great floods in autumn. Great loss of life. Birds and animals seemed awestruck. Tame fowls, hens, geese, and the like fled into the forests and woods, and became wild (*Speed*).

Shortly before the death of Queen Matilda (November 2), the rain fell in such torrents that the whole country was much flooded. The very springs seemed as if let loose in many parts; the foundations of the hills whence they gushed became softened and sunk, overwhelming some considerable villages, occasioning great loss of life.

1085 Earthquake in England, followed by great cold (*Mallet*).

1086 A very heavy and toilsome and sorrowful year in England through murrain of cattle, and corn and fruits were at a stand, and so great unpropitiousness in weather as no one can easily think; so great was the thunder and lightning that it killed many men (*A. S. C.*).

1087 The people in all places were pitifully plagued with

burning fevers, which brought many to their end. A murrain also came to their cattle, whereof a wonderful number died. At the same time tame fowls, as hens, geese, and peacocks, forsaking their owners' houses, fled to the woods and became wild (*Holinshed*).

A very great famine over all England through the great tempests, so that many hundred men perished by death (*A. S. C.*)

The nation was attacked by such a great disease and pestilence, that those who escaped the fevers died of famine. For God sent tempests and thunders and lightnings, by which many men perished, and He spared neither animals nor cattle ; but even the domestic birds of England, the peacocks and poultry and geese, fled from the houses, and all became wild birds (*M. of W.*).

1088 Scarcity of corn. Some crops not ripe till end of November (*Lowe*).

1089 Great earthquake over all England on third ides of August (*Roger de Hoveden*), and was so late a season that many men cut their corn about Martinmas or later (*Nicholas*).

1090 In November, in consequence of a violent tempest the river was so swollen as entirely to sweep away London Bridge, and inundate the banks on each side to a great distance (*Brayley*).

An earthquake throughout all England, followed by a great scarcity of fruit and a late harvest (*L. Townsend*).

1091 A violent and mischievous wind struck London, shaking the towers and buildings and fruit-bearing trees (*M. of W.*).

October 5. Five hundred houses destroyed by a great storm in London (*Old Chronicle*). Roger de Hoveden says more than six hundred houses and a considerable number of churches.

October 5. A marvellous sore tempest fell in sundry parts of England, especially in the town of Winch-

comb, where (by force of thunder and lightning) a part of the steeple of the church was thrown down. 17th of the same month much harm was done in London with an outrageous wind, the violence whereof overturned and rent in pieces above five hundred houses. Moreover, at Salisbury much hurt was done with the like wind and thunder, for the top of the steeple and many buildings besides were sore shaken and cast down (*Holinshed*).

November 6. Feast of St. Edmund. London Bridge swept away by force of waters (*Florence of Worcester*).

1092 By the high spring tides many towns, castles, and woods were drowned, as well in Scotland as in England. After the ceasing of the tempest, the lands that sometime were Earl Goodwin's, by violent force and drift of the sea were made a sandbed, and ever since have been called Goodwin's Sands. Such dreadful thunder happened also at the same time, that men and beasts were slain in the fields, and houses overturned even from their foundations. In Lothian, Fife, and Angus, trees and corn were burnt up by fire kindled no man knew how (*Holinshed*).

Terrible flood followed by great frost, and then a second flood, as the like was remembered by none (*W. of M.*).

This year a great deal of rain fell, and an inundation took place, a greater than which had never been seen (*M. of W.*).

1093 Such excessive rain, and such high floods, the rivers overflowing the low grounds that lay near unto them, as the like had not been seen of many years before, and afterwards ensued a sudden frost, whereby the great streams were congealed in such sort that at their dissolving or thawing many bridges, both of wood and stone, were borne down, and divers water-mills rent up and carried away (*Holinshed*).

A very wonderful sign appeared in the sun (*Roger de Hoveden*).

After some excessive inundations, which had been caused by the rain, even the large rivers were covered with such a thick ice, which lasted a long time, that they became passable for men and loaded carriages and wagons. At last, when the snow melted, the fragments of ice floating down the river left scarcely one sound bridge in the whole country (*M. of W.*).

1094 England and Normandy were sore vexed with mortality, both of men and beasts, insomuch that tillage of the ground was laid aside in many places, by reason whereof there followed great dearth and famine. Many hideous sights were seen, as flashes of fire, stars falling from heaven, and such like wonders (*Holinshed*).

Dearth so great in England and France that wheat was sold for almost 20s. per quarter, followed by a pestilential fever that carried off multitudes of people (*L. Townsend*).

Stars were seen to fall from heaven (*M. of W.*).

1095 On St. Ambrose mass night (that is 2nd nones April) stars fell so thickly that no man might tell them (*Nicholas Annals*; *Roger de Hoveden*).

In this year were very unseasonable tempests, and therefore through all this land the earth-fruits were all turned to mediocrity (*A. S. C.*).

1096 This was a year of great famine and time of affliction (*Nicholas*).

1097 About Michaelmas a star was seen in the south-west for a week. Many men supposed it to be a comet (*Nicholas Annals*).

In an unusual storm of wind and rain, and a very tempestuous sea, the Goodwin Sands were formed (*Camden*).

This was in all things a very sad year, and over grievous, from the tempests when the land should be tilled, or after, when the produce should be gathered (*A. S. C.*).

A wonderful sign in the heavens, like a fire burning in the shape of a cross in October (*Roger de Hoveden*).

1098 Through much rain the whole year, which ceased not, nearly all the crops on lowlands perished (*Nicholas Annals*).

Before St. Michael's mass, the heaven appeared almost all the night as if it were burning. This was a very sad year, through the great rains which ceased not all the year (*A. S. C.*).

1099 On St. Martinmas Day much harm done by high tides, such as no man remembered (*Nicholas*), and it was on the same day a new moon (*M. of W.*).

On the third day of the nones of November, the sea came out upon the shore and buried towns and men very many, and oxen and sheep innumerable (*Florence of Worcester ; Roger de Hoveden*).

1100 The Thames did rise with such high springs and tides that many towns were drowned, and much hurt done in places about London and elsewhere (*Holinshed*).

At Hampstede, in Berkshire, blood flowed out of the ground for fifteen days together, and made a horrible pool (*M. of W.*).

1101 Great earthquake in England. Buildings were lifted up and then settled down as before (*W. of M.*).

1103 On the morning of St. Laurence mass day, August 10, much harm done to all fruits of the earth by a great wind, such as no man can remember. This year was very afflictive through death of cattle and perishing both of corn and tree fruits (*Nicholas*), as no man remembered that it ever did before (*Roger de Hoveden*).

A deadly and too fatal mortality took place both of men and animals (*M. of W.*).

1104 A comet (*L. Townsend*).

On April 17, four circles were seen round the sun, white and spotted, and marvellously entwined together (*M. of W.*).

On Tuesday after June 5, there appeared four circles at mid-day about the sun of a white hue, each twined under the other as if they were painted. All who saw it wondered (*A. S. C.*).

- 1105 This was a very calamitous year through destruction of the fruits of the earth (*Nicholas*).

Earthquake at Ely (*Gentleman's Magazine*).

- 1106 On Friday, 14th calends March, at even, appeared an uncommon star, and was seen every even thereafter, long lessening. It appeared in the south-west, was little thought of, and dark, but its beams were very bright, and appeared like an immense beam shining north-east. Some said they saw more unknown stars at this time (*A. S. C.*; *Roger de Hoveden*).

On the Thursday before Easter were seen two moons in the heavens before day-break: one in the east and the other west; both full, and the moon was fourteen days old (*M. of W.*; *Wulstan*).

- 1107 A comet (*L. Townsend*).

Many said that they saw various tokens in the moon this year, and that against nature her rays increased and diminished (*Nicholas*).

- 1109 Very much thunder this year, and that very fearful (*Wulstan*).

- 1110 A comet the sixth day before the ides of July, which was seen to shine for three weeks (*Roger de Hoveden*).

Earthquake in Shropshire (*L. Townsend*).

A comet appeared in a strange sort, for rising in the east, when it once came aloft in the firmament, it kept not the course forward but seemed to go backward as if it had been retrograde (*Holinshed*: *M. of W.*).

On fifth night of the month of May, the moon appeared in the evening brightly shining, and afterwards by little and little its light waned, so that as soon as it was night, it was so completely quenched that neither light nor orb, nor anything at all of it was seen. And so it continued

very near until day, and then appeared full and brightly shining. It was on this same day a fortnight old. All the night the air was very clear, and the stars over all the heaven were brightly shining, and the tree fruits on that night were sorely nipt (*A. S. C.*).

Through tempests the earth fruits were greatly injured, and the tree fruits over all this land almost all perished (*A. S. C.*).

The river Trent, at Nottingham, dry from morning till 3 p.m. a mile in length, so that it could be passed with dry feet (*Stow ; Roger de Hoveden*).

- 1111 Very long winter and vehement and inclement time, so that the fruits of the earth were much marred, and greatest death of cattle that any man remembered (*Wulstan*).

There was a most severe winter, a dreadful famine, a plague among men, and a murrain among animals, both wild and domestic. There was also a very great mortality among birds (*Roger de Hoveden*).

April 2, a terrible mortality of animals began, and likewise a great famine in Normandy (*M. of W.*).

- 1112 This was a very good year, and very abundant in wood and in field ; but it was a very sad and sorrowful one, through a most destructive pestilence (*A. S. C.*).

There was a great mortality of men (*M. of W.*).

- 1113 In the month of May a great comet appeared, and a little afterwards there was an earthquake.

- 1114 October 15. The sea so decreased and shrank from the old accustomed watermarks and coasts of the land here in this realm that a man might have passed on foot over the sands and washes for the space of a whole day together. The river Thames was so low for the space of a day and a night, that horses, men, and children, passed over it betwixt London Bridge and the Tower, and also under the Bridge, the water not reaching above their knees. Moreover in the month of December the air

appeared red as though it had burned. In like manner the winter was very extreme cold with frosts, by reason whereof at the thawing and breaking of the ice the most part of all the bridges in England were broken and borne down (*Holinshed; M. of W.*).

This year, in May, was seen a strange star with long rays many nights (*Nicholas*).

This year were very great winds in October, and immeasurably great on the night octab Sancti Martini, November 18th, and that was everywhere manifest, in woods and in towns (*Nicholas*).

1115 This year was so severe a winter with snow and frost as no man living remembered, and through which unmeasurable cattle death (*Nicholas Annals*).

1116 An earthquake in December (*L. Townsend*).

On All Hallows' Day, or November 1, great lightning, thunder, and such a storm of hail fell that the people were marvellously amazed therewith. December 13, a great earthquake, and the moon was turned into a bloody colour (*Holinshed*).

This year was a very vehement winter time, both severe and long for cattle and all things (*Nicholas*).

This was a very deficient year in the fruits of the earth through immoderate rains coming immediately before August, and greatly troubled and afflicted until the coming of Candlemas. No mast this year (*A. S. C.*).

1117 This was a very deficient year in corn, through the rains that ceased not almost all the year (*A. S. C.*).

December 1. Great lightning, thunder, and such a storm of hail fell that the people were marvellously amazed therewith. December 13. There happened a great earthquake, and the moon was a bloody colour. December 16. The heaven was seen very red, as if it were a conflagration (*M of W.; A. S. C.; Nicholas; and Holinshed*).

1118 In the week of Theophany was one evening much

lightning, and a most immoderate thunder clap thereafter (*Nicholas*).

Also, on St. Thomas' mass night was such exceedingly great wind that no man remembered more, and that was everywhere seen both in houses and in trees (*Nicholas*).

1119 On St. Michael's mass eve was a great earthquake in some places here in the land, though most in Gloucestershire and Worcestershire (*A. S. C.*).

1120 Earthquake in September (*L. Townsend*).

1121 On the night of the vigil of the Birth of our Lord was very great wind over all this land, and that was in many things manifestly seen (*Nicholas*).

1122 The moon was eclipsed on April 5, and was fourteen days old (*A. S. C.*).

March 8. The town of Gloucester burnt by lightning.
 March 22. On the Tuesday after Palm Sunday was a very violent wind, after which came many tokens over all England. July 25. There was a very great earthquake over all Somersetshire and in Gloucestershire. Afterwards on St. Mary's mass day (September 8) there was a very great wind from the third hour of the day to the swart night. Afterwards there were many shipmen on the sea and on fresh water who said that they saw in the north-east a great and broad fire near the earth, which at once waxed in length up to the sky, and the sky separated into four parts, and fought against it as if it would quench it, but the fire nevertheless waxed up to the heavens. The fire they saw in the dawn, and it lasted so long till it was light over all. This was on December 7 (*A. S. C.*).

1124 Many failures in corn and all fruits, so that between Christmas and Candlemas the acre seed of wheat, that is two seedlips, were sold for six shillings; and that of barley, that is three seedlips, for six shillings; and that of oats, that is four seedlips, for four shillings, because there was little corn (*A. S. C.*).

The sun appeared resembling a new moon (*M. of W.*).

1125 A famine year (*Rogers*).

In this same year was so great a flood on St. Lawrence's mass day (Aug. 10) that many towns and men were drowned, and bridges shattered, and corn and meadows totally destroyed, and famine and disease among men and cattle; and for all fruit there was so bad a season as there had not been for many years before (*A. S. C.*)

Frost so intense that the eels were forced to leave the water and were frozen to death in the meadows. The dearest year known for wheat (*Robert de Monte*).

1126 There was a great famine, and so great was the dearth of provisions that no one had seen the like in our time, for a horse load of corn was sold at the price of six shillings (*Roger de Hoveden*).

Note, a horse load was one quarter, or eight bushels (*T. H. B.*).

1129 On St. Nicholas' mass night, a little before day, there was a great earthquake (*A. S. C.*).

The sun was turned into darkness and the day into night for nearly half an hour, and the stars were visible (*M. of W.*).

1130 Ordinary value of a sheep fourpence.

1131 After Christmas, on a Monday night at the first sleep, the heaven was on the north side all as though it were burning fire, so that all who saw it were so affrighted as they never were before. That was on January 11th. This same year was so great a murrain of the cattle as never was in the memory of men over all England. That was in neat and in swine, so that in the town where there were ten or twelve ploughs going there was not one left, and he who had 200 or 300 swine had not one left. After that died the domestic fowls, then flesh meat became scarce, and cheese and butter (*A. S. C.*).

1133 August 2. A wonderful and extraordinary eclipse

of the sun and moon appeared, insomuch that William of Malmesbury, who then lived, writeth that he saw the stars plainly about the sun at the very time of the eclipse. On the Friday after such an earthquake that many houses were overthrown and flames issued from rifts in the earth which defied all attempts to quench them (*Holinshed; M. of W.*)

- 1134 October 1. Along the English coast and in the Netherlands the sea rose suddenly with such violence as to inundate the country, returning to its usual level as suddenly (*Mallet*).

On the fourth day before the nones of August, at about the sixth hour, an eclipse of the sun took place to such a degree that the whole of the sun's disc appeared as though covered by a black shield (*Roger de Hoveden*).

- 1135 August 2. The day darkened over all lands, and the sun became as it were a three night old moon and the stars about it at midday. Men were greatly wonder-stricken and affrighted, and said that a great thing should come hereafter. So it did, for that year the king died (*A. S. C.*).

A mighty great tempest of thunder horrible to hear, and lightning dreadful to behold, the day Stephen arrived in England. Now because this happened in winter time it seemed against nature, and therefore was the more noted as a foreshowing of some trouble (*Holinshed*).

This storm was on the vigil of the Feast of the Apostles St. Simon and St. Jude (*M. of W.*).

- 1137 Corn was dear, and meat, cheese and butter, for none was in the land; wretched men died of hunger (*A. S. C.*).

However a man tilled, the earth bare no corn (*A. S. C.*).

- 1140 On 13th calends April, in Lent, the sun was darkened, and about noontide men lighted candles to eat by (*Hugo*).

Men were greatly wonder-stricken (*A. S. C.; M. of W.*).

- 1142 Earthquake severely felt at Lincoln (*Lowe*).

The Thames was frozen and ground covered with snow before the Feast of the Nativity (*Roger de Hoveden*).

1145 Oxen worth about three shillings each (*L. M.*)

1146 A comet appeared in the west diffusing marvellous rays on all sides (*M. of W.*).

1147 Excessive heat in August (*Roger de Hoveden*).

1149 The great rain that fell in the summer season this year did much hurt unto corn standing on the ground, so that a great dearth followed. In the winter also, after about 10th December, it began to freeze extremely, and so continued till 19th February, whereby the Thames was so frozen that men might pass over it both on foot and horseback (*Holinshed*).

This year it began to freeze on December 10, and the frost lasted till February 19, and the Thames was so frozen over that it was rendered passable for foot passengers and horses, and even for loaded wagons (*M. of W.*).

1150 The river Thames was so bound in frosty chains that from December to March horses and carriages used it as a highway (*Som. Mag.*, vol. xv.).

Great famine (*Saxon Annals*).

1151 Great famine (*Saxon Annals*).

1152 January 14. A hideous tempest of wind and rain. This year, through great and immoderate rain that fell in the summer, the growing of corn was so hindered that a great death of people ensued (*Holinshed*).

1153 A great dearth followed by a sore death amongst men and beasts through all Scotland (*Holinshed*).

1154 Henry, Duke of Normandy, waited at Barfleur one whole month for a fair wind, and on December 7 he set sail and arrived in England on 19th (*M. of W.*).

1158 Earthquake in London and other places. The river Thames so dried up that it could be passed dryshod (*Mallet*).

1164 September 20. Three circles were seen to compass

the sun, and so continued for the space of three hours together; which when they vanished away two suns appeared and sprang forth after a marvellous manner (*Holinshed*).

1165 A certain comet fourteen days together with long beams very terrible to behold (*Holinshed*).

January 25 or 26. Earthquake in Norfolk, Suffolk, and Ely, so severe that persons who had been standing were thrown down, and the bells were made to ring (*M. of W.*).

Two comets made their appearance before sunrise in the month of August, one in the west, the other in the north. A comet is a star which does not appear at all times, but in especial at the death of a king, or upon the ruin of a nation (*Roger de Hoveden*).

1170 A dreadful storm in the first week of March (*Roger de Hoveden*).

1171 In the night before Christmas Day last past there chanced such a tempest of lightning and thunder that the like had not been heard of; which tempest was not only generally throughout all England, but in Ireland, where it continued all that night and Christmas Day following, to so great terror of the people that they looked for present death (*Holinshed; M. of W.*).

1172 On the night of the Nativity of our Lord a sudden and terrible thunderstorm was heard in England and Ireland, and throughout the whole kingdom of France (*M. of W.*).

1174 On the day of Saint Sylvester (December 31) a mighty tempest suddenly arose (*M. of W.*).

1175 England and the countries adjoining were sore vexed with a great mortality of people, and immediately after followed a sore dearth and famine (*Holinshed; Roger de Hoveden*).

1176 A sore eclipse of the sun chanced the sixth ides of January (*Holinshed*).

The sea rose on such a height that many were drowned

thereby. Also a great snow fell this year, which by reason of the hard frost that chanced therewith continued long without wasting away, so that fishes, both in the sea and fresh water, died through sharpness and vehemency of that frost; neither could husbandmen till the ground. On Midsummer Day there fell such a storm of hail that it killed many sheep and small cattle. The sun in September about noontide was darkened for the space of two hours together, without any eclipse or cause natural by interposition of clouds. In Yorkshire was such terrible thunder with strange lightning that many abbeys and churches were consumed with the fire (*Holinshed*).

1177 It rained blood in the Isle of Wight for the space of two days together, so that linen clothes that hung on the hedges were coloured therewith (*Holinshed*; *Roger de Hoveden*).

1178 A great snow filled the valleys and buried the thickets and trees, and when it melted away many cattle and some men were carried away by the flood, and so perished. Jan. 8th. The sun eclipsed (*M. of W.*).

June 18. After the setting of the sun there appeared a marvellous sight in the air. For whereas the new moon shone forth very fair with his horns toward the east, straightways the upper horn was divided in two, out of the midst of which division a burning brand sprung up casting from it afar off coals and sparks as it had been of fire. The body of the moon in the meantime that was beneath seemed to wrest and writhe, in resemblance like to an adder or snake that had been beaten, and anon after it came to the old state again. This chanced above a dozen times, and at length from horn to horn it became black. In September following, at six of the clock, a partial eclipse of the sun appeared. About Christmas, at a place called Oxenhall, within the lordship of Darlington, a part of the earth lifted itself up on high in appearance like to a mighty tower, and so it remained from nine of the clock

in the morning till eventide, and then it fell down with an horrible noise, so that as such as were thereabout were put in great fear. That piece of earth with the fall was swallowed up, leaving a great deep pit in the place, as was to be seen many years after (*Holinshed*).

1179 August 18. The moon was eclipsed (*Holinshed*).

1180 April 25. At Nottingham and throughout the Midland counties an earthquake. Many houses were thrown down (*Lowe*).

September 29. Two or three earthquake shocks (*Mallet*).

1181 An eclipse of the sun on the vigil of the Exaltation of the Holy Cross, at 3 o'clock (*M. of W.*).

1185 On the calends of May, being the day of the Apostles St. Philip and St. James, about mid-day, a total eclipse of the sun was seen, which was followed by thunder and lightning, and a mighty tempest, from the effects of which men and animals perished, and many houses being set on fire thereby were burned to the ground (*Roger de Hoveden*).

A comet appeared fourteen days together with long beams, very terrible to behold. On the Monday in the week before Easter chanced a sore earthquake through all the parts of this land, such a one as the like had not been heard of in England since the beginning of the world. For stones that lay couched fast in the earth were removed out of their places, stone houses were overthrown, and the great church of Lincoln was rent from the top downwards (*Holinshed*).

1186 After middle of September an earthquake. In England houses were thrown down. One of the cities of Calabria overwhelmed in the Adriatic (*Mallet*).

1188 In the vigil of St. Laurence there was seen at Dunstable by divers persons a figure of the cross, very long and large, in the air, with the shape of a crucifix thereon. This strange appearance continued in sight from noon till almost night (*Holinshed*).

1189 March 7. A most terrible thunderstorm was heard (*M. of W.*).

1189 A hyde of land (120 acres) was commonly let at 20 shillings a year (*Hume*).

A great famine and mortality caused the human race to waste away in a horrible manner (*M. of W.*).

1190 A mighty and dreadful tempest on the Holy Day of the Ascension of our Lord (*Roger de Hoveden*).

A great dearth reigned in England and France for the space of three or four years, so that a quarter of wheat was sold at 18s. 8d., no small price then (*Holinshed*).

1191 On Midsummer eve there was such an eclipse of the sun that for three hours such darkness came over the face of the earth that even in the day time the stars appeared plain in the element, for this eclipse began about nine of the clock in the morning (*Holinshed*; *M. of W.*).

1193 Great famine (*Dugdale*).

One standard of weight and measure ordained throughout the whole realm of England (*M. of W.*).

1194 One night in January, about the first watch, the north-west side of the element appeared of such a ruddy colour as though it had burned without any clouds or other darkness to cover it, so that the stars shined through that redness, and might be very well discerned. Divers bright streaks appeared to flash upwards now and then dividing the redness, through which the stars seemed to be of a bright sanguine colour. In February next, ensuing, one night after midnight the like wonder was seen. On November 2, a little before break of day, the like thing appeared again (*Holinshed*).

Great dearth (*Townsend*).

The price set upon a bull was four shillings, a cow the same, a plough-horse the same, a sheep with fine wool tenpence, with coarse wool sixpence, a sow twelpence, and a boar twelpence (*Roger de Hoveden*).

1195 Great dearth (*Townsend*).

The harvest was spoilt by the excessive rains and floods (*M. of W.*).

- 1196 A marvellous sore death which daily consumed such numbers of people that scarce there might be found any to keep and look to those that were sick or to bury them that died. In the octaves of Pentecost, before this death, there appeared two suns, the true sun and another, which was hard for the common people to distinguish one from the other. A great dearth chanced through this realm of England (*Holinshed*).

War and famine had sore afflicted the people before, and as yet ceased not ; but as for the pestilence, it began soon after the strange sight (*Holinshed*).

In this year there was in England, and in all its borders, a great famine and mortality among men (*Roger de Hoveden*).

- 1197 This year it was ordained that measures of all manner of grain should contain one quantity throughout the realm, that is to say one reasonable horse load ; also that weights should be of like rate, etc. (*Holinshed*).

- 1198 More dearth felt in Scotland than ever was heard of before, for a measure of barley, called a boll, was sold for 5 crowns, and yet in the year following was more plentiful abundance than ever had been seen before (*Holinshed*).

There was an extraordinary storm of thunder, lightning, and rain such as was never seen before ; also a shower of blood fell at Audley (*M. of W.*).

- 1199 Many great floods in England and on the borders of Scotland by violence, whereof many bridges were borne down (*Holinshed*).

General price of an ox 4 shillings, horse 4 shillings, sow 1 shilling, sheep in fine wool 10 pence, with coarse wool 6 pence, and 120 acres of land was commonly let at 20 shillings a year (*Hume*).

Earthquake principally in Somerset, persons were thrown from their feet in some places (*Mallet*).

1200 About the month of December there were seen in the province of York five moons, one in the east, the second in the west, the third in the north, the fourth in the south, and the fifth as it were set in the midst of the others, having many stars about it, and went five or six times encompassing the other as it were the space of one hour, and shortly after vanished away (*Holinshed*).

The winter after was extremely cold, and in the spring time came a great glutting and continual rain causing the rivers to rise with higher floods than they had been accustomed (*Holinshed*).

1201 There chanced this year wonderful tempests of thunder, lightning, hail and abundance of rain in such wise that men's minds were greatly astonished therewith, meadows and marsh grounds were quite overflown, bridges broken and borne down, and great quantity of hay and corn lost and carried away and divers men and women drowned (*Holinshed*; *M. of W.*).

January 9. Earthquake at York, accompanied by a noise. May 22. An earthquake in Somerset and Norfolk (*Mallet*).

1202 Wheat 12s. per quarter (*Smith*).

Besides the sore winter, which passed any other that had been heard of in many years before, both for continuance in length and extreme coldness of frosts, there followed grievously tempests with thunder, lightning and storms of rain and hail of the bigness of hens' eggs, wherewith much fruit and great store of corn was perished, besides other great hurts done upon houses and young cattle (*Holinshed*).

Ale was frozen within houses and cellars and sold by weight. Such a great snow fell also therewith that beasts died in many places in great numbers. Moreover from the twelfth tide till February there was every day very terrible earthquakes (*Holinshed*).

A proclamation published for the lawful assize of bread

to be made by the bakers, so that the baker might sell and gain in every quarter threepence, besides the bran and two loaves for the heater of the oven, and for four servants four halfpence, for two boys a farthing, for allowance in salt an halfpenny, for candle a farthing, for fuel threepence, and for a bulter an halfpenny, and this was the rate. When wheat was sold for 6s. the quarter then shall every loaf of fine manchet weigh 41 shillings, and every loaf of cheat shall weigh 24 shillings. When wheat is sold for 5s. 6d. per quarter, then manchet shall weigh 20 shillings and cheat 28 shillings. When wheat is sold for 5s., then manchet shall weigh 24 shillings and the cheat bread 32 shillings. When wheat is sold for 4s. 6d., manchet shall weigh 32 shillings and cheat 42 shillings. When wheat is 4s., manchet shall weigh 36 shillings and cheat 46 shillings. When wheat is 3s. 6d., manchet shall weigh 42 shillings and cheat 54 shillings; and so forth, down to 1s. 6d. per quarter, when manchet was to weigh 77 shillings and cheat 88 shillings (*Holinshed*).

1203 In London there fell great rains, thunderings, and hail-stones as big as eggs, whereby many trees and corn were destroyed, and birds were seen flying in the air with fire in their mouths, and to set fire in houses and burn them (*Chronicle of the Mayors of London*).

1204 This year the air towards the north and east parts seemed to be on a bright fire for the space of six hours together. It began about the first watch of the night on the first of April (*Holinshed; M. of W.*).

April 16. An eclipse of the moon (*M. of W.*).

General plague throughout Europe (*Lowe*).

1205 Stowe writes that on St. Hilary's day (January 15) began a frost which continued till 22nd day of March so that the ground could not be tilled. The following summer wheat sold at 13 shillings and fourpence a quarter, or about ten times its then usual price (*Holinshed*)

1207 January 27. About midnight a sudden and violent storm of wind coming, threw down buildings, uprooted trees, and destroyed thousands of sheep and cattle (*M. of W.*).

January 17. About the midst of the night there rose such a tempest of wind upon a sudden that many houses were overthrown therewith, and sheep and other cattle destroyed and buried in the drifts of snow which as then lay very deep upon the ground (*Holinshed*).

Cold so intense that most of the travellers in Germany were frozen to death on the roads (*Chambers*).

Matthew of Westminster says the great storm was January 27.

1208 In the beginning of March there was an eclipse of the sun (*M. of W.*).

1210 Inundation at Perth about the time of the Feast of St. Michael, which carried off much of the harvest crops from the fields. The waters of Tay and Almond so swelled that the large bridge of St. John was overthrown (*Fordun and Major*).

1212 July 10. London was burnt (*M. of W.*). This was probably a very dry time (*T. H. B.*).

1213 March. Two comets appeared very terrible to behold, the one did shine before the rising of the sun, and the other before the going down thereof. In the winter after there was seen two moons in the firmament, the one being severed from the other and in shape naturally horned (*Holinshed*).

1214 The Thames so low between the Tower and the Bridge that women and children waded over it, which continued a whole day. Sands bare several miles from shore (*L. Townsend*).

1215 A sudden tempest rose in the channel, in which Hugh de Boves and forty thousand men were drowned (*Matthew Paris*).

1218 Earthquake in different parts of England this winter (*Mallet*).

On the night of the Feast of St. Andrew an unequalled and unheard of tempest of thunder, lightning, wind and rain shook nearly the whole world in a terrible manner (*M. of W.*).

1221 During a violent tempest fiery dragons and flying spirits were seen in the air. Earthquake in England (*Mallet*).

1222 Great dearth (*L. Townsend*).

Great tempest of thunder, lightning and rain whereby much hurt was done in divers parts of the realm, and at sundry times as by throwing down steeples, churches and other buildings, with the rootwalting of trees chiefly on 8th February, at Grantham. Likewise in the day of the exaltation of the cross a general thunder happened throughout the realm, and thereupon followed a continual season of foul weather and wet till Candlemas next after, which caused a dearth of corn so as wheat was sold at 12s. the quarter. Likewise on the day of St. Andrew another terrible tempest of thunder happened through the realm, throwing down and shaking buildings in many places. Moreover on the even of St. Lucie a mighty wind raged which did much hurt. Furthermore there appeared a wonderful comet. The sea also rose with higher tides and springs than it had been accustomed to do (*Holinshed*).

1223 Wheat twelve shillings per quarter (*Smith*).

Cattle plague prevalent (*Lowe*).

A fiery and hairy comet (*M. of W.*).

1224 Upon St. Luke's Day (October 18) there blew a great wind out of the north which cast down many houses, steeples and turrets of churches, and turned upside down trees in woods and in orchards (*Chronicle*).

1225 Great tempests at sea in the spring which caused the death of the Earl of Salisbury, after returning from Gascony (*Holinshed*).

1226 A tempest (*M. of W.*).

1228 For the most part of this summer season great thunders happened in England. The element also seemed as though it had burned with continual flames ; steeples, churches and other high buildings were stricken with lightning, and the harvest was sore hindered by continual rain. Also in the midst of the day there came a wonderful darkness upon the earth (*Holinshed*).

1229 An ox sold for eight shillings, a heifer for three shillings and fourpence (*Somerset Magazine*).

1230 January 25. Great tempest of thunder and lightning, with a filthy savour and stink withal (*Holinshed ; M. of W.*).

May 14. A marvellous eclipse of the sun chanced immediately after the rising thereof, so that the earth seemed as it had been covered again with shade of night. On the 22nd day of November the moon was likewise eclipsed, being as then thirteen days old (*Holinshed*).

1232 The morrow after St. Martin's day chanced great thunder and lightning, which continued for the space of fifteen days together, to the great terror and fear of the people (*Holinshed*).

The Abbot of St. Albans going on a journey hired seven handsome stout horses, and agreed if any of them died on the road to pay the owner thirty shillings apiece (*Hume*).

1233 March 23. A terrible thunderstorm, followed by such an inundation of rain, lasting the whole summer, that it everywhere broke up the preserves and fish-ponds, and millstreams, throughout nearly the whole of England, and tore up the mills from their foundations. And in the arable lands and fertile orchards, and other places which were quite unusual, springs burst forth, and streams ran in all directions, producing small fishes (*M. of W.*).

A great dearth, by reason that the growth of all things was much hindered by the extreme cold weather. Also there happened about the beginning of November great thunder and lightning, and therewith followed an earth-

quake at Huntingdon and thereabouts, after this came a great death amongst the people being commonly a near companion to great famine and dearth. March 23. A great and terrible tempest of thunder, and after followed a marvellous wet summer with many floods. April 8. In the parts about Hereford and Worcester there appeared four suns in the element besides the natural sun, of red colour and a great circle of crystalline colour, at betwixt six and seven in the morning (*Holinshed*).

Trees split by frost, excessively cold in Italy (*Chambers*).

1234 Loaded wagons crossed the Adriatic in front of Venice (*L. Townsend*).

1235 Sore and exceeding great rains in the spring (*Holinshed*).

December 20. There chanced a great thunder, and on the first Friday in December, which was the fifth of that month, there was a counterfeit sun seen beside the true sun (*Holinshed*).

Thames rose so high at Westminster that the lawyers were brought out of the hall in boats (*L. Townsend*).

1236 Great torrents of rain fell during January, February, and part of March, the rivers overflowed their banks. The Thames broke into the palace at Westminster, and persons crossing the hall were forced to use a boat (*A. Y. R.*).

The Cattegat was a bridge between Norway and Jutland (*Chambers*).

Great tempests of rain which filled the earth full of water and caused monstrous floods, for this rain continued all the months of January, February, and part of March, and for eight days it rained in manner without ceasing; and upon the tenth of February, immediately after the change of the moon, the Thames rose with such a high tide that boats might have been rowed up and down in Westminster Hall. In the summer following,

there chanced a great drought, continuing by the space of four months or more. On the morrow, after the Feast of St. Martin, and certain days after, the sea burst out with such high tides and tempests of wind that the marsh countries near to the same were drowned up and overflowed; and besides great herds and flocks of cattle that perished, there was no small number of men lost and drowned. The sea rose continually, inflowing the space of two days and one night without ebbing, by reason of the mighty violence of contrary winds. At Wisbeach, and in villages thereabouts, the people were drowned in great numbers. Also the day before Christmas eve there chanced a great wind with thunder and rain in such extreme wise that many buildings were shaken and overthrown (*Holinshed*).

Such a vast inundation of continued rain fell for about three months, as no one recollected having seen before (*M. of W.*).

This year also a great many large springs burst out, and unusual streams. And the day after the festival of the blessed Martin, and also the day week after, a violent storm of wind, accompanied by noise as if of thunder, raised up the waves of the sea and caused them to exceed their usual bounds, so that boats were lost and much cattle, and a great number of human beings perished (*M. of W.*).

1237 About March 1 began sore rain and tempestuous weather, whereof ensued great floods as before in the beginning of the year passed, though not doing so much hurt as before (*Holinshed*).

Wheat 3s. 4d. per quarter (*Smith*).

1239 For the space of four months together fell exceeding great rain, yet at length it began to hold up about Easter. The beginning of June there appeared early in the morning, certain days together, before the sun was up, a star of a large compass, the which with swift course was

carried through a long circuit of the air, sometimes showing as it had borne fire with it and sometimes leaving, as it were, smoke behind it (*Holinshed*)

June 12. An eclipse of the sun, which lasted from the third hour till the sixth hour (*M. of W.*).

- 1240 In February appeared a comet, very dreadful to behold, for the space of thirty days together. May 7. There chanced a great boisterous wind that sore troubled the sky (*Holinshed* ; *M. of W.*).

There was a great sound heard in sundry parts of England at one self time, as if it had been the noise of some mighty mountain that had fallen into the sea (*Holinshed*).

- 1241 October 6. There appeared a right sore eclipse of the sun, very strange to the beholders (*Holinshed*).

This year was one of pestilence and disturbance to the kingdom of England (*M. of W.*).

- 1242 November 20. There happened a marvellous tempest of thunder and lightning, and therewith followed such an exceeding rain (which continued many days together) that rivers rose on marvellous height ; and the Thames itself, which seldom riseth, or is increased by land floods, passing over the banks drowned all the country for the space of six miles about Lambeth, so that none might get into Westminster Hall except on horseback (*Holinshed*).

- 1243 Wheat 2s. per quarter (*Smith*).

July 26. In the night stars were seen fall from the sky after a marvellous sort, not after the common manner, but thirty or forty at once, so fast one after another, and glancing to and fro that if there had fallen so many very stars, indeed, there would none have been left in the firmament (*Holinshed*).

This year, pregnant with storms to the kingdom of England, yet was tolerably fertile and fruitful (*M. of W.*).

- 1244 Wheat 2s. per quarter (*Smith*).

Men took their horses to go to Westminster Hall, because the water ran over all (*W. Thornbury*).

About the midst of November great thunder and lightning chanced, with a marvellous intemperate season, for the space of fifteen days together (*Holinshed*).

This was both a fruitful and a fertile year, so that a quarter of corn fell to the price of two shillings (*M. of W.*).

1246 An unprecedented and destructive storm of thunder and lightning, which lasted an entire day and night, terrified the whole length and breadth of England, and many men and much cattle were killed by the lightning (*M. of W.*).

Wheat 16s. per quarter (*Smith*).

On St. Margaret's Day (July 20) a marvellous sore tempest of hail, rain, thunder, and lightning, which, being universal through the realm, did much hurt, and continued the space of sixteen hours together without ceasing (*Holinshed*).

June 1. An earthquake in Kent (*Mallet*).

On St. Mark's Day (April 25) was a great frost and snow, which nipped the leaves of trees and herbs in such extreme wise, that for the more part they withered and faded away (*Holinshed*).

1247 A famine year (*Rogers*).

Wheat 13s. 5d. per quarter (*Smith*).

A great earthquake about London on the Thames side, on St. Valentine's even, by the which many buildings were overthrown. The sea had ceased from ebbing and flowing for three months before near the English shore, and after the earthquake there was scarce a day without rain till 21st March (*Holinshed*).

On St. Valentine's Day great damage by an earthquake in the metropolis, followed by a season of such foul weather that the spring was a second winter (*Holinshed*).

On January 13, an earthquake took place in several

parts of England, and was very destructive and formidable, throwing down many houses ; and this was followed immediately by a long continuance of bad weather, an unusual heaviness of the atmosphere, wintry, stormy, cold, and rainy, which lasted to the Festival of Saint Benedict (March 21), so that both farmers and gardeners complained that spring, and the most beautiful portion of the summer, had departed, and been changed into winter ; and they were terribly afraid that they should be disappointed in the hope of seeds and plants and crops and harvest (*M. of W.*).

And so this year passed very fruitful to the crops, but a bad year for fruit (*M. of W.*).

1248 June 1. The moon, immediately upon the setting of the sun, was almost wholly eclipsed, so that little of her might appear. Four days before Christmas an earthquake in the west country, about Bath and Wells, which shook and overthrew some buildings, specially the tops of steeples, turrets, and chimneys were shaken therewith, and not the bases or lower parts (*Holinshed*).

At St. Edward's tide (March 18) great rain fell in that unseasonable time of the year (*Holinshed*).

This year passed by temperate and serene as to its weather, filling the barns with abundance of corn, so that a load of corn fell to the price of two shillings. But with respect to the fruits of the orchards, which were in wonderful abundance in the most fertile districts, in the less productive districts there was a perfect plague of worms and grubs which utterly destroyed all the green parts of the trees (*M. of W.*).

1249 In June there fell such abundance of rain, specially about Abingdon, that the willow trees, mills, and other houses standing near the waterside, were borne down and overturned with one chapel also ; and the corn in the field was so beaten to the ground that bread made thereof, after it was ripe, seemed as it had been made of bran (*Holinshed*).

And so this year passed without being so fertile as the last, though still it was abundant ; but about the end of the summer the harvest, though it had presented a good appearance, and excited great hopes among men, was injured (*M. of W.*).

1250 October 1. The moon, upon her change, appearing exceeding red and swelled, began to show tokens of the great tempest of wind that followed, which was so huge and mighty, both by land and sea, that the like had not been lately known, and seldom, or rather never, heard of by men then alive. Great damage done by sea and land.

Upon Saint Lucies' Day there was a great earthquake at St. Albans, and in the parts thereabouts, with a noise under the ground as though it had thundered. This was strange and marvellous, because the ground there is chalky and sound, not hollow nor loose. Doves, rooks, and other birds that sat upon houses and in boughs of trees fearing this strange wonder flickered up and flew to and fro, showing a token of fear as if a goshawk had been over their heads (*Holinshed ; M. of W.*).

Fire like lightning was often seen in the winter season, and thunderbolts fell in a terrible manner. The air was confused and darkened, as if laden with the thunder and lightning, and inundations of rain (*M. of W.*).

The water and the sea transgressed its accustomed bounds, and in the sea where there used to be deep water, dry land was now seen, and the places on the borders of the sea were laid waste ; and in England, and especially in the north, there were repeated strange earthquakes (*M. of W.*).

1251 A famine with a murrain (*L. Townsend*).

On St. Dunstan's Day (May 19) there was marvellous sore tempest of weather, the air being darkened on every side from the four corners thereof, and withal chanced such a thunder as few the like had been heard of. In Windsor Park oaks were rent in sunder and turned up

by the roots, and much harm done, as mills with the millers in them, sheepfolds with their shepherds, and ploughmen, and such as were going by the way were destroyed and beaten down. About the same time the sea arose with higher tides than usual by the space of six feet. On Christmas Day, in the night, great thunder and lightning in Norfolk and Suffolk beyond measure (*Holinshed*; *M. of W.*).

At the time of the equinox the sea overran its natural boundaries by a very great distance (*M. of W.*).

1252 On the octaves of the Epiphany chanced an exceeding great wind, which did much hurt in divers places of the realm (*Holinshed*).

A great drought prevailed for four months (*M. of W.*).

1252 March 13. The new moon was seen, whereas the prime change by natural course should not have been till the sixteenth day following, and for the space of fifteen days that then next ensued the sun, the moon, and the stars appeared of a red colour. And herewith the whole face of the earth seemed as if it had been shadowed with a thick mist or smoke, the wind notwithstanding remaining north and north-east. Then began a sore drought, continuing a long time, the which, together with morning frosts and northerly winds, destroyed the fruits and other growing things, which were blasted in such wise that, although at first it was a very forward year and great plenty towards of corn and fruit, yet, by the means aforesaid, the same was greatly hindered, and specially in the summer season, when the sun's heat increased and the drought still continued. The residue of such fruits as then remained withered away so that scarce a tenth part was left, and yet there was indifferent store. For if the abundance which the blossoms promised had come forward the trees had not been able to have borne the same. The grass was so burned up in pastures and meadows that if a man took up some of it in his hands and rubbed

the same never so little, it straight fell to powder, and cattle were ready to starve for lack of meat, and because of the exceeding hot nights there was such abundance of fleas, flies, and gnats, that people were vexed and brought in case to be weary of their lives. And herewith chanced many diseases, as sweats, agues, and other. In the harvest time fell there great death and murrain amongst cattle, and specially in Norfolk, in the fens and other parts of the south. This infection was such that dogs and ravens feeding on the dead carrion swelled straightways and died, so that the people durst eat no beef. The cause of the death of cattle was thought to come hereof. After so great a drought, which had continued by all the space of the months of April, May, June, and July, when there followed good plenty of rain, the earth began to yield her increase most plenteously, and so the cattle, which before were hunger starved, fed now so greedily of this new grass that they died. Apple trees and pear trees began again to blossom after the time of yielding ripe fruit (*Holinshed*).

Great inundation of the Humber, which destroyed both man and beast (*Poulson*).

Great tempest upon the sea and fearful (*Lowe*).

1253 In the spring and summer was a great drought, and in the harvest season fell such wet that great floods did much hurt. Again in the latter end of harvest, about Michaelmas, there was such a drought that men could get no grinding at the mills, but were constrained to go in some places a day's journey off to have their corn ground. On St. Lucie's Day (Dec. 13) there fell a great snow, and withal a winter's thunder for a token of some evil to follow.

About the beginning of Lent the new moon was seen four days before she ought to have appeared by her due and common course (*Holinshed*; *M. of W.*).

Another such woeful accident happened as in 1236 (*Sir W. Dugdale*).

1254 On St. Lucie's Day, 1253, there fell a great snow, and withal a winter's thunder. There followed a marvellous sore later end of a winter through cold and oversharpe weather, which continued till the Feast of St. Gregory, in March. Also a great murrain and death of sheep and deer, so that of whole flocks scarce one half escaped. The wind continuing this year for the space of three months and odd days northerly, did greatly hinder the growth and increase of flowers and fruits, and about the first of July there fell such a storm of hail and rain as the like had not been seen nor heard of in those days, breaking down the tiles and other coverings of houses with boughs of trees by the violent abundance and force of the hailstones and water, which continued above the space of an hour pouring and beating down incessantly (*Holinshed*).

On the Vigil of the Assumption, St. Peter's Church, at St. Albans, struck by lightning. After the Feast of All Saints', a most terrible pestilence, called the tongues' evil, caused the death of many horses, and made many others sick and useless (*M. of W.*).

1255 The sea rose with most high tides, rivers were so filled with abundance of water by reason of the great continual rain that marvellous floods followed thereupon. A comet also appeared, and many high buildings were stricken by force of tempests. The moon suffered a marvellous eclipse on the night following the day of St. Margaret in July. It began before midnight, and continued four hours (*Holinshed*).

Violent storms of wind, with heavy rain, from the Feast of St. Valentine into the following month, day, and night, caused an unprecedented confusion. The weather was very unseasonable during nearly the whole of the spring season, and very unfavourable to flowers and trees, because the whole of the month of April there was neither rain nor dew to soften the dry earth, or to give it even the slightest refreshment (*M. of W.*).

1256 There was a heavy flood in the valley of the Ouse, which swept away the bridge of Bedford, with much hay (*Dugdale*).

Three days after the Feast of St. Ciricus (8th August) a marvellous sore tempest of wind, rain, hail, and thunder that did exceeding much hurt. Mill wheels, by the violence of waters were carried away, and the wind mills were no less tormented with the rage of wind. Arches of bridges, stacks of hay, houses that stood by water sides, and children in cradles were borne away that both wonderful and no less pitiful to see. At Bedford the river of Ouse bare down six houses together, and did unspeakable hurt thereabouts (*Holinshed*).

1257 Wheat 24s. per qr. (*Smith*).

1258 Wheat 17s. per qr. (*Smith*).

The harvest was very late this year, so that the most part of the corn rotted on the ground, and that which at length was got in remained yet abroad till after All-hallowentide (Nov. 1), so intemperate was the weather with excessive wet and rain beyond all measure. Hereupon the dearth so increased that even those which had of late relieved other, were in danger to starve themselves. Finally the weather partly amended, and some corn was got in. A quarter of wheat was sold in London for 24s., whereas two or three years before a quarter sold for 2s. The wind continually certain months together kept northerly, the flowers, with other growing things, were so hindered that scarcely they appeared to any purpose till the most part of June was past; whereupon the hope of receiving the fruits of the earth was quite taken away, and so upon the dearth that happened a sore death and mortality followed for want of necessary food to sustain the pining bodies of the poor people. They died so thick that there were great pits made in churchyards to lay the dead bodies in one upon the other.

In the first night of December there chanced a marvel-

lous sore tempest of lightning and thunder with mighty winds and rains as a token and sign of the troubles that after followed. Corn had been dearer if great store had not come out of Almaine, for in France and Normandy it likewise failed; but there came fifty great ships fraught with wheat and barley, meal and bread, out of Dutchland, which greatly relieved the poor, for it was certainly affirmed that in three shires of this realm there was not found so much grain of that year's growth as came over in those fifty ships (*Holinshead*).

On the Vigil of the Blessed John the Baptist (June 24) a terrible storm of wind accompanied by torrents of rain fell on and raised all the waters of the Severn from Shrewsbury to Bristol to a degree that has not been seen in our times; owing to which inundation all the meadows and all the cornfields near the Severn were overwhelmed, and the crops utterly destroyed. Some men were even drowned in the violent waters, and innumerable boys and great quantities of animals of every sort. The same summer many thousand men died in London and other parts of England, from being wasted away by famine. And the ripening of the crops was so late in the autumn, owing to the excessive abundance of rain, that in many parts of the kingdom the harvest was not got in before the Feast of All Saints' (*M. of W.*).

1259 Wheat, 5s. 9 $\frac{3}{4}$ d. per qr. ; barley, 3s. 5 $\frac{1}{2}$ d. ; oats, 1s. 8d. ; rye, 2s. (*Rogers*).

This year not very fertile in corn, and very sparing as to its supply of fruit, and, as has often been seen, very unlike and contrary to the preceding year. During this year, and especially in the autumn season, there was such fine weather and a dry time, that, though the crops were thin, they were nevertheless got in in good time, to the farmers' wish. And while a little before the crop had been so great that if it had been all saved there would have been enough for two years, and yet it was all so

utterly spoilt that within the year there was actual scarcity ; now in this year, though the crop was but moderate, there nevertheless was such abundance that, owing to the dry season of the harvest, there was a very sufficient provision made quite unexpectedly. Moreover while this year was in England one of scanty crops, in France the vineyards were utterly spoilt by the rain (*M. of W.*). A very queer description (*T. H. B.*).

1260 Wheat, 4s. 9d. per qr. ; barley, 3s. 5d. ; oats, 1s. 6½d. ; malt, 3s. 5d. Price of a horse, 5s. 6d. ; cattle, 6s. to 11s. ; pig, 2s. ; sheep, 9d. ; hen, 1d. Thrashing wheat, 2d. per qr. Wool, 4¾d. per lb.

In the summer of this year great and enormous prodigies were seen in the air, so that some said that the last Judgment was close at hand. There was now an intolerable famine, and such excessive and uninterrupted thunderstorms that scarcely any one dared to go out of his house, and many people were killed, and the lightning destroyed houses and fields of corn and woods, and inflicted unheard of dangers in the country. Also there were such hailstones that the stones were not only like peas, but of the thickness of three fingers, and in some places as thick as fifteen fingers. Moreover, as was declared upon oath, great stones were found to have fallen of such a weight that it required three men to lift them. And in other places the crops, which had been expected to be abundant, were so utterly destroyed that they were hardly sufficient to repay the reapers. So this year passed by not very rich in crops, but one which produced great abundance of fruit. For the orchards and gardens and woods were all so fertile in their different kinds that they appeared sufficient to make up for the scantiness of the corn crops. For the price of corn as it existed at the end of the autumn was said to have fallen by Christmas on this account (*M. of W.*).

1261 About Christmas there was such unbroken fine

weather and softness in the air that you would have said it was the pleasant time of summer rather than winter (*M. of W.*).

Corn of all kinds cheap. Wheat, 4s. 3d. per qr. ; oats, 2s. 0 $\frac{1}{4}$ d. (*Rogers*).

About the time of the Purification of the Virgin, when there ought to have been fine spring weather, there was a continuance of snow and frost for a fortnight, that no one for many years had seen such a contrariety of seasons and weather. On July 27th, a most violent thunder-storm, attended with flashes of lightning, alarmed the north country, and a thunderbolt falling at Evesham greatly damaged the church (*M. of W.*).

1262 Wheat, 6s. 1d. per qr. ; barley, 3s. 2d. ; oats, 1s. 8 $\frac{1}{4}$ d. ; rye, 3s. 8 $\frac{7}{8}$ d. (*Rogers*).

The frost began about St. Nicholas' Day (December 6) and continued for the space of a month and more so extremely that the Thames was frozen so that men passed over on horseback (*Holinshed*).

After England had been now for six years and more oppressed by a general failure of the crops, at last, in this present year, the earth recovered its fertility, and a joyful and fertile time returned to the productive fields. About the time of the Feast of St. Andrew the Apostle there was a violent storm of wind, which threw down not only houses and trees but also towers, whether built of wood or stone, including the church of Croyland, which overwhelmed five men who were standing under it (*M. of W.*).

1263 A great dearth by reason of the wet harvest preceding, so that the corn was quite marred and corrupted before it could be got beside the ground (*Holinshed*).

Wheat, 3s. 11 $\frac{3}{8}$ d. ; barley, 3s. 6 $\frac{3}{4}$ d. ; oats, 1s. 8d. ; peas, 3s. ; vetches, 3s. per qr. (*Rogers*).

July 29. A very marvellous and wonderful prodigy appeared in the firmament about midnight in the direction of the north (*M. of W.*).

1264 Corn high. Wax dear (*Rogers*).

Wheat, 4s. 4d. ; barley, 4s. ; oats, 2s. 2d. ; beans, 2s. 6d. ; peas, 3s. 4½d. per qr. (*Rogers*).

1265 Corn low. Wheat, 3s. 3d. ; oats, 1s. 4⅞d. ; beans and peas, 2s. per qr. (*Rogers*).

Wool, 8d. per fleece.

1266 Great floods and high tides. There was such an infinite number of worms that not only the leaves and fruits of trees, but also flowers and herbs, were consumed by them (*Holinshed*).

Wheat higher, but below average, barley also. Wheat, 4s. 5½d. per qr. ; barley, 4s. Wool, 6½d. per fleece (*Rogers*).

1267 Wheat about the same as last year, barley and other grain low. Average weight of a fleece of wool at Stockton in Sussex is 1 lb. 1 oz. Wool, from 4⅞d. to 7d. per fleece (*Rogers*).

Wheat, 4s. 5¼d. per qr. ; barley, 2s. 5¾d. ; oats, 1s. 5¼d. ; beans, 2s. 3d. (*Rogers*).

1268 Corn sells low. Wheat, 5s. 3⅝d. ; barley, 3s. 6¾d. ; oats, 2s. 7½d. ; beans, 4s. 6¾d. per qr. (*Rogers*).

An exceeding great frost began at St. Andrew's tide, and continued till near Candlemas. The Thames, from the bridge upwards, was so hard frozen that men and beasts passed over. Ships could not enter the Thames, so merchandise was brought to London from Sandwich and other places by land. In the month of April there chanced a great thunder, tempestuous rain and floods occasioned by the same, very sore and terrible, continuing for the space of fifteen days together. Wool, 2¾d. per lb. (*Holinshed*).

1269 About the Feast of St. Vedast (Feb. 6th) fell so great abundance of rain that the Thames rose so high as it had not done at any time before to remembrance of men then living, so that the cellars and vaults in London by the waterside were drowned, and much merchandise marred and lost. A comet of a marvellous quantity every day toward the south even about noonday. On the Epiph-

any day next after, rose so great winds with storms of such great hailstones that many towns were thrown down (*Holinshed*).

Wheat, 5s.; barley, 3s. 1d.; oats, 1s. 7¼d. per qr. Horses, 10s. to 14s. each; cattle, 6s. to 12s. each.

Wool, 3d. per lb.; weight of fleece, 1½ lb. (*Rogers*).

Great frost in Scotland (*Lowe*).

1270 Wheat high, 6s. 4½d.; barley, 4s. 0½d. per qr. (*Rogers*).

Wheat, 112s. (*Smith*).

Equal to sixteen guineas a quarter in money of present time (*Smith*). The high prices are due to the unfavourable prospects of the coming harvest rather than to the scantiness of the actual crop, prices rising rapidly towards the summer of 1271 (*Rogers*).

A very rainy season during Lent (*M. of W.*).

1271 Wheat 10s. per qr. at one time, average 6s. 10¾d.; barley, 5s. 1½d.; vetches, 5s. 10d.; wool, 3¾d. per lb. (*Rogers*).

1272 Wheat, 6s. 4½d.; barley, 4s. 7d.; oats, 2s. 4½d.; beans, 4s. 7½d.; peas, 4s. 3¼d.; vetches, 3s. 4d. Wool, 3d. per lb.; weight of fleece, 1 lb. at Lopham (*Rogers*).

1273 Prices considerably lower. Wheat, 5s. 5¾d.; barley, 4s. 0½d.; oats, 2s. 4½d.; beans, 3s. 6d. per qr. (*Rogers*).

1274 Prices high. Wheat, 6s. 9½d.; barley, 4s. 8¾d.; oats, 2s. 7¼d.; beans, 4s. 9¾d. (*Rogers*).

On St. Nicholas' even there chanced such an earthquake, with lightning and thunder, and a blazing star called a comet, that the people were brought into no small fear upon consideration thereof (*Holinshed*).

1275 Wheat, 5s. 0¾d.; barley, 3s. 10¾d.; oats, 2s. 2½d.; beans, 3s. 3¾d. per qr. (*Rogers*).

A disease amongst sheep introduced from Spain (*Stowe*).

Probably small pox (*T. H. B.*).

Wool, 6s. 4d. per tod; fleeces, 1 lb. 5 oz. each at Lopham (*Rogers*).

September 11. A general earthquake betwixt the first hour and the third. After this it rained blood in the country of Wales (*Holinshed*).

This earthquake destroyed St. Michael's Church, Glastonbury (*Holinshed*).

September 11. A general earthquake between one and three o'clock (*M. of W.*)

1276 Prices high. Wheat, 6s. $2\frac{5}{8}d.$; barley, 4s. $10d.$; beans, 4s. $6\frac{3}{4}d.$; oats, 2s. $8\frac{5}{8}d.$ per qr. (*Rogers*).

Wool, 10s. $11d.$ per tod; fleeces, 2 lb. $2\frac{1}{2}$ oz. each at Heyford (*Rogers*).

So hot and dry in summer that there was scarcely any fodder (*Lowe*).

1277 Prices high. Wheat, 5s. $1\frac{3}{4}d.$; barley, 4s. $1d.$; oats, 2s. $3\frac{5}{8}d.$; beans, 5s. $6d.$; peas, 4s. $0\frac{3}{4}d.$; vetches, 3s. $6\frac{1}{8}d.$ per qr.

Wool very dear. (This was probably when scab first appeared.) At one time it reached $9d.$ per lb. (*Rogers*).

Wool, 12s. $8d.$ per tod. Lamb wool, 16s. Fleeces average 1 lb. 5 oz. at Stratton (*Rogers*).

Another hot and dry summer and scarcity of fodder (*Lowe*).

1278 Prices low, and decline as the summer advances. Oats are rather dear, vetches rather high, beans are low, peas very cheap. Wheat, 4s. $4\frac{5}{8}d.$; barley, 3s. $8\frac{7}{8}d.$; oats, 2s. $4\frac{3}{8}d.$; beans, 3s. $2\frac{3}{8}d.$; peas, 2s. $9\frac{3}{8}d.$; vetches, 3s. $9\frac{1}{8}d.$ (*Rogers*).

Wool, 11s. $1d.$ per tod; fleeces, 1 lb. $10\frac{3}{4}$ oz. at Bovecombe (*Rogers*).

Drought in England and France (*Mallet*).

1279 Wheat low, probably an early harvest.

Wheat, 5s. $1\frac{1}{4}d.$; barley, 3s. $11\frac{3}{8}d.$; oats, 2s. $\frac{5}{8}d.$ per qr. (*Rogers*).

Wool, $3d.$ per lb.; weight of fleece, 1 lb. at Bovecombe.

Wool, 8s. $10d.$ per tod (*Rogers*).

1280 Corn moderate, barley abundant and cheap. Wheat and oats are dear in Ireland (*Rogers*).

Wheat, 4s. 11 $\frac{7}{8}$ d.; barley, 3s. 6 $\frac{3}{4}$ d.; oats, 2s. 4 $\frac{3}{8}$ d.; vetches, 2s. 7d. (*Rogers*).

Wool, 9s. 2d. per tod (*Rogers*).

Great inundation at Winchelsea (*Lowe*).

In February eight semicircles were seen around the sun joined back to back (*M. of W.*).

1281 Wheat rather high, barley cheap, beans high.

Wheat, 6s. 0 $\frac{3}{4}$ d.; barley, 3s. 5 $\frac{3}{8}$ d.; oats, 2s. 5d.; beans, 5s. 0 $\frac{5}{8}$ d.; peas, 4s. 4 $\frac{1}{4}$ d. per qr. Wool, 4d. per lb.; weight of fleece, 1 lb. 3 $\frac{1}{4}$ oz. at Maldon (*Rogers*).

Drought so great that men passed over the Thames dryshod between Westminster and Lambeth, and over the Medway between Strood and Rochester (*Stow*).

The Thames frozen and used as a highway, and on the breaking up of the ice, five of the arches of Old London bridge were carried away (*M. of W.*).

Frost at Christmas with great snow. Rochester and other bridges wholly destroyed at the same time as London bridge was injured (*Stow*).

From the time of the Nativity of the Lord almost up to the Feast of the Purification there was such an abundance of frost, cold, and snow as the oldest and most decrepit people at that time alive in England had never felt before (*M. of W.*).

1282 Wheat high, barley and oats low. Great floods.

Wheat, 5s. 11 $\frac{1}{2}$ d.; barley, 4s. 1 $\frac{1}{4}$ d.; oats, 2s. 1 $\frac{1}{2}$ d.; beans, 4s. 1 $\frac{1}{8}$ d.; peas, 3s. 2 $\frac{1}{2}$ d. per qr. Wool, 8s. 9d. per tod. Fleeces, 2 lbs. $\frac{3}{4}$ oz. at Harewood (*Rogers*).

Great snow in Austria (*Chambers*).

Great flood and gale at Boston. The monastery of Spalding and many churches destroyed. At Yarmouth, Donwich, and Ipswich an intolerable multitude of men, women, and children overwhelmed by the waters, especially at Boston (*Allen's Lincoln*).

1283 Wheat reaches 9s. 4d. per qr.; barley cheap, oats high, peas dear. Wheat, 6s. 11 $\frac{1}{4}$ d.; barley, 4s. 5 $\frac{1}{8}$ d.;

oats, 2s. $4\frac{1}{4}d.$; beans, 4s. $7\frac{1}{2}d.$; peas, 4s. $9\frac{5}{8}d.$ per qr. A very dry year (*Rogers*).

Wool, $3\frac{1}{2}d.$ per lb. Fleeces, 1 lb. 4 oz. each at Leatherhead (*Rogers*).

1284 Wheat considerably lower. Barley, oats and pulse low. Drought in spring and summer. Wool, 8s. $1d.$ per tod. Wheat, 4s. $11\frac{3}{4}d.$; barley, 3s. $1\frac{5}{8}d.$; oats, 1s. $9\frac{7}{8}d.$; beans, 2s. $9\frac{3}{8}d.$; peas, 2s. $10\frac{3}{4}d.$ per qr. (*Rogers*).

On Easter Day (9th April), being also Leap Year, in the morning, about the rising of the sun, the element was shadowed with such darkness and thickness of air that it seemed to wax night again, and suddenly rose an horrible tempest, first of hail and rain and after of snow, that covered all the earth, and then followed such thunder and lightning that men were marvellously amazed therewith, considering it seemed to be against the nature of the season, for scarce in April shall ye hear any such thunder. Yet at length it brake up, and the element recovered her accustomed clearness (*Holinshed*).

Earthquake in England (*Mallet*).

1285 Wheat rising, other corn low.

Wheat, 5s. $4\frac{1}{4}d.$; barley, 3s. $6\frac{1}{8}d.$; oats, 2s. $1\frac{3}{4}d.$; beans, 3s. $6\frac{7}{8}d.$; peas, 3s. $3\frac{3}{4}d.$; vetches, 2s. $9\frac{1}{8}d.$; rye, 4s. $1\frac{5}{8}d.$; malt, 4s. per qr. (*Rogers*).

Wool, 8s. $8d.$ per tod. Fleeces, 1 lb. 6 oz. at Gamlingay (*Rogers*).

A great thunderstorm in London (*Hoveden*).

1286 All corn low, malt dear (*Rogers*).

Wheat highest in spring. Wheat, 4s. $9d.$; barley, 3s. $3\frac{1}{8}d.$; oats, 2s. $0\frac{7}{8}d.$; beans, 3s. $0\frac{3}{4}d.$; peas, 3s. $1\frac{3}{4}d.$ per qr. Wool, 9s. $3d.$ per tod. Weight of fleece, 1 lb. 2 oz. at Stratton. (*Rogers*).

Wheat, according to Smith, ranged from 2s. $8d.$ to 16s. per qr. this year, and averaged 9s. $4d.$

1287 Wheat lower than at any period between 1260 and 1400. The rate appears to have been lowest after the

spring commenced, suggesting that the prospects of the next harvest were uninterruptedly good. Barley comparatively high, oats cheap.

Wheat, 2s. 10 $\frac{1}{4}$ d. ; barley, 2s. 6 $\frac{1}{2}$ d. ; oats, 1s. 5 $\frac{3}{4}$ d. ; beans, 1s. 9 $\frac{1}{4}$ d. ; peas, 1s. 11 $\frac{3}{4}$ d. per qr. (*Rogers*).

Was such plenty of grain that wheat was sold in some places for twenty pence a quarter, and in some places for sixteen pence, and peas for twelve pence a quarter. In the winter of this year great floods, by reason of the exceeding abundance of rain that fell, and the sea along the north-east coasts from Humber to Yarmouth brake into the land, overflowing the same by the space of three or four leagues in breadth, overthrowing buildings and drowning up men and cattle. This chanced on the Feast of the Circumcision of our Lord, and in December it brake out again in Norfolk and Suffolk where it did much harm, namely about Yarmouth (*Holinshed ; M. of W.*).

Wheat, 3s. 4d. per qr. (*Smith*).

Wool, 8s. 1d. per tod. Weight of fleece, 1 lb. 8 oz. at Kenet.

1288 Wheat slightly higher, barley lower, oats very cheap.

Wheat, 3s. 0 $\frac{7}{8}$ d. ; barley, 2s. 3 $\frac{5}{8}$ d. ; oats, 1s. 6 $\frac{1}{2}$ d. ; beans, 2s. 2 $\frac{1}{4}$ d. ; peas, 2s. 0 $\frac{3}{4}$ d. per qr. (*Rogers*).

Scab very general in sheep (*Rogers*).

First mention of it this year. Wool, 9s. 8d. per tod. Weight of fleece, 1 lb. 2 $\frac{1}{3}$ oz. at Pevensay (*Rogers*).

Wheat varies from 8d. per qr. to 9s. 4d. ; average, 3s. 0 $\frac{1}{4}$ d. (*Smith*).

The summer this year exceeded in heat, so that men through the intemperate excess thereof died in divers places (*Holinshed*).

1289 Wheat much higher, but below the average ; barley and oats low. Wheat, 4s. 3 $\frac{5}{8}$ d. ; barley, 3s. 2 $\frac{1}{2}$ d. ; oats, 1s. 11 $\frac{3}{4}$ d. ; beans, 2s. 6 $\frac{3}{4}$ d. ; peas, 2s. 6 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 9s. 6d. per tod ; weight of fleece, 1 lb. 8 oz. at Ditchingham (*Rogers*).

Average price of wheat, 10s. $1\frac{3}{4}d.$ per qr. ; lowest, 2s. ; highest, 20s. (*Smith*).

July 9. Fell a wonderful tempest of hail that the like had not been seen or heard of by any man then living. And after there ensued such continual rain so distempering the ground that corn waxed very dear, so that wheat rose from threepence to two shillings a bushel, and so the dearth increased still almost by the space of forty years, insomuch that sometimes a bushel of wheat was sold at ten shillings (*Holinshed*).

July 15. An earthquake throughout the whole world (*Mallet*).

1290 Wheat dear in anticipation of a scanty harvest, other corn dear (*Rogers*).

Wheat as high as 9s. in two places, and to 14s. 10d. in another. Wheat, 6s. $5\frac{1}{2}d.$; barley, 4s. $5\frac{5}{8}d.$; oats, 2s. $6\frac{3}{4}d.$; beans, 4s. 4d. ; peas, 4s. per qr. (*Rogers*).

Wheat, 16s. per qr. (*Adam Smith*).

Wool, 8s. 11d. per tod ; weight of fleece, 1 lb. $5\frac{1}{3}$ oz. at Lopham (*Rogers*).

Earthquake nearly universal throughout Europe (*Mallet*).

1291 Corn fell steadily to the end of April, and then slightly rose. Wheat, 5s. $7\frac{1}{4}d.$; barley, 4s. $4\frac{1}{2}d.$; oats, 2s. $2\frac{7}{8}d.$; beans, 4s. $8\frac{3}{4}d.$; peas, 4s. 6d. ; vetches, 4s. 7d. ; rye, 4s. $3\frac{1}{4}d.$; malt, 5s. 1d. per qr. (*Rogers*).

Wool, 7s. 2d. per tod ; weight of fleece at Pevensay, 1 lb. 9 oz. (*Rogers*).

1292 Wheat and barley lower, oats high, peas low.

Wheat, 5s. $4\frac{5}{8}d.$; barley, 3s. $11\frac{5}{8}d.$; oats, 2s. $4\frac{5}{8}d.$; beans, 5s. ; peas, 3s. 6d. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

The Rhine was frozen (*Chambers*).

1293 Wheat very high, reached 10s. 6d. per qr. ; barley equally high. Wheat, 8s. $3\frac{1}{2}d.$; barley, 5s. 1d. ; oats, 2s. $9\frac{1}{2}d.$; beans, 4s. $11\frac{1}{8}d.$; peas, 5s. $2\frac{3}{8}d.$ per qr. Rainy harvest (*Rogers*).

Excessively hot summer (*Lowe*).

1293 May 14. Fell a wonderful snow, and therewith blew such an exceeding wind that great harm was done thereby in sundry places in England. This year wheat was sold in London for two shillings a bushel (*Holinshed*).

Wool, 8s. 8d. per tod. Weight of fleece, 1 lb. 7 oz. at Staverton (*Rogers*).

1294 Wheat high, up to 12s. ; barley and rye proportionate; oats not quite so high; beans very high; and the yield appears to have been bad in quality as well as quantity; wool very low; wheat, 9s. 1½d. ; barley, 6s. 1¾d. ; oats, 2s. 10¼d. ; beans, 6s. 3½d. ; peas, 7s. 8¾d. per quarter. Reapers paid 1½d. per day (*Rogers*).

Wool, 6s. 2½d. per tod; fleeces, 1 lb. 6 oz. at Topham (*Rogers*). Excessively hot summer (*Lowe*).

Wheat, 16s. per quarter (*Adam Smith*).

Land at Monkton Farleigh let at 3 pence per acre arable, and 2s. per acre pasture; 1s. per acre woodland (*Wilts. Mag.*).

A great dearth and scarcity of corn, so that wheat was sold in many places at 30s. per quarter, by reason whereof many poor people died for lack of sustenance. Great dearth and death in Ireland this year, and the two years next ensuing (*Holinshed*).

Oxen, 5s. to 6s. 8d. ; cows and bulls, 5s. to 10s. ; calves, 8d. to 2s. ; ewes, 6d. ; horses, 15s. to 17s. ; lambs, 6d. ; porkers, 3d. to 6d. each; wheat, 5s. per quarter; barley, 2s. 8d. to 4s. ; oats, 1s. 4d. per quarter; beans, 2s. to 3s. per acre; twelve ploughs at 3s. each; carts, 2s. (*Monkton Farley Valuer*).

This year wool was exported from England into Germany (*M. of W.*).

This year was sufficiently productive both in corn and fruit, but very rainy, so that a great part of the crops of the earth eventually failed by becoming rotten. And owing to the torrents the Thames overflowed its accus-

tomed limits and covered and soaked the plains of Bermondsey and the liberties of Tothill. It also reached the cottages of the dealers in the market, of the cemetery at Westminster, and compelled them to drive in stakes above their dwellings to protect them, and as the torrents of rain prevailed to a great extent, the valleys and pastures which were near the rivers were covered all over the kingdom for some time (*M. of W.*).

- 1295 Prices fall considerably, but beans still dear, wool cheap, wax dear. Wool, 5s. 9d. per tod; fleeces, 1 lb. 12 oz. at Gamlingay; wheat, 6s. 9d.; barley, 4s. 4 $\frac{3}{8}$ d.; oats, 2s. 4 $\frac{3}{4}$ d.; beans, 5s. 1 $\frac{7}{8}$ d.; peas, 4s. 7 $\frac{7}{8}$ d. per quarter (*Rogers*).

Sheep are washed and shorn at a penny a score (*Rogers*).

- 1296 All corn cheap: vetches, 3s. 3 $\frac{1}{2}$ d.; rye, 3s. 9 $\frac{3}{8}$ d.; malt, 4s. 7 $\frac{3}{4}$ d. per quarter; wheat, 4s. 9 $\frac{1}{4}$ d.; barley, 3s. 9 $\frac{1}{8}$ d.; oats, 2s. 3 $\frac{1}{4}$ d.; beans, 3s. 7 $\frac{3}{4}$ d.; peas, 3s. 7 $\frac{3}{8}$ d. per quarter (*Rogers*).

- 1297 Wheat continues to rise till the end of the year. Wax dear.

Wheat, 5s. 2 $\frac{1}{2}$ d.; barley, 4s. 2 $\frac{7}{8}$ d.; oats, 2s. 4 $\frac{3}{4}$ d.

Wool, 8s. 2d. per tod; fleeces, 1 lb. 2 $\frac{3}{4}$ oz. at Ibstone (*Rogers*).

- 1298 Prices about the same as last year; wool very dear; wax dear; wheat, 5s. 2 $\frac{1}{8}$ d.; barley, 4s. 3 $\frac{5}{8}$ d.; oats, 2s. 5 $\frac{1}{2}$ d.; beans, 4s. 4d.; peas, 3s. 5 $\frac{1}{4}$ d. per quarter; wet hay harvest (*Rogers*).

Wool, 11s. 6d. per tod (*Rogers*).

January 5. Earthquake in England (*M. of W.*).

Also a comet appeared in the north emitting rays laterally towards the east, which vomited fire as it were, and it was visible for three days after sunset (*M. of W.*).

- 1299 Abundant harvest and prices low, no fruit.

Wheat, 5s. 9 $\frac{3}{4}$ d.; barley, 4s. 4 $\frac{1}{2}$ d.; oats, 2s. 9 $\frac{1}{8}$ d.; beans, 4s. 3 $\frac{1}{4}$ d.; peas, 2s. 7 $\frac{3}{4}$ d. per quarter; wool, 8s. 4 $\frac{1}{2}$ d. per tod; fleeces, 1 lb. 1 oz. at Ibstone (*Rogers*).

A comet (*L. Townsend*).

This year a violent and ruinous storm of wind threw down trees and houses, and many belfries in the kingdom of England in different places (*M. of W.*).

1300 All corn below average price.

Wheat, 4s. 9d. ; barley, 3s. 8½d. ; oats, 1s. 11⅔d. ; beans, 2s. 3⅞d. ; peas, 2s. 4¼d. per quarter (*Rogers*).

Wool, 8s. 9d. per tod ; fleeces, 1½ lb. at Southampton (*Rogers*).

No hay made at Mere on account of the dry summer. Wheat sold there at 6s. per quarter ; oats at 3s. ; an ox sold for 8s. 8d. ; a mare for 13s. 4d. ; wethers at 1s. each ; ewes, before shearing, at 11d. ; cocks at 1d. ; hens, ¾d. ; mowing meadow grass 3 pence per acre ; harvest men, 2½d. per day (*Duchy of Cornwall Records*).

Ploughmen, one halfpenny per day ; salary and drink for one maid, 4s. 4d. per year ; keeper of the park, 17s. 4d. per year ; ploughmen, 10s. per year ; shepherd for wethers, 3s. 6d. per year ; plashing hedges, one farthing per perch ; two new cart wheels, 3s. (*Duchy of Cornwall Records*).

1301 Corn slightly higher.

Wheat, 5s. 0⅞d. ; barley, 3s. 7⅝d. ; oats, 2s. 0⅝d. per quarter.

Wool, 8s. per tod ; fleeces, 2 lb. 5 oz. at Stanham (*Rogers*).

1302 Wheat lower, barley and beans low.

Wheat, 4s. 11⅞d. ; barley, 3s. 4⅞d. ; oats, 2s. 1⅜d. ; beans, 2s. 8d. ; peas, 3s. 0¾d. per quarter (*Rogers*).

Wheat, 4s. per quarter (*Smith*).

Wool, 8s. 1d. per tod ; fleeces, at Cheddington, 1 lb.

14 oz.

1303 Wheat considerably lower, varying from 3s. 8d. in May, to 4s. 2d. in July.

Wheat, 4s. 1¼d. ; barley, 2s. 10⅜d. ; oats, 2s. 1⅞d. ; beans, 2s. 8d. ? peas, 3s. 1⅞d. per quarter.

Wool about 4 pence per lb. (*Rogers*).

Wool, 8s. 2d. per tod ; fleeces, 1 lb. each at Framlingham.
1304 A considerable rise in the price of wheat during the spring and summer, when it uniformly stood at 6s. 8d., and one parcel was sold at 10s. Wheat, 5s. 9 $\frac{7}{8}$ d. ; barley, 4s. 1 $\frac{1}{4}$ d. ; oats, 2s. 4 $\frac{3}{4}$ d. ; beans, 3s. 11 $\frac{5}{8}$ d. ; peas, 3s. 10 $\frac{7}{8}$ d. per quarter (*Rogers*).

Wool, 9s. 5 $\frac{1}{2}$ d. per tod ; fleeces, 1 lb. each at Cuxham.
1305 Wheat and barley low. Wheat reached its lowest point in April, when it dropt to 4s. ; oats are universally dear ; beans must have been a failure, as they were sold as high as 8s. ; peas and vetches are also dear ; wheat, 4s. 10 $\frac{7}{8}$ d. ; barley, 3s. 10 $\frac{3}{8}$ d. ; oats, 2s. 9 $\frac{3}{4}$ d. ; beans, 6s. 3d. ; peas, 4s. 6d. per quarter. Severe winter.

Wool, 8s. 3 $\frac{1}{2}$ d. per tod ; fleeces, 1 lb. 4 $\frac{1}{8}$ oz. at Southampton (*Rogers*).

In this year there was such a burning heat and such a blight and drought throughout the summer, that the hay failed in most parts of the country, and the beasts of the field died for want, and a double heat oppressed mankind (both while the sun was in Libra as well as when he was in Leo). The consequence was that small pox and disease prostrated both children and young men, and rich and poor, and they were also afflicted with freckles and spots, and a great many young maidens died of the small pox. And there followed after this a winter of extreme cold oppressing mankind much, the frost and snow and ice lasting from December 15 to January 25, and the fish died in the ponds, the birds in the woods, and the cattle in the fields, and many of the birds of heaven were so wasted away that they were caught without any net or snare by the hand of man. But this terrible frost was put an end to by a breeze of the south wind which lasted three days ; and when men thought the winter was past, again the sky was collected into clouds, and the east wind set in and lasted, and the frost returned and lasted from February 13 to the same day in April (*M. of W.*).

1306 Wheat still lower, falling to 3s. 6d. in the spring ; barley low ; oats high ; wheat, 3s. 11 $\frac{3}{8}$ d. ; barley, 3s. 5 $\frac{1}{2}$ d. ; oats, 2s. 1 $\frac{3}{8}$ d. ; beans, 3s. ; peas, 4s. 5 $\frac{3}{8}$ d. per quarter (*Rogers*).

Wool, 8s. 11d. per tod ; fleeces, 1 lb. 5 oz. at Cuxham.

1307 Wheat rises to 5s. 10d. in April at Cuxham, and to 10s. in South Wales in June. Other corn low. Wool much dearer, up to 7d. per lb.

Wheat, 5s. 6 $\frac{1}{2}$ d. ; barley, 3s. 8 $\frac{3}{4}$ d. ; oats, 2s. 4 $\frac{1}{8}$ d. ; beans, 3s. 8 $\frac{1}{2}$ d. ; peas, 3s. 0 $\frac{1}{4}$ d. per quarter.

Wool, 10s. 9d. per tod (*Rogers*).

1308 Wheat still rising, having reached 8s. 8d. at Cuxham in July. Other grain also similarly rising ; wool dear ; wax dear.

Wheat, 6s. 11 $\frac{1}{4}$ d. ; barley, 4s. 4 $\frac{7}{8}$ d. ; oats, 2s. 8 $\frac{3}{4}$ d. ; beans, 4s. 11d. ; peas, 4s. 4 $\frac{1}{4}$ d. per quarter.

Wool, 11s. 8d. per tod ; fleeces, 1 lb. 7 oz. at Haningfield.

The price of wheat exceeded all previous experience (*Rogers*).

1309 Wheat still advancing in price, in Northumberland it reached 11s. 9d., and at one manor in Hampshire, 10s. Other corn equally dear (*Rogers*).

Wheat, 7s. 2d. per quarter (*Smith*).

Wheat, 7s. 9 $\frac{3}{8}$ d. ; barley, 5s. 2d. ; oats, 3s. 3d. ; beans, 7s. 4d. ; peas, 5s. 2 $\frac{5}{8}$ d. (*Rogers*).

Wool, 8s. 9d. per tod ; fleeces, 1 lb. each at Teddington.

Price of wheat higher than last year (*Rogers*).

A sudden thaw after a great frost caused the waters so fast to rise that Salisbury Cathedral was flooded, and the king was enforced to leave the church as the executor did his mass, lest they should all have been drowned, and this rage endured for the space of two days, whereupon no service could be said in the said minster (*Holinshed*).

1310 Wet harvest ; hard winter ; all corn high ; wheat reaches 9s. 4d. at Basingstoke, and 10s. in Northumberland.

Wheat, 7s. 0½*d.* ; barley, 5s. 1*d.* ; oats, 2s. 7⅞*d.* ; beans, 4s. 3½*d.* ; peas, 3s. 7½*d.* per quarter.

Wool, 8s. 1*d.* per tod ; fleeces, 1 lb. 9¼ oz. at Ched-dington (*Rogers*).

- 1311 Wheat considerably lower ; barley and oats rather high ; wool lower, 4*d.*

Wheat, 4s. 5¼*d.* ; barley, 3s. 9*d.* ; oats, 2s. 5⅝*d.* ; beans, 3s. 1⅝*d.* ; peas, 2s. 10⅝*d.* per quarter.

Wool, 7s. 4*d.* per tod ; fleeces, 2 lb. 2 oz. at Maldon (*Rogers*).

- 1312 Wheat below average ; barley follows the price of wheat.

Wheat, 4s. 11⅜*d.* ; barley, 3s. 11*d.* ; oats, 2s. 4*d.* ; beans, 2s. 11*d.* ; peas, 2s. 9*d.* per quarter ; vetches, 2s. 5⅜*d.* ; rye, 3s. 6*d.* ; malt, 3s. 5*d.* per quarter.

Wool, 8s. 7*d.* per tod ; fleeces, 1 lb. 1½ oz. at Leather-head (*Rogers*).

- 1313 The price of wheat commences at a low rate and gradually rises to nearly double in July. Barley does not suffer an equal rise, but oats do. There was a general scarcity from 1308 to 1322 caused by incessant rain and cold stormy summers. Numbers of cattle perished from disease and want. A fat ox worth £2 12s. ; a sheep, 5s.

Wheat, 5s. 6⅜*d.* ; barley, 4s. 0⅜*d.* ; oats, 2s. 8¼*d.* ; beans, 3s. 4⅝*d.* ; peas, 3s. 3⅙*d.* per quarter.

Wool, 11s. 2*d.* per tod ; fleeces, 1 lb. 0½ oz. at Steven-age (*Rogers*).

- 1314 Wheat is high and rises rapidly towards the end of the year, being affected by the prospects of the next harvest. The highest quotation is near London, where sales were made in June at 11s.

Wheat, 8s. 4¾*d.* ; barley, 5s. 4*d.* ; oats, 2s. 8¾*d.* ; beans, 5s. 4¼*d.* ; peas, 4s. 1¼*d.* per quarter.

Wool, 9s. 1*d.* per tod ; fleeces, 1¼ lb. at Westhene (*Rogers*).

All the rivers in Italy were frozen (*Chambers*).

- 1315 First year of the great famine. It appears that for

some time after such a crop as was gathered had been housed, the extent of the calamity was not known. The price, though high, was not excessive till some time after Christmas. About the beginning of February following the real state of affairs becomes manifest. The highest price recorded for wheat is 26s. 8d. at Leatherhead. Barley is proportionately higher than wheat. Rye almost reaches the price of wheat; and seed oats are exceedingly dear; and beans, peas, and vetches are as deficient as other kinds of grain. Altogether the crop of this year must have been a total failure; and at no time in English history has a dearth of such magnitude occurred as at that immediately before us. Incessant rain during the whole summer.

Wheat, 14s. 10 $\frac{7}{8}$ d.; barley, 13s. 1d.; oats, 4s. 10 $\frac{1}{2}$ d.; beans, 12s. 8d.; peas, 11s. 2 $\frac{1}{2}$ d. per qr.

A comet. Vetches, 13s.; rye, 11s. 11 $\frac{5}{8}$ d.; malt, 13s. per qr. (*Rogers*).

Wool, 9s. 4d. per tod; fleeces, 1 lb. 0 $\frac{1}{2}$ oz. at Heyford (*Rogers*).

Before Christmas a blazing star or comet appeared in the north part of the element by the space of a month together, and after followed dearth and death. This year there fell exceeding great rain, and abundance of wet in July and August that the husbandmen of the country could not get in that small crop which then stood on the ground, and that which they inneed yielded not the hoped quantity as when it came to the thrashing well appeared (*Holinshed*).

A bushel of wheat sold for from 3s. 4d. to 4s.; a quarter of beans, 24s.; and a bushel of coarse salt, 4s. 8d. The mortality among the poor was dreadful, and pestilence among cattle prevailed for years. At least 164 head of cattle died on Newenham Abbey Farm. The animals were suddenly seized with excruciating pain, and falling down expired immediately (*Pulman*).

Parliament affixed the following prices : for the best stalled ox, £3 12s. ; for other oxen, £2 8s. ; a fat hog of two years old, 10s. ; a fat wether, unshorn, a crown ; if shorn, 3s. 6d. ; a fat goose, 7½d. ; a fat hen, 3d. ; two chickens, 3d. ; four pigeons, 3d. ; two dozen of eggs, 3d. (*Hume*).

1316 Average price of wheat higher than last year, though the excessive prices were not realized. 20s. is paid in several localities, the highest rates being reached in the summer. Barley is not sold at such high rates as in 1315. Oats are decidedly higher ; a small quantity was sold at Cambridge at 10s. 8d. Rye nearly as dear as wheat. Beans and peas dearer. Vetches are considerably lower. The scarcity of the two years 1315 and 1316 was universal, and no parallel will be discovered for it. The scarcity of 1315 represents a quintuple rise in many places, and that of 1316 almost a quadruple of the general average (*Rogers*).

Another summer of incessant rain (*Rogers*).

Wheat, 15s. 11½d. ; barley, 8s. 9½d. ; oats, 5s. 4½d. ; beans, 13s. 0½d. ; peas 11s. 7¼d. per qr. (*Rogers*).

Wool, 9s. 5d. per tod ; fleeces, 1 lb. 7 oz. each at Fering (*Rogers*).

Wheat, 30s. 6d. (*Adam Smith*).

The dearth by reason of the unseasonable weather in the summer and harvest last past still increased, for that which with much ado was inured, when it came to the proof yielded nothing to the value of that which in sheaf it seemed to contain ; so that wheat and other grain, which was at a sore price before, now was enhanced to a far higher rate, the scarcity thereof being so great that a quarter of wheat was sold for forty shillings, which was a great price. Also by reason of the murrain that fell among cattle, beeves and muttons were unreasonably priced (*Holinshed*).

November 15. Great tempest of wind and rain which

threw down many houses and did much other hurt both by land and water (*Holinshed*).

The kingdom of England was afflicted with a grievous famine during several years about this time. Perpetual rains and cold weather not only destroyed the harvest, but bred a mortality among the cattle, and raised every kind of food to an enormous price. Wheat was sometimes sold at 90s. a quarter. Walsingham says it rose to six pounds, and usually for three pounds (*Hume*).

1317 The crop, though far better than that which had been gathered for the past two years, was plainly deficient. In the course of the following summer the rate falls very considerably, which must be ascribed as much to the prospects of the coming harvest as to the existence of any real plenty in the harvest of the year before us. Wheat, 8s. $3\frac{1}{2}d.$; barley, 5s. $7\frac{1}{2}d.$; oats, 3s. $9\frac{1}{2}d.$; beans, 5s. $10\frac{7}{8}d.$; peas, 5s. 8d. (*Rogers*).

Wheat, 39s. 6d. average; highest, 80s.; lowest, 6s. 8d. per qr. (*Smith*).

Wool, 8s. 7d. per tod; fleeces, 2 lb at Gamlingay (*Rogers*).

Victuals were so scant and dear, and wheat and other grain brought to so high a price, that the poor people were constrained to eat the flesh of horses, dogs, and other vile beasts; and yet for default there died a multitude of people in divers places of the land. Fourpence in bread of the coarser sort would not suffice one man a day. Wheat was sold at London for four marks the quarter and above. Then after this dearth ensued a great death and mortality of people (*Holinshed*).

A great dearth in Ireland. A measure of wheat in Ireland, called a chronecke, was sold at 24s.; oats, 16s.; and all other victuals according to the same rate. A number of people perished through famine (*Holinshed*).

A cow will produce $3\frac{1}{2}d.$ worth of cheese and one-third

of a pottle of butter weekly, and the gross annual return from the animal is worth 9s. (*Walter de Henley*).

- 1318 Wheat falls considerably below the average. The effect therefore of the scarcity has ceased. Hay scarce. Murrain among oxen. Wheat, 4s. 6½*d.*; barley, 3s. 5½*d.*; oats, 2s. 1*d.*; beans, 3s. 10⅞*d.*; peas, 3s. 6⅜*d.* per qr. (*Rogers*).

Wool, 9s. 10*d.* per tod; fleeces, 1 lb. at Langley (*Rogers*).

November 14. An earthquake in England (*Mallet*).

- 1319 Prices below the average. Rise in wool. Wet harvest time. Wheat, 5s. 9⅝*d.*; barley, 3s. 5⅜*d.*; oats, 2s. 2¾*d.*; beans, 3s. 4*d.*; peas, 3s. 4¼*d.* per qr. (*Rogers*).

Wool, 11s. 9*d.* per tod; fleeces, 2 lb. 2 oz. at Cuxham (*Rogers*).

A great murrain and death of cattle through the whole realm (*Holinshed*).

- 1320 A rise in the price of wheat anticipatory of the coming harvest. Wheat, 6s. 5*d.*; barley, 4s. 1¾*d.*; oats, 2s. 5*d.*; beans, 4s. 1⅝*d.*; peas, 3s. 9¼*d.* per qr. (*Rogers*).

Wool higher than at any time during the century, up to 9½*d.* per lb. (*Rogers*).

Ffarsine prevalent among horses in the summer (*Holinshed*).

Wool, 13s. 7*d.* per tod; fleeces, 1 lb. 1¾ oz. at Leatherhead (*Rogers*).

Earthquake in England (*Mallet*).

- 1321 Wheat excessively high. It reaches 21s. 4*d.* in Sussex. The scarcity is universal. It does not quite come up to the famine of 1316, still less to the unprecedentedly high prices of May in 1315-16, but the general result must have fallen little short of the distress experienced at these periods. On the whole the highest prices in this second famine are about three and a half times above the average. Butter, dear.

Wheat, 11s. 7¾*d.*; barley, 8s. 5*d.*; oats, 4s. 0¾*d.*; beans, 9s. 11⅞*d.*; peas, 9s. 3⅝*d.* per qr. (*Rogers*).

Wool, 10s. 9d. per tod; fleeces, 1 lb. 10 oz. at Gamlingay.

- 1322 Wheat still very high, but declining after the middle of April. Other corn proportionate, except oats, which continue very dear. Butter dear.

Wheat, 8s. 11 $\frac{7}{8}$ d.; barley, 6s. 6d.; oats, 3s. 2 $\frac{1}{2}$ d.; beans, 7s. 8d.; peas, 6s. 4 $\frac{3}{4}$ d. (*Rogers*).

Wool, 9s. 8d. per tod; fleeces, 1 lb. 7 oz. at Chippenham (*Rogers*).

This year the sun appeared to man's sight in colour like to blood, and so continued six hours; to wit, from 7 o'clock in the morning of the last day of October until one of the clock in the afternoon of the same day (*Holinshed*).

- 1323 Wheat sinks to 5s. in June, other corn likewise.

Wheat, 7s. 5 $\frac{3}{8}$ d.; barley, 4s. 4 $\frac{1}{8}$ d.; oats, 2s. 7 $\frac{1}{4}$ d.; beans, 5s. 3d.; peas, 5s. 1 $\frac{1}{4}$ d. (*Rogers*).

Wool, 11s. 4d. per tod; fleeces, 1 lb. 6 $\frac{1}{2}$ oz. at Leatherhead.

- 1324 Wheat rises till summer, then declines; other corn dear. Great drought in summer, and scarcity of feed all through England.

Wheat, 7s. 4 $\frac{5}{8}$ d.; barley, 5s. 4 $\frac{3}{4}$ d.; oats, 2s. 6 $\frac{1}{2}$ d.; beans, 5s. 4 $\frac{1}{2}$ d.; peas, 5s. 1 $\frac{5}{8}$ d. (*Rogers*).

Wool, 8s. 3d. per tod; fleeces, 1 lb. 2 oz. at Bovecombe (*Rogers*).

- 1325 All corn falls in price considerably. Particularly severe drought.

Wheat, 5s. 8 $\frac{3}{8}$ d.; barley, 3s. 8 $\frac{1}{2}$ d.; oats, 2s. 1d.; beans, 3s. 11d.; peas, 3s. 7d. per qr. (*Rogers*).

Wool, 10s. per tod; fleeces, 4 lb. at Cheddington (*Rogers*).

The summer this year proved exceeding hot and dry, so that springs and rivers failed to yield their accustomed course of waters, by reason whereof great numbers of cattle and beasts, both wild and tame, died through lack

of convenient liquor to assuage their vehement thirst (*Holinshed*).

- 1326 Prices of wheat very low, especially in the summer, falling in many places down to 2s. 8d. At Hamslap, in Bucks, wheat is sold at 2s. 4d. Barley not so low, oats and rye cheap, beans and vetches rather dear, peas cheap.

Wheat, 3s. 7 $\frac{7}{8}$ d.; barley, 3s. 0 $\frac{1}{2}$ d.; oats, 1s. 11 $\frac{3}{8}$ d.; beans, 4s.; peas, 2s. 9 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 10s. 6d. per tod; fleeces, 1 lb. 12 oz. at Gamlingay (*Rogers*).

- 1327 Wheat gradually rises as the summer comes on till it reaches 6s.; barley never above 3s., oats cheap.

Wheat, 3s. 11d.; barley, 2s. 10 $\frac{5}{8}$ d.; oats, 2s. 0 $\frac{1}{8}$ d.; beans, 3s. 9d.; peas, 2s. 6 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 10s. 8d. per tod; fleeces, 1 lb. 8 $\frac{1}{2}$ oz. at Leatherhead (*Rogers*).

Owing to a succession of cold rainy harvests the whole kingdom experienced a most grievous famine (*Orange*).

- 1328 Considerable rise in price of wheat. It touched 9s. 6d. in August. Other corn follows. Rainy hay harvest.

Wheat, 6s. 5 $\frac{1}{2}$ d.; barley, 4s. 5 $\frac{3}{4}$ d.; oats, 3s. 1d.; beans, 5s. 7d.; peas, 4s. 11 $\frac{5}{8}$ d. per qr. (*Rogers*).

Wool, 8s. 10d. per tod; fleeces, 1 lb. 3 $\frac{1}{2}$ oz. at Sweynstone (*Rogers*).

November 14. Greatest earthquake ever known in England (*L. Townsend*).

- 1329 Prices of wheat commence at 8s., and though a fall occurs in the spring it gradually reaches 7s. in July. Barley participates in the rise.

Wheat, 6s. 6 $\frac{5}{8}$ d.; barley, 4s. 6 $\frac{1}{8}$ d.; oats, 2s. 5 $\frac{3}{4}$ d.; beans, 4s.; peas, 3s. 6 $\frac{3}{8}$ d. per qr. (*Rogers*).

No apples.

The harvests in the earlier years of Edward III. reign were on an average abundant (*Rogers*).

Wool, 7s. 4d. per tod (*Rogers*).

- 1330 Wheat still dearer. After May it reaches 10s. 8d.

Other corn higher except beans, which are low. Barley and peas spoiled by autumn rain. A great drought at Cheddington (most likely in the spring) (*T. H. B.*).

Wheat, 7*s.* 2¼*d.* ; barley, 5*s.* 2¾*d.* ; oats, 2*s.* 11½*d.* ; beans, 6*s.* ; peas, 3*s.* 10¼*d.* (*Rogers*).

Corn thrashed badly (*Rogers*).

Wool, 9*s.* per tod ; fleeces, 1 lb. 9½ oz. at Cheddington.

July 16. A great eclipse of the sun, and for the space of two months before and three months after there fell exceeding great rain, so that through the intemperance of the weather corn could not ripen by reason whereof ; in many places they began not harvest till Michaelmas, and in some places they inned not their wheat till Allhallowtide, nor their peas till St. Andrew's tide. On Christmas even, about the break of day, a marvellous sore and terrible wind came forth of the west which overthrew houses and buildings, overturned trees by the roots, and did much hurt in divers places (*Holinshed*).

- 1331 Wheat prices are still high, 10*s.* 8*d.* is paid at Woodhall in Suffolk. Other corn high, vetches excessively dear, average 7*s.* 4*d.* Mild spring and genial summer, but both dry. Great quantity of cider.

Wheat, 7*s.* 11¼*d.* ; barley, 6*s.* 3½*d.* ; oats, 3*s.* 3½*d.* ; beans, 6*s.* 4¾*d.* ; peas, 5*s.* 5¾*d.* ; rye, 5*s.* 9½*d.* ; malt, 6*s.* 2½*d.* per qr.

The weight of a fleece of wool is seldom more than two pounds, and often very much less (*Rogers*).

Wool, 10*s.* 6*d.* per tod.

- 1332 The wheat harvest of this year must have been generally good, and the weather of that character which suits all soils alike. Uniformity of prices for both wheat and barley, and the remarkable feature of the year is uniform agricultural prosperity.

Wheat, 4*s.* 8½*d.* ; barley, 3*s.* 6*d.* ; oats, 2*s.* 2*d.* ; beans, 3*s.* 11*d.* ; peas, 3*s.* 5½*d.* (*Rogers*).

Wool, 8*s.* per tod.

1333 All corn low. A drought. Carcase of an ox worth about 10s., or $\frac{1}{4}d.$ per lb.

Wheat, 4s. $2\frac{3}{8}d.$; barley, 3s. $3\frac{5}{8}d.$; oats, 2s. $2\frac{1}{8}d.$; beans, 3s. $4\frac{1}{2}d.$; peas, 3s. $0\frac{5}{8}d.$; vetches, 3s. 4d. per qr.

At Maldon more than half the sheep and lambs are lost from "murrain" (*Rogers*).

At Leatherhead about the same percentage of deaths took place, at Farley 25 per cent., and at Wolford and Basingstoke 34 per cent. (*Rogers*).

Wool, 5s. 10d. per tod.

November 23. At night through a marvellous inundation and rising of the sea all along by the coasts of this realm, but especially about the Thames, the sea banks or walls were broken down with violence of the water, and infinite numbers of beasts and cattle drowned, fruitful grounds and pastures were made salt marshes, so as there was no hope that in long time they should recover again their former fruitfulness (*Holinshed*).

1334 Fall in wheat continues till the summer, when a rise in July anticipatory of the coming harvest. Barley and other corn low.

Wheat, 4s. $0\frac{1}{8}d.$; barley, 2s. $10\frac{3}{4}d.$; oats, 1s. $10\frac{3}{4}d.$; beans, 3s. 6d.; peas, 3s. $0\frac{7}{8}d.$ per qr. (*Rogers*).

Wool, 7s. 1d. per tod.

Great frost. It lasted at Paris two months and twenty days (*Chambers*).

The produce of wheat about this time seldom reaches two quarters per acre, and is generally no more than one, and sometimes less than this; barley about two quarters per acre, and oats about the same, seem to be average crops. Winter roots and artificial grasses were entirely unknown. Hence stock was always starved in winter (*Rogers*).

1335 Wheat rises considerably; one quotation in April at 6s. 8d. Barley, oats, and rye follow, vetches particularly cheap (*Rogers*).

Dreadful famine from excessive rains (*F. A.*).

Wheat, 5s. $3\frac{1}{2}d.$; barley, 3s. $9\frac{7}{8}d.$; oats, 2s. $2\frac{3}{8}d.$; beans, 3s. $4\frac{7}{8}d.$; peas, 2s. $10\frac{1}{4}d.$; vetches, 2s. $11\frac{7}{8}d.$ (*Rogers*).

Wool, 8s. $4d.$ per tod; weight of fleece at Bretham 1 lb. 15 oz.

This year there fell a great abundance of rain, and thereupon ensued murrain of beasts; also corn so failed this year that a quarter of wheat was sold for forty shillings (*Holinshed*).

1336 Wheat, 4s. $11d.$; barley, 3s. $8\frac{1}{2}d.$; oats, 2s. $1\frac{1}{8}d.$; beans, 2s. $10d.$; peas, 3s. $1d.$; vetches, 2s. $10\frac{5}{8}d.$ per qr. (*Rogers*).

Wool, 8s. $3d.$ per tod; fleeces, 1 lb. 14 oz. at Gamlingay (*Rogers*).

Wheat, 2s. per qr. (*Smith*).

The average produce of land at Cuxham for four years past is a little over two quarters of wheat per acre, a fraction over one quarter of barley, more than $1\frac{1}{2}$ qr. of oats, and nearly $1\frac{1}{2}$ qr. of peas (*Rogers*).

1337 Abundant harvest. Great flood at Staundon some time this year.

Wheat, 3s. $7d.$; barley, 2s. $7\frac{3}{8}d.$; oats, 1s. $7\frac{1}{2}d.$; beans, 3s. $4d.$; peas, 2s. $0\frac{5}{8}d.$ per qr. (*Rogers*).

Wool, 5s. $11d.$ per tod; fleeces, 1 lb. $6\frac{1}{2}$ oz. at Welwe (*Rogers*).

At London wheat was sold for 2s. per qr., a fat ox for 6s. $8d.$, a fat sheep for sixpence or eightpence, half a dozen pigeons for one penny, a fat goose for twopence, a pig for one penny, and all other victuals after the like rate (*Holinshed*).

A comet with long and terrible streams passing from it (*Holinshed*).

1338 More abundant harvest than any since 1287. Wheat in February down to 2s. $6d.$ per qr. Prices rises about the middle of May in anticipation of a coming dearth (*Of course this refers to 1339; T. H. B.*).

Wheat, 3s. 2 $\frac{5}{8}$ d. ; barley, 2s. 1d. ; oats, 1s. 6d. ; beans, 1s. 11 $\frac{1}{8}$ d. ; peas, 1s. 8 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wheat, 3s. 4d. per qr. (*Smith*).

Wool, 6s. 9d. per tod (*Rogers*).

Wheat, 3s. per qr. ; barley malt, 2s. ; oat malt, 1s. 8d. per qr. (*Accounts of Mynchin Buckland Priory*).

1339 Wheat rises 100 per cent. at a bound. It reached 8s. 8d. per qr.

Wheat, 5s. 10 $\frac{3}{4}$ d. ; barley, 3s. 1 $\frac{1}{8}$ d. ; oats, 1s. 8 $\frac{7}{8}$ d. ; beans, 3s. 0 $\frac{1}{2}$ d. ; peas, 2s. 9 $\frac{3}{4}$ d. (*Rogers*).

Wheat, 9s. per qr. (*Smith*).

Wool, 6s. per tod (*Rogers*).

From the beginning of October to the beginning of December fell such abundance of rain that it hindered greatly the husbandmen in sowing their winter corn. In the beginning of December came such a vehement frost, continuing the space of twelve weeks, that it destroyed almost all the seed that was sown, by reason whereof small store of winter corn came to proof in the summer following, yet all kinds of grain were sold at a reasonable price through want of money (*Holinshed*).

Famine in Scotland. Crops failed and such a famine ensued that the poorer sort of people were reduced to feed on grass, yet at this time wheat in England was only 3s. 4d. per qr. (*Lowe*).

1340 Wheat again low, down to 3s. 2d. ; barley, 2s.

Wheat, 3s. 6 $\frac{1}{2}$ d. ; barley, 2s. 9 $\frac{1}{2}$ d. ; oats, 1s. 11d. ; beans, 2s. 11 $\frac{1}{4}$ d. ; peas, 2s. 5 $\frac{1}{4}$ d. (*Rogers*).

Wool, 6s. per tod (*Rogers*).

1341 Wheat very low. A rise in summer in anticipation of higher prices.

Wheat, 3s. 9 $\frac{5}{8}$ d. ; barley, 3s. 0 $\frac{5}{8}$ d. ; oats, 1s. 10 $\frac{3}{8}$ d. ; beans, 2s. 6 $\frac{1}{2}$ d. ; peas, 2s. 1 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 7s. 4d. per tod ; fleeces at Bretham, 1 lb. 9 $\frac{3}{4}$ oz.

A miserable famine both in England and Scotland, or according to some in the year following, that the people

were driven to eat the flesh of horses, cats, and such unused like kinds of meat (*Holinshed*).

A comet (*L. Townsend*).

1342 All corn rather dearer.

Wheat, 4s. $1\frac{5}{8}d.$; barley, 3s. $2\frac{3}{8}d.$; oats, 2s. $0\frac{3}{4}d.$; beans, 2s. $9\frac{3}{8}d.$; peas, 2s. 10d. per qr. (*Rogers*).

Wool, 6s. 6d. per tod (*Rogers*).

Walter de Henley writes: "Two cows will produce a wey (2 cwt.) of cheese from Christmas, when cheese-making generally commenced, till Michaelmas, besides half a gallon of butter each week. If the pasture was lighter as in a wood, or in meadows after mowing, or in the stubble, three cows were needed for the same amount of produce. He says a cow will produce $3\frac{1}{2}d.$ worth of cheese and one-third of a pottle of butter weekly, and estimates the gross annual return from the animal 9s., and strongly advises that cows should if possible be kept. He reckons ten ewes as producing as much milk as one cow. Milk was invariably sold at 1d. per gallon, and the average price of cheese about $\frac{1}{2}d.$ per lb.

1343 Dry time. Scanty pasture.

Wheat, 5s. $7\frac{3}{4}d.$; barley, 3s. $8\frac{5}{8}d.$; oats, 2s. $1\frac{3}{8}d.$; beans, 3s. $10\frac{3}{8}d.$; peas, 3s. $1\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 8s. 9d. per tod; fleeces, 1 lb. 11 $\frac{1}{4}$ oz. at Bichyn-don (*Rogers*).

Walter de Henley says if wheat does not return more than three times the seed a loss is incurred by the agriculturist, except when it is above 4s. a quarter. He reckons three ploughings, each at sixpence an acre; hoeing, 1d.; two bushels of seed at Michaelmas, 1s.; second hoeing, $\frac{1}{2}d.$; reaping, 5d.; carriage, 1d. The straw pays for the thrashing. If therefore only six bushels are reaped to the acre, they will be worth only 3s., and will cost 3s. $1\frac{1}{2}d.$, no account being taken of the rent of land.

1344 Wheat lower than at any time since 1338. Butter dear. Drought in spring and summer.

Wheat, 3s. 6d. ; barley, 2s. 9 $\frac{3}{4}$ d. ; oats, 1s. 9 $\frac{1}{2}$ d. ; beans, 2s. 11 $\frac{1}{2}$ d. ; peas, 2s. 5d. per qr. (*Rogers*).

Wool, 7s. 8d. per tod ; fleeces, 2 lb. each at Market Overton (*Rogers*).

- 1345 The general character of the wheat crop very similar to that of last year ; prices rise towards the close of the summer.

Wheat, 3s. 9 $\frac{7}{8}$ d. ; barley, 2s. 9 $\frac{3}{4}$ d. ; oats, 2s. 0 $\frac{1}{4}$ d. ; beans, 3s. ; peas, 2s. 3 $\frac{3}{4}$ d. per qr. (*Rogers*).

The scab very prevalent.

Wool, 7s. 11d. per tod. Fleeces, 1 lb. 11 $\frac{3}{4}$ oz. at Odiham (*Rogers*).

This was called "the dry summer," as from March till the end of April little or no rain fell, by reason thereof corn was very scant the year following (*Pigott's "Chester"*).

- 1346 Price of wheat rises rapidly, towards the summer reaching 10s. 8d. at Wellow in Hants, where barley also makes 7s. per qr. A scarcity. Wheat, 6s. 10 $\frac{1}{2}$ d. ; barley, 3s. 11 $\frac{7}{8}$ d. ; oats, 2s. 7 $\frac{1}{4}$ d. ; beans, 5s. 5d. ; peas, 3s. 7 $\frac{7}{8}$ d. (*Rogers*).

Wool, 6s. 11d. per tod.

A great rain and an eclipse with a terrible thunder (*Holinshed*).

- 1347 Corn yields badly.

Wheat, 6s. 7 $\frac{3}{8}$ d. ; barley, 4s. 9 $\frac{1}{4}$ d. ; oats, 2s. 4 $\frac{7}{8}$ d. ; beans, 3s. 6 $\frac{3}{8}$ d. ; peas, 3s. 2 $\frac{3}{8}$ d. (*Rogers*).

Wool, 7s. 6 $\frac{1}{2}$ d. per tod. Fleeces, 1 lb. 6 $\frac{1}{2}$ oz. at Whaddon (*Rogers*).

All the ewes in the country barren and brought no lambs (*Holinshed*).

Crows, ravens, and pies in the winter season brought forth their brood and ceased in summer and spring time, contrary to their kind. There was such plenty of rats and mice, both in houses and abroad in the fields, that they might not be destroyed (*Holinshed*).

- 1348 Labour dear on account of the pestilence. Tenant's

rents remitted for one, two, and three years. Flocks and herds wandered about at will on account of the scarcity of labour. Wheat much lower. Wax dear. Wheat, 4s. 2d.; barley, 2s. 6½d.; oats, 1s. 5¾d.; beans, 3s. 3½d.; peas, 2s. 3d. per qr. (*Rogers*).

Wool, 5s. 8d. per tod (*Rogers*).

From Midsummer to Christmas, for the more part it continually rained, so that there was not one day and night dry together; by reason whereof great floods ensued, and the ground therewith was sore corrupted, and many inconveniences ensued, as great sickness and other. Neither sea nor land yielding such plenty of things as before. Whereupon victuals and corn became scant and hard to come by. About August the death began in divers places of England, continuing so for the space of twelve months following (*Holinshed*).

The plague visited England, and swept away half the people according to some estimates.

Dry fog with earthquake and volcanic eruptions (*Lowe*).

1349 Wheat much dearer, though it falls slightly towards the summer. Wool lower than it has been in memory of man, about 1¾d. per lb. Wheat 5s. 5¾d.; barley, 3s. 10½d.; oats, 2s. 6¼d.; beans, 4s. 5d.; peas, 3s. 4¼d. per qr. (*Rogers*).

Wheat, 2s. per qr. (*Smith*).

Wool, 4s. per tod (*Rogers*).

Pestilence in Scotland slew near the third part of all the people (*Holinshed*).

This year opened with a severe earthquake at Waghen, East Riding of York, which threw the monks from their stalls (*Poulson*).

1350 A year of great and general dearth. Cold and wet summer. Wheat is sold in April at 11s. 6d. and 12s. a quarter. Barley, 7s. per qr. in March. Wheat, 8s. 3½d.; barley, 6s. 4d.; oats, 3s. 8d.; beans, 4s. 11½d.; peas, 4s. 5d. per qr. (*Rogers*).

Wool, 6s. per tod (*Rogers*).

About the end of August the death in London ceased (*Holinshed*).

1351 Corn very dear. Cold and wet summer. A famine.

Wheat is sold in June for 12s., and one quotation is as high as 14s. 8d. Barley reaches 10s., and oats, 6s.

Wheat, 10s. 2½d.; barley, 6s. 10¼d.; oats, 3s. 7¾d.; beans, 6s. 1d.; peas, 6s. 0¼d. per qr. (*Rogers*).

Wool, 6s. 2d. per tod (*Rogers*).

Greatest scarcity of provisions all over France ever known in memory of man. Wheat was sold at Paris at 40s. per qr. of 480 lbs.; a qr. of oats for 8s.; and 20 lb. of peas for about 10d. of English money (*Froissart*).

1351 to 1370. A time of considerable scarcity. Corn was generally high, stock was dear, wages greatly enhanced, and had not the population decreased distress would have been as great as from 1310 to 1321. Great mortality amongst cattle (*Rogers*).

A terrible disease, known as the black death, killing men, horses, cattle, bears, wolves, foxes, sheep, goats, hares, etc., prevalent throughout Europe about this time.

1352 Wheat in February at 8s. 8d., falls in June to 3s. 6d. per qr. in anticipation of an abundant harvest. Oats are dearer than before, reaching 6s. 8d. Wheat, 7s. 2½d.; barley, 5s. 10¼d.; oats, 4s. 0¾d.; beans, 6s. 9¾d.; peas, 6s. 4¾d. (*Rogers*).

Haymakers paid 1d. per day; mowers, 5d.; thrashers, 2½d. per quarter for wheat, 1¼d. barley. Wool, 5s. 6d. per tod (*Rogers*).

1353 Corn sells very low.

Wheat, 4s. 2½d.; barley, 3s. 0⅝d.; oats, 2s. 3⅞d.; beans, 2s. 7⅞d.; peas, 2s. 3⅞d. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

In the summer of this year was so great a drought that from the latter end of March fell little rain till the latter

end of July. The following year corn waxed scant, and the price began this year to be greatly enhanced. Also beeves and muttuns waxed dear for want of grass, both in England and France, so that this was called the dear summer. The Earl of Zetland brought many ships into London fraught with rye for relief of the people who otherwise had, through their present pinching penury, if not utterly perished, yet pitifully pined (*Holinshed*).

1354 Corn thrashes badly. No fruit at all. No acorns.

Wheat, 5s. $3\frac{3}{4}d.$; barley, 3s. 5d.; oats, 2s. $0\frac{3}{4}d.$; beans, 3s. $0\frac{1}{2}d.$; peas, 2s. $6\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 7s. 2d. per tod. Weight of fleece, 2 lb. $9\frac{3}{4}oz.$ at Wolford (*Rogers*).

At Nottingham no rain fell from the end of March to the end of July. Nottingham suffered very severely from this great drought (*Lowe*).

1355 All corn dearer. Wet season.

Wheat, 5s. $11\frac{3}{8}d.$; barley, 3s. 10d.; oats, 2s. $9\frac{1}{4}d.$; beans, 3s. 4d.; peas, 3s. per qr. (*Rogers*).

Wool, 6s. 4d. per tod; lamb wool, 3s. 8d. (*Rogers*).

1356 Corn still rising in price. Wheat reached 8s. per qr. Wax dear. Wet year.

Wheat, 6s.; barley, 4s. 5d.; oats, 2s. $10\frac{5}{8}d.$; beans, 5s. $6\frac{3}{8}d.$; peas, 5s. $3\frac{3}{8}d.$; vetches, 5s. $9\frac{3}{4}d.$ (*Rogers*).

Wool, 5s. per tod (*Rogers*).

The rivers and other waters rose on such height, through abundance of rain that fell in the latter end of harvest, that, breaking forth of their common channels with their violent stream, many houses and towns were borne down and destroyed (*Holinshed*).

1357 Wheat still dearer, reaching 9s. 4d. per qr. in Bucks.

Wheat, 6s. $10\frac{1}{4}d.$; barley, 4s. $5\frac{1}{8}d.$; oats, 2s. 10d.; beans, 4s. $2\frac{3}{4}d.$; peas, 4s. $0\frac{3}{8}d.$; vetches, 4s. $2\frac{3}{8}d.$ (*Rogers*).

Wool, 7s. 4d. per tod. Fleeces, 1 lb. $12\frac{1}{4}oz.$ at Cuxham (*Rogers*).

1358 Price of wheat lower, and decreases towards summer.

Barley and oats dear. Wheat, 5s. 6½*d.*; barley, 5s. 1½*d.*; oats, 2s. 7½*d.*; beans, 2s. 9½*d.*; peas, 3s. 2½*d.*; vetches, 3s. 8½*d.* (*Rogers*).

Wool, 6s. 11*d.* per tod. Fleeces, 1 lb. each at Farley (*Rogers*).

1359 Wheat higher. One sale at Lullington is at 8s., and another 9s. 4*d.*

Barley cheaper; butter dear. A great tempest. Fifty-two acres of corn lost at Wolrichston through it.

Wheat, 5s. 11*d.*; barley, 4s. 4¼*d.*; oats, 2s. 4¾*d.*; beans, 3s. 10*d.*; peas, 2s. 6¾*d.*; vetches, 2s. 6½*d.* (*Rogers*).

Wool, 7s. 5*d.* per tod. Fleeces, 1 lb. each at Ibstone (*Rogers*).

Wheat 26s. 8*d.* per qr. (*Adam Smith*).

1360 Wheat slightly higher.

Wheat, 6s. 3½*d.*; barley, 4s. 6½*d.*; oats, 2s. 9¼*d.*; beans, 5s. 2¾*d.*; peas, 4s. 1½*d.* per qr. (*Rogers*).

Wool, 6s. 3*d.* per tod (*Rogers*).

Men and cattle were destroyed in divers places of this realm by lightning and tempest; also houses were set on fire and burnt, and strange and wonderful sights seen. Thousands perished in a storm at Chartres, which fell so hideous in the king's host it seemed the world should have ended; for such unreasonable great stones of hail fell from the sky that men and horses were slain therewith. The storm of tempest, hail, thunder, lightning, and rain was such as the like had never been seen by any of the English people.

A great death of people, *viz.* of men, for women were not so much subject thereto (*Holinshed*).

1361 Great drought.

Wheat, 5s. 4¾*d.*; barley, 4s. 7¼*d.*; oats, 3s. 2½*d.*; beans, 5s. 6*d.*; peas, 4s. 9¾*d.*; vetches, 4s. 8½*d.* (*Rogers*).

Wheat, 2s. per qr. (*Adam Smith*).

On 18 calends of February a great and terrible tempest through all England (*Somerset Archæ. Mag., Vol. XV*).

Great wind and earthquake, marvellous (*John Harding*).

Wool, 7*s.* 10*d.* per tod ; fleeces, 2 lb. each at Market Overton (*Rogers*).

Men and beasts perished in divers places with thunder and lightning (*Lowe*).

1362 Drought in spring and summer. Scanty harvest (*Rogers*).

Wheat rose as high as 9*s.* 4*d.* and 13*s.* per qr. in the summer, from anticipation of a scanty harvest (*Rogers*).

Wheat, 7*s.* 6*d.* ; barley, 5*s.* 5¼*d.* ; oats, 3*s.* 6*d.* ; beans, 6*s.* 8*d.* ; peas, 5*s.* 7½*d.* ; vetches, 6*s.* 8*d.* (*Rogers*).

Wool, 7*s.* 3*d.* per tod ; fleeces, 1 lb. 8 oz. each at Brancaster (*Rogers*).

January 15. There rose such a passing wind that the like had not been heard of in many years before. It began about evensong time in the south, and that with such force that it overthrew and blew down strong and mighty buildings, as towers, steeples, houses, and chimneys. This outrageous wind continued thus for the space of six or seven days, whereby even those buildings that were not overthrown and broken down were yet so shaken that they, without repairing, were not able long to stand. After this followed a very wet season, namely in the summer time and harvest, so that much corn and hay was lost and spoiled for want of seasonable weather to gather in the same (*Holinshed*).

1363 Wheat very high. Depression in price of wool ceases, having continued upwards of 30 years (*Rogers*).

Wheat, 8*s.* 6*d.* ; barley, 5*s.* 2⅝*d.* ; oats, 2*s.* 10⅝*d.* ; beans, 4*s.* 11¾*d.* ; peas, 3*s.* 8⅜*d.* per qr. (*Rogers*).

Wheat, 15*s.* per qr. (*Adam Smith*).

Wool, 6*s.* 10*d.* per tod. Fleeces, 1 lb. 12 oz. each at Eastwood (*Rogers*).

1364 Price of wheat still high, but declining.

Wheat, 7*s.* 5⅜*d.* ; barley, 4*s.* 2¼*d.* ; oats, 2*s.* 8⅝*d.* ; beans, 5*s.* ; peas, 3*s.* 5½*d.* per qr. (*Rogers*).

Grain destroyed by high winds at Apuldrum (*Rogers*).

Wool, 9s. per tod. Fleeces, 1 lb. 6 oz. each at Welwe (*Rogers*).

This year, by reason of an extreme sore frost continuing from the seventh day of December till the nineteenth day of March (as Walsingham and other old writers do report), the ground lay untilled to the great hindrance and loss of all growing things on the earth (*Holinshed*).

1365 Wheat much lower.

Wheat, 6s. $0\frac{3}{8}d.$; barley, 4s. $2\frac{5}{8}d.$; oats, 2s. $5\frac{3}{4}d.$; beans, 3s. 8d.; peas, 3s. $3\frac{1}{2}d.$; vetches, 3s. $4\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 9s. 3d. per tod. Fleeces, 1 lb. 11 oz. each at Heghtre (*Rogers*).

1366 Corn dearer from the prospects of the coming harvest.

Wheat, 6s. $8\frac{1}{2}d.$; barley, 4s. $9\frac{1}{8}d.$; oats, 2s. $11\frac{3}{4}d.$; beans, 4s.; peas, 3s. $0\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 10s. per tod. Fleeces, 1 lb. 2 oz. each at Gravesend (*Rogers*).

In this year fell great abundance of rain in the time of hay harvest, so that much corn and hay was lost. There was also such fighting amongst sparrows in that season that they were found dead in great numbers. Also there followed great mortality of people, the sickness being so sharp and vehement that many being in perfect health over night when they went to bed were found dead in the morning. Also many died of the small pox, both men, women, and children (*Holinshed*).

1367 Wheat much dearer. The highest price recorded is 11s. at Finchdale. In Hunts it is as low as 5s. 4d. The rise appears to take place towards summer (*Rogers*).

Wheat, 8s. $7\frac{1}{2}d.$; barley, 4s. $1\frac{5}{8}d.$; oats, 3s. $1\frac{1}{2}d.$; beans, 3s. 4d.; peas, 3s. 7d.; vetches, 5s. per qr. (*Rogers*).

Wool, 11s. 8d. per tod. Fleeces, 1 lb. $1\frac{1}{4}$ oz. at Brancaster (*Rogers*).

1368 Wheat varies from 5s. to 8s. per qr.

Wheat, 6s. 7 $\frac{5}{8}$ d.; barley, 4s. 7 $\frac{1}{2}$ d.; oats, 3s. 0 $\frac{5}{8}$ d.; beans, 5s. 6 $\frac{3}{8}$ d.; peas, 4s. 5 $\frac{3}{8}$ d.; vetches, 3s. 9 $\frac{3}{8}$ d. (*Rogers*).

Wool, 8s. 10d. per tod. Fleeces, 1 lb. 14 oz. each at Eastwood (*Rogers*).

1369 Wheat prices commence at moderate rates and gradually rise to an excessive height. The opening rate is 10s. up to Christmas, but closes at 16s. in the summer. In Sussex a small quantity is sold at 20s., and at Wellow, in Hants, the largest sale of the year is at 18s. 8d. Barley rose to 13s. 4d., and oats to 8s. 8d. Quite a famine (*Rogers*).

Wheat, 11s. 10 $\frac{1}{4}$ d.; barley, 8s. 5 $\frac{1}{4}$ d.; oats, 4s. 2 $\frac{5}{8}$ d.; beans, 7s. 10 $\frac{3}{8}$ d.; peas, 6s. 8d.; vetches, 5s. 9d. per qr.

Wheat, 22s. per qr. (*Adam Smith*).

Butter dear (*Rogers*).

Mortality exceeding great, both of men and beasts, that the like had not been heard of (*Holinshed*).

Wool, 9s. 4d. per tod. Fleeces, 1 lb. 8 $\frac{3}{4}$ oz. at Eastwood (*Rogers*).

1370 Wheat prices still high. They commence at 12s. in the autumn and fall to 8s. by the summer; barley much cheaper; oats dear; wheat, 9s. 4 $\frac{5}{8}$ d.; barley, 4s. 6d.; oats, 3s. 6 $\frac{7}{8}$ d.; beans, 6s. 3 $\frac{1}{4}$ d.; peas, 5s. 1d.; vetches, 3s. 8d. (*Rogers*).

Great pestilence in Ireland (*Holinshed*).

By reason of the great wet and rain that fell this year in more abundance than had been accustomed, much corn was lost, so that the price thereof was sore enhanced, insomuch that wheat was sold at 3s. 4d. the bushel. The west parts of the realm were sorest afflicted with the mortality (*Holinshed*).

The furniture of a manor house about this time consisted of a table put on tressels, laid aside when out of use, a few forms and stools, or a long bench stuffed with straw or wool, covered with a straw cushion, worked like a beehive, one or two chairs made of wood or straw,

and a chest or two for linen formed the hall furniture. A brass pot or two for boiling, and two or three brass dishes, a few wooden platters or trenchers, or more rarely of pewter, an iron or latten candlestick, a kitchen knife or two, a box or barrel for salt, and a brass ewer basin formed the movables of the ordinary house. The walls were garnished with mattocks, scythes, reaping hooks, buckets, corn measures, and empty sacks. The dormitory contained a rude bed, and but rarely sheets and blankets, for the gown of the day was generally the coverlet at night.

Wool, 9s. 7d. per tod. Fleeces, 1 lb. 8½ oz. each at Laweshull (*Rogers*).

Wheat at Salisbury fourpence and barley twopence the bushel. Labour twopence a day (*Easton*). ? Whether this ought not to be 1371 (*T. H. B.*)

1371 All corn much lower. Butter dear, probably a dry summer (*T. H. B.*)

Wheat, 6s. 11½d.; barley, 4s. 1½d.; oats, 2s. 3¼d.; beans, 4s. 6¾d.; peas, 3s. 5¾d.; vetches, 3s. per qr. (*Rogers*).

Wool, 9s. 8d. per tod. Fleeces, 1 lb. 9 oz. each at Eastwood (*Rogers*).

A comet (*L. Townsend*).

1372 Prices higher.

Wheat, 7s. 10¼d.; barley, 4s. 9½d.; oats, 2s. 9¾d.; beans, 4s. 8¼d.; peas, 3s. 4½d.; vetches, 3s. 2¼d. per qr. (*Rogers*).

Wool, 10s. 7d. per tod. Fleeces, 1 lb. 9 oz. each at Eastwood (*Rogers*).

1373 Corn cheaper.

Wheat, 6s. 2¼d.; barley, 3s. 10½d.; oats, 2s. 6¼d.; beans, 4s. 3¾d.; peas, 3s. 7d. per qr. (*Rogers*).

Wool, 10s. per tod (*Rogers*).

1374 Prices much higher.

Wheat up to 11s. 6d. per qr. Drought after August. A tempest on St. Denis' Day.

Wheat, 8s. $2\frac{1}{4}d.$; barley, 4s. $10\frac{1}{4}d.$; oats, 2s. $9\frac{3}{4}d.$; beans, 5s. $3\frac{1}{4}d.$; peas, 4s. $0\frac{3}{4}d.$ (*Rogers*).

Wool, 11s. 4d. per tod. Fleeces, 1 lb. 9 oz. each at Eastwood (*Rogers*).

1375 Last of a series of fourteen years, during which the price of wheat has in no case fallen to the average rate. The market declines from the prospect of the ensuing harvest.

Wheat, 7s. $9\frac{1}{8}d.$; barley, 5s.; oats, 2s. $9\frac{3}{4}d.$; beans, 4s. $10\frac{3}{8}d.$; peas, 4s. $0\frac{1}{8}d.$ per qr. (*Rogers*).

Wool, 12s. 7d. per tod (*Rogers*).

1376 A very dry summer. All corn much cheaper.

Wheat, 4s. 9d.; barley, 3s. $9\frac{1}{4}d.$; oats, 2s. $3\frac{3}{8}d.$; beans, 4s. $1\frac{1}{2}d.$; peas, 3s. $0\frac{7}{8}d.$ per qr. (*Rogers*).

Wool, 11s. 1d. per tod (*Rogers*).

1377 Wheat lower than it has been for thirty years. Great drought in spring and summer.

Wheat, 3s. $8\frac{3}{8}d.$; barley, 3s. $1\frac{7}{8}d.$; oats, 2s. 4d.; beans, 3s. 6d.; peas, 2s. $4\frac{5}{8}d.$; vetches, 2s. per qr. (*Rogers*).

Wool, 12s. 7d. per tod (*Rogers*).

1378 All corn very low.

Wheat, 3s. $6\frac{7}{8}d.$; barley, 2s. $6\frac{1}{2}d.$; oats, 1s. $11\frac{3}{4}d.$; beans, 3s. 4d.; peas, 2s. $7\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 11s. per tod (*Rogers*).

1379 Considerable rise in the price of wheat. Other corn cheap. No fruit.

Wheat, 5s. $9\frac{3}{8}d.$; barley, 2s. 9d.; oats, 1s. $11\frac{5}{8}d.$; beans, 3s. 11d.; peas, 2s. $10\frac{1}{8}d.$ per qr. (*Rogers*).

Wool, 10s. 11d. per tod (*Rogers*).

A great tempest about the Feast of St. Nicholas, Dec. 6 (*Holinshed*).

Inclement spring ().

Wheat, 4s. per qr. (*Adam Smith*).

1380 Wheat still higher. Barley cheap.

Wheat, 6s. $2\frac{7}{8}d.$; barley, 3s. $7\frac{3}{8}d.$; oats, 2s. 4d.; beans, 3s. 7d.; peas, 3s. $3\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 9s. 4d. per tod (*Rogers*).

Great pestilence in Scotland ; the third part of the people died (*Holinshed*).

1380 to 1480 were a series of harvests unequalled for abundance.

1381 Wheat about average price.

Wheat, 5s. 7 $\frac{1}{4}$ d. ; barley, 3s. 4d. ; oats, 2s. 2 $\frac{3}{8}$ d. ; beans, 5s. 6d. ; peas, 2s. 11 $\frac{3}{8}$ d. per qr. (*Rogers*).

Wool, 7s. 4d. per tod (*Rogers*).

1382 Wheat and barley vary but little.

Wheat, 5s. 3 $\frac{1}{2}$ d. ; barley, 3s. 0 $\frac{5}{8}$ d. ; oats, 1s. 11 $\frac{1}{2}$ d. ; peas, 2s. 8 $\frac{3}{8}$ d. ; vetches, 3s. 4d. per qr. (*Rogers*).

Wool, 7s. 4d. per tod (*Rogers*).

Great earthquake 21st May, followed by a watershake 24th (*Holinshed*).

January. On south coast a great gale (*Lowe*).

May 24. Absence of wind in Germany (*Mallet*).

1383 Wheat rather lower. Other corn dearer.

Wheat, 4s. 10d. ; barley, 3s. 11 $\frac{3}{8}$ d. ; oats, 2s. 3 $\frac{5}{8}$ d. ; beans, 4s. 8d. ; peas, 3s. 5 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 10s. 3d. per tod ; lamb wool, 7s. 8d. (*Rogers*).

In Lent vehement cold weather, insomuch that on Easter Day, at night, through snow that fell and such extreme cold and boisterous storms, there died above five hundred horses in the English army in Scotland, to let pass the loss of men that perished at the same time (*Holinshed*).

1384 Wheat rather lower, barley cheap.

Wheat, 5s. 7d. ; barley, 3s. 1d. ; oats, 2s. 2 $\frac{5}{8}$ d. ; beans, 5s. ; peas, 3s. 3 $\frac{1}{8}$ d. ; vetches, 4s. 6d. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

Winter very severe. Sea frozen at Venice (*Chambers*).

1385 Wheat rather higher, barley low, oats rather dear.

Wheat, 5s. 0 $\frac{5}{8}$ d. ; barley, 3s. 2 $\frac{1}{2}$ d. ; oats, 2s. 5 $\frac{5}{8}$ d. ; beans, 4s. 6d. ; peas, 3s. 4d. per qr. (*Rogers*).

Great mortality amongst sheep. 15 per cent. of sheep and 55 per cent. of lambs died at Alton Barnes (*Rogers*).

Wool, 9s. 2d. per tod ; lamb wool, 5s. 4d. (*Rogers*).

Two earthquakes this year (*Mallet*).

1386 Wheat exceedingly low in price, other corn likewise.

Wheat, 4s. 1d. ; barley, 2s. 11½d. ; oats, 1s. 6d. ; peas, 2s. 2½d. per qr. (*Rogers*).

Wool, 7s. 3d. per tod ; lamb wool, 4s. 11d. (*Rogers*).

1387 Corn still lower.

Wheat, 3s. 4¾d. ; barley, 2s. 8½d. ; oats, 1s. 4¾d. ; beans, 3s. ; peas, 1s. 9¾d. per qr. (*Rogers*).

Wheat, 2s. per qr. (*Adam Smith*).

Farmers allowed reduction of rents on account of the low price of corn.

Carter's wages, 10s. per annum ; shepherd, 10s. ; ploughman, 7s.

Wool, 7s. 11d. per tod ; lamb wool, 5s. 11d. (*Rogers*).

1388 Corn not quite so low. Barley rises towards the summer from unfavourable anticipations of the coming harvest.

Wheat, 3s. 8½d. ; barley, 2s. 10¾d. ; oats, 1s. 11d. ; beans, 4s. ; peas, 2s. 0¼d. per qr. (*Rogers*).

Wet harvest.

Wool, 7s. 3d. per tod ; lamb wool, 4s. 8d. (*Rogers*).

1389 Wheat rises considerably.

Wheat, 5s. 5¾d. ; barley, 3s. 0¾d. ; oats, 2s. 2d. ; peas, 2s. 8¾d. ; vetches, 2s. 6¾d. per qr. (*Rogers*).

Scab and sickness very prevalent among sheep (*Rogers*).

Wool, 7s. 5d. per tod. Fleeces, 1 lb. 2 oz. each at West Horseley (*Rogers*).

Great gale on the south coast (*Lowe*).

1390 Wheat very dear. Barley equally high.

Wheat, 8s. 9d. ; barley, 5s. 8¼d. ; oats, 3s. 7d. ; beans, 4s. 6½d. ; peas, 4s. 8½d. per qr. (*Rogers*).

Wheat, 14s. 5d. per qr. (*Adam Smith*).

March 5. A sore and terrible wind rose, with the violence whereof much hurt was done, houses overthrown, cattle destroyed, and trees overturned. After this great

mortality by pestilence, so that much youth died everywhere. Herewith followed a great dearth of corn, so that a bushel of wheat was sold in some places at thirteen pence, which was thought to be a great price (*Holinshed*).

Wool, 7s. 6d. per tod. Fleeces, 1 lb. 2½ oz. at Popincho (*Rogers*).

1391 Wheat falling reaches the average price.

Wheat, 5s. 5½d. ; barley, 3s. 4¾d. ; oats, 2s. 3¼d. ; peas, 3s. 3½d. ; vetches, 2s. 2d. per qr. (*Rogers*).

Wool, 8s. 2d. per tod ; lamb wool, 4s. 8d. (*Rogers*).

July 9. The sun seemed darkened with certain gross and evil favoured clouds coming betwixt it and the earth, so as it appeared ruddy, but gave no light from noon till the setting thereof. The price of corn, that had continued high almost for the space of two years, began to fall immediately after harvest was got in, to the great relief of the poor, many of whom died through immoderate eating of nuts and apples.

Wool was dog cheap. It sold for 1s. to 3s. per stone at Leicester.

Wheat at one time was sold as high as 16s. 8d. per qr. (*Holinshed*).

1392 Wheat lower than it has been for one hundred years.

Wheat, 3s. 2½d. ; barley, 2s. 4¾d. ; oats, 1s. 10¼d. ; peas, 2s. 10d. ; rye, 2s. 2d. per qr. (*Rogers*).

Wool, 8s. 10d. per tod ; lamb wool, 4s. 1d. (*Rogers*).

1393 Corn slightly dearer.

Wheat, 3s. 8¾d. ; barley, 2s. 8½d. ; oats, 1s. 11½d. ; beans, 4s. 10d. ; peas, 3s. 0¾d. per qr. (*Rogers*).

Wool, 7s. 8d. per tod ; lamb wool, 5s. 0d. (*Rogers*).

In September much hurt was done through exceeding great thunder, lightning, and tempests in many parts of England. Great inundations and floods of water followed shortly after in October.

In Essex, in September, many died from pestilence (*Holinshed*).

Excessively hot and dry summer (*Lowe*).

1394 Wheat still very cheap.

Wheat, 3s. 10 $\frac{3}{4}$ d. ; barley, 3s. 2 $\frac{3}{8}$ d. ; oats, 2s. 1 $\frac{5}{8}$ d. ; beans, 3s. 8d. ; peas, 2s. 11 $\frac{1}{4}$ d. per qr. (*Rogers*).

No hoeing paid for because it was not wanted (*Rogers*); query a dry summer (*T. H. B.*).

Wool, 7s. 10d. per tod ; lamb wool, 5s. 3d. (*Rogers*).

Corn allowed to be exported by license of the Crown temporarily (*Rogers*).

Excessively hot and dry summer (*Lowe*).

1395 Wheat rising, barley very cheap. No apples.

Wheat, 5s. ; barley, 3s. 2 $\frac{1}{4}$ d. ; oats, 2s. 4 $\frac{3}{8}$ d. ; peas, 3s. 4 $\frac{3}{4}$ d. ; rye, 2s. 9d. per qr. (*Rogers*).

Inclement spring. Probably a cloudy and wet summer, as salt is dear.

Wool, 7s. 8d. per tod ; lamb wool, 5s. 6d. (*Rogers*).

A certain thing appeared in the likeness of fire in many parts of England, now of one fashion, now of another, as it were every night, but yet in divers places all November and December. This fiery apparition oftentimes when anybody went alone it would go with him, and would stand still when he stood still. To some it appeared in the likeness of a turning wheel burning ; to other some round in the likeness of a barrel, flashing out flames of fire at the head ; to other some in the likeness of a long burning lance ; and so to divers folks, at divers times and seasons, it showed itself in divers forms and fashions a great part of winter, specially in Leicestershire and Northamptonshire ; and when many went together it approached not near them, but appeared to them as it were afar off (*Holinshed*).

1396 Considerable rise in the price of wheat.

Wheat, 5s. 11 $\frac{1}{2}$ d. ; barley, 3s. 3 $\frac{5}{8}$ d. ; oats, 2s. 7 $\frac{1}{2}$ d. ; peas, 3s. 4 $\frac{3}{8}$ d. ; rye, 4s. 2 $\frac{5}{8}$ d. per qr. (*Rogers*).

Wool, 7s. 2 $\frac{1}{2}$ d. per tod ; lamb wool, 5s. 2d. (*Rogers*).

Probably a cloudy and wet summer, as salt is still dear (*Rogers*).

1397 Wheat slightly lower, other corn dearer. No apples.

Wheat, 5s. 9 $\frac{5}{8}$ d. ; barley, 4s. 4 $\frac{5}{8}$ d. ; oats, 3s. 4d. ; beans, 4s. ; peas, 5s. 5d. per qr. (*Rogers*).

Wool, 8s. 11d. per tod ; lamb wool, 5s. 7d. (*Rogers*).

1398 All corn cheaper. Much rain in autumn. No fruit.

Wheat, 5s. 2 $\frac{3}{4}$ d. ; barley, 3s. 4 $\frac{5}{8}$ d. ; oats, 2s. 2d. ; peas, 2s. 6 $\frac{1}{2}$ d. ; vetches, 3s. 4d. per qr. (*Rogers*).

Wool, 8s. 3d. per tod ; lamb wool, 5s. 4d. (*Rogers*).

1399 Corn slightly dearer.

Wheat, 5s. 6 $\frac{3}{8}$ d. ; barley, 3s. 6 $\frac{3}{4}$ d. ; oats, 2s. 2 $\frac{3}{4}$ d. ; beans, 3s. 10 $\frac{5}{8}$ d. ; peas, 2s. 11d. per qr. (*Rogers*).

Wool, 8s. 2d. per tod ; lamb wool, 4s. 4d. (*Rogers*).

Good arable land worth fifteen years' purchase (at an annual rent of 6d. per acre), or 7s. 6d. per acre (*Rogers*).

1400 Grain on the whole nearly as dear as in 1390.

Wheat, 7s. 11 $\frac{1}{8}$ d. ; barley, 6s. 3 $\frac{5}{8}$ d. ; oats, 2s. 3 $\frac{1}{4}$ d. ; beans, 3s. 1 $\frac{3}{8}$ d. ; peas, 4s. 6d. per qr.

Wet hay harvest (*Rogers*).

Wool, 8s. 2d. per tod ; lamb wool, 4s. 11d. (*Rogers*).

1401 The harvest was probably wet. Wheat still high and malt dear. Wheat is over 10s. in several places.

Wheat, 7s. 5 $\frac{3}{4}$ d. ; barley, 4s. 6 $\frac{1}{2}$ d. ; oats, 2s. 7d. ; rye, 6s. 5 $\frac{1}{4}$ d. ; malt, 5s. 4d. ; beans, 4s. 6d. per qr. (*Rogers*).

Wool, 7s. 6 $\frac{3}{4}$ d. per tod (*Rogers*).

A comet (*L. Townsend*).

Wheat, 16s. per qr. (*Adam Smith*).

Unskilled labour, 3d. per day ; reaping wheat, 6d. per acre (*Rogers*).

At Teffont, in Wilts, harvest men are paid 4d. a day with their food, which was about 1s. a week (*Rogers*).

1402 Price of grain declining. Harvest better in south and west than in the Midland and eastern counties. No apples.

Wheat, 6s. 8 $\frac{3}{4}$ d. ; barley, 4s. 4 $\frac{1}{2}$ d. ; oats, 2s. 3d. ; rye, 5s. 8d. ; beans, 3s. 9 $\frac{1}{4}$ d. ; malt, 4s. 9 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 9s. per tod.

March. A comet in north-east flashing forth fiery beams towards the north. About mid-August such foul weather of winds, tempest, rain, snow, and hail that the like has not been heard of (*Holinshed*).

Thrashing and winnowing wheat, 3*d.* per qr. ; barley, 2*d.* ; oats, 1½*d.* (*Rogers*).

1403 Prices fallen considerably.

Wheat, 4*s.* 11¼*d.* ; barley, 4*s.* 2¾*d.* ; oats, 2*s.* 2½*d.* ; rye, 3*s.* 9¾*d.* ; beans, 2*s.* ; malt, 3*s.* 6*d.* per qr. (*Rogers*).

Wool, 8*s.* 11*d.* per tod.

Mowing grass, 7*d.* per acre (*Rogers*).

Harvest men at Alton Barnes paid the same wages as at Teffont in 1401 (*Rogers*).

1404 Wheat still lower. Abundant harvest. Quoted as low as 2*s.* in Oxfordshire.

Wheat, 4*s.* ; barley, 3*s.* 4¾*d.* ; oats, 2*s.* 2*d.* ; rye, 2*s.* 8½*d.* ; beans, 3*s.* 4*d.* ; peas, 2*s.* 8¾*d.* per qr. (*Rogers*).

Wool, 8*s.* 10¼*d.* per tod (*Rogers*).

Unskilled labour, 4*d.* per day (*Rogers*).

Great loss happened in Kent about St. Martin's Day by breaking in of waters that overflowed the sea banks, whereby much cattle was drowned (*Holinshed*).

1405 The price of wheat sinks again. A year of great plenty, prices being but little in excess of those in the three abundant years, 1392-4.

Wheat, 3*s.* 9¾*d.* ; barley, 2*s.* 8½*d.* ; oats, 1*s.* 11½*d.* ; rye, 2*s.* 5*d.* ; beans, 2*s.* 5*d.* ; malt, 3*s.* 3¼*d.* per qr. (*Rogers*).

Wool, 9*s.* 1¼*d.* per tod.

1406 Great abundance of cheese at Bicester.

Wheat, 4*s.* 4*d.* ; barley, 2*s.* 11*d.* ; oats, 1*s.* 10¼*d.* ; rye, 3*s.* 2*d.* ; beans, 3*s.* ; malt, 3*s.* 6¾*d.* per qr. (*Rogers*).

Wool, 9*s.* 4½*d.* per tod (*Rogers*).

Malt making, 4*d.* per day (*Rogers*).

1407 Harvest abundant in quantity but various in quality, the best crop being in the eastern counties. No apples.

Wheat, 4s. $6\frac{3}{4}d.$; barley, 3s. 7d. ; oats, 2s. $1\frac{1}{2}d.$; rye, 3s. 7d. ; beans, 2s. 6d. ; malt, 4s. 10d. per qr. (*Rogers*).

Wool, 11s. $3\frac{1}{2}d.$ per tod (*Rogers*).

Unskilled labour, 3d. per day (*Rogers*).

Wheat, 3s. 10d. per qr. (*Adam Smith*).

Frost of fifteen weeks' duration (*Norwich Register*).

This year the winter was exceeding sharp through frost and snow that continued and covered the ground by all the months of December, January, February, and March, insomuch that thrushes, blackbirds, and many thousand birds of the like smaller size perished with very cold and hunger (*Holinshed*).

- 1408 Scanty harvest. A well marked scarcity this year. Wheat reached 11s. $8\frac{3}{4}d.$ at Jarrow. Harvest worst in eastern counties.

Wheat, 7s. $3\frac{1}{4}d.$; barley, 4s. $4\frac{3}{4}d.$; oats, 2s. 10d. ; rye, 4s. $1\frac{1}{2}d.$; beans, 4s. 3d. ; malt, 5s. $1\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 9s. $5\frac{1}{4}d.$ per tod (*Rogers*).

Flood at Ware, which did great damage (*Lowe*).

- 1409 Prices higher. Summer generally wet. No apples.

Wheat, 8s. $11\frac{1}{2}d.$; barley, 5s. 5d. ; oats, 3s. $2\frac{1}{2}d.$; rye, 6s. 4d. ; peas, 4s. 8d. ; malt, 4s. $8\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 9s. 3d. per tod.

Unskilled labour, $3\frac{1}{2}d.$ per day ; mowing grass, 7d. per acre (*Rogers*).

- 1410 Corn falls to little more than half the value at which it generally stood last year. No apples.

Wheat, 4s. $10\frac{1}{2}d.$; barley, 4s. 2d. ; oats, 2s. 3d. ; rye, 4s. 1d. ; beans, 3s. 6d. ; malt, 4s. $0\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 9s. 3d. per tod (*Rogers*).

- 1411 Plentiful harvest. Dry and hot summer. No apples.

Wheat, 4s. 10d. ; barley, 3s. $3\frac{1}{4}d.$; oats, 2s. 1d. ; rye, 2s. 9d. ; beans, 3s. $1\frac{1}{4}d.$; malt, 3s. $11\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 8s. $3\frac{3}{4}d.$ per tod.

Unskilled labour, 3d. per day ; thrashing and winnowing wheat, 4d. per qr. (*Rogers*).

1412 Harvest not so copious in the eastern counties as last year, but more plentiful in the south and west. Good malting barley made full prices.

Wheat, 4s. 10 $\frac{3}{4}$ d.; barley, 2s. 11 $\frac{1}{2}$ d.; oats, 2s. 0 $\frac{3}{4}$ d.; rye, 3s. 4 $\frac{3}{4}$ d.; malt, 4s. 3 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 9s. 0 $\frac{1}{2}$ d. per tod (*Rogers*).

1413 Corn rather lower.

Wheat, 4s. 3 $\frac{1}{2}$ d.; barley, 3s. 3 $\frac{1}{4}$ d.; oats, 2s. 0 $\frac{3}{4}$ d.; rye, 3s. 4 $\frac{3}{4}$ d.; beans, 3s. 0 $\frac{1}{2}$ d.; malt, 4s. 3 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 8s. 4 $\frac{1}{4}$ d. per tod.

April 9. Passion Sunday was a sore ruggy and tempestuous day, with wind, snow, and sleet, that men greatly marvelled thereat, making divers interpretations what the same might signify (*Holinshed*).

October 12. Were three floods in the Thames. The one following upon the other, and no ebbing between, which thing no man then living could remember the like to be seen (*Holinshed*).

1414 Uniformly good harvest. Barley of a low malting character.

Wheat, 4s. 3 $\frac{3}{4}$ d.; barley, 3s. 8 $\frac{1}{4}$ d.; oats, 2s. 2 $\frac{3}{4}$ d.; rye, 2s. 11d.; vetches, 4s. 8d.; malt, 5s. 0 $\frac{1}{4}$ d. per qr. (*Rogers*).

Five years of low prices; nearest parallel from 1332 to 1345.

Wool, 8s. 5 $\frac{1}{2}$ d. per tod.

Dry summer, and ewes in consequence gave no milk at Alton Barnes.

Unskilled labour, 4d. per day; reaping wheat, 7 $\frac{1}{2}$ d. per acre (*Rogers*).

Dry summer, and great cost of iron thereon at Homgrange (*Rogers*).

1415 Considerable rise in the price of corn.

Wheat, 6s. 3 $\frac{1}{2}$ d.; barley, 4s. 6 $\frac{1}{2}$ d.; oats, 2s. 10d.; rye, 4s. 0 $\frac{1}{2}$ d.; peas, 4s. 11 $\frac{1}{4}$ d.; malt, 5s. 1 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 7s. 8 $\frac{1}{4}$ d. per tod (*Rogers*).

1416 Price of corn rises at the beginning of the harvest

year, though it falls to the average towards its conclusion. It is probable that the high prices represent the harvest of 1416, and the lower values when the harvest of 1417 was anticipated. Barley of low malting quality. Probably indifferent harvest.

Wheat, 7s. 11 $\frac{3}{4}$ d. ; barley, 4s. 6d. ; oats, 2s. 2 $\frac{3}{4}$ d. ; rye, 3s. 6d. ; peas, 3s. 4d. ; malt, 5s. 7 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 7s. 4 $\frac{3}{4}$ d. per tod (*Rogers*).

Wheat, 16s. per qr. (*Adam Smith*).

1417 Prices have fallen considerably. An abundant crop of barley of high quality.

Wheat, 5s. 3 $\frac{1}{2}$ d. ; barley, 3s. 8 $\frac{1}{4}$ d. ; oats, 2s. 2d. ; rye, 4s. 8 $\frac{1}{2}$ d. ; beans, 2s. 8d. ; malt, 4s. 6d. per qr. (*Rogers*).

Wool, 6s. 7 $\frac{3}{4}$ d. per tod (*Rogers*).

1418 Below an average harvest for wheat, and above for all other kinds of grain. Probably the summer was wet in the southern counties, as the highest rates are reached in Wilts and Sussex.

Wheat, 6s. 11 $\frac{1}{2}$ d. ; barley, 3s. 7d. ; oats, 2s. 0 $\frac{1}{4}$ d. ; rye, 3s. 0 $\frac{1}{2}$ d. ; beans, 3s. 4d. ; malt, 3s. 3d. per qr. (*Rogers*).

Wool, 6s. 8d. per tod (*Rogers*).

1419 Considerable fall in the price of wheat. Spring corn higher.

Wheat, 4s. 9 $\frac{1}{4}$ d. ; barley, 4s. 2 $\frac{3}{4}$ d. ; oats, 2s. 3 $\frac{1}{4}$ d. ; rye, 2s. 9 $\frac{1}{2}$ d. ; peas, 3s. 6 $\frac{1}{2}$ d. ; malt, 4s. 2 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 6s. 3d. per tod.

Unskilled labour, 2 $\frac{1}{2}$ d. per day ; mowing grass, 6 $\frac{1}{2}$ d. per acre (*Rogers*).

1420 Probably corn did not yield as well as estimated, as wheat rose from 4s. 4d. in November, to 7s. 4d. later in the season ; and whilst the crop in the eastern counties was plentiful, it was scanty in the south and west.

Large crop of barley, of low quality probably.

Wheat, 6s. 3d. ; barley, 3s. 4d. ; oats, 2s. 1 $\frac{1}{2}$ d. ; rye, 3s. 4d. ; peas, 3s. 3d. ; malt, 4s. 1 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

1421 On the whole the harvest must have been plentiful, and quality high.

Wheat, 5s. $2\frac{3}{4}d.$; barley, 3s. $4\frac{1}{4}d.$; oats, 2s. $5\frac{1}{4}d.$; rye, 3s. 11d.; peas, 2s. 11d.; malt, 3s. $7\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

Unskilled labour, 3d. per day (*Rogers*).

1422 The harvest must have been abundant and of good quality. Prices lower. No apples.

Wheat, 4s. 4d.; barley, 3s. $8\frac{3}{4}d.$; oats, 2s. $2\frac{1}{4}d.$; rye, 3s. $0\frac{1}{2}d.$; beans, 4s. per qr. (*Rogers*).

Wool, 6s. 7d. per tod (*Rogers*).

1423 The harvest is practically of the same character as the last. Good qualities of barley seem to have been comparatively scarce.

Wheat, 4s. $5\frac{1}{2}d.$; barley, 3s. 5d.; oats, 1s. $11\frac{1}{4}d.$; rye, 3s. 6d.; peas, 2s. 10d.; malt, 4s. $3\frac{1}{4}d.$ per qr. (*Rogers*).

Wheat, 8s. per qr. (*Smith*).

Wool, 7s. 8d. per tod (*Rogers*).

1424 A slight rise in the price of wheat. Barley cheaper.

Wheat, 4s. $11\frac{1}{4}d.$; barley, 3s. $3\frac{1}{2}d.$; oats, 1s. $11\frac{1}{4}d.$; rye, 3s. $10\frac{3}{4}d.$; beans, 4s.; malt, 4s. $6\frac{1}{4}d.$ per qr. (*Rogers*).

Wool, 8s. $5\frac{1}{2}d.$ per tod (*Rogers*).

1425 Wheat lower. It sinks to 2s. 8d. per qr. in two places.

Wheat, 4s. $0\frac{1}{4}d.$; barley, 3s. $1\frac{1}{2}d.$; oats, 1s. $10\frac{1}{4}d.$; rye, 3s.; peas, 2s. 4d.; malt, 4s. $5\frac{1}{2}d.$ per qr. (*Rogers*).

Wheat, 4s. per qr. Five ox-hides sold for 12s.; five cow-hides, 7s. 3d.; thirty-six sheep skins, of two years old, 9s.; sixteen calf skins, 2s. (*Fleetwood*).

Wool, 6s. $10\frac{3}{4}d.$ per tod.

Unskilled labour, 4d. per day. Mowing grass, 10d. per acre (*Rogers*).

1426 The harvest must have been very abundant, and generally so.

Wheat still lower. Barley good quality.

Wheat, 3s. $11\frac{1}{4}d.$; barley, 3s. $3\frac{3}{4}d.$; oats, 1s. $11\frac{1}{2}d.$; rye, 3s. 6d.; beans, 3s.; malt, 3s. $6\frac{1}{4}d.$ per qr. (*Rogers*).

September 28. Dreadful earthquake accompanied with thunder and lightning (*L. Townsend*).

The shocks lasted two hours, preceded by a dreadful tempest (*Stowe*).

The Baltic was frozen over (*L. Townsend*).

Wool, 6s. 8d. per tod (*Rogers*).

- 1427 The harvest of this year closes a period of extraordinary abundance and cheapness, which has lasted without intermission for seven years.

Wheat, 4s. 4d. ; barley, 3s. 1 $\frac{3}{4}$ d. ; oats, 2s. 2d. ; rye, 2s. 11d. ; beans, 4s. ; malt, 3s. 5d. per qr. (*Rogers*).

Great floods in summer (*Rogers*).

Wool, 6s. 10 $\frac{1}{4}$ d. per tod (*Rogers*).

Rain began on April 1, and did not cease till Hollontide, November 1 (*Lowe*).

- 1428 Wheat rises to 13s. 4d. per qr. at Lancaster, due to a wet season, particularly affecting western England. Barley is 8s. per qr. at Sidmouth, and only 2s. 8d. in Norfolk, and 6s. at Alton Barnes.

Wheat, 8s. 10 $\frac{3}{4}$ d. ; barley, 4s. 8 $\frac{3}{4}$ d. ; oats, 2s. 8 $\frac{1}{2}$ d. ; rye, 5s. 5d. ; beans, 4s. ; malt, 5s. 5d. per qr. (*Rogers*).

No fruit at Alton Barnes (*Rogers*).

Wool, 7s. 1 $\frac{1}{2}$ d. per tod (*Rogers*).

- 1429 This and the preceding year must have been characterized by continual rain : the latter in the west, the former in both east and west, though the east seems to have suffered most. Wheat was sold at Cambridge at 10s. per qr.

Wheat, 7s. 11d. ; barley, 4s. 4 $\frac{1}{2}$ d. ; oats, 2s. 6 $\frac{1}{2}$ d. ; rye, 7s. 4d. ; beans, 4s. ; malt, 7s. 2d. per qr. (*Rogers*).

Wool, 8s. 8d. per tod (*Rogers*).

- 1430 The harvest appears to have been generally good. Prices lower.

Wheat, 5s. 11 $\frac{1}{4}$ d. ; barley, 3s. 4 $\frac{1}{4}$ d. ; oats, 2s. 0 $\frac{1}{2}$ d. ; rye, 4s. 10d. ; beans, 3s. 4d. ; malt, 5s. 6d. per qr. (*Rogers*).

Wool, 7s. 8d. per tod. No fruit at Alton Barnes (*Rogers*).

1431 Prices low. Oats have not been so cheap since 1387.

Wheat, 4s. 8d.; barley, 3s. 1d.; oats, 1s. 9½d.; rye, 4s.; peas, 3s.; malt, 3s. 11½d. per qr. (*Rogers*).

No fruit at Alton Barnes.

Wool, 7s. 11¼d. per tod (*Rogers*).

1432 A considerable rise in prices. Wheat recorded up to 10s. per qr.

Wheat, 6s. 11d.; barley, 3s. 8½d.; oats, 2s. 5d.; rye, 4s. 8d.; beans, 6s. 8d.; malt, 4s. 3½d. per qr. (*Rogers*).

No fruit at Alton Barnes (*Rogers*).

Wool, 6s. 9½d. per tod (*Rogers*).

Severe frost in England (*Lowe*).

1433 The harvest must have been a good average.

Wheat, 5s. 10¼d.; barley, 4s. 2¾d.; oats, 2s. 3d.; rye, 5s. 4d.; beans, 4s.; malt, 4s. 6½d. per qr. (*Rogers*).

Wool, 4s. 10d. per tod (*Rogers*).

June 17. A terrible eclipse of the sun at three o'clock at afternoon, the day being darkened overhead for the space of one half-hour together as though it had been night, and thereupon it was called the black hour (*Holinshed*).

1434 Wheat lower. Barley cheap. Evidently an abundant harvest.

Wheat, 5s. 4½d.; barley, 2s. 10d.; oats, 1s. 11½d.; rye, 3s. 5d.; peas, 3s. 5¾d.; malt, 3s. 4½d. per qr. (*Rogers*).

The winter very severe. The Thames frozen from 24th November, 1434, to 10th February, 1435, so that it bore heavy waggons on its surface as far as Gravesend (*Holinshed*).

Wool, 5s. 4d. per tod (*Rogers*).

1435 Wheat an average price. All other grain cheap.

Wheat, 5s. 6¼d.; barley, 2s. 5d.; oats, 1s. 8½d.; rye, 3s. 5¼d.; beans, 4s.; malt, 2s. 8d. per qr. (*Rogers*).

Wool, 4s. 10d. per tod (*Rogers*).

The frost was so extreme this year, beginning about 25th November, and continuing till 10th February, that

the ships with merchandise arriving at the Thames mouth could not come up the river, so their lading was brought to the city by land. In the harvest a blazing star was seen with long streaming beams (*Holinshed*).

Wheat, 5s. 4d. per qr. (*Smith*).

In Scotland the frost was so vehement that ale and wine were sold by the pound weight, and then melted against the fire (*Holinshed*).

1436 The price of wheat gradually rises, the forecast of the crop of 1437 having its effect on the markets.

Wheat, 5s. 5½d. ; barley, 3s. 0¾d. ; oats, 1s. 10¾d. ; rye, 3s. 11¼d. ; beans, 4s. ; malt, 3s. 5¾d. per qr. (*Rogers*).

Wool, 6s. 1¼d. per tod (*Rogers*).

The frost was so vehement that ale and wine were sold in Scotland by the pound weight, and then melted against the fire (*Holinshed*).

A cow was sold in Salisbury market for 1s., and a calf for 1d. (*Easton*).

Wheat allowed to be exported, when at 6s. 8d. per qr., without a license (*Smith*).

Corn being of small price, viz. wheat at 6s. 8d., and barley at 3s. per qr., may be carried forth of the realm without license (15 *Henry VI. c. 2*).

1437 The price of corn rises rapidly. At November it stood at 8s. ; after it reaches to 16s. The southern counties were most affected by the season, which was wet. The price of barley does not rise correspondingly with that of wheat. A dearth of considerable local severity prevailed during this year.

Wheat, 9s. 3¾d. ; barley, 4s. ; oats, 2s. 11¼d. ; rye, 6s. 8d. ; beans, 3s. 9d. ; malt, 5s. 5½d. per qr. (*Rogers*).

A great dearth in Scotland, the like was never heard of before, and such a death by pestilence that few escaped that were taken therewith (*Holinshed*).

Wool, 4s. 4d. per tod (*Rogers*).

A bushel of wheat sold for 7s. in Chester (*Pigott*).

1438 A year of undoubted famine, the most serious since 1315-16, from which it is separated by an interval of 122 years. The scarcity is universal, as well on the Continent as in England. The cause of the calamity was heavy and long continued rain in summer, with an almost total absence of the normal solar heat. The dearth was early recognised, as in November the price is nearly up to the average of the year. The scarcity of the year, 1438-9, is the most serious in the fifteenth century. It does not equal in severity or extent those of the fourteenth, but it created general distress, perhaps loss of life, in the more impoverished and inaccessible districts. Wheat rose to 20s. per qr.

Wheat, 14s. 7½d. ; barley, 6s. 8¾d. ; oats, 3s. 4¼d. ; rye, 11s. 6d. ; beans, 7s. 4½d. ; malt, 6s. 8¼d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Great dearth of corn from 1437 to 1440. Wheat worth 40d. a bushel in many places, yet men might not have enough. Wherefore Stephen Brown, the Lord Mayor, sent into Prussia and brought to London certain ships laden with rye, which eased and did much good to the people, for corn was so scarce in some places that poor people made bread of fern roots (*Caxton*).

Unskilled labour, 4d. per day ; mowing grass, 16d. per acre (*Rogers*).

1439 Price of wheat lower. It remains high in Cambridge, Sussex, and Devon, but low in Oxfordshire and the Cotswold district. Barley does not fall proportionately.

Wheat, 7s. 6¾d. ; barley, 5s. 2¼d. ; oats, 2s. 3d. ; rye, 4s. 10½d. ; beans, 4s. ; malt, 7s. 2d. per qr. (*Rogers*).

Wheat, 23s. 4d. per qr. (*Adam Smith*).

Wool, 6s. 5d. per tod (*Rogers*).

Land sold at ten years' purchase, so great was the insecurity of possession (*Rogers*).

By reason of great tempests, raging winds, and rain, there rose such scarcity that wheat was sold at 3s. 4d. the

bushel, wine at twelve pence the gallon, bay salt at fourteen pence the bushel, and malt at 13s. 4d. the qr. (*Holinshed*).

Unskilled labour was for many years about fourpence per day (*Rogers*).

1440 Price of wheat uniformly low.

Wheat, 3s. 10½d. ; barley, 3s. ; oats, 1s. 7¼d. ; rye, 3s. ; peas, 2s. 6d. ; malt, 2s. 11¾d. per qr. (*Rogers*).

Wool, 6s. 9¾d. per tod (*Rogers*).

Wheat, 24s. per qr. (*Adam Smith*).

1441 Plentiful harvest, evidently from the low price of corn.

Wheat, 4s. 0¼d. ; barley, 2s. 4½d. ; oats, 1s. 10½d. ; peas, 2s. 3d. ; vetches, 2s. 8d. ; malt, 2s. 6d. per qr. (*Rogers*).

Wool, 4s. 8d. per tod (*Rogers*). North country wool, 6s. per tod ; Wiltshire wool, 11s. per tod.

1442 The harvest must have been abundant. Prices were uniformly low.

Wheat, 3s. 11¼d. ; barley, 3s. 2¾d. ; oats, 2s. 1¼d. ; rye ; 2s. 8d. ; peas, 2s. 8d. ; malt, 3s. 7½d. per qr. (*Rogers*).

Wool, 5s. 9½d. per tod (*Rogers*).

1443 Wheat prices are still very low, barley is also cheap.

Wheat, 4s. 2d. ; barley, 3s. 1½d. ; oats, 1s. 9d. ; peas, 3s. 5½d. ; vetches, 3s. 8d. ; malt, 3s. 3¼d. per qr. (*Rogers*).

Wool, 5s. 4d. per tod.

On Candlemas Eve, by lightning in a tempest that fell with claps of thunder, at afternoon, Paul's steeple was set on fire in the midst of the spear or shaft in the very timber work (*Holinshed*).

Waltham Cross fired by lightning same day (*Townsend*).

1444 The harvest must have been abundant, and of good quality. One quarter of wheat is sold at Abingdon for one shilling. Other corn cheap.

Wheat, 3s. 11¾d. ; barley, 2s. 5½d. ; oats, 1s. 8½d. ; rye, 2s. ; beans, 4s. ; malt, 2s. 7¼d. per qr. (*Rogers*).

Wool, 5s. 8d. per tod (*Rogers*).

Wheat, 4s. 2d. per qr. (*Adam Smith*).

1445 Bad wheat harvest, especially in the south and east.

One sale recorded at Boreham, at 10s. 1d. per qr. ; and one at Cambridge, 8s. 10d. Barley cheap.

Wheat, 6s. $3\frac{1}{2}d.$; barley, 2s. $7\frac{1}{2}d.$; oats, 1s. 11d. ; rye, 2s. $10\frac{1}{2}d.$; vetches, 2s. 8d. ; malt, 2s. $10\frac{3}{4}d.$ per qr. (*Rogers*).

Wheat, 4s. 6d. per qr. (*Smith*).

Wool, 5s. $6\frac{1}{2}d.$ per tod (*Rogers*).

The steeple of St. Mary Redcliff, Bristol, thrown down and the rest of the church much damaged by a thunder-storm at St. Paul's tide (*Lowe*).

1446 Wheat crop nowhere very bad, and nowhere very abundant.

Wheat, 5s. $11\frac{3}{4}d.$; barley, 2s. $10\frac{1}{2}d.$; oats, 2s. $1\frac{3}{4}d.$; rye, 4s. ; vetches, 4s. 4d. ; malt, 3s. $5\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 5s. per tod (*Rogers*).

Great earthquake (*Norwich Register*).

1447 Wheat has fallen to the average price, but all kinds of grain are dear at Yeovil. Pulse cheap.

Wheat, 5s. 2d. ; barley, 3s. $2\frac{3}{4}d.$; oats, 1s. 11d. ; rye, 3s. $9\frac{1}{4}d.$; vetches, 2s. 4d. ; malt, 3s. 7d. per qr. (*Rogers*).

Wool, 4s. 4d. per tod (*Rogers*).

Wheat, 8s. per qr. (*Adam Smith*).

Very hot summer (*Lowe*).

1448 Wheat a little dearer. The highest rates are in the south-west, at Yeovil and Budleigh. In Sussex prices are below the average.

Wheat, 5s. $7\frac{1}{2}d.$; barley, 3s. $1\frac{1}{2}d.$; oats, 1s. 10d. ; rye, 4s. ; beans, 2s. 2d. ; malt, 3s. $9\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 5s. 1d. per tod (*Rogers*).

Wheat, 6s. 8d. per qr. (*Adam Smith*).

1449 Wheat a little lower.

Wheat, 5s. $3\frac{1}{2}d.$; barley, 2s. $10\frac{1}{4}d.$; oats, 1s. $8\frac{1}{2}d.$; rye, 4s. ; beans, 2s. 1d. ; malt, 3s. 6d. per qr. (*Rogers*).

Wool, 3s. $9\frac{1}{2}d.$ per tod. (*Rogers*).

Wheat, 5s. per qr. (*Adam Smith*).

1450 Prices of corn are higher, especially in the south and west. The highest quotations are found at Yeovil, Martock, Loders, and Hornchurch.

Wheat, 6s. $6\frac{3}{4}d.$; barley, 3s. $2\frac{1}{2}d.$; oats, 2s.; rye, 5s. $4d.$; beans, 3s. $11d.$; malt, 4s. $3d.$ per qr. (*Rogers*).

Wool, 3s. $7\frac{3}{4}d.$ per tod (*Rogers*).

1451 Wheat dearer. Highest quotation at Wiveliscombe.

Barley and oats lower.

Wheat, 6s. $6d.$; barley, 3s.; oats, 1s. $9\frac{3}{4}d.$; rye, 4s. $11d.$; beans, 3s. $4d.$; malt, 3s. $5\frac{1}{2}d.$ per qr. (*Rogers*).

Wheat, 8s. per qr. (*Adam Smith*).

Wool, 5s. $3\frac{1}{4}d.$ per tod (*Rogers*).

Wheat at Salisbury at fourpence; barley twopence the bushel (*Easton*).

1452 Wheat lower in the east and midland counties, but still dear in the west.

Wheat, 5s. $8\frac{3}{4}d.$; barley, 2s. $11\frac{1}{2}d.$; oats, 1s. $8d.$; rye, 4s. $2\frac{3}{4}d.$; beans, 2s. $2d.$; malt, 3s. $2d.$ per qr. (*Rogers*).

Wool, 3s. $6d.$ per tod (*Rogers*).

1453 Wheat dearer in the midland and the north. Barley dearer.

Wheat, 5s. $1\frac{1}{4}d.$; barley, 3s. $6\frac{1}{2}d.$; oats, 2s. $2\frac{3}{4}d.$; rye, 3s. $4\frac{1}{2}d.$; beans, 4s.; malt, 4s. $5d.$ per qr. (*Rogers*).

Wool, 6s. $1\frac{1}{4}d.$ per tod (*Rogers*).

Wheat, 5s. $4d.$ per qr. (*Adam Smith*).

1454 Wheat lower than at any year in the century. This must have been a year of exceptional abundance.

Wheat, 3s. $10\frac{1}{4}d.$; barley, 2s. $9\frac{1}{2}d.$; oats, 1s. $8\frac{1}{2}d.$; peas, 2s. $3\frac{1}{4}d.$; vetches, 3s. $4d.$; malt, 3s. $4\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 3s. $4d.$ per tod (*Rogers*).

Wheat at Salisbury, one shilling per qr.; malt, one shilling and fourpence (*Easton*).

1455 Wheat rises to its average amount. Above the average in eastern England, and below in the midland district.

Wheat, 5s. $5\frac{1}{2}d.$; barley, 3s. $1\frac{1}{4}d.$; oats, 1s. $10d.$; rye, 3s.; peas, 2s. $7d.$; malt, 4s. $0\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 3s. $4d.$ per tod (*Rogers*).

Wheat, 1s. $2d.$ per qr. (*Smith*).

1456 In July and early in September there was a sudden

and sharp rise, due probably to anticipations of a defective harvest.

Wheat, 4s. 11 $\frac{3}{4}$ d. ; barley, 2s. 10 $\frac{3}{4}$ d. ; oats, 2s. ; rye, 3s. 4d. ; beans, 3s. ; malt, 3s. 1d. per qr. (*Rogers*).

Wool, 5s. per tod (*Rogers*).

Two comets (*L. Townsend*).

1457 Deficient harvest.

Wheat, 5s. 9 $\frac{1}{2}$ d. ; barley, 2s. 10 $\frac{1}{2}$ d. ; oats, 1s. 10 $\frac{1}{2}$ d. ; rye, 3s. 9 $\frac{3}{4}$ d. ; beans, 2s. 11 $\frac{1}{2}$ d. ; malt, 3s. 3 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Wheat, 7s. 8d. per qr. (*Adam Smith*).

1458 Probably a good harvest, as prices declined as summer advanced.

Wheat, 5s. 9 $\frac{1}{4}$ d. ; barley, 3s. 6d. ; oats, 1s. 9 $\frac{1}{4}$ d. ; rye, 4s. ; vetches, 3s. 4d. ; malt, 2s. 8 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 4s. 4 $\frac{1}{4}$ d. per tod (*Rogers*).

1459 Wheat dear in the midland district, 6s. 8d. at Lullington. Cheap at Cambridge ; average of this locality, 4s. 5 $\frac{1}{4}$ d. Beans, peas, and vetches cheap.

Wheat, 5s. 1 $\frac{3}{4}$ d. ; barley, 3s. 1 $\frac{1}{4}$ d. ; oats, 1s. 10d. ; rye, 3s. 4d. ; beans, 3s. ; malt, 3s. 1 $\frac{1}{2}$ d. per qr. (*Rogers*).

Wool, 3s. 6 $\frac{3}{4}$ d. per tod (*Rogers*).

In a little town in Bedfordshire there fell a bloody rain, whereof the red drops appeared in sheets, the which a woman had hanged out for to dry (*Holinshed*).

Wheat, 5s. per qr. (*Adam Smith*).

The Baltic frozen so that people travelled on ice from Denmark to Lubeck, Wismar, Rostock, and Stralsund (*L. Townsend*).

1460 The price of corn much higher. Wheat quoted up to 8s. 5 $\frac{1}{2}$ d. ; barley, 5s. 6d.

Wheat, 7s. 0 $\frac{1}{4}$ d. ; barley, 4s. 0 $\frac{1}{2}$ d. ; oats, 2s. 0 $\frac{3}{4}$ d. ; rye, 5s. ; vetches, 6s. 8d. ; malt, 4s. 4d. per qr. Malt is quoted up to 7s. 6 $\frac{1}{2}$ d., indicating considerable local scarcity (*Rogers*).

Wool, 4s. 8d. per tod (*Rogers*).

Wheat, 8s. per qr. (*Smith*).

Wheat permitted to be exported when below 6s. 8d. per qr. ; and barley, 3s. 4d. per qr. (*Hume*).

A comet in August (*Holinshed*).

Produce of a farm. Wheat 12 bushels per acre, at 5s. per qr. ; barley, 2 qrs. ; peas, 1 qr. ; oats, 2 qrs. 4 bushels (*Rogers*).

1461 Wheat still rising.

Wheat, 7s. 5 $\frac{1}{4}$ d. ; barley, 4s. 1d. ; oats, 2s. 3 $\frac{3}{4}$ d. ; peas, 4s. 4d. ; vetches, 6s. ; malt, 4s. 5 $\frac{1}{4}$ d. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

1462 All corn much cheaper.

Wheat, 4s. 4 $\frac{1}{4}$ d. ; barley, 3s. 3 $\frac{1}{2}$ d. ; oats, 1s. 5 $\frac{1}{2}$ d. ; rye, 4s. 8d. ; beans, 3s. 3d. ; malt, 2s. 4d. (*Rogers*).

Wool, 5s. per tod (*Rogers*).

1463 The harvest must have been uniformly abundant, as wheat falls to the price of 1440-1, which is the lowest of the century as yet. Barley equally cheap. Oats dearer.

Wheat, 3s. 10 $\frac{1}{2}$ d. ; barley, 2s. 4 $\frac{1}{2}$ d. ; oats, 1s. 8 $\frac{1}{2}$ d. ; rye, 2s. 10d. ; beans, 3s. 6d. ; malt, 3s. per qr. (*Rogers*).

Wool, 7s. per tod (*Rogers*).

Wheat, 1s. 10d. per qr. (*A. Smith*).

No wheat allowed to be imported till the price was over 6s. 8d. per qr. (*Smith*).

1464 Wheat a little dearer, but prices generally low.

Wheat, 4s. 1 $\frac{1}{2}$ d. ; barley, 3s. 6 $\frac{1}{2}$ d. ; oats, 3s. 4d. ; beans, 3s. 8d. ; rye, 3s. 4d. ; malt, 4s. 10 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 4s. 10d. per tod (*Rogers*).

Wheat, 6s. 8d. per qr. (*Smith*).

1465 Wheat still dearer, but all corn very cheap.

Wheat, 4s. 7d. ; barley, 3s. 0 $\frac{1}{2}$ d. ; oats, 1s. 9d. ; rye, 3s. ; beans, 4s. ; malt, 4s. 4 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 4s. 10d. per tod (*Rogers*).

1466 All corn higher except pulse, which is low.

Wheat, 5s. 4d. ; barley, 3s. 4 $\frac{3}{4}$ d. ; oats, 2s. 1d. ; rye, 3s. 3 $\frac{1}{4}$ d. ; beans, 3s. 4d. ; malt, 3s. 8d. per qr. (*Rogers*).

Wool, 4s. 10d. per tod (*Rogers*).

1467 Very slight alteration in prices.

Wheat, 5s. 4d. ; barley, 3s. 2d. ; oats, 2s. 1½d. ; rye, 4s. ; beans, 3s. 4¼d. ; malt, 3s. 9¾d. per qr. (*Rogers*).

Wool, 6s. 3½d. per tod (*Rogers*).

Wine was cut with hatchets and served to the soldiers in Flanders (*Chambers*).

1468 The harvest seems to have been generally good, but prices of wheat are high in the eastern counties.

Wheat, 5s. 7¾d. ; barley, 3s. 2½d. ; oats, 1s. 8½d. ; rye, 3s. 8d. ; beans, 2s. 7½d. ; malt, 3s. per qr. (*Rogers*).

Wool, 4s. 5d. per tod (*Rogers*).

1469 Prices high in the west, up to 8s. 4d. at Budleigh and Lodors, whilst in eastern counties it is down to 5s. 1d. ; barley and oats dearer.

Wheat, 6s. 5½d. ; barley, 3s. 6¼d. ; oats, 2s. 1¼d. ; rye, 4s. 2¾d. ; peas, 2s. 8d. ; malt, 3s. (*Rogers*).

Wool, 4s. 5d. per tod (*Rogers*).

1470 Prices lower, except in the eastern counties.

Wheat, 5s. 9¾d. ; barley, 3s. 4d. ; oats, 1s. 9d. ; rye, 5s. 4d. ; malt, 3s. 8½d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

A heavy flood in the valley of the Ouse.

1471 Wheat about an average price, barley higher.

Wheat, 5s. 7½d. ; barley, 3s. 11¼d. ; oats, 1s. 10¼d. ; beans, 4s. ; malt, 4s. 9¼d. per qr. (*Rogers*).

Wool, 4s. 1½d. per tod (*Rogers*).

1472 Wheat uniformly low, barley and malt rather cheaper.

Wheat, 4s. 0¾d. ; barley, 3s. 5d. ; oats, 1s. 10¼d. ; beans, 3s. 4d. ; malt, 3s. 3¼d. per qr. (*Rogers*).

Wool, 5s. 2¾d. per tod (*Rogers*).

1473 Wheat low.

Wheat, 3s. 10d. ; barley, 3s. 6¾d. ; oats, 2s. 5d. ; rye, 3s. 4d. ; beans, 3s. 4½d. ; malt, 3s. 1¼d. per qr. (*Rogers*).

Wool, 5s. 2¾d. per tod (*Rogers*).

A comet appeared in the south from January 17th to

February 18th, and was placed between the Pole and the Pleiades (*Holinshed*).

Very hot summer; the whole earth seemed on fire (*Lowe*).

1474 Wheat higher, other corn lower.

Wheat, 4s. 6d.; barley, 3s. 2 $\frac{3}{4}$ d.; oats, 1s. 5 $\frac{1}{2}$ d.; beans, 2s. 8 $\frac{3}{4}$ d.; malt, 3s. 0 $\frac{1}{2}$ d. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Very hot summer, similar to the last (*Lowe*).

1475 Wheat still dearer; barley cheaper.

Wheat, 5s. 5 $\frac{1}{4}$ d.; barley, 3s. 2d.; oats, 1s. 11 $\frac{1}{4}$ d.; rye, 4s.; beans, 3s. 4d.; malt, 2s. 4d. per qr. (*Rogers*).

Wool, 7s. 1d. per tod (*Rogers*).

Several villages destroyed near the mouth of the Humber by inundation (*M. Hoff*).

1476 Wheat, 5s. 1 $\frac{1}{2}$ d.; barley, 3s. 2d.; oats, 1s. 11 $\frac{1}{2}$ d.; rye, 3s. 4d.; beans, 3s. 5d.; malt, 2s. 4 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 8s. 8d. per tod (*Rogers*).

1477 Wheat much dearer, it reaching 7s. 4d. at Coleshull.

Wheat, 6s. 8d.; barley, 3s. 2 $\frac{3}{4}$ d.; oats, 1s. 8d.; beans, 2s. 8d.; malt, 2s. 6 $\frac{1}{4}$ d. per qr. (*Rogers*).

Probably a wet summer. Wool, 6s. per tod (*Rogers*).

By reason of great heat and distemperance of air happened so fierce and quick a pestilence that fifteen years war past consumed not the third part of the people that only four months miserably and pitifully despatched and brought to their graves (*Holinshed*).

1478 Wheat still at a high price, and universally so. Barley cheap, but malt high, indicating that the quality of the grain was low. This summer, as well as the last, was probably wet, and the quality of the corn inferior.

Wheat, 6s. 7 $\frac{1}{4}$ d.; barley, 2s. 9d.; oats, 1s. 10d.; rye, 4s.; beans, 4s.; malt, 4s. 3 $\frac{1}{2}$ d. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

1479 Wheat cheaper.

Wheat, 5s. 10 $\frac{1}{4}$ d.; barley, 3s. 4 $\frac{1}{2}$ d.; oats, 1s. 7d.; rye, 3s. 4d.; beans, 4s.; malt, 3s. 6 $\frac{1}{4}$ d. (*Rogers*).

Great mortality and death, by the pestilence in divers parts of the realm, which began in September in the year last passed and continued all this year till November, about fourteen months (*Holinshed*).

1480 Wheat, 5s. 10d. ; barley, 3s. ; oats, 1s. 11 $\frac{1}{4}$ d. ; rye, 3s. 4d. ; beans, 3s. 10 $\frac{3}{4}$ d. ; malt, 4s. 3 $\frac{1}{2}$ d. per qr. (*Rogers*).
Wool, 3s. 8d. per tod (*Rogers*).

Wonderful tempest of wind and weather (*Hector Boetius*).

An earthquake in July (*Norwich Register*).

1481 A decidedly defective harvest. The probable cause of the dearth was wet in the midland and eastern counties.

Wheat, 8s. 6 $\frac{3}{4}$ d. ; barley, 5s. 8d. ; oats, 3s. 3 $\frac{1}{4}$ d. ; rye, 5s. 0 $\frac{1}{2}$ d. ; beans, 5s. ; malt, 5s. 10 $\frac{1}{4}$ d. (*Rogers*).

Wool, 4s. 4d. per tod (*Rogers*).

1482 Prices are still higher, especially in eastern England. Barley and malt are also very dear. The highest rate for wheat is 15s. at Wearmouth. Oats are by no means dear, but beans and peas are.

Wheat, 10s. 4d. ; barley, 6s. 2 $\frac{3}{4}$ d. ; oats, 2s. 4 $\frac{3}{4}$ d. ; beans, 5s. 9 $\frac{1}{4}$ d. ; peas 8s. 4d. ; malt, 7s. per qr. (*Rogers*).

These two years are distinctly those of scarcity, especially in the eastern counties. The highest prices being in Durham (*Rogers*).

Probably cold and wet seasons, as oats are not affected in price, and they are not injured by seasons of this character (*T. H. B.*).

Wool, 5s. 7d. per tod (*Rogers*).

1483 Prices fell as the prospects of 1483 improved.

Wheat, 7s. 3 $\frac{1}{4}$ d. ; barley, 5s. 11d. ; oats, 2s. 4d. ; beans, 4s. 1 $\frac{3}{4}$ d. ; peas, 4s. 1d. ; malt, 4s. 9d. per qr. (*Rogers*).

Wool, 5s. 2d. per tod.

Such a flood in Gloucestershire by force of continual rain and moisture that all the country was overflowed by the Severn, and several persons drowned in their beds.

The waters did not abate for ten days, and in the country adjoining they call it to this day "The great water" (*Holinshed*).

Another flood (*Arlingham Register*).

Sweating sickness first appeared in England. It chiefly attacked males in the prime of life, and more especially the higher classes. It was a disease of peculiar violence, and in twenty-four hours the fate of the sufferer was decided for life or death (*Lowe*).

1484 The price of wheat falls to an average price.

Wheat, 5s. $3\frac{3}{4}d.$; barley, 4s. $1\frac{1}{4}d.$; oats, 2s. $2\frac{1}{2}d.$; rye, 4s. $8d.$; beans, 3s. $8d.$; malt, 3s. $10\frac{1}{4}d.$ (*Rogers*).

Wool, 5s. $4d.$ per tod (*Rogers*).

1485 Prices of corn low.

Wheat, 4s. $6\frac{1}{4}d.$; barley, 3s. $5d.$; oats, 1s. $8d.$; beans, 3s. $4d.$; peas, 3s. $4d.$; malt, 2s. $4d.$ per qr. (*Rogers*).

Wool, 5s. per tod (*Rogers*).

Two mayors and six aldermen died in London in one week of the sweating sickness (*Lowe*).

1486 Prices a little higher.

Wheat, 5s. $3\frac{1}{2}d.$; barley, 4s. $11d.$; oats, 1s. $9d.$; rye, 6s. $8d.$; beans, 3s. $6d.$; malt, 3s. $4d.$ per qr. (*Rogers*).

Wool, 5s. per tod (*Rogers*).

A new kind of sickness suddenly invaded this land about 21st September, and continued till the latter end of October, being so sharp and deadly that the like was never heard of to any man's remembrance before that time (*Holinshed*).

Wheat three shillings the bushel at Salisbury (*Easton*).

? 3s. per qr. (*T. H. B.*).

1487 Wheat, 5s. $5\frac{1}{4}d.$; barley, 3s. $0\frac{1}{2}d.$; oats, 1s. $9\frac{3}{4}d.$; rye, 5s. $4d.$; peas, 2s.; malt, 3s. $10\frac{1}{4}d.$ per qr. (*Rogers*).

Earthquake at Norwich.

Wool, 4s. per tod (*Rogers*).

1488 Wheat, 5s. $6d.$; barley, 4s. $0\frac{1}{4}d.$; oats, 2s. $9\frac{3}{4}d.$; rye, 4s.; beans, 2s.; malt, 2s. $10\frac{3}{4}d.$ per qr. (*Rogers*).

Wool, 4s. 5d. per tod (*Rogers*).

1489 Wheat, 5s. 10 $\frac{3}{4}$ d. ; barley, 3s. 3d. ; oats, 1s. 9 $\frac{1}{2}$ d. ; rye, 6s. 8d. ; beans, 3s. 5d. ; malt, 3s. 6d. per qr. (*Rogers*).

Wool, 4s. 9 $\frac{1}{4}$ d. per tod (*Rogers*).

1490 Wheat, 4s. 10 $\frac{1}{2}$ d. ; barley, 4s. 2d. ; oats, 1s. 8 $\frac{3}{4}$ d. ; malt, 4s. per qr. (*Rogers*).

Wool, 3s. 6d. per tod (*Rogers*).

A dearth this year (*Rogers*).

1491 Price of wheat rises with the summer of 1492. Some is sold at Norwich at 8s. 6d. per qr.

Wheat, 6s. 7 $\frac{1}{4}$ d. ; barley, 3s. 7d. ; oats, 2s. ; rye, 4s. 4d. ; beans, 3s. ; malt, 3s. 3d. per qr. (*Rogers*).

Wool, 4s. 8d. per tod (*Rogers*).

Wheat, 14s. 8d. per qr. (*Adam Smith*).

Wheat, 13s. 4d. per qr. at Salisbury (*Easton*).

1492 Wheat is cheap.

Wheat, 4s. 3d. ; barley, 4s. ; oats, 1s. 4d. ; rye, 2s. ; malt, 3s. 11d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

1493 Prices of wheat uniform and almost stationary.

Wheat, 4s. 1d. ; barley, 3s. 3d. ; rye, 3s. 4d. ; malt, 3s. 4d. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

Wheat was sold at London at sixpence per bushel, bay-salt for threepence-halfpenny the bushel ; Nantwich salt for sixpence the bushel ; white herrings nine shillings the barrel (*Holinshed*).

Wheat at four shillings the bushel (? qr.) at Salisbury (*Easton*).

1494 This year is plainly one of general abundance.

Wheat, 4s. 9 $\frac{3}{4}$ d. ; barley, 3s. ; oats, 1s. 8 $\frac{3}{4}$ d. ; beans, 2s. 9d. ; malt, 3s. 3d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Wheat, 4s. per qr. (*A. Smith*).

1495 All corn universally cheap. Average at Cambridge, of wheat, 3s. 4d. per qr.

Wheat, 4s. $0\frac{3}{4}d.$; barley, 2s. $11d.$; oats, 1s. $7\frac{1}{2}d.$; rye, 3s. ; beans, 2s. $4d.$; malt, 2s. $4\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 6s. $2d.$ per tod (*Rogers*).

Wheat, 3s. $4d.$ per qr. (*Adam Smith*).

1496 Price of wheat, at Sion, is 6s. $8\frac{3}{4}d.$; at Romsey, 4s. per qr.

Wheat, 5s. $5\frac{1}{2}d.$; barley, 3s. $2d.$; oats, 1s. $9d.$; beans, 2s. $10d.$; malt, 3s. per qr. (*Rogers*).

Wool, 8s. per tod (*Rogers*).

1497 Wheat at Sion, 5s. $11\frac{1}{4}d.$; Wearmouth, 8s. ; Cambridge, 4s. $10\frac{1}{4}d.$

Wheat, 5s. $1d.$; barley, 3s. $7\frac{1}{2}d.$; oats, 2s. ; beans, 3s. $2d.$; malt, 2s. $9\frac{1}{2}d.$ per qr. (*Rogers*).

Wheat, 20s. per qr. (*Adam Smith*).

A dreadful hailstorm at Salisbury, some of the stones measuring eight inches in circumference (*Easton*).

1498 Wheat, 5s. $5\frac{1}{2}d.$; barley, 4s. $5d.$; oats, 2s. $2\frac{1}{4}d.$; beans, 3s. $9d.$; peas, 4s. $9d.$; malt, 4s. $6\frac{1}{2}d.$ (*Rogers*).

Wool, 8s. per tod (*Rogers*).

A great drought, by reason whereof a load of hay which was before sold at London for five shillings was this year sold for ten or twelve more (*Holinshed*).

1499 Wheat, 4s. $9d.$; barley, 3s. $5\frac{3}{4}d.$; oats, 1s. $10\frac{1}{4}d.$; beans, 3s. ; malt, 3s. $7\frac{1}{4}d.$ per qr. (*Rogers*).

Wool, 4s. $11d.$ per tod.

Tenants had accumulated capital to such an extent that in many cases they were able to purchase land. Arable land was worth not more than fifteen years' purchase, and its rent was little more than sixpence an acre (*R.*)

Wheat, 4s. per qr. (*Adam Smith*).

1500 Wheat dearer, and reaches 10s. as the summer of 1501 advances.

Wheat, 6s. $1\frac{1}{2}d.$; barley, 3s. $8\frac{1}{4}d.$; oats, 1s. $11d.$; rye, 4s. $4\frac{1}{2}d.$; peas, 3s. $9\frac{1}{4}d.$; malt, 3s. $6\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 6s. $8d.$ per tod (*Rogers*).

A great plague whereof men died in many places very sore (*Holinshed*).

Mortality amongst animals (*Rogers*). *Mag. Col. Oxford*, 607 sheep died.

1501 Wheat reaches an average price, which it has not attained for twenty years. The dearth is universal.

Wheat, 8s. $5\frac{1}{4}d.$; barley, 3s. $0\frac{1}{2}d.$; oats, 2s. $1\frac{1}{2}d.$; rye, 4s. 8d.; beans, 4s.; malt, 4s. 6d. per qr. (*Rogers*).

Wool, 5s. $3\frac{3}{4}d.$ per tod (*Rogers*).

1502 Wheat is cheaper.

Wheat, 8s. $0\frac{3}{4}d.$; barley, 4s. $0\frac{1}{4}d.$; oats, 2s. $4\frac{1}{2}d.$; rye, 6s. 8d.; beans, 2s. $5\frac{1}{2}d.$; malt, 3s. $7\frac{3}{4}d.$ (*Rogers*).

Wool, 4s. $8\frac{1}{2}d.$ per tod (*Rogers*).

1503 Wheat, 6s. $3\frac{3}{4}d.$; barley, 4s. $0\frac{1}{4}d.$; oats, 1s. $11\frac{3}{4}d.$; rye, 5s. 3d.; beans, 3s. 8d.; malt, 3s. 5d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Continual rain (? at what part of the year) (*T. H. B. ; Norwich Register*).

A dry summer, having no notable rain from Whitsuntide to the later Lady Day in harvest (*Holinshed*).

1504 Price of wheat has fallen considerably.

Wheat, 5s. $0\frac{1}{4}d.$; barley, 5s.; oats, 2s. 4d.; rye, 4s. $0\frac{1}{4}d.$; malt, 3s. 10d. per qr. (*Rogers*).

Wool, 4s. per tod (*Rogers*).

Wheat, 5s. 8d. per qr. (*Adam Smith*).

Wheat still cheaper.

Wheat, 4s. $10\frac{1}{4}d.$; barley, 4s. $1\frac{1}{4}d.$; oats, 2s. $0\frac{1}{2}d.$; beans, 3s.; malt, 3s. $10\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 3s. $7\frac{1}{2}d.$ per tod (*Rogers*).

Two comets (*L. Townsend*).

1506 Prices are low in November, but during part of July and August following they are high, probably in consequence of alarm at wet in the early days of harvest.

Wheat, 5s. $4\frac{3}{4}d.$; barley, 2s. $10\frac{1}{2}d.$; oats, 1s. $10\frac{1}{4}d.$; beans, 3s. 4d.; peas, 4s.; malt, 3s. $3\frac{1}{4}d.$ (*Rogers*).

Wool, 4s. $10\frac{1}{4}d.$ per tod (*Rogers*).

Great tempest of wind in January (*Aubrey*).

A comet, August 10th, giving great light in the night-season, like to the sunbeams (*Holinshed*).

There were seen in the night in Pouille three suns in the midst of the firmament, but many clouds about them with right fearful thunders and lightnings (*Holinshed*).

River Thames, London, bore carriages throughout January (*Lowe*).

1507 Wheat, 5s. 6½*d.* ; barley, 2s. 9¾*d.* ; oats, 2s. 1*d.* ; beans, 3s. 3½*d.* ; peas, 5s. 4*d.* ; malt, 2s. 10*d.* per qr. (*Rogers*).

Wool, 4s. 3*d.* per tod (*Rogers*).

Unskilled labour, 4*d.* per day ; carpenter, 6*d.* ; tiler, 6*d.* (*Rogers*).

The sweating sickness returned (*Holinshed*).

The use of hops and the planting of them introduced from Flanders about this time (*Hume*).

1508 Wheat, 3s. 10½*d.* ; barley, 2s. 10*d.* ; oats, 2s. 1*d.* ; beans, 2s. 7¾*d.* ; peas, 2s. 7¼*d.* ; malt, 3s. 2¼*d.* (*Rogers*).

Prices are low in the autumn, and in March begin to sink, till in September, 1509, they reach a rate which has not been known for years (*Rogers*).

Wool, 3s. 1*d.* per tod ; unskilled labour, 4*d.* per day ; reaping wheat, 1s. per acre (*Rogers*).

September 19. A great earthquake in many places, both in England and Scotland (*Holinshed*).

A very plentiful harvest (*Pigott*).

1509 Prices exceedingly low (*Rogers*). No doubt this was an abundant harvest. The years 1509–10 are characterized by remarkable plenty.

Wheat, 3s. ; barley, 3s. 2*d.* ; oats, 1s. 7¾*d.* ; beans, 2s. 5¾*d.* ; peas, 3s. 11*d.* ; malt, 3s. 1¼*d.* per qr. (*Rogers*).

The price of wheat in 1509–10 is the cheapest recorded in more than two centuries (*Rogers*).

Wool, 4s. 8*d.* per tod (*Rogers*).

Thrashing and winnowing 1 qr. of barley, 3½*d.* (*Rogers*)

Wheat, 5s. 8*d.* per qr. ; malt, 4s. per qr. ; fat beasts at

Allhallow-tide, 13s. 4d. each, and lean beasts at St. Helen's, 8s. a piece ; sheep, 20d. a piece ; fat hogs, 2s. a piece ; fat calves, 20d. ; lambs, 10d. to 1s. (*Hume*).

1510 Wheat still very low. The price began at 3s. in November, and rose to 4s. 8d. in the following September.

Wheat, 4s. ; barley, 4s. 3d. ; oats, 1s. 10¼d. ; rye, 3s. 5¼d. ; beans, 5s. 3½d. ; malt, 2s. 5¼d. (*Rogers*).

The plague was great in divers parts of the realm (*Holinshed*).

Wool, 6s. 6¾d. per tod ; unskilled labour, 3d. per day (*Rogers*).

1511 Wheat is considerably dearer, rising to a full average.

Wheat, 5s. 8½d. ; barley, 3s. 1¼d. ; oats, 1s. 5¼d. ; rye, 5s. 4d. ; beans, 4s. ; malt, 3s. 3½d. per qr. (*Rogers*).

Wool, 7s. 7d. per tod (*Rogers*).

Unskilled labour, 4d. per day (*Rogers*).

1512 Price of wheat very high, up to 12s. 8d. at Cambridge.

Wheat, 9s. 1¼d. ; malt, 4s. 3¾d. per qr. (*Rogers*).

During a scarcity this year a great store of corn was laid up in the Leadenhall granary, and the mayor used to attend the market at 4 a.m. (*Walter Thornbury*).

1513 Wheat much lower.

Wheat, 6s. 0½d. ; barley, 5s. ; peas, 6s. 1d. per qr. (*Rogers*).

Wool, 4s. 11½d. per tod (*Rogers*).

July 21. Called "The Dry Wednesday," for the day was wonderfully hot, and some died for lack of moisture (*Holinshed*).

Great cold, wind, and rain to Sept. 9th (*Holinshed*).

This season began a great mortality in London and other places, when much people died (*Holinshed*).

1514 Wheat, 5s. 4d. ; barley, 5s. 10d. ; oats, 1s. 8d. ; rye, 4s. 8d. ; peas, 7s. 6d. ; malt, 2s. 11½d. per qr. (*Rogers*).

Wool, 6s. 8d. per tod (*Rogers*).

November 27. Great flood at Burton-on-Trent (*Rev. Stebbing Shaw*).

1515 Prices are low this autumn, beginning at 4s. 2d. in October and gradually rising till the next harvest; one lot sold at Norwich at 8s. 6d.

Wheat, 6s. 9 $\frac{3}{4}$ d. ; barley, 2s. 10d. ; oats, 2s. 3d. ; rye, 2s. 8d. ; beans, 4s. ; malt, 3s. 7 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 6s. 6 $\frac{3}{4}$ d. per tod (*Rogers*).

Thames frozen and used as a highway. Carriages passed over on the ice from Lambeth to Westminster (*W. Thornbury*).

1516 Wheat, 5s. 3 $\frac{1}{2}$ d. ; barley, 3s. 4 $\frac{1}{2}$ d. ; oats, 1s. 10d. ; rye, 3s. 7 $\frac{1}{2}$ d. ; peas, 5s. 2d. ; vetches, 6s. 8d. ; malt, 3s. 10 $\frac{1}{4}$ d. (*Rogers*).

Wool, 7s. 7 $\frac{3}{4}$ d. per tod (*Rogers*).

Thames frozen. Black May in London. Wool dear on account of the mortality amongst sheep. Time of drought.

1517 Wheat was dear at the beginning of the harvest year, and fell greatly towards its conclusion.

Wheat, 6s. 5d. ; barley, 3s. 4d. ; rye, 2s. 8d. ; malt, 3s. 11 $\frac{1}{4}$ d. per qr. (*Rogers*).

Wool, 7s. 2 $\frac{1}{2}$ d. per tod (*Rogers*).

1518 In October, 1518, wheat is only half the price at which it is bought in the following summer.

Wheat, 5s. 11 $\frac{1}{2}$ d. ; barley, 3s. 6d. ; oats, 2s. 2 $\frac{3}{4}$ d. ; rye, 4s. ; beans, 4s. 4 $\frac{1}{2}$ d. ; malt, 5s. 6 $\frac{3}{4}$ d. per qr. (*Rogers*).

Wool, 5s. 6 $\frac{1}{4}$ d. per tod (*Rogers*).

1519 The price of wheat considerably higher. One parcel sold at Cambridge at 10s. 11d. The price rose greatly with the prospects of the next harvest, which was scanty.

Wheat, 7s. 2d. ; barley, 3s. 11 $\frac{3}{4}$ d. ; oats, 2s. 3 $\frac{3}{4}$ d. ; rye, 3s. 6 $\frac{1}{2}$ d. ; beans, 7s. 4d. ; malt, 4s. 8d. per qr. (*Rogers*).

Wool, 7s. 4d. per tod (*Rogers*).

The sweating sickness continued from July to the midst of December (*Holinshed*).

Deluge of St. Leonard's Day, Nov. 6th (*Norwich Register*).

1520 Wheat higher than it has been since 1438. At Cambridge, on 20th September, 10 qrs. were sold at 12s., 25 qrs. at 10s., and 20 qrs. at 7s., the variation on the same day showing that the quality differed considerably (*Rogers*).

No doubt this was an ungenial summer (*T. H. B.*).

Unskilled labour, $4\frac{1}{2}d.$ per day; carpenter, $6\frac{1}{2}d.$ per day (*Rogers*).

Wheat, 9s. $4\frac{1}{2}d.$; barley, 5s. 2d.; oats, 3s. 4d.; rye, 4s. 11d.; malt, 6s. $5\frac{1}{2}d.$ per qr. (*Rogers*).

Wool, 6s. 1d. per tod (*Rogers*).

On Monday, June 18th, was such an hideous storm of wind and weather that many conjectured it did prognosticate trouble and hatred shortly after to follow between princes (*Holinshed*).

1521 Wheat has fallen in price, though it is still dear in London, where one price is as high as 13s. 4d. (*Rogers*).

Wool, 4s. $3\frac{1}{2}d.$ per tod (*Rogers*).

Wheat, 20s. per qr. (*Adam Smith*).

Wheat, 7s. $8\frac{1}{2}d.$; barley, 5s. $9\frac{1}{2}d.$; oats, 2s. 8d.; malt, 5s. 7d. per qr. (*Rogers*).

The king, having regard to the commonwealth of this realm, considered how, for the space of fifty years past and more, the gentlemen of England, being given to grazing of cattle and keeping of sheep, had invented a mean how to increase their yearly revenues, and studying how to increase their pastures more than to maintain tillage, began to decay husband tacks and tenements, and to convert arable ground into pasture, furnishing the same with beasts and sheep, so inclosing the field with hedges, ditches, and pales, ingrossing wools and selling the same, and also sheep and beasts at their own prices. Hereof a threefold evil chanced to the commonwealth: one, that thereby the number of husbandmen were sore diminished; another, that many towns and villages were left desolate and became ruinous; the third, that both

wool, and cloth made thereof, and the flesh of all manner of beasts was sold at far higher prices than was accustomed. So commandment was given that the decayed houses should be built up again, that enclosed grounds should be laid open, and sore punishment against them that disobeyed (*Holinshed*).

- 1522 Wheat, 6s. $0\frac{1}{4}d.$; barley, 3s. $11d.$; oats, 2s. $1\frac{1}{2}d.$; beans, 3s. $8d.$; malt, 4s. $3\frac{1}{2}d.$ per qr. (*Rogers*).

Wheat is sold in London for 20s. a quarter, in other places for 26s. $8d.$ (*Holinshed*).

- 1523 Wheat, 5s. $6d.$; barley, 3s.; oats, 2s. $3d.$; malt, 3s. $4d.$ per qr. (*Rogers*).

Great rains and wind in beginning of November, followed by a sore frost, which was so extreme that men died of cold, and some lost fingers, some lost toes, and many lost nails, so extreme was the rigour of the frost (*Holinshed*).

November 3. At night a sore and vehement storm and tempest of rain (*Holinshed*).

- 1524 Wheat, 5s. $1\frac{1}{2}d.$; barley, 4s.; oats, 2s. $10\frac{1}{4}d.$; beans, 3s. $1\frac{1}{4}d.$; malt, 4s. $8\frac{1}{2}d.$ (*Rogers*).

Prices have fallen considerably below the average (*Rogers*).

Butter was 10s. the barrel (*Rogers*).

- 1525 Probably a good harvest, and low prices in eastern counties.

Wheat, 5s. $5d.$; barley, 4s. $3d.$; oats, 2s. $4\frac{3}{4}d.$; rye, 6s. $10d.$; beans, 3s. $10d.$; malt, 4s. $8\frac{1}{4}d.$ (*Rogers*).

Wool, 4s. $5\frac{1}{2}d.$ per tod (*Rogers*).

In this winter was great death (*Holinshed*).

- 1526 Prices steadily growing.

Wheat, 6s. $2\frac{1}{2}d.$; barley, 6s. $6d.$; oats, 2s. $10d.$; beans, 6s. $8d.$; peas, 7s. $6d.$; malt, 5s. $11\frac{1}{4}d.$ per qr. (*Rogers*).

Wool, 4s. $3d.$ per tod (*Rogers*).

- 1527 Wheat very dear on the eastern side of England, rising to 18s. $8d.$

Wheat, 12s. 11d. ; barley, 5s. 7 $\frac{3}{4}$ d. ; oats, 3s. 9 $\frac{1}{4}$ d. ; rye, 12s. 0 $\frac{3}{4}$ d. ; beans, 7s. ; malt, 9s. 2 $\frac{1}{2}$ d. per qr.

A famine year (*Rogers*).

Wool, 7s. 5 $\frac{1}{2}$ d. per tod (*Rogers*).

Great scarcity (*Norwich Register*).

By reason of the great wet that fell in the sowing time of the corn, and in the beginning of the last year ; now, in the beginning of this, corn so failed that in the city of London for a while bread was scant. In the beginning wheat was only at 15s. the qr., and from thence it rose to 20s., and after to 26s. 8d., till remedy by outward provision was procured (*Holinshed*).

In the winter season of this year fell great abundance of rain ; and namely in September, November, and December, and on January 16th, it rained so abundantly that great floods thereby ensuing destroyed corn fields, pastures, and drowned many sheep and beasts. Then was it dry till April 12th, and thence it rained every day or night till June 3rd. And in May it rained thirty hours without ceasing, which caused great floods and did much harm, namely in corn, so that great dearth ensued (*Holinshed*).

Smut first noticed in wheat (*Rogers*).

Wheat at Salisbury 2s. the bushel (*Easton*).

1528 Wheat is cheaper, but still high, locally standing at 15s. to 16s. at Bardney.

Wheat, 8s. 10 $\frac{1}{4}$ d. ; barley, 6s. 7d. ; oats, 3s. ; rye, 7s. 5d. ; beans, 5s. 10 $\frac{1}{2}$ d. ; malt, 5s. 8d. per qr. (*Rogers*).

Wool, 6s. 3 $\frac{1}{2}$ d. per tod (*Rogers*).

In the end of May the sweating sickness again appeared (*Holinshed*).

A year of scarcity (*Rogers*).

In spring almost incessant deluges of rain prevented the corn being sown, consequently an extensive failure in the harvest. Grain was imported largely from Germany (*Lowe*).

1529 Price higher this autumn than the following summer.

Wheat, 8s. 10d. ; barley—oats, 2s. 4½d. ; beans, 5s. 4d. ; peas, 7s. 1½d. ; malt, 5s. 10½d. per qr. (*Rogers*).

Scarcity (*Rogers*).

1530 Wheat a little lower in price. Prices were high in the west and south, and low in the east of England. Highest price registered is 11s. 4d., and this apparently late in the year.

Wheat, 8s. 5d. ; barley, 5s. 0½d. ; oats, 2s. 10½d. ; rye, 5s. 10d. ; beans, 4s. 4d. ; malt, 5s. 5d. per qr. (*Rogers*).

November 4th and 5th was a great wind that blew down many houses and trees, after which wind followed so high a tide that it drowned the marshes on Essex side and Kent, with the Isle of Thanet and other places, destroying much cattle (*Holinshed*).

1531 Wheat still dear at Cambridge ; average here being 10s. 2½d., and at one time up to 15s. In London the average for the year is 9s. 6d. In other places it is much cheaper. Barley and malt very dear.

Wool, 5s. 4d. per tod.

Wheat, 8s. 2¼d. ; barley, 7s. 4d. ; oats, 3s. 4½d. ; malt, 8s. 1d. per qr. (*Rogers*).

A comet (*Townsend*).

1532 Wheat, 8s. ; barley, 5s. 5½d. ; oats, 3s. 2¼d. ; beans, 6s. 4¼d. ; peas, 9s. 4d. ; vetches, 7s. 4d. ; malt, 6s. 10¼d. per qr. (*Rogers*).

Wool, 6s. 6d. per tod.

Highest price quoted for wheat, 10s. 6d. (*Rogers*).

A comet (*Townsend*).

1533 Prices fall towards the harvest of 1534.

Wheat, 7s. 8d. ; barley, 4s. 1¾d. ; oats, 2s. 9½d. ; beans, 5s. 4d. ; peas, 4s. 7d. ; malt, 5s. 5¼d. per qr.

Wool, 6s. 8¾d. per tod (*Rogers*).

Unskilled labour, 4d. per day (*Rogers*).

Beef and pork sold at a halfpenny per lb.

1534 Wheat cheaper.

Wheat, 7s. ; barley, 4s. ; oats, 3s. 8d. ; rye, 16s. ; beans, 8s. ; malt, 3s. 9d. per qr. (*Rogers*).

Rye is probably a double qr.

Wool, 6s. per tod (*Rogers*).

Great frost from November till February. The river Thames frozen some miles below Gravesend. Goods carried by land across Essex and Kent to London (*Lowe*).
1535 Far higher prices. In May, 1536, wheat is sold at 17s. 4d. per qr.

Wheat, 10s. 3½d. ; barley, 4s. 5d. ; oats, 3s. 4¾d. ; rye, 6s. 6½d. ; beans, 8s. ; malt, 6s. per qr. (*Rogers*).

Wool, 8s. 2d. per tod (*Rogers*).

This was evidently a very deficient harvest (*T. H. B.*).

Oxen, 6s. 8d. each ; cows, 5s. ; yearlings, 3s. ; calves, 1s. ; ewes, 6d. ; lambs, 6d. ; horses, 17s. 1d. ; wheat, 5s. per qr. ; barley, 3s. ; oats, 1s. 4d. ; ploughs, 6s. 8d. each ; carts, 3s. ; pigs, 1s. ; mules, 5s. ; asses, 2s. Arable land let at 3d. per acre ; pasture, at 2s. (*Wilts Mag.*, *Monkton Farleigh*, vol. xx.).

Floods in haymaking time (*Rogers*).

1536 The prices begin with those of the previous year, and continue till September with slight variation, when it became evident that an abundant harvest was at hand, and the price of wheat falls to the old average.

Wheat, 10s. 7¼d. ; barley, 4s. 1¼d. ; oats, 3s. 10¾d. ; rye, 8s. ; beans, 3s. 9d. ; malt, 5s. 5d. per qr. (*Rogers*).

Wool, 7s. 7d. per tod (*Rogers*).

The eve of St. Simon and St. Jude there fell a rain not great to speak of, but yet the river Dem rose suddenly to such a height that seldom had been seen there the like hugeness of water (*Holinshed*).

Another defective harvest (*T. H. B.*).

In December the Thames frozen over ; insomuch that the king and queen rode through London to Greenwich (*Holinshed*).

1537 Wheat down to 4s. 11d. at Cambridge.

Wheat, 7s. 1d. ; barley, 5s. ; oats, 2s. 8½d. ; rye, 5s. 4d. ; beans, 3s. 11d. ; malt, 3s. 8¾d. per qr. (*Rogers*).

Probably an abundant harvest (*T. H. B.*).

1538 Wheat, 6s. 11½d. ; barley, 4s. 7½d. ; oats, 2s. 9½d. ; rye, 5s. 5d. ; beans, 6s. 8d. ; malt, 5s. per qr. (*Rogers*).

Excessively hot and the rivers dried up in summer (*Lowe*).

1539 On the whole the harvest was generally good. Prices have now fallen to the old averages.

Wheat, 5s. 7¼d. ; barley, 5s. 4d. ; oats, 2s. 8d. ; beans, 5s. ; malt, 5s. 2d. per qr. (*Rogers*).

Excessively hot summer again (*Lowe*).

Average wages of an artisan the last 140 years, 3s. a week ; of an unskilled labourer, 2s. a week (*Rogers*).

Oxen, 30s. each ; sheep, 3s. ; wheat, 6s. 8d. per qr. ; malt, 4s. ; oats, 2s. 8d. per qr. ; hops, 12s. per cwt. ; calves, 4s. 4d. each ; chicken, 1d. ; partridges, 1s. 2d. ; pheasants, 2s. 6d. (*Wilts Arch. Mag.*, vol. xv.).

1540 After a calamitous year, fine weather and heat lasted from February till September 19th, during which interval rain only fell six times ; an exceedingly early spring. Cherries ripe by end of May ; grapes ripe in July ; middle of harvest, June 25th. This year was remarkable for the abundance of corn and fruit (*Lowe*).

Wheat, 5s. 8½d. ; barley, 5s. 4d. ; oats, 3s. 0½d. ; beans, 5s. 4d. per qr. (*Rogers*).

An enclosure of eleven acres of land let at Barking at 1s. 4d. per acre, and 6 acres at 3s. 4d. per acre (*Rogers*).

Very cold winter. The Zuyder Zee entirely frozen over (*Chambers*).

In the latter end of this summer was universally through the most parts of this realm great death by a strange kind of hot agues and fluxes, in which season was such a drought that wells and small rivers were clean dried up, so that much cattle died for lack of water (*Holinshed*).

1541 Wheat, 9s. 0¼d. ; barley, 4s. 6d. ; oats, 2s. 10½d. ; peas, 5s. ; malt, 4s. 10d. per qr. (*Rogers*).

Probably another deficient harvest (*T. H. B.*).

A remarkable drought. Almost all the small rivers dried up, and the river Trent diminished to a straggling brook. The Thames so low that the sea water even at ebb extended beyond London Bridge. Much cattle died for want of water, especially in Nottinghamshire; and many thousands of persons died from grievous diarrhoea and dysentery (*Lowe*).

1542 Wheat, 7s. 11½*d.*; barley, 6s. 4*d.*; oats, 3s.; beans, 5s. 8*d.*; malt, 4s. 4¾*d.* per qr. (*Rogers*).

Unskilled labour, 4*d.* per day (*Rogers*).

The board of workmen is reckoned at 2*d.* a day (*Rogers*).

Corn dealers prohibited from having more than 10 qrs. in their possession at one time, and justices could examine a farmer's barns and sell the superfluous stock (*W. Thornbury*).

1543 Wheat, 9s. 3¼*d.*; oats, 3s.; malt, 4s. 8*d.* per qr. (*Rogers*).

Evidently another defective harvest (*T. H. B.*).

Wood was sold very dear in the winter season of this year, and likewise victuals, both flesh and fish, grew to a high price towards the spring, by reason of the untemperate wet season last past causing great death among cattle. A quarter of mutton was sold for two shillings, a lamb at three shillings, or three and fourpence, which afore that time was esteemed scarce worth sixteen pence (*Holinshed*).

Great pestilence (*Holinshed*).

Very foul weather after Allhallow-tide (*Holinshed*).

Iron first cast in England at Buckstead in Sussex (*Holinshed*).

Unskilled labour, 5½*d.* per day (*Rogers*).

In October wheat was 10s. 8*d.* per qr.; malt, 4s. 8*d.* (*Wilts Arch. Mag.*, vol. xv.).

1544 Wheat, 9s. 0¼*d.*; oats, 3s. 4*d.* per qr. (*Rogers*).

Wheat quoted up to 10s. 9*d.*, and the rate rises with the summer in anticipation of the next harvest (*Rogers*).

Heavy penalties inflicted on persons who bought corn to sell again (*Walter Thornbury*).

Good land was let at one shilling per acre in Cambridge-shire (*Hume*).

1545 Wheat during the greater part of the year is at famine prices. Highest price made at Cambridge is January 12th, 17s. 4d., but the rate falls as the year goes on till September 10th, when it stands at 8s. 8d.

At Bicester, wheat and barley mixed, were sold at 20s.

Wheat, 15s. 6 $\frac{3}{4}$ d. ; barley, 9s. ; oats, 4s. 8d. ; malt, 10s. per qr. (*Rogers*).

Severe winter. A famine (*Rogers*).

Wool, 32s. per tod (*Rogers*).

Unskilled labour, 4d. per day. Thrashing and winnowing wheat, 5 $\frac{1}{4}$ d. per qr. (*Rogers*).

September 6. Earthquake throughout Europe (*Mallet*).

About June 25 was a great tempest in Derbyshire, where trees were overturned, and divers churches, chapels, and houses were uncovered. Also in Lancashire there fell hailstones as big as men's fists (*Holinshed*).

Carrots, turnips, and other edible roots were first produced in England about this time (*Hume*).

Butter was 26s. 8d. the barrel (*Rogers*).

Currency debased, consequently this is the beginning of an era when the prices of all commodities rise in value considerably.

1546 This year began under the influence of the previous bad harvest, but prices fell by reason of the more abundant crop.

Wheat, 8s. 3 $\frac{1}{2}$ d. ; barley, 4s. ; oats, 4s. 2d. ; malt, 10s. 8d. per qr. (*Rogers*).

Average weight of oxen bought for the Navy nearly 4 cwt. each, at 9s. 4d. per cwt. (*Rogers*).

Unskilled labour, 4 $\frac{1}{2}$ d. per day (*Rogers*).

1547 The price of wheat lower than in any year since 1510 and the harvest must have been very abundant.

Wheat, 4s. 11d. ; barley, 3s. 4d. ; oats, 3s. 1d. ; beans, 6s. ; peas, 5s. ; malt, 5s. 4d. per qr. (*Rogers*).

Average weight of a fat ox, 430 lb.

Wool, 9s. 4d. per tod (*Rogers*).

Frost intense in England at end of year (*Lowe*).

- 1548 Prices begin with the rates of the previous year, but the market stiffens gradually till in March it reaches 11s. 8d. It falls again in May and July, but rises anew towards the end of September. Wheat, 8s. 1 $\frac{3}{4}$ d. ; barley, 3s. 11 $\frac{1}{2}$ d. ; oats, 3s. 6 $\frac{1}{2}$ d. ; malt, 6s. 10d. per qr. (*Rogers*).

Great floods at Cambridge (*Rogers*).

483 oxen bought in London, 3 cwt. 3 qrs. 20 $\frac{1}{2}$ lbs. each, at 8s. 8d. per cwt. (*Rogers*).

Probably another defective harvest (*T. H. B.*).

Average rate of wages, about 3s. per week (*Rogers*).

- 1549 Wheat begins at very high rates, and goes on increasing till it reaches 16s. 2d. in August at Cambridge. The average of wheat bought for the Navy is 19s. 4d.

Wheat, 16s. 4d. ; barley, 11s. 4d. ; oats, 6s. ; malt, 9s. 4d. per qr. (*Rogers*).

Unskilled labour, 5d. per day (*Rogers*).

A statute was passed fixing the price of beef and pork at a half-penny per lb. Mutton and veal at a half-penny half-a-farthing. Tillage was abandoned, and lands thrown into pasture. New laws were from time to time enacted against the practice. Unskilful husbandry was probably the cause why the proprietors found no profit in tillage. The number of sheep allowed to be kept in one flock was restrained to 2,000. Sometimes one farmer would keep a flock of 24,000, and the Parliament ascribes the increasing price of mutton to this, as the commodity having got into so few hands the price of it is raised at pleasure (*Hume*).

Great demand for wool both abroad and at home.

- 1550 Harvest again bad and prices high.

Wheat, 18s. ; oats, 6s. 8d. ; malt, 10s. 8d. per qr. (*Rogers*).

The price of wheat after harvest rose to a price without parallel (*Rogers*).

Wheat 15s. a bushel at Chester and York (*Lowe*). ? a qr. (*T. H. B.*).

1551 November 2. A sale of wheat is made at 26s. 8d. at Cambridge, and the average from the Princess Elizabeth's household book is 17s. At Hatfield one entry is made at 32s. Prices fall to 7s. Wheat, 20s. 4d. ; oats, 4s. ; malt, 5s. 4d. per qr. (*Rogers*).

Wool, 20s. per tod (*Rogers*).

Wheat, 8s. per qr. (*Smith*).

The sweating sickness again (*Orange*).

May 25. Earthquake in Surrey (*Mallet*).

A mighty great wind in the night, and so high a flood that many cattle were drowned upon Saltney (*Lowe*).

1552 Prices fell on an average at Cambridge to less than half the rates of the previous year. They rise again, however, in the following summer to 14s. on June 30th, whilst in January they were down to 7s.

Wheat, 10s. 6 $\frac{3}{4}$ d. ; barley, 8s. ; oats, 6s. 8d. ; beans, 12s. 8d. ; malt, 8s. per qr. (*Rogers*).

It was enacted that whoever should buy corn to sell it again should suffer two months' imprisonment for the first fault, and forfeit the value of the corn ; for the second, six months' imprisonment and forfeit double value ; and for the third be set in the pillory, suffer imprisonment during the king's pleasure, and forfeit all his goods and chattels (*Smith*).

Wheat, 8s. per qr. (*Smith*).

A heavy fall of rain, which lay on the grass as red as wine (*Register of Gray Friars*).

1553 Wheat a little cheaper on the average, but the market fluctuates greatly. Highest prices in July, when wheat is bought at 13s. 6d. and 16s.

Wheat, 10s. ; barley, 10s. ; oats, 5s. 4d. ; malt, 9s. 4d. per qr. (*Rogers*).

Wheat, 8*s.* per qr. (*Smith*).

The board of workmen is now reckoned at rates varying from 2*s.* 6*d.* to 3*s.* 6*d.* per week (*Rogers*).

1554 Wheat very high ; 32*s.* is quoted late in the season.

Wheat, 18*s.* 8½*d.* ; oats, 6*s.* ; beans, 6*s.* 8*d.* ; peas, 6*s.* 8*d.* per qr. (*Rogers*).

Wheat, 8*s.* per qr. (*Smith*).

It seems the scarcity this year was local (*Rogers*).

Export of wheat prohibited without license when above 6*s.* 8*d.* per qr. ; rye, 4*s.* ; barley, 3*s.*

Unskilled labour, 6½*d.* per day (*Rogers*).

1555 General scarcity. Wheat at Cambridge reached 32*s.*

Wheat, 22*s.* 0½*d.* ; barley, 21*s.* 4*d.* ; oats, 6*s.* ; beans, 18*s.* ; peas, 16*s.* 6¼*d.* per qr. (*Rogers*).

Wheat, 8*s.* per qr. (*Adam Smith*).

Rain fell in such torrents that Westminster Hall was filled with water, and boats were rowed into King Street from the landing-place (*W. Thornbury*).

September 30. By occasion of great wind and rain that had fallen was such great floods that that morning the king's palace at Westminster and Westminster Hall was overflowed with water unto the stair foot. And that morning a wherriman rowed with his boat over Westminster Bridge (*Holinshed*).

1556 A year of famine. Before Christmas the price of wheat reached 32*s.* 8*d.* The lowest figure in the winter was 25*s.* 4*d.* From March to May the price is 40*s.*, then in July it falls to 18*s.* (*Rogers*).

Wheat, 28*s.* 5½*d.* ; barley, 15*s.* 5*d.* ; beans, 18*s.* 3½*d.* ; peas, 16*s.* 7*d.* ; malt, 24*s.* per qr. (*Rogers*).

An entry in the Norwich Register declares that wheat reached 53*s.* ; barley, 32*s.* ; and oats, 16*s.* (*Rogers*).

A comet is seen at all times of the night, 6th, 7th, 8th, 9th, and 10th of March (*Holinshed*).

Great mortality in England (*Holinshed*).

The drought was so great that the springs failed, and

wheat rose from 8s. to 53s. per qr. At Chester the price of wheat was 16s. a bushel; barley, 12s., very dear (*Pigott's Chester*).

1557 A great fall in the price of wheat; it reaches 6s. 8d. in November.

Wheat, 8s. 4 $\frac{3}{4}$ d.; barley, 6s. 6d.; oats, 5s. 8d.; peas, 9s. 4d. per qr. (*Rogers*).

In the *Norwich Register* it is recorded wheat fell to 10s.; barley to 6s. 8d.; oats to 4s. 8d. per qr. (*Rogers*).

A comet (*Townsend*).

Wheat began at 4s. per qr. and got up to 53s. 4d. per qr. (*Adam Smith*).

This year, before harvest, wheat was sold for four marks the qr.; malt, at 44s.; beans and rye, 40s.; peas, 46s. 8d.; but after harvest, wheat, 5s.; malt, 6s. 8d.; rye, at 3s. 4d. per qr.; so that the penny loaf, which weighed in London the last year but eleven ounces troy, weighed now fifty-six ounces troy. In the country wheat was sold for 4s. the qr.; malt, 4s. 8d.; and in some places a bushel of rye for a pound of candles, which was fourpence.—September 7. At 7 o'clock at night, in a black rainy cloud in the west, was seen a rainbow, the moon in the east risen one hour before and fair shining, and at the full the day before (*Holinshed*).

Unskilled labour, 7 $\frac{1}{4}$ d. per day (*Rogers*).

1558 After harvest the price of wheat gradually rises till it reaches 13s. 4d. the following June, and 14s. 2d. in September. Barley very dear.

Wheat, 9s. 3 $\frac{1}{2}$ d.; barley, 11s. 4d.; oats, 5s. 5 $\frac{1}{2}$ d.; beans, 10s.; malt, 11s. 4d. per qr. (*Rogers*).

Wool, 9s. per tod (*Rogers*).

Wheat, 8s. per qr. Exportation of wheat prohibited when above 6s. 8d. per qr. (*Smith*).

July 7. Within a mile of Nottingham was a marvellous tempest of thunder, which, as it came through two towns, beat down all the houses and churches; the bells were

cast to the outside of the churchyards, and some webs of lead 400 feet into the field. The water in the Trent, with the mud in the bottom, was carried a quarter of a mile and cast against the trees. The trees were pulled up by the roots and cast 12 score off. Also a child was taken forth of a man's hand two spears length high and carried 100 foot off, and then let fall, wherewith his arm was broken, and so he died. Five or six men thereabout were slain. There fell some hailstones that were 15 inches about. This year, in harvest time, the quartan agues continued in like manner, or more vehemently, than they had done the last year, where through died many old people and specially priests. Much corn was lost for lack of labourers, whereupon ensued a great scarcity. Corn rose to 14s. a quarter. A marvellous sore and rigorous tempest for four or five days in January that the like was not remembered (*Holinshed*).

A cow is sold at Oxford for 37s. 8d. (*Rogers*).

Unskilled labour, 5d. per day (*Rogers*).

1559 Wheat is dearer, but prices not excessive.

Wheat, 11s. 0 $\frac{3}{4}$ d.; barley, 6s. 8d.; oats, 5s. 7 $\frac{3}{4}$ d.; beans, 9s. per qr. (*Rogers*).

Wool, 15s. 8d. per tod (*Rogers*).

Wheat, 8s. per qr. (*Adam Smith*).

September 5. About midnight fell a great tempest at London, with terrible thunder and lightning (*Holinshed*).

Unskilled labour, 7d. per day (*Rogers*).

1560 Prices are rising.

Wheat, 14s. 2 $\frac{3}{4}$ d.; barley, 9s.; oats, 6s. 6d.; peas, 6s. 8d.; malt, 9s. 6d. per qr.

Wool, 18s. per tod (*Rogers*).

A cow is sold at Oxford for 13s. 4d. (*Rogers*).

Great dearth, for wheat was sold at 30s. per qr., and at one time at 40s. (*Rogers*).

Cotswold sheep worth about four shillings each (*Gloucester Notes and Queries*).

Wheat, 8s. per qr. (*Smith*).

Unskilled labour, $6\frac{1}{2}d.$ per day (*Rogers*).

Washing and shearing sheep, 2s. per 100 (*Rogers*).

January 30. In London a fine display of *Aurora borealis* (*Lowe*).

1561 Wheat, 15s. 8d. ; barley, 6s. $10\frac{1}{2}d.$; oats, 6s. $2\frac{1}{2}d.$; beans, 13s. $0\frac{1}{2}d.$; malt, 8s. per qr. (*Rogers*).

Three cows are sold at 41s. 8d., 38s., and 40s. each respectively (*Rogers*).

Wheat, 8s. per qr. (*Smith*).

June 4. St. Paul's steeple fired by lightning, more than £10,000 damage (*Holinshed*).

Unskilled labour, 7d. per day (*Rogers*).

Beef, 8d. per stone ; leg of mutton, 5d. ; hind-quarter of veal, 10d. ; pullet, 2d. ; rabbits, 5d. per couple ; flour, 6d. per bushel ; 34 eggs, 6d. ; partridges, 6d. per brace ; oatmeal, 2d. per peck ; butter, $2\frac{1}{4}d.$ per pint ; table beer, 1s. per barrel ; double strong beer, 2s. 6d. per barrel (*Norfolk Tour*).

On St. Matthias' Day (Feb. 24th) thunder and lightning in London (*Dr. Fulke*).

1562 Prices generally falling, but wheat is dearer at Cambridge, some making 24s., and the average being 15s. $8\frac{1}{4}d.$, whilst at Oxford the average is 8s. $10\frac{1}{2}d.$

Wheat, 10s. $11\frac{1}{4}d.$; barley, 8s. $5\frac{1}{4}d.$; oats, 6s. $4\frac{3}{4}d.$; beans, 16s. ; malt, 13s. per qr. (*Rogers*).

Wheat, 8s. per qr. (*Smith*).

Export of wheat allowed when not above 10s. per qr. (5th of *Elizabeth*).

Unskilled labour, $7\frac{1}{2}d.$ per day (*Rogers*).

Wheat, 17s. a bushel (*Pigott*). ? per qr.

1563 Prices much higher. At Oxford the average is 23s. $4\frac{1}{2}d.$; at Basingstoke, 25s. 9d.

Wheat, 19s. $9\frac{3}{4}d.$; barley, 11s. $6\frac{1}{4}d.$; oats, 7s. ; beans, 16s. ; peas, 9s. 4d. ; malt, 10s. 8d. per qr. (*Rogers*).

A cow is sold at Oxford for 25s. (*Rogers*).

Unskilled labour, 7*d.* per day (*Rogers*).

Exportation of corn first allowed (*Hume*).

January 9. A great tempest of wind and thunder happened in the town of Leicester, which uncovered 42 bays of houses, and overthrew many, renting and tearing them in pieces in a marvellous manner.

July 8. In the morning a great tempest of lightning and thunder, killing a woman and three kine near Covent Garden. At the same time in Essex a man was torn all to pieces as he was carrying hay, his barn was borne down, and his hay burned. Both stones and trees were rent in many places. In September was an earthquake in divers places in this realm (*Holinshed*).

Wages of a first class hind, £8 7*s.* 8*d.* per annum (*Rogers*).

1564 Wheat has again fallen in price. At Cambridge it is bought at 15*s.* 11½*d.*, whilst at Oxford the average is 9*s.* 10¾*d.*

Wheat, 10*s.* 10½*d.*; barley, 7*s.*; oats, 5*s.* 11½*d.*; peas, 7*s.* 10½*d.*; malt, 13*s.* 4*d.* per qr. (*Rogers*).

Weekly wages of a labourer fed at the common table, from 1*s.* to 1*s.* 9*d.*; his maintenance, 1¼*d.* to 2*d.* per day (*Rogers*).

September 20. Arose great floods in the river of Thames, where through the marshes near adjoining were overflowed and many cattle drowned.—October 7. At night, from 8 o'clock till after 9, all the north parts of the element seemed to be covered with flames of fire proceeding from N.E. and N.W. towards the midst of the firmament, where, after it had stayed nigh one hour, it descended west, and all the same night seemed nigh as light as it had been fair day (*Holinshed*).

Severe frost at the close of December. On New Year's Eve people went over and along the Thames on the ice from London Bridge to Westminster. Football and divers games played on the ice. January 3rd it began to thaw,

and on 5th was no ice to be seen between London Bridge and Lambeth, which sudden thaw caused great floods and high waters that bare down bridges and houses and drowned many people, especially in Yorkshire (*Holinshed*).

October 7. Aurora borealis brilliant in London (*Stowe*).

Great hailstorm at Salisbury, some of the stones being six inches in circumference (*Easton*).

1565 Wheat begins after harvest at 6s. 8d., but before the next harvest rises to 17s. 4d.

Wheat, 10s. 7d. ; barley, 8s. 1d. ; oats, 6s. 9½d. ; beans, 10s. 11¼d. ; peas, 9s. 3½d. per qr. (*Rogers*).

Four cows are sold at Oxford at 32s. 6d. each, and five oxen at 120s. each (*Rogers*).

July 16. About 9 o'clock at night began a tempest of lightning and thunder, with showers of hail, which continued till 3 o'clock the next morning, that at Chelmsford 500 acres of corn were destroyed, the glass windows on the east side of the town and of the west and south sides of the church were beaten down, with the tiles of their houses also, besides divers barns, chimneys, and the battlements of the church. The like harm was done in many other places, as at Leeds, Cranbrook, Dover, etc.

December 24. In the morning there rose a great storm and tempest of wind, by whose rage the Thames and seas overwhelmed many persons (*Holinshed*).

1566 Wheat, 16s. 5¼d. ; barley, 7s. 10d. ; oats, 6s. 4½d. ; rye, 13s. 4d. ; beans, 10s. ; malt, 11s. 8d. per qr.

Wheat at Cambridge as high as 19s. 1d. (*Rogers*).

Unheard of dearth of corn (*Rogers* ; *C.C.C.*). The price rose once to 26s. 8d. (*Rogers*).

The exporter of sheep was for the first offence to forfeit all his goods for ever, to suffer a year's imprisonment, and then to have his left hand cut off in a market town on a market day, to be there nailed up, and for the second offence to be adjudged a felon, and to suffer death accordingly (*Smith*).

1567 Prices lower, but higher at Cambridge than in the midland counties.

Wheat, 11s. 1d. ; barley, 10s. 9½d. ; oats, 5s. 10¾d. ; peas, 12s. 2½d. ; malt, 10s. per qr. (*Rogers*).

Unskilled labour, 8d. per day ; mason, 12d. (*Rogers*).

1568 Wheat at Cambridge, 12s. 9¼d. ; at Oxford, 7s. 9½d.

Wheat, 11s. 3½d. ; barley, 11s. ; oats, 6s. 6¼d. ; peas, 9s. 9d. per qr. (*Rogers*).

Beef sold at 2s. per stone of 14 lb. (*Rogers*).

Horses up to £9 10s. each (*Rogers*).

March 18. Through vehement rage and tempest of winds many vessels on the Thames were sunk and destroyed.

After a dry summer followed an extreme sharp winter, namely the latter part thereof with such scarcity of fodder and hay that in divers places the same was sold by weight as in Yorkshire ; and in the peak of Derbyshire, where a stone of hay was sold for fivepence. There followed also a great death of cattle ; namely, of horses and sheep (*Holinshead*).

1569 Wheat still dearer at Cambridge than at Oxford ; at the former it averages 12s. 8¼d., and at the latter 7s. 9½d.

Wheat, 11s. 9¼d. ; oats, 6s. 2½d. ; peas, 8s. 7½d. ; malt, 9s. 8d. per qr. (*Rogers*).

Beef sold at 1s. 5¾d. per 14 lb. (*Rogers*).

October 30. A great gale at Ashley, Nottinghamshire, only sixty yards broad, and only lasting seven minutes, but destroying everything in its path (*J. Templar in Lowe*).

1570 Wheat, 9s. 10d. ; oats, 5s. 5d. ; peas, 8s. 8d. ; malt, 7s. 2½d. per qr. (*Rogers*).

Wool, 16s. per tod (*Rogers*).

Beef, 1s. 5d. per stone (*Rogers*).

Unskilled labour, 6¼d. per day ; carpenter, 10¼d. (*Rogers*).

Butter, 3d. per lb. ; sugar, 13d. per lb. (*Wilts Mag.*, i., 346).

October 5. A terrible tempest of wind and rain both

by sea and land, by means whereof many ships perished, and much hurt was done in divers parts of the realm.— February 7. Kinnaston Hill, in Herefordshire, moved of itself forty paces, carrying everything with it, and overthrowing Kinnaston Chapel (*Holinshed*).

The north end of the Stamford Town Bridge was borne down by a flood and rebuilt (*Stamford Paper*).

1571 Wheat rises considerably, and Oxford prices slightly exceed Cambridge.

Wheat, 12s. $5\frac{1}{2}d.$; barley, 8s.; oats, 5s. $7d.$; peas, 7s. $4\frac{1}{2}d.$; malt, 8s. per qr. (*Rogers*).

1572 Average price of wheat at Cambridge, 17s. $10d.$. At end of year the maximum price is recorded 26s. $10\frac{1}{2}d.$; probably the rise was caused by the prospects of harvest of 1573. Oxford average is 12s. $10\frac{1}{2}d.$

Wheat, 13s. $6\frac{3}{4}d.$; barley, 9s. $4d.$; oats, 5s. $5\frac{1}{4}d.$; rye, 12s.; peas, 10s. $5\frac{1}{2}d.$; malt, 8s. $4d.$ per qr. (*Rogers*).

Unskilled labour, 8d. per day; mowing grass, 1s. per acre (*Rogers*).

A great and sharp frost almost continually lasted from before the Feast of All Saints' till after the Feast of the Epiphany of our Lord, with sometimes great and deep snows, and sometimes rains, which freezed as fast as the same fell to the ground. Where through at many places the arms and boughs of trees being overcharged with ice brake off and fell from the stocks of the same trees. Also the wind continued north and east till after the Ascension Day, with sharp frosts and snows, whereby followed a late spring (*Holinshed*).

1573 The price of wheat very high. Eastern England does not appear to have been compelled to such high prices as the rest of the country. The average in the east is 19s. $4\frac{1}{2}d.$, whilst in midland and south England 29s. $4d.$ is a common price.

Wheat, 26s. $3\frac{3}{4}d.$; barley, 11s. $8d.$; oats, 7s.; rye, 18s.; beans, 10s. $10d.$; malt, 18s. per qr. (*Rogers*).

June 7. A great tempest of hail and rain between one and two o'clock in the afternoon in Northamptonshire. At Towcester six houses were borne down, and fourteen more perished with the waters which rose of that tempest. The hailstones were square, and six inches about. One child was drowned, and many sheep with other cattle (*Holinshed*).

About Lammas wheat 3s. a bushel, after it was raised to 4s., 5s., 6s., and before Christmas to a noble and 7s., which so continued long after. Beef, 20d. a stone; peas, 4s. a bushel; oatmeal, 4s. 8d. (*Holinshed*).

1574 After this harvest wheat fell to a little more than half the average of the previous year.

Wheat, 14s. 2 $\frac{3}{4}$ d.; barley, 8s. 9 $\frac{1}{4}$ d.; oats, 5s. 8 $\frac{1}{2}$ d.; beans, 15s.; peas, 12s. 1 $\frac{1}{2}$ d.; malt, 10s. (*Rogers*).

Wheat got as high as 64s. per qr., at one time as low as 24s. Average of year, 40s. per qr. This year at London after harvest the price of wheat began little by little to fall from seven shillings to three shillings the bushel, at which price it staid all the year after; but bay salt was raised from three shillings to six shillings the bushel, the like whereof had never been seen before (*Holinshed*).

November 14, being Sunday, about midnight divers strange impressions of fire and smoke were seen in the air to proceed forth of a black cloud in the north toward the south, which so continued till the next morning that it was daylight. The next night following the heavens from all parts did seem to burn marvellous ragingly. The eighteenth day at night blew very stormy, and tempestuous winds out of the south as hath not been known the like (*Holinshed*).

Three earthquakes in England—one in February (*Mallet*).

1575 Prices fluctuate greatly at Oxford; they range from 13s. 4d. to 29s. 4d. for wheat. Cambridge gives an average of 14s. 6d.

Wheat, 15s. 11d. ; oats, 6s. 5d. ; peas, 10s. 9½d. ; malt, 10s. 10¾d. per qr. (*Rogers*).

Wool, 20s. per tod (*Rogers*).

February 13. Aurora borealis brilliant (*Lowe*).

September 28. Aurora borealis (*Lowe*).

February 24. After a flood which was not great at Tewkesbury, there came down the Severn great numbers of flies and beetles a foot thick above the water. The mills thereabout were dammed up with them for the space of four days after, and then were cleansed by digging them out with shovels. From whence they came is yet unknown, but the day was cold and a hard frost.—February 26. Between four and six p.m., great earthquakes in York, Worcester, Gloucester, Bristowe, Hereford, and in the countries about, which caused the people to run out of their houses (*Holinshed*).

Great pestilence in Ireland (*Holinshed*).

At London the tide in the Thames ebbed and flowed twice within an hour (*Mallet*).

1576 Price of wheat rises greatly.

Wheat, 22s. 2½d. ; oats, 5s. 6½d. ; beans, 13s. 1¼d. ; peas, 11s. 0¼d. ; malt, 14s. 7½d. (*Rogers*).

March 17. Through a strange tempest near to Richmond, not only cottages, trees, barns, and haystacks, but also the most part of the church called Patrike Brumton was overthrown, with most strange sights in the air both fearful and terrible (*Holinshed*).

1577 Wheat at Cambridge, 17s. 6¼d. ; Oxford, 19s. 10d. ; Faversham, 26s. 6½d.

Wheat, 20s. 2d. ; oats, 6s. 8d. ; beans, 11s. ; peas, 10s. 5¼d. ; malt, 15s. per qr. (*Rogers*).

Wool, 14s. per tod (*Rogers*).

On Sunday, August 4th, between nine and ten o'clock in the forenoon, whilst the minister was reading the second lesson in the parish church of Bliborough, a town in Suffolk, a strange and terrible tempest of lightning and

thunder strake through the wall of the same church into the ground almost a yard deep, drave down all the people on that side, above twenty persons, then renting the wall up to the revestry cleft the door, and returning to the steeple rent the timber, brake the chimes, and fled toward Bongie, a town six miles off. The people that were stricken down were found grovelling more than half an hour after, whereof one man more than forty years old, and a boy of fifteen years old, were found stark dead. The other were scorched. The same or the like flash of lightning and cracks of thunder rent the parish church at Bongie, wrung in sunder the wires and wheels of the clocks, slew two men which sat in the belfry, and scorched another (*Holinshed*).

1578 Wheat prices lower.

Wheat, 17s. $4\frac{1}{4}d.$; barley, 8s.; oats, 4s. $3\frac{1}{4}d.$; rye, 17s. 8d.; beans, 9s.; peas, 10s.; malt, 13s. (*Rogers*).

May 6. Snow did lie so thick on the ground at Broad Chalke that the bearers of Edward Saintlowe, Esq., carried his body over the gate in Knighton Field, and they digged a way to the church porch (*Aubrey*).

1579 Wheat, 17s. $6\frac{1}{4}d.$; oats, 6s. $7\frac{3}{4}d.$; rye, 19s. $6\frac{1}{2}d.$; peas, 11s. $0\frac{1}{4}d.$; malt, 12s. 5d. per qr. (*Rogers*).

April 24. Fell such a snow between four a.m. and nine a.m., that in London it was a foot deep (*Holinshed*).

Great flood at Westminster. Fishes were left upon the floor of the Hall by the subsiding stream (*Walter Thornbury*).

In September and October fell great winds and raging floods in sundry places of this realm. In Newport cottages were borne down, corn lost, pasture ground overwhelmed, and cattle drowned. In Bedford the water came up to the market-place. Also Saint Edes and Godmanchester suffered severely (*Holinshed*).

Feb. 4, and the night following, fell such abundance of snow that next morning it was two feet deep in Lon-

don in the shallowest. Many cattle and some men and women were overwhelmed in the drifts in the country and lost. It snowed till the 8th, and froze till 10th, then followed a thaw with continual rain a long time after, which caused such high waters and great floods that the marshes and low grounds were drowned for the time, and the water of the Thames rose so high into Westminster Hall that after the fall thereof fishes were found to remain in the said Hall (*Holinshed*).

1580 Wheat is dearer. In Yorkshire the price is 22s.

Wheat, 20s.; barley, 14s. 2½d.; oats, 5s.; rye, 18s. 2¾d.; beans, 12s. 1d.; malt, 14s. 4½d. (*Rogers*).

The frost was very intense in England and Denmark (*Chambers*).

April 6. A great earthquake in most parts of England (*Somerset Magazine*, vol. xviii.).

May 1. An earthquake felt in divers parts of Kent (*Holinshed*).

June. Great storms of thunder, lightning, and hail (*Holinshed*).

Wonders seen in the air in Wiltshire and Somersetshire (*Holinshed*).

October 8. Immediately after the new moon there appeared a blazing star, which was nightly seen more than two months (*Holinshed*).

Great famine in Ireland about this time. People driven to eat horses, dogs, and dead carrions, and also the carcases of dead men (*Holinshed*; *John Hooker*).

1581 Wheat is 17s. 6d. at Cambridge; 14s. 11¾d. at Pembroke; but higher in Yorkshire.

Wheat, 21s. 5¼d.; oats, 6s. 4¼d.; rye, 20s.; beans, 12s. 8d.; peas, 10s. 8d.; malt, 13s. 2½d. per qr. (*Rogers*).

Unskilled labour, 8d. per day. Carpenter, 12½d. per day (*Rogers*).

Great hailstorm at Dogdean. Hailstones fell as big as a child's fist of three or four years old (*Aubrey*).

May 15. At night, about ten o'clock, a comet descending in the north-west, the beard whereof streamed into the south-east (*Holinshed*).

Within these last thirty years commodities had in general risen fifty per cent., some more. Price of ordinary labour, 8*d.* a day (*Hume*).

Ratio of rise in prices since 1540 : Grain, 2·40 ; live stock, 2·62 ; labour, 1·60 ; building materials, 1·71 ; metals, 1·88 ; clothing, 2·12 (*Rogers*).

1582 Wheat, 19*s.* 1½*d.* ; barley, 13*s.* ; rye, 22*s.* ; beans, 12*s.* 1½*d.* ; peas, 12*s.* ; malt, 12*s.* 3½*d.* (*Rogers*).

August 12. A great tempest of lightning, thunder, whirlwind, and rain with hailstones like to the rowels of spurs, two or three inches about in the county of Norfolk between the market towns of North Waltham and Worsted, which tempest beat the corn flat unto the ground, rent up many trees, and shivered them in pieces, or wound them like withes. At Hening the west door of the church, weighing more than three hundred pounds, was lifted off the hooks and thrown over the font. The top of the church was riven up. At East Russen many barns were blown down and houses uncovered (*Holinshed*).

Unskilled labour, 7*d.* per day. Carpenters, 1*s.* (*Rogers*).

1583 January 13. In the parish of Ermitage, in a place called Blackemore, in Dorsetshire, a piece of ground containing three acres, removed from the place where it was first planted, and was carried clean over another close where alder and willow trees grew, the space of forty goads (every goad fifteen foot), and hath stopped up an highway that directed towards the market town of Cerne, and yet notwithstanding the hedges wherewith it was enclosed, environ it still, and the trees stand thereon bolt upright saving one oak tree, that is well nigh twenty goads removed, the place whereat the ground had his

being at the first is left like unto a great hollow pit (*Holinshed*).

1584 July 24 (St. James' Day). At Chester such a storm of thunder, lightning, hail, and rain raged from noon till midnight, that the streets were flooded and the cellars filled with water. Great harm was done to the mills, much hay and corn destroyed, and many glass windows broken with the hailstones (being five inches in compass). "Many men and cattle were slain by the Lights bolt in divers places." The like was never heard of in man's memory (*Pigott*).

1585 Wheat at Chester on May 6, 24s. per bushel; barley, 14s. September 2, a great fall in price: wheat, 9s.; barley, 4s. ? per qr. (*Lowe; T. H. B.*).

1586 Wheat was 7s. 6d. per bushel (*Somerset Magazine*, vol. xviii.).

Great dearth of corn (*Holinshed*).

On Saturday, October 8, there arose the greatest storm that happened since the wind which some do call Dover wind, which was in the time of the reign of Queen Mary. It was thought universal, as also that which raged in September, wherewithal fell such sharp showers of rain that the drops thereof beating against the faces of travellers made them so smart as with twigs of birch. Besides great harms which happened that night upon the seas there were upon the land in every quarter overthrown thereby houses, cottages, barns, haystacks, tiles, chimneys, pales, and gates innumerable, and many trees, both great and small, were not only torn and rent asunder, but grubbed up by the roots, in so much as upon the Monday next in many places men could not pass on horseback in the highways by reason of the trees that lay blown and broken down cross overthwart the streets (*Holinshed*).

November 29. Violent gale at Beccles, Suffolk. Severe frost. The river hard frozen (*Lowe*).

1587 Wheat, 64s. per qr. (*Smith*).

Land was commonly sold at ten years' purchase (*Hume*).

Great scarcity of corn (*Pilkington*).

St. Mary's Bridge, Derby, and some mills broken down by a great flood (*Lowe*).

1588 Wheat at Oxford, 14s. 2½d. per qr. (*Rogers*).

Abundant harvest (*Rogers*).

May 30. Gale on the southern coast, which disabled many ships of the Spanish Armada (*Lowe*).

1589 It was enacted that no cottages should be erected unless four acres of land were attached to them, and that not more than one family should inhabit a cottage under a penalty of £10, and 40s. a month after so long as it continued (*Statutes at Large*, 31 Eliz., cap. 7).

1590 A comet (*Townsend*).

1591 In spring an uncommon drought in Nottinghamshire. It being succeeded this summer by strong westerly winds and little rain. The Trent and other rivers were almost without water. The Thames, historians say, was so dried up, that a man might ride over it on horseback near London Bridge (*Thoresby*).

1592 A severe winter. Starved wolves entered Vienna and attacked both man and beast (*Chambers*).

Drought. Strong westerly winds (? *Is this a double entry?*).

1593 Export of wheat allowed when not above 20s. per qr. on a duty of 2s. per qr.

March 21. This year was an exceeding great tempest of wind, which continued all the day long and did great hurt in many places in blowing down of steeples, dwelling-houses, barns, trees innumerable in every place. In Alrewas, Staffordshire, seven barns were overthrown. In Lichfield the tops of the steeples of St. Michael's and St. Mary's were blown down (*Lowe*).

1594 Great dearth of corn. Wheat, 9s. the bushel (*Easton*).

Wheat, 56s. per qr. (*Smith*).

The sea was frozen from Marseilles to Venice.

Dearth owing to rain from beginning of May to July 25 (*Stow*).

Great dearth of corn. Wheat at Salisbury at 9s. the bushel (*Easton*).

1595 Wheat, 53s. per qr. (*Smith*). [*From this time the quarter in Smith's prices is nine bushels.*]

The dearth still continuing, wheat advanced to 12s., and barley to 7s. the bushel (*Easton*).

Liming of ground was not used but about 1595, some time after the coming in of tobacco (*Aubrey*).

1596 Wheat, 80s. per qr. (*Smith*).

A comet (*Townsend*).

The rapines committed by the infinite number of wicked, wandering, idle people were intolerable to the poor countrymen, and obliged them to keep a perpetual watch over the sheepfolds, their pastures, their woods, and their cornfields in Somersetshire and other counties (*Hume*).

Wheat very dear at Chester : 40s. per bushel ; barley, 31s. ? per qr. (*Lowe* ; *T. H. B.*).

At Oakham Hill, near Westerham, in Kent, about nine acres of ground continued in motion eleven days, some parts sinking into pits, and others rising into hills (*Lowe*).

1597 Average price of wheat, 92s. per qr. It reached 104s. (*Smith*).

Wheat sold for 17s. the bushel (*Somerset Magazine*, vol. xviii.).

Wheat sold at Salisbury at 12s. the bushel, and barley at 7s. the bushel, in consequence of the dearth (*Easton*).

A famine (*Rogers*).

Earthquake in Scotland, July 23 (*Mallet*).

1598 Wheat, 56s. 8d. per qr. (*Smith*).

Plague raging at Penrith (*Lowe*).

1599 Wheat, 39s. 2d. per qr. (*Smith*).

1600 Wheat, 36s. 8d. per qr. (*Smith*).

Land worth twelve years' purchase (*Townsend*).

The river Trent during a heavy flood changed its course near the village of Holme by Newark, through which means the township became situated on the east side of the river, whereas it had previously been on the west side (*Lowe*).

1601 Wheat, 34s. 10d. per qr. (*Smith*).

At Maenclochog, Pembrokeshire, at the beginning of June, caterpillars were so abundant that a man could not tread without killing twenty or thirty. On this hill they destroyed all the grass (*E. Floyd*).

December 24. Earthquake.

December 23. Siege of Kinsale in Ireland. Our horsemen did see lamps burn at the points of their spears in the midst of lightning flashes (*Tyne Morgan*).

1602 Wheat, 29s. 4d. per qr. (*Smith*).

August 22. A wonderful exhalation of a fiery colour was seen over the city of Chester like a canopy, and was thought by the poor to foretell some evil (*Pigott*).

1603 Wheat, 35s. 4d. per qr. (*Smith*).

The plague rages (*Lowe*).

1604 Wheat, 30s. 8d. per qr. (*Smith*).

Export of wheat allowed when not above 26s. 8d. on a duty of 2s. per qr. ; rye, beans, and peas when not above 15s. ; and barley when not above 14s. on a duty of 18d. per qr. (*James I.*, i., c. 25).

Plague still rages (*Lowe*).

1605 Wheat, 35s. 10d. per qr. (*Smith*).

Plague in London (*Lowe*).

1606 Wheat, 33s. 10d. per qr. (*Smith*).

Great inundations of the Severn (*B. W. E. Journal*).

January 20. Many people and cattle drowned all along the Severn from Bristol to Gloucester, also terrible floods throughout Wales and the West of England (*Rockhampton Register*).

By the breaking of the bank at Burnham some thirty villages were overflowed and their cattle destroyed, besides men, women, and children. Suddenly, without notice, the country, for twenty miles by five, was flooded to the depth of eleven or twelve feet, the deepest part being at Kingston Seymour. Also great overflowings of waters in Norfolk, Monmouth, Glamorgan, Carmarthen, etc. (*Som. Mag.*, vol. xxiv.).

1607 Wheat, 36s. 8d. per qr. (*Smith*).

A comet (*Townsend*).

A most extreme hot summer, insomuch that many died with heat. A wonderful frost followed by a dearth (*Gloucester Notes and Queries*).

In London fires on the ice on the Thames in the first week in December (*Stow*).

A great frost and snow, the which began the 5th day of December and so continued until the 14th day of February, 1608, all which time all our rivers were frozen, and in most parts that they would bear horse and man loaded and carts loaden; the most part of mills were so frozen up that they could not grind any corn but with much ado, and did hurt to many things—as wheat, grass, and herbs (*Whittock*).

1608 Wheat, 56s. 8d. per qr. (*Smith*).

Great scarcity of corn (*Easton*).

Frost very severe in London in January. Thames frozen over.

Wheat rose in Windsor market from 36s. to 56s. per qr. (*Lowe*).

February 19. The Thames ebbed and flowed twice at noon (*Howes*).

A tremendous hurricane did incalculable mischief at Beverley in Yorkshire (*Whittock's York*).

November 9. Earthquake at Aberdeen (*Lowe*).

1609 Wheat, 50s. per qr., nine bushels (*Smith*).

January 19. An extraordinary flux and reflux of the

tide twice in an hour in the river Thames. February 6. Strange shifting of tides (*Howes*).

Plague at Loughborough and Chesterfield (*Lowe*).

1610 Wheat, 35s. 10d. per qr. (*Smith*).

July 3. Thunder, hail, and lightning from heaven against certain covetous persons, inhabitants of Humberstone, near Grimsby, thought to be a just punishment from God in the behalf of the poor. How the corn was destroyed the like never heard of in any age; only one man's estate preserved, who gave them relief, as it was testified before the knights and justices of the county at the sessions held at Louth 10th of July (*Lowe*).

1611 Wheat, 38s. 8d. per qr. (*Smith*).

Plague at Leicester (*Lowe*).

1612 Wheat, 42s. 4d. per qr.; beef about 4d. per lb. (*A. Smith*).

1613 Wheat, 48s. 8d. per qr. (*A. Smith*).

June 26. A mighty great tempest of rain, lightning, and thunder at four p.m. Violent at Southampton (*J. Hilliard*).

1614 Wheat, 41s. 8½d. per qr. (*A. Smith*).

1614-15 January 16th began the greatest snow which ever fell upon the earth within man's memory. It covered the earth fyve quarters deep upon the playne. There fell also ten less snows in Aprill, some a foote deep, some lesse, but none continued long. Uppon May-day in the morning instead of fetching in flowers the youths brought in flakes of snow, which lay above a foot deep upon the moores and mountaynes (*Youlgrave Register, Derbyshire*). Of course this was April, 1615, and May also (*T. H. B.*).

At York a heavy snow in January and eleven weeks frost, and then the river Ouse overflowed, which flooded the streets, and lasted ten days, destroying many bridges, etc. (*Whittock's York*).

1615 Great flood at Boston (*Lowe*).

Wheat, 38s. 8d. per qr. (*Smith*).

A drought followed the great flood and continued till August, causing a great scarcity of hay and corn. Hay, 30s. and 40s. a load, and at Leeds 80s. (*Lowe*).

Great mortality amongst sheep at Boston (*Lowe*).

The snow, which began on January 16, was very deep, so that passengers, both horse and foot, passed over gates, hedges, and walls. It continued daily increasing till March 12 without the sight of any earth either upon hills or valleys, upon which day it began to decrease, and so by little and little consumed till May 28, and then all the drifts were consumed, except one upon Kinder Scout, which lay till Whitsun week (*Youlgrave Register*).

1616 Wheat, 40s. 4d. per qr. (*Smith*).

Great drought (*Lowe*).

1617 Wheat, 48s. 8d. per qr. (*Smith*); 43s. 3d. per qr. of eight bushels.

1618 Wheat, 46s. 8d. per qr. (*Smith*).

The general turn of the age was the conversion of arable land into pasture (*Hume*).

A comet (*L. Townsend*).

Best wool was about 33s. per tod for many years about this time (*Hume*).

1619 Wheat, 35s. 4d. per qr. (*Smith*).

1620 Wheat, 30s. 4d. per qr. (*Smith*).

There was a frost fair on the Thames (*Walter Thornbury*).

A great flood of the Severn, November 29th. There was drowned at Hampton Lode 68 persons as they were going to Bewdly fair (*Gloucester Notes and Queries*).

Thirteen days' snow known as the "thirteen days' drift" in Scotland, where on Eskdale Moor out of 20,000 sheep only 45 were left alive (*Lowe*).

England was never generally so poor since I was born as it is at this present; inasmuch that all complain they cannot receive their rents. Yet is there plenty of all

things but money, which is so scant that country people offer corn and cattle or whatsoever else they have in lieu of rent, but being no money, and corn is at so easy rates as I never knew it, at 20 pence or 22 pence a bushel, barley at 9 pence, and yet no quantity will be taken at that price (*From Tooke*).

1621 Wheat, 30s. 4d. per qr. (*Smith*).

The usual bread of the poor was made of barley (*Hume*).

In consequence of the excessive cheapness and plenty of wheat the price of land is reduced from 20 years' purchase to 16 or 17. The best wheat, 2s. 8d. and 2s. 6d. the bushel, ordinary, 2s.; barley and rye, 1s. 3d. The farmers murmured, the poorer sort traversed the markets to find out the finest wheats, for none else would now serve their use, though before they were glad of the coarser rye bread (*Sir Symonds d'Ewes*).

1622 Wheat, 58s. 8d. per qr. (*Smith*).

All the rivers in Europe frozen, also the Zuyder Zee (*Lowe*).

1623 Wheat, 52s. per qr. (*Smith*).

Export of wheat allowed when not above 32s. per qr. on a duty of 2s. per qr.

Rye when not above 20s.; beans and peas, 16s.; barley or malt, 12s. on a duty of 18d. (21 *James I.*).

1624 Wheat, 48s. per qr. (*Smith*).

1625 Wheat, 52s. per qr. (*Smith*).

A severe winter followed the infectious summer of 1625 (*Lowe*).

Fearful plague in London during June, July, August and September (*Lowe*).

1626 Wheat, 49s. 4d. per qr. (*Smith*).

April 14. Heavy fall of snow which lay on the ground (*M. L. E.*).

Through some experiment Lord Bacon made with the snow when on a journey, and being put in a damp

bed, he caught a severe cold, which caused his death (*M. L. E.*).

1627 Wheat, 36s. per qr. (*Smith*).

Regulation prices of a turkey cock, 4s. 6d. ; turkey hen, 3s. ; cock pheasant, 6s. ; hen pheasant, 5s. ; partridge, 1s. ; a goose, 2s. ; a capon, 2s. 6d. ; pullet, 1s. 6d. ; a rabbit, 8 pence ; a dozen of pigeons, 6s. (*Hume*).

January 28. A terrible south gale, many houses and trees thrown down (*Lowe*).

April 9. At 5 p.m. warm, windy, W.N.W. ; a hideous noise in the air, followed by a strange and fearful thunder, then another, till 20 peals were heard. A stone fell near Hatford and was dug up by Mistress Green. It broke, one piece weighed 19½ lb. and another 5 lb. (*Lowe*).

1628 Wheat, 28s. per qr. (*Smith*).

November 4. A great flood.

1629 Wheat, 42s. per qr. (*Smith*).

February 3. Another flood.

1630 Wheat, 55s. 8d. per qr. (*Smith*).

Very dry in summer (*Lowe*).

1631 Wheat, 68s. per qr. (*Smith*).

A famine (*Rogers*).

There happened an extraordinary dearth in England, corn bearing an excessive price (*Evelyn*).

Plague still rages (*Lowe*).

1632 Wheat, 53s. 4d. per qr. (*Smith*).

Hot summer. A comet (*Penny Magazine*).

Labourers' wages, 6 pence per day.

1633 Wheat, 58s. per qr. (*Smith*).

Flood at Newcastle-upon-Tyne, upwards of 120 persons drowned (*Townsend*).

1634 Wheat, 56s. per qr. (*Smith*).

Thames frozen over (*Walter Thornbury*).

1635 Wheat, 56s. per qr. (*Smith*).

A great flood at Salisbury (*Easton*).

A severe frost and heavy snow having occurred in

January, the thaw produced a great flood, and February 5th water was a foot deep in Salisbury Cathedral (*Hatcher*).

Watering meadows began in Wiltshire about this time (*Aubrey*).

February 17. At Rutherford, Sussex, between 8 and 9 a.m. there were two mock suns, and an inverted rainbow near the zenith in S.E., which lasted an hour (*Lowe*).

1636 Wheat, 56s. 8d. per qr. (*Smith*).

This year extremely dry (*Evelyn*).

A very forward spring (*Lowe*).

Plague very violent (*Lowe*).

1637 Wheat, 53s. per qr. (*Smith*).

A very great flood (*Easton*).

1638 Wheat, 57s. 4d. per qr. (*Smith*).

Wheat at 1s. 3d. the bushel (*Easton*).

A sickly and feverish autumn (*Aubrey*).

An earthquake at Chichester which did great damage at end of the year. There was a smell like pitch and sulphur (*Mallet*).

October 21. A stone from the sky fell at Wydecombe, near Dartmoor, with great noise (*Lowe*).

1639 Wheat, 44s. 10d. per qr. (*Smith*).

Mr. Bishop, of Merton, first brought into the South of Wiltshire from Flanders the practice of burnbaking land (*Aubrey*).

1640 Wheat, 44s. 8d. per qr. (*Smith*).

Springs did not break till near Christmas (*Aubrey*).

On Whitsunday a terrible thunderstorm at Anthony, in Cornwall (*Hone*).

1641 Wheat, 48s. per qr. (*Smith*).

Wheat, 57s. 1d. per qr. (*Tovey*).

In April, the Welland flowed halfway up to St. Mary's Church (*Stamford Paper*).

1642 Wheat, 60s. 2d. per qr. (*Tovey*).

August 27. Gale at Nottingham (*Lowe*).

August 4. Between Woodbridge and Albons, Suffolk,

a wonderful drum-beating like noise, and then a long peal or discharge lasting $1\frac{1}{2}$ hours, and then a violent report, and a stone 4 lb. weight fell. Captain Johnson saw it fall, and it was hot when he dug it up (*Gentleman's Magazine*).

1643 Wheat, 59s. 10d. per qr. (*Tovey*).

March 10. I must not forget what amazed us in the night before, viz., a shining cloud in the air, in shape resembling a sword, the point reaching to the North; it was bright as the moon, the rest of the sky being very serene. It began about 11 at night, and vanished not till about one, being seen by all the South of England (*Evelyn*).

November 6. A hideous storm. Then snowy and untoward weather (*Evelyn*).

1644 Wheat, 61s. 3d. per qr. (*Tovey*).

An ox sold for £5; a cow £3 19s. (*Somerset Mag.*).

May 15 and 16. Staffordshire and Warwickshire in divers places there fell great storms of hail, with hail-stones of divers forms, some round as big as walnuts, and some flat as big as half-crown pieces, with thunder and lightning in three or four several places at one instant; the like seldom seen (*Lowe*).

1645 Wheat, 51s. 3d. per qr. (*Tovey*).

The air very warm and so infectious that dogs, cats, mice and rats died, and several birds in their flight over the town dropped dead. 1325 persons died in Leeds from March 12th to June 1st (*Whittock's York*).

March 12. Great floods. In February the weather was extremely cold and tempestuous. A heavy storm for two days (*Daniel*).

1646 Wheat, 48s. per qr. (*Bishop Fleetwood*). The qr. is nine bushels.

January. Extreme snow fell, and very cold at Venice (*Evelyn*).

Excessively hot (*Lowe*).

1647 Wheat, 73s. 8d. per qr (*Smith*).

I would remark that after 1595 all Smith's quarters

are nine bushels, therefore the apparent discrepancy between his prices and others (*T. H. B.*).

Labourers' wages, 10*d.* per day (*F. A.*).

A comet (*Townsend*).

1648 Wheat, 85*s.* per qr. (*Smith*).

Exceedingly wet summer (*Ellis*).

Great scarcity of grain (*Hatcher*).

Wheat, 75*s.* 6*d.* per qr. (*Tovey*).

A deare yeare of corne (*Aubrey*).

This was a most exceeding wet year, neither frost nor snow all the winter for more than six days in all. Cattle died everywhere of a murrain (*Evelyn*).

1649 Wheat, 80*s.* per qr. (*Smith*).

Wheat, 71*s.* 1*d.* per qr. (*Tovey*).

A famine year (*Rogers*).

January 22. Now was the Thames frozen over, and horrid tempests of wind.—April 29. I saw in London an huge ox bred in Kent, seventeen foot in length, and much higher than I could reach (*Evelyn*).

June 27. The sun so scorched my face that it made the skin peel off (*Evelyn*).

1650 Wheat, 76*s.* 8*d.* per qr. (*Smith*).

Wheat, 68*s.* 1*d.* per qr. (*Tovey*).

1651 Wheat, 73*s.* 4*d.* per qr. of nine bushels (*Smith*).

Wheat, 65*s.* 2*d.* per qr. (*Tovey*).

1652 Wheat, 49*s.* 6*d.* per qr. of nine bushels (*Smith*).

Wheat, 44*s.* per qr. (*Tovey*).

A comet (*Townsend*).

January. An exceeding hard frost of long duration.

April 29 was that celebrated eclipse of the sun, so much threatened by the astrologers, and which had so exceedingly alarmed the whole nation, that hardly any one would work nor stir out of their houses (*Evelyn*).

May 25. After drought of near four months, there fell so violent a tempest of hail, rain, wind, thunder and lightning as no man had seen the like in this age; the hail

being in some places four or five inches about, brake all glass about London (*Evelyn*).

The warmth was very great, the summer being the dryest ever known in Scotland (*Lowe*).

1653 Wheat, 35*s.* 6*d.* per qr. of nine bushels (*Smith*).

Wheat, 31*s.* 6*d.* per qr. (*Tovey*).

February 19. I planted the orchard at Sayes Court ; new moon ; wind, west (*Evelyn*).

1654 Wheat, 26*s.* 8*d.* per qr. of nine bushels (*Smith*).

Wheat, 23*s.* 1*d.* per qr. (*Tovey*).

July 4. Extremity of heat.

1655 Wheat, 33*s.* 4*d.* per qr. of nine bushels (*Smith*).

Wheat, 29*s.* 7*d.* per qr. (*Tovey*).

Very cold in Scotland. The excessive snow and rain did great injury this winter (*Lowe*).

1656 Wheat, 43*s.* per qr. of nine bushels (*Adam Smith*).

Wheat, 38*s.* 2*d.* per qr. (*Tovey*).

January 18. A great frost (*Evelyn*).

May-day. Hills white with snow (*Aubrey*).

July 7. Excessive hot and dusty (*Evelyn*).

Export of wheat allowed when not above 40*s.* per qr., duty 1*s.* per qr.

October 3. The Thames ebbed and flowed twice in three hours (*Boyle*).

1657 Wheat, 46*s.* 8*d.* per qr. of nine bushels (*Adam Smith*).

Wheat, 41*s.* 5*d.* per qr. (*Tovey*).

August 21 fell a most prodigious rain in London, and the year was very sickly in the country (*Evelyn*).

The Seine frozen over.

July 8. Earthquake at Bickley, Cheshire, at about 3 p.m. A piece of land sank into the earth, and some goodly oaks ten yards high in the body sunk down into the earth into a water prepared to receive them, with a noise representing thunder or the roaring of a well laden cannon. Though the branches were very high they were buried out of sight (*Pamphlet*).

1658 Wheat, 65s. per qr. of nine bushels (*Smith*).

Wheat, 57s. 9d. per qr. (*Tovey*).

March 7. This had been the severest winter that any man alive had known in England.—June 2. An extraordinary storm of hail and rain. The season as cold as winter. The wind northerly near six months.—August 18. A tempestuous wind which did much mischief all over England. It continued the whole night and till three in afternoon of next day, in the south-west, and destroyed all winter fruit (*Evelyn*).

September 3. The greatest storm of wind that had ever been known for some hours before and after Cromwell's death. The effects of it were terrible (*Old Book*).

The tide in the Thames ebbed and flowed twice in three hours (*Lowe*).

It is remarkable that on the day of Cromwell's decease the greatest tempest of wind ever witnessed took place (*Boyle*).

1659 Wheat, 66s. per qr. of nine bushels (*Smith*).

Wheat, 58s. 8d. per qr. (*Tovey*).

Severe frost.

December 8. A remarkably high wind, such as had never before been experienced in this country. Did great damage to houses in York (*Whittock*).

1660 Wheat, 56s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 50s. 2d. per qr. (*Tovey*).

Seasonable spring, free from sharp east winds (*Evelyn*).

Very cold winter.

Wheat allowed to be exported when at 40s.; rye beans and beans at 24s.; barley and malt, 20s.; oats, 16s. the qr. (12 Car. ii.).

1661 Wheat, 70s. per qr. of nine bushels (*Smith*).

Wheat, 62s. 2d. per qr. (*Tovey*).

A comet (*Townsend*).

A great wind, Feb. 18th, being Tuesday morning (*Winchcombe Register*).

Very mild winter.—No cold at all.—January 21. Ways are dusty, rose bushes full of leaves ; such a time of the year as was never known in this world before (*Pepys*).

February 18. Great storm in London (*Old Almanack*).

Upon the 18th of February, being Tuesday, very early in the morning there began a very great and very dreadful storm of wind (accompanied with thunder, lightning, hail and rain, which in many places was as salt as brine), which continued with a strange and unusual violence till almost night, the sad effects whereof throughout the nation are so many that a great volume is not sufficient to contain the narrative of them (*Defoe*).

An exceedingly sickly wet autumn (*Evelyn*).

December. An earthquake (*Mallet*).

February 23. Mock suns.—September 6. Coloured arches and mock suns.

The river Derwent was so wonderfully dried up that in many places there was no water, and people might go over dryshod (*Pilkington*).

1662 Wheat, 74s. per qr. (*Adam Smith*), nine bushels (*T. H. B.*).

Wheat, 65s. 9d. per qr. (*Tovey*).

January 15. Fast day for more seasonable weather. It having hitherto been summer weather, both as to warmth and every other thing, as if it were the middle of May or June (*Pepys*).

January 15. General fast for colder weather. There had fallen great rain without any seasonable cold, it being near as warm as at Midsummer some years.—February 17. This night and the next day fell such a storm of hail, thunder, and lightning, as was never seen the like in any man's memory, especially the tempest of wind, being southwest, which subverted, besides huge trees, many houses, innumerable chimneys, and made such havoc at land and sea that several perished on both.—July 28. Ill weather.—December 1. Great frost ; Thames frozen (*Evelyn*).

A famine (*Rogers*).

In February a dreadful tempest occurred in London (*Boyle*).

1663 Wheat, 57s. per qr. of nine bushels (*Smith*).

Wheat, 50s. 8d. per qr. (*Tovey*).

July 16. A most extraordinary cold and wet season (*Evelyn*).

August 28. Cold all night and this morning, and a very great frost, having had no summer at all almost (*Pepys*).

Great rot in sheep (*Day*).

Export of wheat allowed when not above 48s. per qr. ; duty, 5s. 4d. per qr. (15 *Car.* ii.).

A fog in London in August (*Lowe*).

Export of barley allowed when at 28s., oats at 13s. 4d., rye at 32s., beans or peas 32s., paying such rates as before granted (15 *Car.* ii.).

1664 Wheat, 40s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 36s. per qr. (*Tovey*).

A comet (*Townsend*).

December 22. Exceeding cold, and a hard long frosty season, and the comet very visible (*Evelyn*).

Till the beginning of March a very violent frost froze up all things from the beginning of winter (*Lowe*).

February 19. Two lunar halos (*Sir I. Newton*).

1665 Wheat, 49s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 43s. per qr. (*Tovey*).

January 4. Excessive sharp frost and snow (*Evelyn*).

Earthquake at Oxford. A comet (*Townsend*).

Fat swine sold at 3½d. per. lb. Men's shoes, 3s. a pair (*Daniel*).

December 17. Very cold at London (*Lowe*).

Sharp frost in January and February (*Dr. Wallis*).

October 25. Great gale in London (*Beal*).

October 26. At Bristol, barometer 27½ inches.—October 25. 28½ (*Beal*).

Great plague in London and other places.

1666 Wheat, 36s. per qr. of nine bushels (*Smith*).

Wheat, 32s. per qr. (*Tovey*).

September 2. A very dry season previous. A long set of fair warm weather.—October 21. After so long and extraordinary drought in August and September this season was so very wet and rainy as many feared an ensuing famine (*Evelyn*).

December 31. Very hard frost in London (*Lowe*).

A comet (*Townsend*).

January 18. Earthquake at Oxford, etc.—24th. Thunderstorm at Andover.—May 12. At Oxford.—July 17. Hailstorm in Suffolk. At Aldborough some hailstones were full as big as turkey's eggs. At Yarmouth small (*Dr. Fairfax*).

On the Wednesday before Easter a great tempest of thunder and rain at Cranstead, Kent, and although no ponds about, two acres were scattered over with whittings of the size of a man's little finger (*Dr. Conny*).

1667 Wheat, 36s. per qr. of nine bushels (*Smith*).

Wheat, 32s. per qr. (*Tovey*).

March. Great frost, snow and winds prodigious at the vernal equinox ; indeed it had been a year of prodigies in this nation, plague, war, fire, rain, tempest and comet.—April 4. The cold so intense that there was hardly a leaf on a tree (*Evelyn*).

A comet (*Townsend*).

At the beginning of January a hard frost (*Lowe*).

1668 Wheat, 40s. per qr. of nine bushels (*Smith*).

Wheat, 35s. 6d. per qr. (*Tovey*).

Dry March.

July 24th, at Sutton Pool, Warwickshire, owing to a sudden rain a great flood took place. The waters flowed over a stone wall ten feet high. Two large pools of 20 acres each, called Windley and Bracebridge, had their dam heads both broke through by the press of water,

probably occasioned by the bursting of a waterspout (*Parish Register*).

In London small-pox destroyed a ninth part of the inhabitants (*Nettleton*).

1669 Wheat, 44s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 39s. 5d. per qr. (*Tovey*).

Dry Year. Wiltshire people went a great way to water their cattle (*Aubrey*).

August 18. A mighty torrent from Pendle Hill flooded the village of Worston, the furniture floating about in the houses (*Townley*).

December 14. Bristol barometer, 30·6 inches. Wind, E. and N. E. (*Dr. Beal*).

December 26. London. Colder than for five or six years, freezing quickly for some days. Coldest date, December 26th, after which a great snow. Much colder than in 1665 and 1666 (*Dr. Beal*).

December 13. Barometer higher than for five years, 30·6 (*Lowe*).

Hard frost at Christmas (*Lowe*).

1670 Wheat, 41s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 37s. per qr. (*Tovey*).

December 15. It was the thickest and darkest fog on the Thames that was ever known in the memory of man (*Evelyn*).

Export of wheat allowed on payment of the subsidy though the price should exceed 48s., and import when not exceeding 53s. 4d. on a duty of 16s.; when exceeding 53s. 4d., but under 80s., on a duty of 8s.; when exceeding 80s. on a duty of 5s. 4d.

October 13. Very violent gale at Braybrook, but only six yards wide.

June 20. Eight mock suns, and the whole or parts of seven circles of light.

Frost most intense this winter (*Lowe*).

1671 Wheat, 42s. per qr. of nine bushels (*Smith*).

Wheat, 37s. 4d. per qr. (*Tovey*).

January 21. This year the weather was so wet, stormy and unseasonable as had not been known for many years.

September 13. This night fell a dreadful tempest (*Evelyn*).

December 9, 10, 11. Vast destruction of trees about Bristol, Wells, Shepton Mallet, Bath, and Bruton. No ice on any water, but the rain froze as it fell. An ash branch $\frac{3}{4}$ lb. weight had 16 lb. of ice on it, the ice being 5 inches in circumference. The trees on the highway from Bristol to Shepton were all thrown down. Also at Bruton the roads were blocked by fallen trees. The same ice storm occurred at Oxford. This was followed by great heat, and bushes and flowers were as forward as usually in April. An apple bloomed before Christmas (*Dr. Wallis*).

1672 Wheat, 41s. per qr. of nine bushels (*Smith*).

Wheat, 36s. 5d. per qr. (*Tovey*).

A comet (*Townsend*).

February 3. An extraordinary snow. Very wet season (*Evelyn*).

November 22. A large, very bright globose meteor seen at Wednesbury which lasted the eighth of an hour (*Lowe*).

Some farms I know which after two years lying waste, are abated one-half their rents, thousands are thrown up, and thousands abated, some above one-sixth, others above one-fourth, others above one-third (*From Tooke*).

1673 Wheat, 46s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr. (*Tovey*).

Deficient harvest (*Farmers' Almanack*).

The poor obliged to eat bread made of peas and beans. Wheat, 10s. and 11s. per bushel (*Somerset Mag.*, vol. xxiv.).

Great quantity of rotten sheep (*Ellis*).

In January of this year, Order of Sessions made for

burying the bodies of diseased dead cattle, caused by the continuing rains, whereby the air is likely to become corrupt from the infinite numbers of sheep and other great cattle being suffered by the owners to remain dead above ground (*Somerset Sessions*).

Great floods and inundations in December, January, and March, 1674. Smothering of people in snow. Drowning of many cattle and people, etc. (*Somerset Mag.*).

1674 Wheat, 68s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 61s. per qr. (*Tovey*).

Great floods in January and March. Thirteen days of drifting snow in March in Scotland (*Somerset Mag.*, vol. xxiv.).

A famine year (*Rogers*).

Such desolation was caused in Scotland that the ill-fated Monmouth, husband of Lady Anne Scott, of Buccleuch, received the royal license to import from Ireland 4,800 Nolt of a year old, and 200 horses to make up the loss sustained on the Buccleuch lands by the thirteen drifty days of March (*Standard*).

Deficient harvest (*Farm. Alm.*).

Snow fell in England for eleven days ().

Small-pox destroyed an eighth part of the people in London (*Nettleton*).

December 21. Whole woods were torn up by the roots by a N. W. gale, at Tarbut, Scotland (*Sir G. Mackenry*).

May 7 and 8. Great floods on rivers Trent and Tame (*Lowe*).

1675 Wheat, 64s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 57s. 5d. per qr. (*Tovey*).

Deficient harvest (*Farm. Alm.*).

An exceeding dry summer and autumn (*Lisle*).

January 4. A terrible earthquake 7 to 8 p.m. at Alrewas, Staffordshire (*Lowe*).

November 23. Lunar rainbow at Oxford (*Dr. Plot*).

1676 Wheat, 38s. per qr. of nine bushels (*Smith*).

Wheat, 33s. 9d. per qr. (*Tovey*).

October 31. A prodigious and dangerous mist.—
December 10. There fell so deep a snow as I remember not to have seen the like.—17th. More snow falling, I was not able to get to church (*Evelyn*).

September 20. A large meteor at 7 p.m. as light as noonday (*Dr. Wallis*).

June 16. A hailstorm at Dunstal $1\frac{1}{2}$ miles long, $\frac{1}{4}$ mile broad ; some of the stones 4 inches about (*Lowe*).

1677 Wheat, 42s. per qr. of nine bushels (*Smith*).

Wheat, 37s. 4d. per qr. (*Tovey*).

A comet (*Townsend*).

Rainfall, Townley, Lancashire, 43·6 in. January, 4·7 in. June, 5·2 in. August, 4·8 in. November, 4·3 in. December, 4·0 in. (*Lowe*).

Earthquake at Wolverhampton (*Lowe*).

1678 Wheat, 59s. per qr. of nine bushels (*Smith*).

Wheat, 52s. 5d. per qr. (*Tovey*).

An excessive hot autumn (*Evelyn*).

A dearth (*Aubrey*).

July 12. Mock sun (*Lowe*).

Several earthquakes (*Mallet*).

Rainfall at Townley, 42·7 in. May, 5·8 in. September, 5·3 in. October, 6·4 in. December, 0·6 in. (*Lowe*).

1679 Wheat, 60s. per qr. of nine bushels (*Smith*).

Wheat, 53s. 4d. per qr. (*Tovey*).

October 6. A very wet and sickly season (*Evelyn*).

Very hot. No rain from May all the summer (*Lowe*).

August 28. Mock sun (*Lowe*).

Rainfall at Townley, 38·2 in. January, 0·4 in. April, 0·9 in. August, 8·3 in. September, 5·5 in.

October, 6·2 in. December, 4·4 in. (*Lowe*).

In January a singular darkness occurred at noonday, which prevented persons reading without the aid of candles (*Boyle*).

1680 Wheat, 45s. per qr. of nine bushels (*Smith*).

Wheat, 40s. per qr. (*Tovey*).

Two comets (*Townsend*).

November 12. A remarkable meteor. After many days and nights of snow, cloudy and dark weather, the comet was very much wasted (*Evelyn*).

Severe winter (*Penny Mag.*).

Towards the middle of November appeared a comet, with a prodigious stream of light in the west. The star from which the blaze proceeded was but small, and when first discovered seemed not to be much above the horizon, but every night afterward it appeared higher and higher in the beginning of the night, and consequently setting later and later, its magnitude and lustre also proportionably decaying (*Hist. of Europe*).

Earthquake in Somerset, January 4, at 7 a.m.

Rainfall at Townley, 44·3 in. January, 5·1 in. February, 4·9 in. August, 5·0 in. October, 5·7 in. November, 4·8 in. (*Lowe*).

Several meteoric stones fell in London (*Greg*).

1681 Wheat, 46s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr. (*Tovey*).

March 27. An extraordinary sharp and cold spring, not yet a leaf on the trees ; frost and snow lying whilst the nation was in the greatest ferment.—April. But one shower of rain all this month.—May 25. There had scarcely fallen any rain since Christmas.—June 12. It still continued so great a drought as had never been known in England, and it was said to be universal (*Evelyn*).

Rainfall at Townley, 33·3 in. January, 0·5 in. April, 0·6 in. May, 0·7 in. September, 6·1 in. (*R. Townley*).

May 17. Mock sun (*Lowe*).—December 4. Mock sun.

Small-pox violent in London (*Nettleton*).

1682 Wheat, 44s. per qr. of nine bushels (*Smith*).

Wheat, 39s. 1d. per qr. (*Tovey*).

April. The season was unusually wet, with thunder.—
September 20. A comet near Cancer very bright, but the
stream not so long as the former (*Evelyn*).

Warm winter (*Penny Magazine*).

Rainfall at Townley, 50·7 in. January, 9·9 in. June,
5·2 in. July, 4·8 in. October 4·3 in. November, 5·2 in.
December, 4·6 in. (*R. Townley*).

March 22. River Thames ebbed and flowed three
times in four hours (*Lowe*).

Much damage at Brentford. The sudden flood oc-
casioned by the tempest was so great that the whole place
was laid under water. Boats were rowed up and down
the streets, and several houses were carried away by the
force of the torrent (*Beauties of England and Wales*).

1683 Wheat, 40s. per qr. of nine bushels (*Smith*).

Wheat, 35s. 6d. per qr. (*Tovey*).

March was unusually hot and dry, and all April ex-
cessively wet.—December 23. The Thames frozen, it
being this year one of the severest frosts that had hap-
pened for many years (*Evelyn*).

Earthquake in many parts of England (*Townsend*).

Cold summer. Severe winter (*Penny Magazine*).

Rainfall at Townley, 37·2 in. June, 4·7 in. July, 4·1 in.
August, 5·8 in. December, 0·4 in. (*Townley*).

February 5 or 6. Very destructive flood throughout
the Trent valley and many other parts, occasioned by the
breaking up of a frost, with much snow, which commenced
in September, 1682, and continued without intermission
till February 5. The Trent Bridge at Nottingham almost
wholly destroyed by pieces of ice floated down the stream
(*Lowe*).

The longest frost on record. Ice on the Thames
eleven inches thick.

Nearly all the birds perished. Small-pox raged in
London (*Lowe*).

The weather was very wet up to September 20 ; then

fine till 27th; then frosty. Barometer higher than for three years (*Phil. Trans.*).

Elms, ash and walnuts cleft by the frost, but not so much as oaks. The oaks, in being cleft, made a noise like a gun. Yews and hollies in some places killed, and in many places lost their leaves. Rosemary, laurustinus, etc., generally killed, and common herbs and flowers killed (*Jacob Bobart*).

Coaches on the ice on the Thames (*Derham*).

1684 Wheat, 44s. per qr. of nine bushels (*Smith*).

Wheat, 39s. 1d. per qr. (*Tovey*).

January 1. The weather continuing intolerably severe, streets of booths were set upon the Thames. The air was so very cold and thick as of many years there had not been the like.—6th. The river quite frozen.—9th. I went across the Thames on the ice, now become so thick as to bear not only streets of booths, in which they roasted meat, and had divers shops of wares quite across as in a town, but coaches, carts and horses passed over. So I went from Westminster Stairs to Lambeth.—16th. The Thames was filled with people and tents, selling all sorts of wares as in the city.—24th. The frost continuing more and more severe, the Thames before London was still planted with booths in formal streets, all sorts of trades and shops furnished and full of commodities, even to a printing press, where the people and ladies took a fancy to have their names printed, and the day and year set down when printed on the Thames. Coaches plied from Westminster to the Temple, and from several other stairs to and fro as in the streets, sleds, sliding with skates, a bull baiting, horse and coach races, puppet plays and interludes, cooks, tipling and other lewd places, so that it seemed to be a bacchanalian triumph or carnival on the water whilst it was a severe judgment on the land, the trees not only splitting as if by lightning struck, but men and cattle perishing in divers places, and the very seas

so locked up with ice that no vessels could stir out or come in. The fowls, fish and birds, and all our exotic plants and greens universally perishing. Many parks of deer were destroyed, and all sorts of fuel so dear that there were great contributions to preserve the poor alive. Nor was this severe weather much less intense in most parts of Europe as far as Spain. London, by reason of the excessive coldness of the air hindering the ascent of the smoke, was so filled with the fuliginous steam of the sea coal that hardly could one see across the streets, and this filling the lungs with its gross particles exceedingly obstructed the breast so as one could scarcely breathe. Here was no water to be had from the pipes and engines, nor could the brewers and divers other tradesmen work, and every moment was full of disastrous accidents.—February 5. It began to thaw but froze again.—8th. The weather was set in to an absolute thaw and rain, but the Thames still frozen.—10th. After eight weeks missing the foreign posts there came abundance of intelligence from abroad.—March 28. The weather began to be more mild and tolerable, but there was not the least appearance of any spring.—April 4. Hardly the least appearance of any spring.—July 2. There had been an excessive hot and dry spring, and such a drought still continued as never was in my memory.—July 13. Some small sprinkling of rain, the leaves dropping from the trees as in autumn.—August 10. We had now rain after such a drought as no man in England had known.—August 24. Excessive hot. We had not had above one or two considerable showers, and those storms, these eight or nine months. Many trees died for want of refreshment.—November 2. A sudden change from temperate warm weather to an excessive cold rain, frost, snow, and storm such as had seldom been known. This winter weather began as early and fierce as the past did late ; till about Christmas there had been hardly any winter (*Evelyn*).

A comet this year (*Townsend*).

December 23. The weather being cold and freezing, there likewise happened a terrible, and certainly the most dreadful, storm hath in these nations been heard of in the memory of man. Many persons perished in the snow on the Downs (*Easton*).

Rainfall at Townley, 34·1 in. Jan., 0·3 in. Feb., 4·8 in. March, 0·9 in. May, 1·0 in. Oct., 4·2 in. Nov., 5·8 in. (*Townley*).

A frost began at Christmas and lasted ninety-one days, and mortality increased. In dry mountainous places trees escaped tolerably well. Firs and pines escaped the cold (*Bobart*).

1685 Wheat, 46s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr. (*Tovey*).

January 1. It proved so sharp weather and so long and cruel a frost that the Thames was frozen across, but the frost was often dissolved and then froze again.—May 24. We had hitherto not any rain for many months, so as the caterpillars had already devoured all the winter fruits through the whole land, and even killed several greater old trees. Such two winters and summers I had never known (*Evelyn*).

June and July were rainy and inclement weather (*Roe*).

June 14. Such a dearth for want of rain as never was in my memory.—17th. The exceeding drought still continues.—28th. We have now plentiful rain after two years' excessive drought and severe winters.—November 22. Hitherto was a very wet, warm season.—December 31. The winter hitherto had been extraordinary wet and mild (*Evelyn*).

Rainfall at Townley, 37·8 in. Jan., 1·1 in. Feb., 0·4 in. June, 4·1 in. July, 5·0 in. Nov., 5·2 in. Dec., 5·5 in. (*Townley*).

1686 Wheat, 34s. per qr. of nine bushels (*Smith*).

Wheat, 30s. 2d. per qr. (*Tovey*).

A comet (*Townsend*).

January 19. So wet and mild a winter had scarce been seen in man's memory.—June 2. Such storms, rain, and foul weather seldom known at this time of the year. The storms being succeeded by excessive hot weather many grew sick.—20th. An extraordinary season of violent and sudden rain (*Evelyn*).

July 13. The season very rainy.—December 29. Little appearance of winter as yet (*Evelyn*).

Rainfall at Townley, 50·4 in. Jan., 4·7 in. Feb., 0·2 in. March, 5·7 in. May, 4·4 in. June, 4·7 in. Aug., 8·7 in. Sept., 5·7 in. Nov., 7·1 in. (*Townley*).

1687 Wheat, 25s. 2d. per qr. of nine bushels (*Smith*).

Wheat, 22s. 4d. per qr. (*Tovey*).

May 12. This day there was such a storm of wind as had seldom happened, being a sort of hurricane. It kept the flood out of the Thames, so that people went on foot over several places above Bridge. Also an earthquake in several places in England about the time of the storm.—June 23. Hitherto a very windy and tempestuous summer (*Evelyn*).

August 15. Hatfield, Yorkshire, 2 p.m., a waterspout. The season very dry and extremely hot (*Rev. de la Pryme*).

The low and declining state of prices produced considerable distress among the landed interest (*Tooke*).

1688 Wheat, 46s. per qr. of nine bushels (*Smith*).

Wheat, 40s. 10d. per qr. (*Tovey*).

April 15. A dry, cold, backward spring, easterly winds.—29th. The weather was till now so cold and sharp by an almost perpetual east wind which had continued many months that there was little appearance of any spring, and yet the winter was very favourable as to frost and snow.—November 18. It was now very hard frost (*Evelyn*).

Labourers' daily wages, 8d.

Exportation of wheat allowed when not exceeding 48s, with a bounty of 5s. per qr., and importation on the same terms as 1670.

January. Frost very severe in England. The Thames frozen (*Lowe*).

October 30. At about seven in the evening were seen as it were long streamers or pickes in the sky towards the north and north-west, but towards midnight it was seen very terrible, those long streamers as it were warring each with other and seeming as it were two parties. 'Twas seen about Bristol, where they say were seen men and guns and drums; and it is said in other places men were seen, viz., two armies (*George Wansey*).
1689 Wheat, 30s. per qr. of nine bushels (*Smith*).

Wheat, 26s. 8d. per qr. (*Tovey*).

Exportation of corn first received a bounty (*Young*).

January 7. A long frost and deep snow. Thames almost frozen over.—April 21. One of the most seasonable springs, free from the usual sharp east winds, that I have observed since 1660, which was much such a one.—June 23. An extraordinary drought to the threatening of great wants as to the fruits of the earth.—July 11. An unusual and violent storm of thunder, rain, and wind, upsetting boats on the Thames, rooting up trees, etc.—August 25. Hitherto it has been a most seasonable summer.—November 10. After a very wet season the winter came on severely.—17th. Much wet without frost, yet the wind north and easterly (*Evelyn*).

Warm winter (*Penny Magazine*).

Upon 11th day of January, being Saturday, towards evening there happened a violent tempestuous wind, which continuing to about 11 or 12 at night blew down a great elm (sold afterwards for ten pounds) growing on the north side of the church, which falling on the church and chancel beat down a great part of the roof of both (*Landford Register*).

A great scarcity of wheat, being at 10s. the bushel (*Easton*) ?

Oct. 4. Rain began towards night and continued without intermission (except a few hours on the 6th) till the 10th at noon, which caused such a rage of waters as overflowed the lower part of Norwich and broke down the bridges of Bungay (*Lowe*).

Rainfall at Townley, 48·6 in. March, 8·7 in. April, 4·7 in. Oct., 7·4 in. (*R. Townley*).

1690 Wheat, 34s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 9d. per qr. (*Tovey*).

Land worth 18 years' purchase (*Townsend*).

January 11. This night there was a most extraordinary storm of wind, accompanied with snow and sharp weather, blowing down houses and killing many people. It began about 2 a.m. and lasted till 5, being a kind of hurricane which mariners observe have begun of late years to come northward. This winter has been hitherto wet, warm, and windy.—August. A very extraordinary fine season, but on 12th was a great storm of thunder and lightning, and on 15th the season much changed to wet and cold. The unseasonable and most tempestuous weather happening, the naval expedition is hindered, and the extremity of wet causes the siege of Limerick to be raised.—17th. An extraordinary sharp, cold east wind.—October 7. An earthquake felt at Barnstaple, Holyhead, and Dublin.—12th. Very great storms of wind.—November 16. Exceeding great storms, yet a warm season.—December. Most of this month cold with frost (*Evelyn*).

Rainfall at Townley, 42·9 in. Jan., 7·1 in. April, 0·8 in. Oct., 7·6 in. Nov., 7·2 in. (*R. Townley*).

1691 Wheat, 34s. per qr. of nine bushels (*Smith*).

Wheat, 30s. 2d. per qr. (*Tovey*).

July 26. An extraordinary hot season, yet refreshed by some thunder showers.—August 20. Great thunder

and lightning, but the wind and rain very violent.—September 13. A great storm at sea. We lost the *Coronation* and *Harwich*, above six hundred men perishing.—October 14. A most pleasant autumn.

November 8 to 30. An extraordinary dry and warm season without frost, and like a new spring, such as had not been known for many years (*Evelyn*).

Rainfall at Townley, 31·4 in. March, 4·8 in. (*R. Townley*).

In August great mortality in York; 11,000 persons victims to the contagion (*Boyle*).

1692 Commenced a series of extraordinary bad seasons; they have been traditionally referred to as the barren years at the close of the 17th century.

Great rains in autumn. An earthquake was felt in England and in most parts of Europe (*Tooke*).

Wheat, 46s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr (*Tovey*).

January 24. A frosty and dry season.—February 7. An extraordinary snow fell.—April 1. No spring yet appearing.—24th. Very cold and unseasonable weather, scarce a leaf on the trees.—May 5. Eastern wind constantly blowing.—June 9. An exceeding great storm of wind and rain, in some places stripping the trees of their fruit and leaves as if it had been winter, and an extraordinary wet season with great floods. This whole summer was exceeding wet and rainy, the like had not been known since 1648, whilst in Ireland they had not known so great a drought.—August 14. Still an exceeding wet season.—September 15. An earthquake.—October 1. The season was so exceedingly cold by reason of a very long and tempestuous north-east wind, that this usually pleasant season was very uncomfortable. No fruit ripened kindly (*Evelyn*).

Very cold winter (*Chambers*).

Rainfall at Townley, 43·7 in. January, 0·5 in. April,

5'0 in. July, 4'5 in. September, 6'0 in. December, 8'9 in. (*R. Townley*).

In England a cold summer and a great deluge of rain till reaping time (*Lowe*).

September 8. After 2 p.m., in London and the suburbs, there was plainly felt a trembling and shaking of the houses, the stools and chairs hitting together, many persons being taken with giddiness. It lasted about two minutes (*Braunston*).

1693 Wheat, 67s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 60s. 1d. per qr. (*Tovey*).

February 4. Hitherto an exceeding mild winter such as has seldom been known, and portending an unprosperous spring as to the fruits of the earth. Our climate requires more cold and winterly weather.—26th. An extraordinary deep snow after almost no winter, and a sudden gentle thaw.—April 23. An extraordinary wet spring.—June 24. A very wet hay harvest and little summer as yet.—August 6. Very lovely harvest weather and a wholesome season, but no garden fruit.—October 31. A very wet and uncomfortable season.—November 12. The season continued very wet, as it had nearly all the summer, if one might call it summer, in which there was no fruit, but corn was very plentiful.—December 10. Very great storm with thunder and lightning (*Evelyn*).

Rainfall at Townley, 42'3 in. February, 0'8 in. April, 5'4 in. May, 0'9 in. June, 1'8 in. July, 1'1 in. August, 6'7 in. September, 6'4 in. October, 5'1 in. November, 6'3 in. (*R. Townley*).

A very wet summer. This unseasonable weather extended to France, where numbers perished from want, notwithstanding they imported much corn from Sweden and Denmark. In Kent turnips made a considerable share of bread for the people (*Tooke*).

1694 Wheat, 64s. per qr. of nine bushels at Windsor (*Smith*).

Wheat, 56s. 10d. per qr. (*Tovey*).

A very wet summer (*Tooke*).

The whole month of April without rain, and till May 13, when some refreshing showers.—June 3. Seasonable showers.—July. Glorious steady weather; corn and all fruits in extraordinary plenty generally.—August 5. Stormy and unseasonable wet weather this week (*Evelyn*).

Deficient harvest (*Farmers' Almanack*).

April 22. A fiery exhalation rising out of the sea spread itself in Montgomeryshire a furlong broad, and many miles in length, burning all straw, hay, thatch and grass, but doing no harm to trees, timber, or any solid things, only firing barns or thatched houses. It left such a taint on the grass as to kill all the cattle that eat of it. It lasted many months (*Evelyn*).

Frost so intense that many forest trees and oaks were split by it (*Chambers*).

1695 Wheat, 53s. per qr. of nine bushels (*Smith*).

Wheat, 47s. 1d. per qr. (*Tovey*).

January 13. The Thames was frozen over.—20th. The frost and continual snow has now lasted near five weeks.

February 3. The long frost intermitted, but not gone.

March. The latter end sharp and severe, cold with much snow and hard frost.

April 14. After a most severe cold and snowy winter, without almost any shower for many months, the wind continuing north and east, and not a leaf appearing, the wind and weather now changed, some showers fell, and there was a remission of cold.—21st. The spring begins to appear, yet the trees hardly leafed.—July 28. A very wet season.—August 11. The weather now so cold that greater frosts were not always seen in the midst of winter; this succeeded much wet, and set harvest extremely back.—25th. The season wet, great storms, unseasonable harvest weather.—29th. Very cold weather.—October. Very mild weather the whole month.—Decem-

ber 25. Hitherto mild, dark, misty weather. Now snow and frost (*Evelyn*).

Cold summer (*Penny Magazine*).

Deficient harvest (*Farmers' Almanack*).

Rainfall in London from August 12 to August 12, 1696, 29 in. (*Lowe*).

Many of the Scotch are driven into Ireland by the excessive price of corn (*Tooke*).

1696 Wheat, 71s. per qr. of nine bushels (*Smith*).

Wheat, 63s. 1d. per qr. (*Tovey*).

February 2. An extraordinary wet season, though temperate as to cold.—March 1. Wind north and east all this week. Great frost and cold through March.—June 21. An exceeding rainy, cold, unseasonable summer, yet the city was very healthy.—July 7. A northern wind altering the weather with a continual and impetuous rain of three days and nights, changed it into perfect winter.—12th. Very unseasonable and uncertain weather.—August 3. Reasonable good harvest weather.—September. Fine seasonable weather, and a great harvest after a cold wet summer. Scarcity in Scotland.—October 24. Unseasonable stormy weather and an ill seed time.—November 8. The first frost began fiercely, but lasted not long.—15th to 23rd. Very stormy weather, rain, and inundations.—December 13. Continuance of extreme frost and snow (*Evelyn*).

Wet wheat harvest (*Lisle*).

Deficient harvest (*Farmers' Almanack*).

January 26. Intense frost. In London temperature 9° below zero (*Lowe*).

Crops bad and dear this year (*Lowe*).

February 3. The great pier demolished and much damage done at the Isle of Portland, owing to excessive rain (*Sir W. Southwell*).

The mean rate for wheat for the next fifty years was 5s. 4d. per bushel (*L. M.*).

A very wet summer (*Tooke*).

1697 Wheat, 60s. per qr. of nine bushels (*Smith*).

Wheat, 53s. 4d. per qr. (*Tovey*).

January 17. The severe frost and weather relented, but again froze with snow.—February 7. Severe frost continued with snow. Soldiers in the armies and garrison towns frozen to death on their posts.—September. Very bright weather, but with sharp east wind.—October 3. So great were the storms all this week that near 1000 people were lost going into the Texel (*Evelyn*).

Deficient harvest (*Farmers' Almanack*).

A very wet spring.

Rainfall at Townley 38.0 in. Much rain in March, August and September, but little in January and April (*R. Townley*).

Rainfall at Upminster, Essex, 15.5 in. (*Derham*).

Great thunderstorms, with hail, April 29, May 4, and June 6, killing fowls, rooks, hares, etc.; hailstones immense size (*Halley, etc.*).

1698 January 26. Ice eight inches thick.—29th. Thunder and lightning.—February 14. Great snowstorm; snow drifts several yards deep.—February 26. Ice four inches thick. Weather very cloudy, with north-east wind nearly all through February.—March 24. Warm weather; a thunderstorm; also March 26, April 11, 25, and 27.—April 22. Snow all day. A cold April.—May 8. A great deep snow all over England.—15th. Woods like winter.—June 3. Thunderstorm with fierce great hail covering the ground three inches deep. Cold, very backward spring; the latest for the past forty-seven years, but very hot for the first part of July.—July 9. Thunderstorm.—15th. Great rain.—18th to 26th. Cloudless.—August 13 to 15. Frosts, after which very fine to the end of the month.—August 28. Three mock suns and circles from 8 a.m. till 10 a.m.—Thunderstorms on October 3, November 17, December 22.—Extremely

cold nights on October 15, 16, 17.—Much rain and snow, October 30.—A terrible flood at Derby, November 5. December a warm month (*Lowe*).

The coldest year between 1695 and 1742 (*Lowe*).

Rainfall at Townley, 41'0 in., but little rain in January, February, May, and June (*R. Townley*).

Rainfall at Upminster 24'5 in. (*Derham*).

Wheat, 68s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 60s. 9d. per qr. (*Tovey*).

A comet (*Townsend*).

A very wet summer (*Tooke*).

April 21. An exceeding sharp and cold season.—

May 8. An extraordinary great frost and snow, nipping the corn and other fruits. Corn at 9s. the bushel.—

December 18. Very warm but exceeding stormy (*Evelyn*).

Labourers' wages, 8d. per day. Deficient harvest (*Farmers' Almanack*).

45s. considered good rent for a cow, it formerly yielded less; 1 cwt. skim cheese, 14s.; 70 lbs. butter, 23s. 4d.; calf, 16s.; pig, ; 2 gallons of milk daily (*Lisle*).

August 6. Biggest raindrops known. The most rain last four months known, whole fields of corn spoilt. The first wheat cut in the middle of September, and much barley in swathe in December. In the north much corn ungot at Christmas, and in Scotland corn was reaped in January, 1699, and the snow beaten off it. Bread made of it fell to pieces and tasted sweet like malt.

January. Much snow in deep drifts, and all the month ice on the water.—24th. Barometer lower than ever seen, 27'80 (*Derham*).

1699 Wheat, 64s. per qr. of nine bushels (*Smith*).

Wheat, 56s. 10d. per qr. (*Tovey*).

February 7th was a terrible storm that did much damage, W.N.W. (*Derham*).

February 19. A most furious wind, such as has not happened for many years, doing great damage to houses

and trees, by the fall of which several persons were killed.—March 26. An extraordinary storm.—June 11. After a long drought we had a refreshing shower.—25th. The heat has been so great almost all this month that I do not remember to have felt much greater in Italy, and this after a winter the wettest though not the coldest that I remember for fifty years last past.—July 23. Seasonable showers after a continuance of excessive drought and heat.—October 21. After an unusual warm and pleasant season we were surprised with a very sharp frost.—November 25. There happened this week so thick a mist and fog that people lost their way in the streets, it being so intense that no light of candles or torches yielded any (or but very little) direction. I was in it and in danger. It began about 4 p.m., and was quite gone by 8, without any wind to disperse it. A gentle, calm day, temperate weather all this season of the year, but now came sharp, hard frost and mist, but calm.—December 3. Calm bright and warm as in the middle of April (*Evelyn*).

After barley seedtime there was for about a month a very dry time. A mighty year for aftermass grass. About midsummer a mighty cold and wet day and night falling after shearing many sheep died. On good pastures calves do not pay more than 2s. per week, till five or six weeks old for the butcher (*Lisle*).

A dry summer (*Winchcomb Parish Register*).

A comet (*Townsend*).

Deficient harvest (*Farmers' Almanack*).

Severe winter (*Penny Magazine*).

Rainfall at Upminster, 15'1 in. (*Derham*).

Severe frost. The price of wheat rose to 71s. per qr.

Mock suns, February 26, at Canterbury, and April 7 (*Gray*).

1700 Wheat, 40s. per qr. of nine bushels at Windsor (*Smith*).

Wheat, 35*s.* 6*d.* per qr. (*Tovey*).

Calm, bright, and warm as April, to January 21. The weather on 25th was now altering into sharp and hard frost.—February 18. Mild and calm season with gentle frost and misling rain.—8th. The season was like April for warmth and mildness.—March 24. The season warm, gentle, and exceeding pleasant.—April. A most glorious spring with hope of abundance of fruit of all kinds and a propitious year.—June 2. A sweet season with a mixture of refreshing showers (*Evelyn*).

Corn housed extraordinary well. May cold and wet. Mowing an acre of clover, 1*s.* Cutting an acre of vetches, 2*s.* 6*d.* November, frosty (*Lisle*).

Rainfall at Upminster, 19·3 in. (*Derham*).

Extremely warm (*Lowe*).

All duties payable on the exportation of wheat, etc., cease (11 and 12 *William III.*).

1701 Wheat, 37*s.* 8*d.* per qr. of nine bushels (*Smith*).

Wheat, 33*s.* 5*d.* per qr. (*Tovey*).

January 4. An exceeding deep snow and melted away as suddenly.—19th. Severe frost and such a tempest as threw down many chimneys and did great spoil at sea.—May. A great dearth, no considerable rain having fallen for some months.—17th. Very plentiful showers, the wind coming west and south.—August. The weather changed from heat not much less than in Italy or Spain for some days, to wet dripping and cold with intermissions of fair (*Evelyn*).

This was a mighty corn year, and a year which grew much straw. Hot summer. Clover high in barley. Dry March and April (*Lisle*).

Hot summer (*Penny Magazine*).

Rainfall at Upminster, 18·7 (*Derham*).

1702 Wheat, 29*s.* 6*d.* per qr. of nine bushels (*Smith*).

Wheat, 26*s.* 2*d.* per qr. (*Tovey*).

Dry summer and harvest. Very hot and dry for six

weeks during latter part of April and all May. Great scarcity of hay and grass. Very wet winter (*Lisle*).

A comet (*Townsend*).

Hot summer (*Penny Magazine*).

February 3. A remarkable storm, at which time was the greatest descent of the mercury ever known (*Defoe from Derham*).

Violent gale all evening and till the morning of 4th (*Derham*).

Scarcely any rain from April 23 to May 29; after May 29 great showers. March had been a dry month, and April, up to 23rd, wet (*Derham*).

Rainfall at Upminster, 20·4 in.

1703 Wheat, 36s. per qr. of nine bushels (*Smith*).

Wheat, 32s. per qr. (*Tovey*).

January. Corn and provisions so cheap that the farmers are unable to pay their rents.—June 13. Rains have been great and continual, and now near midsummer cold and wet.—July 25. The last week in this month a long-continued rain, and the Sunday following thunder and lightning.—Nov. 21. The wet morning.—Nov. 26, 27. The effects of the great hurricane and tempest of wind, rain and lightning through all the nation were very dismal. Many houses demolished and people killed (*Evelyn*).

Much grass. Wet summer. Late harvest. May and June very wet. Corn yields very ill (*Lisle*).

April, May, June and July wet months in South of England. In May there fell more rain than in any month in any year since 1696. June was a dripping month. July had considerable intermissions, but violent showers on 28th and 29th. September was a wet month, especially the latter part. October and November not remarkably wet, but open, warm months for the most part ().

November ye 26th day at night, or rather, the 27th in morn, a great wind which blowed down houses, barnes,

trees, being Satterday morning, and much harm to the ships at sea (*Winchcomb Parish Register*).

Twelve war ships sunk with their crews. The Bishop of Bath and Wells killed in his bed by stack of chimneys falling on him. Eddystone lighthouse with Winstanley, its builder, swept away ().

1,500 seamen perished (*Boyle*).

November 18. A great wind, yt day and night being Thursday (*Winchcomb Parish Register*).

One continued storm from Wednesday, November 24, till Wednesday following, about one o'clock in the afternoon. It had blown hard for about fourteen days past, and that so hard that we thought it terrible weather. Friday, 26. It did not blow so hard till twelve o'clock at night but that most families went to bed. But about one or, at least, by two o'clock, few people that were capable of any sense of danger were so hardy as to lie in bed. From two o'clock the storm increased till five, and from five to half-past six it blew with the greatest violence. About eight it ceased so much that people began to peep out of doors. About three in the afternoon it increased again, and at four was as violent as at any time of the night. It kept blowing all Sunday and Monday, and Tuesday afternoon it increased again, and all Tuesday night it blew with such fury that many families were afraid to go to bed (*Defoe*).

December 8. Dreadful S.W. gale.—27th and 28th. Violent gales (*Thoresby*).

Rainfall at Upminster 24.0 in. during the year (*Derham*).

In the gale from Nov. 26 to Dec. 1 London sustained a damage of £2,000,000; 8,000 persons lost their lives by the floods of the Severn, Thames, and on the coast of Holland. In one place 15,000 sheep were drowned. In Kent 1,107 houses and barns were destroyed (*Lowe*).

The price of wheat rose by Lady-Day, 1704, to nearly

double of what it had been in the preceding spring (*Tooke*).

1704 Wheat, 46s. 6d. per qr. of nine bushels at Windsor (*Smith*).

Wheat, 41s. 4d. per qr. (*Tovey*).

This year has been very plentiful (*Evelyn*).

Plenty of grass in the spring, but no rain in June or July; grass all burnt up. Very dry autumn (*Lisle*).

Rainfall at Upminster, 15·8 in.; average for past 8 years, 29·5 in. (*Derham*). At Townley average of past 8 years, 42·5 in.

1705 Wheat, 30s. per qr. of nine bushels (*Smith*).

Wheat, 26s. 8d. per qr. (*Tovey*).

A dry summer (*Winchcomb Parish Register*).

January very wet and rainy. No rain from April to 2nd July. Wonderful dry summer (*Lisle*).

June. The season very dry and hot.—February 21. Remarkable fine weather.—March 11. An exceeding dry season (*Evelyn*).

Gales, March 30, April 5, August 11, and September 29 (*Derham*).

Rainfall at Upminster, 16·9 in. for the year (*Derham*).

1706 About this time the kingdom was blest with plenty (*Tooke*).

Wheat, 26s. per qr. of nine bushels (*Smith*).

Wheat, 23s. 1d. per qr. (*Tovey*).

Severe winter (*Penny Magazine*).

Dry spring. No rain for three months before harvest (*Lisle*).

A comet (*Townsend*). Rainfall at Upminster, 24·3 in. (*Derham*).

Another dry summer. A great wind Feb. 9th (*Winchcomb Register*).

July 16. Began to rain at 8 a.m., and continued incessantly for thirty hours, with thunder and lightning at Denbigh. All the rivers in Denbighshire, Flintshire and

Merionethshire overflowed, and spoilt much corn. The stream was so choked with mown hay as to break down a dozen large bridges (*Dr. Hans Sloane*).

1707 Wheat, 28s. 6d. per qr. of nine bushels at Windsor (*Smith*).

Wheat, 25s. 4d. per qr. (*Tovey*).

Very dry from March 12 to May 22. Sun hot by day, nights cold. Parching winds. Spring corn did not come up till June. Hot summer. Wheat much blighted. Showery weather in harvest. Extreme wet winter (*Lisle*).

July 8 was so excessively hot and suffocating by reason of no wind stirring, that divers persons died (*Derham*).

Aurora borealis in November (*Derham*).

Rainfall at Upminster, 16.3 in. (*Derham*).

1708 Wheat, 41s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 36s. 10d. per qr. (*Tovey*).

Wet and cold spring. Cut barley 30th August. Rain every day for three weeks to 20th September, followed by a severe winter (*Lisle*).

Dreadful winter (*Gilbert White*).

Thames frozen.

Extraordinary cold in December (*Chambers' Dict.*).

June 12. It was so cold that there was a hoar-frost, and during all the cool weather of that month there were frequent and large rains, amounting to above two inches in depth in Essex (*Derham*).

January 24. Great snowstorm (*Pulman's Book of the Axe*).

September 1. Great thunder and lightening; ye greatest floods that hath been known in any man's age (*Winchcomb Register*).

Rainfall at Upminster, 19.2 in (*Derham*).

A hard frost, which brought on a prodigious scarcity of provisions, more in France than in England. In general the summer was cold and wet (*Tooke*).

1709 Wheat, 78s. 6d. per qr. of nine bushels at Windsor (*Smith*).

Wheat, 60s. 9d. per qr. (*Tovey*).

Cold and wet April and May. No bite of grass in Somerset on June 19th (*Lisle*).

A famine (*Rogers*).

A frost with heavy snow from December till March (*Dugdale*).

Wheat at 10s. and barley at 5s. the bushel (*Easton*).

Thames frozen over, but not sufficiently permanent to allow a frost fair, although several persons crossed on the ice (*Walter Thornbury*).

Remarkably severe winter to a very late period in the spring (*Whistlecraft*).

January 9. Extremely cold. Frost so intense that in less than twenty-four hours rivers froze so as to beat loaded wagons. Cattle, sheep, and birds perished. Great quantities of snow fell, and the storm continued for three months. A backward spring and a general scarcity (*Lowe*).

Rainfall at Upminster, 26·6 in. (*Derham*).

1710 Wheat, 78s. per qr. of nine bushels (*Smith*).

Wheat, 69s. 4d. per qr. (*Tovey*).

A famine (*Rogers*).

Price of a two-years-old colt from £10 to £12. Fat lambs sell in May at about 10s. 6d. each (*Lisle*).

Rainfall at Upminster, 18·4 in. (*Derham*).

Exportation of corn prohibited for one year (*Tooke*).

Wheat at Lady Day, at 11s. 6d. the bushel of nine gallons, having risen 200 per cent. in two years (*Tooke*).

1711 Wheat, 54s. per qr. of nine bushels (*Smith*).

Wheat, 48s. per qr. (*Tovey*).

Wet and cold spring. Wheat cut July 27th; barley 26th August. Dry summer, but not hot (*Lisle*).

October 7. Great storm, with thunder and lightning, doing considerable damage near Oakhampton, in Devon (*Old Record*).

Rainfall at Upminster, 23·6 in. (*Derham*).

Aurora borealis, March 6th (*Lowe*).

1712 Wheat, 46s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 2d. per qr. (*Tovey*).

Dry February and March. A little rain first week in April, then no rain till mid May. Very hot till June 20th. Strong westerly winds before harvest (*Lisle*).

Constant and great rains in autumn and winter (*Bishop of Clogher*).

Rainfall at Upminster, Essex, 23·8 in. (*Derham*).

1713 Wheat, 51s. per qr. of nine bushels (*Smith*).

Wheat, 45s. 4d. per qr. (*Tovey*).

Cold dry spring with easterly winds, followed by a dry summer. Wheat generally good. Barley and oats bad (*Lisle*).

Rainfall at Upminster, 23·2 in. (*Derham*).

The price of wheat rose after harvest to 8s. the bushel as a consequence of a bad harvest. From 1692 to 1713 are no fewer than twelve years of bad or indifferent harvests, and consequent high prices arising from inclemency or unpropitiousness of the seasons (*Tooke*).

1714 Wheat, 50s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 44s. 9d. per qr. (*Tovey*).

Very cold dry spring. Summer and autumn hot and dry. Wheat cut 21st July. Finished wheat harvest August 5th. Crop good. Barley and oats bad (*Lisle*).

Rent for white arable land in Wiltshire, sixpence an acre (*Lisle*).

Rainfall at Upminster only 11·2 in. during the year (*Derham*).

A remarkable drought (*Derham*).

1715 Wheat, 43s. per qr. of nine bushels (*Smith*).

Wheat, 38s. 2d. per qr. (*Tovey*).

Cold and wet summer. Wet wheat harvest, most farmers have some grown. Autumn very wet, followed by extreme cold and snow. Wheat lay in ground (*Lisle*).

Thames frozen for three months and a fair held on it.

—January 19. Two oxen were roasted whole on the ice. Vast quantities of snow fell at different times (*Walter Thornbury*).

A severe frost from November 24th to February 9th, 1716 (*Farmers' Almanack*).

Aurora borealis, March 6th.

April 22. A total eclipse of the sun about 9 a.m., when the darkness was so terrible for three minutes and thirteen seconds that the stars appeared, and the birds and other animals were in a state of great consternation (*Boyle*).

1716 Wheat, 48s. per qr. of nine bushels (*Smith*).

Wheat, 42s. 8d. per qr. (*Tovey*).

Cold dry spring and summer till the end of August. Wheat scarcely to be seen at end of March. Small crop of hay. Turnips a failure. Aftermass very short (*Lisle*).

Fair on the Thames. Great frost and snow.

February 23. Aurora borealis unusually brilliant. March 18, 19, and 20. Surprisingly brilliant, especially on the 6th, which lasted from 7 p.m. to 3 a.m. Halley says nothing of the kind had occurred in England for more than eighty years, nor of the same magnitude since 1574.

A long drought ()

September 14. The Thames lay perfectly dry both above and below bridge, leaving only a very narrow channel. It was occasioned by a strong westerly wind that blew all the preceding day and night, which forced back the tide and drove forward the ebbing waters (*Boyle*).

1717 Wheat, 45s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 40s. 7d. per qr. (*Tovey*).

No rain from middle of March to 22nd May. Showery summer. Clover to a great height in barley. About this time white arable land was rented in Wiltshire at sixpence per acre (*Lisle*).

Shops on the Thames ().

Dreadful thunderstorms July 21 and 22 (*Boyle*).

Aurora borealis, February 5, March 30 and 31, April 1 and 2, and September 20.

December. Very mild (*Miller*).

1718 Wheat, 38s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 34s. 6d. per qr. (*Tovey*).

Hot and dry summer. Barley harvested without rain (*Lisle*).

Hot summer. Severe winter (*Penny Magazine*).

A comet (*Townsend*).

Seine frozen over ()

Snow fell for several days in succession early in January, and a very hard frost for a long time besides, snow very often, and all things very dear. Two turnips sold for a penny, and coals at 40s. a qr.; and all these things, notwithstanding so dear, were very bad in kind (*Old Book*).

Aurora borealis, September 5 and 6, and December 19 (*Lowe*).

1719 Wheat, 35s. per qr. of nine bushels (*Smith*).

Wheat, 31s. 1d. per qr. (*Tovey*).

Great frost (*Lowe*).

Dry and cold spring. Exceeding hot summer. Hay and straw so short that cows sold at Michaelmas at 30s. each, which generally make £4. Fat pigs are 4s. 6d. per score, bulls tenpence per score. The following spring beef made fivepence per lb. (*Lisle*).

May 19. A great meteor at 8 p.m. (*Old Almanack*).

Wet autumn, and mild weather to the beginning of February (*Lisle*).

March 19. A surprising meteor was seen about 8 p.m. from all parts of England, Scotland, and Ireland. Its duration was not above half a minute. At Exeter its light exceeded that of the sun at noon-day. It seemed to break like a sky rocket into sparks of red fire, and

shortly after a report as loud as a cannon shook the windows, succeeded by about thirty others at the interval of a minute. It broke over the sea near the coast of Brittany at an altitude of about thirty miles (*Hone*).

1720 Wheat, 37s. per qr. of nine bushels (*Smith*).

Wheat, 32s. 10d. per qr. (*Tovey*).

Wet and cold spring and summer. So wet through March, April, and May that the pastures did not afford a bite for cattle till middle of May. About a month before haymaking there fell so much rain that the water meadows were overflowed and very much stranded, so that the hay was given to them who would cut it and carry it off (*Lisle*).

Cheese, 24s. per cwt. Summer wet till July 18th. A great burden of hay and grass (*Lisle*).

1721 Wheat, 37s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 33s. 4d. per qr. (*Tovey*).

Aurora borealis, January 6, February 6, September 11, October 21.

Mock suns February 22; August 30, October 22, 23, 26 (*Lowe*).

March 26. Much rain and hail with thunder and lightning.

June 20th and up to 26th, hot weather, when I finished haymaking.

The first week in December was frosty.—13th. Rain.

Hired a cook maid at ye wages of £4 (*Diary of Thomas Smith, Esq.*).

1722 Wheat, 36s. per qr. of nine bushels (*Smith*).

Wheat, 32s. per qr. (*Tovey*).

Very mild December (*Lowe*).

Rainfall in May, 3·5 in. July, 4·3 in. October, 0·6 in. (*Horsley*).

Mock suns March 22, 23, 26. Aurora borealis February 19, March 15.

January 12. Frosty. Wet season up to April. Floods beginning of June.

Hired an upper maid at £3 5s. per annum (*Diary of Thomas Smith, Esq.*).

1723 Wheat, 34s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 10d. per qr. (*Tovey*).

Hot summer (*Penny Magazine*).

Very dry year.

Rainfall in February, 0·5 in. March 0·2 in. (*Horsley*).

Aurora borealis, August 20, October 20.

1724 Wheat, 37s. per qr. of nine bushels (*Smith*).

Wheat, 32s. 10d. per qr. (*Tovey*).

A very great flood in February (*Easton*).

October and November. Wind N. and N.E. at Plymouth (*Lowe*).

1725 Wheat, 48s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 43s. 1d. per qr. (*Tovey*).

Drought from middle of January till middle of April. It was drier than ever known in this country. Cold and very wet from middle of April till August 27. Great flood at Ketton, June 11 and 12.—August 23. Twenty-four hours' heavy rain, causing a flood in the meadows for four or five days; garden stuff one month later than usual; scarcely any kidney beans, no caterpillars or flies, fruits scarcely ripened, corn very dear, very warm spring till April (*Lowe*).

1726 Wheat, 46s. per qr. of nine bushels (*Smith*).

Wheat, 40s. 10d. per qr. (*Tovey*).

Greatest flood ever known in Salisbury, water rose a foot high in the Cathedral (*Easton*).

March 8. River Thames four inches higher than had been known for 40 years (*Jones*).

Aurora borealis, October 3, 4, 8, 26 (*Derham*).

October 25. Severe earthquake at Dorchester and other places (*Derham*).

1727 Wheat, 42s. per qr. of nine bushels (*Smith*).

Wheat, 37s. 4d. per qr. (*Tovey*).

An earthquake in several parts of England (*Old Almanack*).

Aurora borealis, January 4, 5, March 2, 3, 5.

Four mock suns March 1 (*Whiston*).

1728 Wheat, 54s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 48s. 5d. per qr. (*Tovey*).

January. Great floods. Malt tax £750,000; great dearth 1728-9; severe winter (*Lowe*).

Aurora borealis, October 13 (*Derham*).

This year and the preceding one there was a great dearth in Ireland (*Boyle*).

1729 Wheat, 46s. 10d. per. qr. of nine bushels (*Smith*).

Wheat, 41s. 7d. per qr. (*Tovey*).

January 24. Began a hard frost which lasted nine weeks (*Farmers' Almanack*).

A comet (*Townsend*)

July. Most horrible tempests accompanied with such astounding deluges of rain in parts of Spain that the like was never known in any country, and the damages sustained were deemed irreparable (*M. C.*).

Great thunderstorms in England in June (*Monthly Chronicle*).

Great rains and floods in November (*Monthly Chronicle*).

November 4. A whirlwind from north-west at Barford St. Martin, unroofing houses, blowing down trees, etc. (*Monthly Chronicle*).

Drought in June (*Lowe*).

Bounties on export of corn confirmed (2nd *George II.*).

A general sickness from 1725 to 1729 inclusive, was a period of some, though not of a severe, degree of dearth (*Tooke*).

1730 Wheat, 36s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 32s. 5d. per qr. (*Tovey*).

January 1. Great fog in London, many lives lost (*Lowe*).

Drought in August.

From 1730 to 1739, both years included, there does

not appear to have been one season with any general or marked deficiency (*Tooke*).

1731 Wheat, 32s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 29s. 2d. per qr. (*Tovey*).

January 20. Very deep snow ; wheat in January, 26s. to 28s. per qr. ; barley, 20s. to 22s. per qr. (*Thackeray*).

Rainfall at Plymouth, 17·266 in. (*Gilbert White*).

January 4 to 5. Great frost and snow.—25th. Snow so deep in some places that the roads were hardly passable.—30th. Cold as great as December 30, 1708 (*Derham*).

October 30. Whirlwind at Cerne Abbas, terrible at 12.45 a.m., only 200 yards wide, trees uprooted, houses unroofed, only lasted two minutes (*Dorby*).

November 29. A little snow fell in the night (*G. White*).

1732 Wheat, 26s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 23s. 8d. per qr. (*Tovey*).

Barley, 2s. per bushel in the West of England (*Tooke*).

May 1. A great fall of snow at Edinburgh.—2nd. At Ashby-de-la-Zouch. Ice so strong at Edinburgh as to bear man and horse ; lambs were killed by the excessive cold (*Lowe*).

May 7. Great flood at Ashby-de-la-Zouch (*Lowe*).

September 16. The tide of the river Thames flowed for the space of eight hours instead of four, while it ebbed for five instead of eight (*Boyle*).

1733 Wheat, 28s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 25s. 2d. per qr. (*Tovey*).

March 1. Greatest flood in North of England ever remembered (*Boyle*).

May evenings and mornings very cold, and the middle of the day violently hot ; north-east winds continually, and such want of rain that the ground is as hard as iron (*Duchess of Queensberry*).

June 23, 24, 25, very hot.—26th and 27th. Great thunderstorms.

July. The weather was so excessively hot for the most part of this month that it was scarcely tolerable ; horses dying on the roads ; much mischief by lightning.—August. Great meteor.—October 27. Aurora borealis.—28th to 30th. A gale.—December 8. A very large meteor (*Lowe*).

1734 Wheat, 38s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 9d. per qr. (*Tovey*).

Exported this year 70,224 qrs. barley, 223,174 qrs. malt, 3,038 qrs. oatmeal, 10,735 qrs. rye, 498,195 qrs. wheat, on which a bounty was allowed of £163,476 (*Boyle*).

Rainfall at Plymouth, 37·114 in. (*Gilbert White*).

Earthquake in Ireland in August that destroyed 100 houses and five churches (*Townsend*).

July 13. Great rain.—August 9 and 10. Thunder.—11th and 26th, and November 26. Gale.—October 1. Violent rain at Chester ; great flood on the Dee.—25th. Earthquake on the south coast.

Necessity has compelled our farmers to more carefulness and frugality in laying out their money than they were accustomed to do in better times (*W. Allen, Esq.*).

1735 Wheat, 43s. per qr. of nine bushels (*Smith*).

Wheat, 38s. 2d. per qr. (*Tovey*).

January 8. Great hurricane ; great and general rot in sheep, the carcasses a great nuisance in the highways. The most general rot in the memory of man. Thousands not worth offering for sale. One of the wettest seasons I ever knew. 100 sheep sold at Leighton market at 6d. each (*Ellis*).

January 8. So violent a gale has not been known since the memorable one of November, 1703 ; gales and inundations general throughout England : barometer at noon, 27·9.

Very cold summer. During June and July there were but few fair days.

July 19. The excessive wet has laid the corn flat, and much hay has been spoilt by flood in the valley of the Thames (*Lowe*).

March 9. A whirlwind at Kilverston, in Norfolk, which blew the lead off the tops of the churches, the tiles from the houses, levelled a piece of ground as if it had been harrowed, blew water out of the river carrying it $1\frac{1}{2}$ furlong. (*Boyle*).

August 23. Great rain ; a flood.—27th. Violent gale, did much damage, and destroyed a third of the hops.—September 7. Gale with tremendous rain at Droitwich ; men, horses, sheep, and bridges were carried away by the flood. At Coventry greater flood than for forty years (*Beighton*).

September 15. A hailstorm destroyed most of the un-reaped corn in Ayrshire ; it lay two feet thick in some places.—October 27. Great flood.—December 7. Fearful thunderstorm, with great rain, at Ashby-de-la-Zouch.—December 11. Aurora borealis.—30th. Two mock suns (*Lowe*).

1736 Wheat, 40s. 4d. per qr. of nine bushels (*Smith*).

Wheat, 35s. 10d. per qr. (*Tovey*).

Remarkably deep snow (*Townsend*).

January. Scarcely any frost, continuous rains, many lives lost by floods.—February 2. A gale.—8th. Great snow, with gale.—16th. Thames rose $6\frac{3}{4}$ in. above the height of the great tide of March 8, 1726, being higher than for fifty years.—21st. Great snow ; great flood in May.

From May to December 170 in. of rain fell at Lyndon, Rutland (*Barker*).

July 5. From the beginning of March such continuous rains the like not known in the memory of man. All the low meadows in the kingdom floated, and the hay and corn carried away or spoilt. The damage done almost incredible. In three days five inches of rain fell.—

September 17. Three mock suns.—July. The houses near the Leen, at Nottingham, 2 feet deep in water (*Thoresby*).

October 9. A great storm.—November 12. A great N.W. gale.—12th to 18th. So severe a frost at Edinburgh that 24 hours after it began persons were walking on the lake.

Nov. 13. Aurora borealis brilliant at 6 p.m. (*J. Short*).

November 24 and December 20. Gales.—24th. Thames flowed into Westminster Hall, the prodigious high tide being occasioned by previous heavy rains (*Boyle*).

1737 Wheat, 38s. per qr. of nine bushels (*Smith*).

Wheat, 33s. 9d. per qr. (*Tovey*).

February 14. Prices of corn in Salisbury market : Wheat, 3s. 6d. to 4s. 6d. per bushel ; barley, 17s. per qr. ; oats, 11s. to 12s. per qr. ; beans, 3s. 6d. to 4s. 6d. per bushel ; peas, 12s. per. qr.

May 12. A load of wheat belonging to Farmer Waters, of Burford, going to Redbridge for exportation was stopped near Whiteparish by about 60 people, who knocked down the fore horse, broke the wagon in pieces, cut the sacks, and strewed about the corn. They threatened to do the like to all who sold wheat for exportation. Price of wheat peck loaf, 2s. 3d. ; household, 1s. 8½d. (*Salisbury Newspaper*).

Great inundation of the Severn (*Bath and West of England Journal*).

A comet (*Townsend*).

Hot summer (*Penny Magazine*).

Weather very changeable ; the summer dry ; August, as cold as winter ; September, very changeable ; October, much catarrh ; November, fatal diarrhoea (*Short*).

January 9. In the evening, and for some hours in the night, such a violent storm of wind, rain and hail that

the like has not been felt since the great storm of 1703. The lowlands in Gloucestershire and Somersetshire overflowed, and abundance of sheep, etc., were drowned. Great deal of thunder and lightning.

June 21. Great drought in West of England.—July 2. Very violent thunderstorm at Bristol in the evening.—August 2. Violent gale, with great rainfall, London.—3rd. Flood at Tunbridge Wells. Heavy rains from September 28 to October 3 caused floods doing great damage.—October 18. Great flood.—December 1. Violent gale.—16th. Gale.

1738 Wheat, 35s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 31s. 6d. per qr. (*Tovey*).

April dry and cold ; great showers between May and end of June, which occasioned the rotting of great numbers of sheep (*Ellis*).

January 4. Severe thunderstorm with a sudden violent wind, which destroyed Walcot Church, Bath.—14th. Violent gale in Scotland.—25th. Gale.—February 2. Gale.—July 25. Dreadful thunderstorm, with hail as big as walnuts, at Dunstable, St. Albans, Uxbridge, Bungay, Marlborough, Reading, etc.—August 5th, at Harlow.

Great drought from August till September 7 (*Dr. Short*).

Great meteor August 29, at 5 p.m., sun shining brightly.

Rainfall at Lyndon, Rutland, 17·2 in. February, 0·6 in. July, 0·6 in. November, 0·7 in. (*Barker*).

Earthquake in December, in Yorkshire (*Lowe*).

1739 Wheat, 38s. per qr. of nine bushels (*Smith*).

Wheat, 34s. 2d. per qr. (*Tovey*).

Wet autumn. A hard frost, for nine weeks, began December 24 (*O. A.*).

Thames frozen. This is called the hard winter ().

A comet (*Townsend*).

A very wet season (*Brumham*).

Severity of frost beyond precedent. A few days after it began there arose a very high wind which did great

damage to the shipping ; several vessels were sunk by the ice, and a more dismal scene presented itself on the Thames than had ever been beheld by the oldest man living (*Walter Thornbury*).

January 4. Violent gale, with thunder, lightning, hail, and rain.—14th. Dreadful gale in Scotland and Ireland.—March 18. Aurora borealis.—May 20. Greatest storm of thunder, hail, and rain ever known.—September 10. Most violent thunderstorm.—11th. Much damage done by gale and excessive rains, which swept away great quantities of outstanding corn.—28th. Great damage done to crops by excessive rain. Gales on October 30 and November 21. Frost began December 24 (*Lowe*).

1740 Wheat, 50s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 45s. 1d. per qr. (*Tovey*).

Dreadful winter. Cold north-east winds continued through April and May. Fieldfares remained till June. Dry summer (*Gilbert White*).

A year of extraordinary scarcity (*A. Smith*).

Thousands of acres of turnips rotten (*Ellis*).

November 1. A dreadful hurricane. Labourers' wages, 10d. a day (*F. A.*).

People dwelt on the Thames in tents for weeks ().

A storm began in Eskdale in the middle of January and lasted until the sun melted off the snow (*Standard*).

An unheard of frost seized with extraordinary severity on the world and the elements, so that it is scarcely possible to number or relate the many strange occurrences that took place through its violence. Men felt so oppressed that days passed by unheeded. One would and could hardly speak ; one sat and thought, yet could not think ; if any one spoke a word it was with a hard, set face. Many hens and ducks, even the cattle in the stalls, died of cold ; the trees split asunder. Not only beer, but wine in cellars froze. Deeply sunken wells were covered with impenetrable ice. Crows and other birds

fell to the ground frozen in their flight. No bread was eatable, for it was as cold and hard as a stone. This extraordinary winter was followed by an equally uncommon spring. In May no sign of verdure was yet to be seen ; it was still cold in July, and vegetation was then still further hindered by drought. The harvest was not over till late in the autumn, and by the middle of October the frost returned before the fruit in the gardens had had time to ripen (*Brocke's "Contentment in God"*).

Remarkably severe winter to a very late period of the spring (*Whistlecraft*).

January 1 to February 5. During all this time the temperature was seldom as high as 32°. It fell as low as 2° F.—January 5 and 6. The coldest night. Ink froze in a room in a few minutes (*Bevis*). Gales on September 4, 7, and November 1.

December. Great snows, rains, storms, and severe frosts, and in some places dreadful thunder and lightning. Cattle, corn, and hay swept away (*Lowe*).

During the spring and summer there was little rain (*G. White*).

February 16. The inclement season having continued with little intermission for nearly eight weeks, began to subside, and gradually diminished till the end of the month ; but it continued still very cold, and not till the 20th did the Thames begin to thaw above bridge (*Boyle*).

1714 Wheat, 46s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr. (*Tovey*).

Dry summer. Great quantity of partridges. Rainfall at Plymouth, 20·354 in. (*Gilbert White*).

September 8. Hurricane in Huntingdonshire ; about sixty barns blown down. Also great damage done on the Thames, and at Newcastle and Canterbury (*Boyle*).

Rainfall at Lyndon, 15·7 in. February, 0·6 in. March, 0·6 in. April, 0·0 in. May, 0·4 in. September, 4·9 in. December, 0·5 in. (*Barker*).

July 28. Violent thunderstorm, with hail, in Yorkshire, etc.—September 8. A gale.—December 11. Large meteor. Two last winters have been severe and summers dry (*Lowe*).

Uncommonly dry summer, many springs and ponds failed (*G. W.*).

Beef sold for one penny per pound. Wheat sold for sixpence a stone, and other provisions proportionately cheap (*Boyle*).

December 18. A large ball of fire passed over Canterbury at midday, which was succeeded by a dreadful tempest that shattered nearly all the windows. On the ensuing morning was seen an appearance resembling three suns and an inverted rainbow (*Boyle*).

1742 Wheat, 34s. per qr. of nine bushels (*Smith*).

Wheat, 30s. 2d. per qr. (*Tovey*).

Two comets (*Townsend*).

Wheat excellent in quality and very dry (*Lisle*).

Great damage done to the pastures, particularly about Bristol, by swarms of grasshoppers at the end of August (*Gentleman's Magazine*).

Rainfall at Lyndon, Rutland, 17·3 in. March, 0·1 in. August, 0·2 in. July, 3·2 in. December, 0·2 in (*Barker*).

December 18. Frost for three weeks, without any snow (*Lowe*).

January 20. Unusually hot (*Miles*).

August 18. Great heat and thunder, doing terrific damage to corn, trees, etc. The hail lay on the ground for a week (*Lowe*).

1743 Wheat, 24s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 22s. 1d. per qr. (*Tovey*).

40s. per annum considered good wages for a servant maid (*Note to Aubrey*).

August 18. Great storm of hail, damaging corn severely from Tewkesbury to Chester (*Boyle*). Hail as big as hens' eggs.

Rainfall at Plymouth, 20·908 in. (*Gilbert White*).

At Lyndon, 16·1 in. January, 0·4 in. February, 0·4 in. June, 0·4 in. September, 0·8 in. July, 5·2 in. October, 3·1 in. (*Barker*).

February 3. Great gale.—April 1. N.E. gale.—27th. A gale.—July 15. Hail fell at Enfield as big as nutmegs, and laid the corn for several miles (*Lowe*).

January 18, O.S. We have now a wonderful fine season, that makes our spring flowers come forth (*Collinson*).
1744 Wheat, 24s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 22s. 1d. per qr. (*Tovey*).

Severe winter. (*Penny Magazine*).

Seine entirely frozen over ().

A comet (*Townsend*).

February 5. Shocks of earthquake in Merionethshire (*Boyle*).

Rainfall at Lyndon, 22·7 in. July, 0·8 in. August, 1·0 in. June, 3·5 in. September, 3·3 in. October, 3·1 in. (*Barker*).

October. The constant heavy rain has occasioned floods in divers places, and sheep and cattle have been drowned. Thunderstorms on June 4, August 13 and 14, very violent (*Lowe*).

Snow on April 2nd. Therm., on 6th, 34°; 21st, 75°. 20th, first warm day (*Lowe*).

Gales, February 19th, 20th. N.E., 24th, at Brighton. 25th.

Rainfall in London, in April, 5·2 in. (*Lowe*).

Malt duty amounted to £697,000 18s. (*Boyle*).

1745 Wheat, 27s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 24s. 5d. per qr. (*Tovey*).

Very wet harvest; all the corn grown in the ear (*Lisle*).

Many rotten sheep. Wool, 15s. 6d. per tod (*Ellis*).

November 18 to 20. Gales (*Lowe*).

From this time to 1765, great distemper in horned cattle, which occasioned the consigning to the plough

of all the best lands, and reduced the average price of wheat for twenty years, from 1735 to 1755, to 32s. 6d. per qr. In the thirty years previous it had been 38s., and in the century before 41s. 6d. per qr. Spring and summer, very wet ; autumn, cold and dry ; winter, damp and cold (*Dr. Mortimer*).

Rainfall at Lyndon, 20·6 in. June, 3·5 in. July, 0·7 in. August, 3·9 in.

1746 Wheat, 39s. per qr. of nine bushels (*Smith*).

Wheat, 34s. 8d. per qr. (*Tovey*).

At Christmas the weather was so mild that grass grew to near a finger's length. Some showers in February, then a long dry time till latter end of May, 1747. Grass very backward. No growing (*Ellis*).

Great frost from February 1st till middle of March, killing nearly every four-footed beast in Eskdale. All the farmers except six were ruined (*Standard*).

August 25. A distemper broke out amongst horned cattle near London (*Gentleman's Magazine*).

June 24. A gale with violent thunderstorm.—July 18. Hottest day. Therm., 85° in shade. Rainfall at Lyndon, Rutland, 18·4 in. May, 0·5 in. August, 0·5 in. (*Barker*).

An exceedingly hot and dry summer (*Brumham*).

1747 Wheat, 34s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 11d. per qr. (*Tovey*).

Some showers in February, then a long dry time till the latter end of May. Great rains before and about Midsummer, which caused a great rot in sheep. Wheat, at Michaelmas, 3s. per bushel ; peas, 2s. ; oats, 1s. 6d. ; and barley, 1s. 9d. per bushel (*Ellis*).

Fine harvest weather from beginning of July till near Michaelmas. Wheat and barley beaten down by rains before it kernalled ().

Dry season (*Brumham*).

Autumn hot and dry in Scotland, the rivers lower than ever known.

A comet (*Townsend*).

A long dry warm summer (*Collinson*).

Rainfall at Lyndon, 24.1 in. August, 0.7 in. October, 0.6 in. November, 4.9 in. December, 3.6 in.

Thunderstorms, June 3, July 8, July 11, very violent.

December 1. Snow 5 in. deep, wind E., frost (*Miles*).

Violent hurricane (*Boyle*).

July 1. Earthquake at Taunton. Lightning at the time. It extended from Exeter to Crewkerne, and from the Channel to the Severn (*Forster*).

Cattle disease very violent.

1748 Wheat, 37s. per qr. of nine bushels (*Smith*).

Wheat, 32s. 10d. per qr. (*Tovey*).

Hot summer (*Penny Magazine*).

Two comets (*Townsend*).

August 4. Swarm of locusts visited England, and consumed the vegetables (*Townsend*).

January 3. Snow. Hard frost from December 29th, 1747, to January 10th.—January 29. Multitudes of sheep lost under the snow in Derbyshire and Sussex. An excessively cold month.—February, from 15th to 26th, cold, especially 15th and 16th.—June 11. Thunderstorm; also 12th and 27th, a flash of lightning killed 320 ewes, killed lying fifty yards in length, twenty in breadth, and a man forty yards off at Crawfurd.

July. Very hot.—23rd. Greatest flood ever known, with hail, thunder and lightning (*Lowe*).

Rainfall at Lyndon, 17.2 in. February, 0.4 in. June, 3.0 in. July, 3.5 in. September, 0.6 in. November, 0.4 in.

October 10. A gale in Norfolk, with thunder, lightning and much snow.—November 11 and 14. Severe frost.—December 15. A hurricane, with much snow and rain.—16th. A gale doing much damage.

1749 Wheat, 37s. per qr. of nine bushels (*Smith*).

Wheat, 32s. 10d. per qr. (*Tovey*).

January 11. Violent gale, with uncommon flashes of lightning.—16th. Violent gale. Thunderstorms, April 27, May 14, 15, 16, August 10, 22, 23.—May 24, 25. Most violent snowstorm in Scotland, 800 or 900 black cattle perished.—June 3. Snow at Carlisle lay till 7 a.m.—15th. Snowstorm at Skiddaw lay till 3 p.m.—16th. Ice in large pieces, the gardens blasted. The like not remembered by the oldest inhabitant in London. At Stockport ice on the river strong enough to bear a dog. Snow 2 in. deep.—July. Hot.—August. Extremely hot.—November 15. Sharp frost (*Lowe*).

Rainfall at Lyndon, 16·9 in. April, 0·5 in. June, 0·3 in. August, 0·8 in. September, 0·6 in. (*Barker*).

February 14. Earthquake in Scotland (*Boyle*).

July 2. Extremely hot.—August 21. Extremely hot.—November 15. Sharp frost.

Therm., 88° in the shade in the beginning of July (*Brumham*).

December 4. Between 5 and 6 p.m. people in Gloucestershire and other parts saw a sudden opening of the heavens to the northward, in the midst of which such an amazing light appeared as surpassed even that of the sun. For a short space it looked as if the orbs had shone out in full lustre, and then the prodigious chasm closed again (*Boyle*).

May 8. The warmth and mildness of the past winter were never remembered. Our autumn was long, warm and dry, with a few slight frosts before Christmas, but we have had since fine, warm, dry weather, and no frosts or snow (*Tooke*).

1750 Wheat, 32s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 28s. 10d. per qr. (*Tovey*).

Corn harvested very damp, and of but middling quality (*Lisle*).

Great year of earthquakes in England (*Chambers*).

Earthquake in London on February 8, and another on

March 8. The year opened with most unseasonable weather, the heat being beyond what was ever known in any other country.

February 8. The barristers at Westminster were so alarmed that they imagined the hall was falling.—March 8. At 5 a.m. an earthquake shook all London (*Hone*).

Excessively hot spring and summer. Therm., in July, at least 96° in the shade on several days (*Brumham*).

February 23. Aurora borealis seen at Cork (*Boyle*).

May 1. Three suns appeared at once at Brecon (*Boyle*).

July 12. Excessive heat, so that vast numbers of fish perished.

August 23. Violent shock of an earthquake in Nottinghamshire (*Boyle*).

February 10. S.W. gale, much damage done and by floods.—20th. Very warm.—25th. A flood.—June 30. Thunderstorm, 5·3 in. of rain fell in two hours.—July 8 to 23. Most excessive heat ever known. Several horses dropped down dead (*Arderon*).

Except a few very hot days, the summer exceedingly cold and rainy, scarcely a day without rain (*Huxham*).

Most violent rain ever known at Gloucester, September 2.

Rainfall at Lyndon, 16·4 in. ; at Norwich, 20·2 in. (*Barker*).

Aurora borealis in January, from 14 to 23, and February 15, 23, 28, March 9, August 23 (*Lowe*).

Great thunderstorms.

Very wet October, November, and December.

Gales, November 30, and December 3 (*Lowe*).

From 1741 to 1751 we had ten as good years as ever were known in succession (*A. Smith*).

1751 Wheat, 38s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 34s. 2d. per qr. (*Tovey*).

February 8. Aurora borealis.

Rainfall at Lyndon, 27·2 in. Norwich, 29 in.

Severe frost from January 26 to February 8.—26th. Severe gale.—27th. Thunder.—March from 1 to 11. Constant rain. A very wet month, being fair only on 15th, 16th, 17th and 18th.—May. Very heavy rain till 18th. Corn much damaged and much unsown.—6th. Much snow, preceded by thunder and lightning.—9th. A sharp frost.—21st and 22nd. Warm.—June 6. Extremely hot, thunder.—July. Very wet.—August. We have had remarkably hot and dry weather.—November 19. Snow and heavy rain.—21st. With thunder (*Lowe*).
1752 Wheat, 41s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 37s. 2d. per qr. (*Tovey*).

Labourers' wages, 10d. to 1s. 2d. per day. Wheat, 3s. 6d. to 4s. 6d. per bushel. Meat of all kinds, 2½d. to 3d. per lb. Cheese, 2½d. to 3d. per lb. Butter, 3½d. to 4d. per lb. Malt, 2s. 9d. per bushel (*Sir Thos. Beevor*).

September 19. Rain in Wales, which destroyed 10,000 sheep (*L. Townsend*).

December 14. A terrible storm of thunder, lightning, and rain, with hail and heavy gales of wind at Bristol (*Townsend*).

Rainfall at Lyndon, 21·1 in.; at Norwich, 24·9 in. June, 3·1 in. July, 3·7 in. September, 0·5 in. October, 0·3 in. December, 3·1 in. (*Barker*).

January 14. S. gale.—15th to 21st. Five days' snow, with N.E. gale. Snow 27 in. deep on the level. Windy, 12, 13, 14, 16, 17, 21, 22, 23.—February 18. Very stormy. Gales on March 8, 13, 14, 15, 16, 17, 22, 30. Snow, 23rd and 25th.—May 5. Waterspout in Lincolnshire. Cool and damp during the summer in London.

Gales, August 25 and 26, with floods.—September 1, 19, 20, 21.—October dry and warm.—9th and 10th. Snow. 10th and 11th. Gales; also in November 4, 8, and 10, and in December 12, 14, 18, 19, 23 and 26 (*Lowe*).

March 15. Much damage done by a very high wind in London.

August 20. Great storm of thunder and lightning with a whirlwind at Vauxhall, where it lifted two boats out of the Thames (*Boyle*).

September. Upwards of 10,000 sheep died in Wales, occasioned by heavy rains (*Boyle*).

December 22. A frost commenced. Till this day it had been uncommonly mild.—30th. The road from Bristol to Oxford so flooded, the coaches stopped travelling along it (*Lowe*).

1753 Wheat, 44s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 39s. 8d. per qr. (*Tovey*).

Fowls, 1s. 3d. per couple; beef, 2½d. per lb.; bacon, 6d. per lb.; butter, 6d. per lb.

Servant maids' wages, £3 a year (*Reliquary*).

The statutes to prevent the spreading of the distemper which raged among horned cattle enforced in Somerset every year since 1747, except in 1750 (*Orders of Quarter Sessions*).

June 7. Shock of an earthquake between 11 and 12 p.m. in N.W. of England (*Boyle*).

Rainfall at Lyndon. July, 2·6 in. August, 3·4 in. September, 0·7 in. December, 3·9 in.

Rainfall at Lyndon, 22·2 in. At Norwich, 26·8 in. (*Barker*).

January. Hail, snow, and gales.

January 24. Severe frost continuing till middle of February, with snow.—February 17. A flood caused by sudden rain melting the snow. Many houses were washed away, most of the bridges destroyed, and many persons, horses, and cows drowned.—March 1. Snow. 11th to 31st. Gales.—24th. A flood.—April 1, 2, and 29. Gales.—3, 6, 8, 10, 11, 29. Hail.—May 11, 15, 18, 21. Hail.—13, 14, 15, 16, 20. Gales. From 22nd to 26th. Hot.—June 2. Weather very sultry. Great hail-

storm, lasting two hours, at Sherborne, Downton, Bridgewater, etc. Prodigious hailstones (*Lowe*).

1754 Wheat, 34s. 8d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 9d. per qr. (*Tovey*).

Wool, 12s. a tod (*Arthur Young*).

July 28. Violent storm of thunder, lightning, and hail, doing great damage in Suffolk. Hailstones as big as pigeons' eggs (*Boyle*).

The harvests of the four years, from 1752 to 1755, although not attended with any marked deficiency yielded bare average crops (*Tooke*).

Wheat, from 27s. to 33s. Barley, 17s. to 19s. Oats, 12s. 6d. to 13s. per qr. at Mark Lane.

1755 Wheat, 33s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 30s. 1d. per qr. (*Tovey*).

November. Earthquake at Lisbon, followed by a very wet winter. Waters in England, Ireland, Scotland and Holland were observed to be agitated on November 1st, when the earthquake happened at Lisbon (*Hone*).

June 10. Violent thunderstorm at Newcastle.—July 18. An earthquake with a great noise like the report of a cannon in Lincolnshire.—September 11. The greatest fall of rain ever witnessed in the North of England (*Boyle*).

From 1730 to 1755, was a series of twenty-six years with only one of a decidedly unfavourable character, viz. the winter of 1739-40, followed by a bad harvest (*Tooke*).

1756 Wheat, 45s. 3d. per qr. of nine bushels (*Smith*).

Wheat, 40s. 1d. per qr. (*Tovey*).

Great scarcity (*Smith*).

Wettest summer in memory of man (*Jones*).

October 6. At night happened a most violent hurricane at Wigton, such a one perhaps as has not happened in memory of man. It lasted from 11 to 3. The damage over the whole county was deplorable. The corn suffered prodigiously. Stacks were entirely swept away.

Trees torn up by the roots, leaves shrivelled up and turned black by the salt water. The wind was westerly (*Hone*).

The harvest greatly deficient through the greater part of Europe (*Tooke*).

January 2. About 4 p.m., at Tuam, in Ireland, appeared an unusual light far beyond that of the brightest day. It faded away by sensible degrees, and by about 7 o'clock a sun of streamers crossed the sky which undulated like the surface of rippling water and caused great alarm. The phenomenon discharged itself in a blaze towards the north. A very uncommon shock immediately succeeded (*Hone*).

January 16. Earthquake shock at Dover.—June 24. At Ashford.—November 18. At Rothsay (*Boyle*).

1757 Wheat, 60s. per qr. of nine bushels (*Smith*).

Wheat, 53s. 4d. per qr (*Tovey*).

A famine year (*Rogers*).

A comet (*Townsend*).

Appeared October 21 (*Turner*).

On account of the scarcity of corn and dearness of bread, twopennyworth each day allowed to every poor prisoner in the several gaols in the county (*County of Somerset, order of Sessions at Bruton*). Also orders made to enforce the statutes for prevention of disease amongst horned cattle.

February 23. At Lamborne, Berks, there was such a prodigious flood occasioned by the sudden thaw and melting of the snow on the neighbouring hills, that the inhabitants of several houses were lost (*Boyle*).

September 24. William Margarets was convicted at the assizes at Cambridge for an attempt to raise the price of corn in Ely Market, by offering 6s. a bushel for wheat, for which only 5s. 9d. was demanded. He was let off by paying £50 to the poor at Ely, and £50 to the poor at Cambridge, the full cost of the prosecution, and acknowledging his offence publicly in the Market Place of Ely

on a market day, and publishing the same in sundry newspapers (*Hone*).

Very great heat in July (*Brumham*).

1758 Wheat, 50s. per qr. of nine bushels (*Smith*).

Wheat, 44s. 5d. per qr. (*Tovey*).

Large comet. Halley's (*Boyle*).

From this time to 1767 wool was from 18s. to 21s. a tod (*Arthur Young*).

1759 Wheat, 39s. 10d. per qr. of nine bushels (*Smith*).

Wheat, 35s. 3d. per qr. (*Tovey*).

Three comets (*Townsend*).

One appeared March 13th; one November 27th; one December 17th (*Turner*).

A hot and dry summer (*Brumham*).

Feb. 24. Shock of an earthquake at Liskeard.—April 11. Steeple of Great Billing Church destroyed by lightning (*Boyle*).

Very severe weather in December on the continent (*Boyle*).

1760 Wheat, 36s. 6d. per qr. of nine bushels (*Smith*).

Wheat, 32s. 5d. per qr. (*Tovey*).

A labourer's daily wages, 1s.

Northern lights were strong for two or three seasons and then totally disappeared (*Daniel*).

Great storm in North Wilts, February 16th, which killed a child and a cow, and prostrated trees and houses (*Wilts Mag.*, vol. xvi.).

Very hot and dry summer (*Brumham*).

February 15. A dreadful storm in London and its environs, during which the lead upon the Admiralty was rolled up like a scroll, and many stacks of chimneys blown down (*Boyle*).

December 12. Pear trees were in full bloom, and daisies and primroses appeared, owing to the mildness of the season (*Boyle*).

1761 Wheat, 30s. 3d. per qr. of nine bushels (*Smith*).

Wheat, 26s. 9d. per qr. (*Tovey*).

Uninterrupted rain in autumn after middle of September ().

Unusually mild winter (*Knapp*).

March 31. Shocks of earthquake felt all over Europe.

—June 9. Considerable shock of an earthquake felt at Sherborne and Shaftesbury about five minutes before twelve o'clock. Much stormy weather latter end of August and beginning of September.—October 14. A most astonishing phenomenon was seen at Great Malvern. It had the appearance of a volcano, was attended with great noise, and preceded by a most violent storm of thunder and lightning (*Boyle*).

1762 Wheat, 39s. per qr. of nine bushels (*Smith*).

Wheat, 34s. 8d. per qr. (*Tovey*).

Great snow for eighteen days together in February (*Annual Register*).

February 21st and following day great fall of snow, in some places 10 ft. to 12 ft. deep. Near fifty people lost their lives, and many cattle perished. Large trees, houses, chimneys, etc., levelled with the ground. Such devastation not remembered by present race in England (*Monthly Chronologer*).

Wheat in Warminster, 34s. to 48s. ; barley, 14s. to 17s. per qr.

Wheat in Devizes, 34s. to 40s. ; barley, 16s. to 18s. 6d. ; oats, 15s. to 15s. 6d. per qr. Hay, per load, in London, 30s. to 44s. ; straw, 10s. to 24s. per load ; hops, £2 to £4 per cwt. (*Monthly Chronologer*).

Unparalleled drought this summer ; great scarcity of fodder.—October 26th and following days. The sudden overflowing of the waters occasioned by the violent rains and north winds about Stratford, West Ham, Plaistow, and for twenty miles north of London was very fatal to the inhabitants. Most of their cattle in the fields were carried off ; likewise stacks of hay and wood, with the loss

of all their hogs that were in their styes and yards, together with all the horses that were in stables; for the waters rose twelve feet in less than five hours, which was in the dead time of the morning, nothing of it being perceived at one o'clock; it reached their chamber windows before five, and the face of the water was covered with the bodies of the beasts that perished. The damage at West Ham alone was computed at £100,000. At Chelmsford, Cambridge and Norwich great damage was sustained, and at many other places; sundry persons perished, and several thousands of hogs, horses, horned cattle and sheep were drowned. Houses were overflowed; the roads in many places were three feet deep. Several post boys had nearly lost their lives, and the mails and their horses were drowned. Houses, chimneys and trees were blown down; numbers of vessels driven on shore, and others lost. Part of Kingston bridge in Surrey, those of Kelvedon, Chesterfield, and Ilford in Essex, Buntingford in Hertfordshire, Tunbridge in Kent, Morton and Saxthorpe in Norfolk, and some others were carried away. In fine, such a melancholy scene of devastation has not been remembered in this country by the present race of inhabitants (*London Magazine*).

Five recruits belonging to the young Buffs who perished in the snow coming up the hill from the Fop Lane end on Sunday, the 21st February, at 5 o'clock in the evening (*Feb. 26th, Register of Stow-on-the-Wold*).

A comet (*Townsend*).

May 29th (*Turner*).

Snow for eleven days (*Dugdale*).

A very hot and dry summer, and a very dry year (*Brumham*).

December 25. A very hard frost commenced, which continued till the 29th of January (*Boyle*).

1763 Wheat, 40s. 9d. per qr. of nine bushels (*Smith*).

Wheat, 36s. 1d. per qr. (*Tovey*).

Wettest summer since 1756 (*Jones*).

From July to January, 1764, great quantity of rain (*Gilbert White*).

Hay, 2s. 6d. per cwt. ; butter, 6d. per lb. ; cheese, 2½d. per lb. ; cream, 6d. per pint ; milk, 4d. per gallon. A notable farmer's wife would make £5 per cow. Fat pigs, 6s. 6d. per score ; yearling heifers, 35s. each (*Young*).

February 13. The tide overflowed the Bishop's Walk, Lambeth, so that the people were carried from house to house in boats. A fall of snow took place the same day which laid eight feet deep upon the high roads in the midland counties.—March 1st. One of the most violent storms of hail and rain ever remembered occurred at Harrow.—July 23. Hertford Church struck by lightning during Divine service, but no one injured (*Boyle*).

1764 Wheat, 46s. 9d. per qr. of nine bushels (*Smith*).

Wheat, 41s. 5d. per qr. (*Tovey*).

Remarkable year for floods and high springs ().

November 6. Shock of an earthquake felt at Oxford (*Boyle*).

January. Sudden rise of springs and great floods at Imber and other villages on Salisbury Plain (*Hoare*).

Warm winter (*Penny Mag.*).

A comet (*Townsend*).

January 3rd (*Turner*).

At Devizes market in July wheat sold at from 34s. to 45s. per qr. ; barley, from 19s. to 23s. ; oats, from 17s. to 21s. ; beans, from 34s. to 36s. ; peas, 28s. to 32s. ; vetches, 36s. to 38s. (*London Chronicle*).

Household bread, 5d. ; wheaten bread, 6½d. the quarter loaf.—June 23. Most violent hailstorm in Middlesex with a hurricane of wind, wholly destroying the corn and fruits of the earth.

July 6. Great storm round London followed by inundations, causing great damage in the eastern counties, washing away hay, etc. (*London Chronicle*).

Notwithstanding the great quantity of grass this season, old hay is now (July 7) sold at £3 15s. a load.—July 26. Barley harvest began this week in several places in the upper part of Hertfordshire, where they have the greatest appearance of a plentiful crop.

July 28. Most of the farmers in Hertfordshire began their wheat harvest yesterday, where they have very large crops (*London Chronicle*).

July 24. Harvest began at St. Ives, in Huntingdon, this week; the corn in general fine and forward, and a plentiful crop in that and the neighbouring counties, but hands scarce and wages high. A farmer near Norwich has lately sold barley at 9s. a qr. less than he sold the same sort of barley at last winter. This fall in price is owing to the prodigious crop of grain. He says he is sure he shall have seven qrs. of barley an acre. Also a farmer near Ware says that he shall have six qrs. an acre, which is more than double what he expected a month ago, the great quantity of rain having made a surprising alteration. Hay, which for some time past sold for about £3 a load, is considerably cheaper, and it is imagined will soon fall to 40s.

There has been but little stormy weather in Dorsetshire to do any hurt, and there is the finest prospect of a plentiful harvest there and in the other western counties. Great and destructive thunderstorms, with hail, in July and August (*London Chronicle*).

1765 Wheat, 48s. per qr. (*Tovey*).

The choicest pieces of the best beef, 4d. to 4½d. per lb.; the coarse, 1¾d. to 2¾d. per lb. ().

A plentiful crop of grain (*London Mag.*).

When wheat got up to an average in ten years of 39s., export was prohibited, import allowed free of duty, and distillation of grain prohibited. The summer was remarkable for its heat and dryness, and all vegetation being influenced by their effects brought forth fruits and flowers in unusual perfection (*Knapp*).

A very dry summer and often very hot (*Brumham*).

1766 Deficient harvest. Bread, 1s. 6d. the 4lb. loaf. A severe frost (*Farmers' Almanack*).

Severe winter (*Penny Magazine*).

Seine entirely frozen over ().

Great rot in sheep. Oats, about 1s. 6d. per bushel ; hay, 2s. per cwt. ().

Wheat, 43s. 1d. per qr. (*Tovey*).

Two comets (*Townsend*).

One appeared March 8th, the other April 8th (*Turner*).

Arthur Young about this time quotes the following prices : viz., old crone ewes, 5s. each ; cows, £5 each ; a sow and ten pigs, three weeks old, 52s. 6d. ; rent of ordinary land, 15s. per acre ; old crone ewes, sold fat, with their lambs, 15s. per couple. A cow gave from May till October inclusive 369 gallons of milk, which was sold for £6 2s. There was nothing remarkable in the goodness of the cow or her feed. The common clear profit of a cow is £4. The common price of hiring cows is £3. Hay, from 40s. to 60s. per ton ; barley he reckons at 16s. per qr. ; wheat, at 32s. per qr. (*A. Young*).

April 21. A large spot, three times the size of the earth, passed over the centre of the sun's disc.—June 2. A collection was made for the haymakers, who had assembled at the Royal Exchange on account of the heavy rains, which prevented them from working.—July 30. Three thousand sheep were destroyed by the floods near Great Upwell. The corn was seized from the farmers by the poor at Hoxton and sold at 5s. 6d. per bushel. The high price of provisions produced a riot at Exeter.—September 29. Exportation of corn stopped (*Boyle*).

September 25. We have had a most uncommon rainy summer, which was no way propitious to the growth of wheat ; but it pleased Providence to send us the finest hot and dry harvest ever known, yet the warm constant

rains drew up the wheat so much to stalk that the ears are very light (*Collinson*).

1767 Wheat, 47s. 4d. per qr. (*Tovey*).

Wheat in August, 40s. to 51s. per qr. ; barley, 23s. to 27s. ; rye, 22s. to 23s. ; oats, 13s. to 15s. ; malt, 32s. to 36s. ; peas, 24s. to 27s. ; beans, 20s. to 23s. per qr. Hay at Whitechapel, 21s. to 46s. per load ; straw, from 14s. to 21s. per load. Harvest not quite so forward as usual, but a better prospect of a good crop of grain than at any period for twenty years past (*Universal Museum*).

Hard winter ; coaches plied on the ice on the Thames ().

Seine frozen for thirty-five days ().

Wheat thrashed in Norfolk at 2s. ; barley and oats at 1s. per qr. (*A Young*).

Great floods in Yorkshire in August (*Universal Museum*).

Towards the end of December a violent frost began, which was very severe till 16th January following. The Thames was frozen so hard that navigation was entirely stopped. Roads in the country were quite impassable, and many persons were found dead in the snow. This was followed by a violent hurricane which did much damage (*Walter Thornbury*).

Wheat, 48s. ; barley, 24s. ; oats, 18s. per qr. (*Arthur Young*).

Labour in winter, 10d. to 1s. per day ; in summer, 1s. 6d. to 1s. 8d. Reaping wheat, 4s. 6d. to 5s. per acre ; mowing corn, 10d. to 14d. per acre ; hoeing turnips, 2s. 6d. ; butter, 6½d. to 7½d. ; beef and mutton, 3d. to 4½d. ; veal, 2½d. ; cheese, 3d. to 3½d. per lb. Arable land in Wiltshire from 7s. to 10s. per acre in general (*Arthur Young*).

Severe weather in January (*G. White*).

Hard frost the whole month (*Boyle*).

1768 Wheat, 53s. 9d. per qr. (*Tovey*).

Very severe frost in January. Cold and wet season throughout (*Gilbert White*).

September.—Floods, in consequence of sudden rise of springs in Wiltshire (*Hoare*).

November 22. Remarkable fall of the barometer all over the kingdom. At Selborne no wind, and not much rain, only vast swagging rock-like clouds in the distance (*Gilbert White*).

Height of flood in the Thames, at high-water mark at Clifton Hampden, 7 feet $7\frac{1}{2}$ in. (*J. C. C. in Agr. Gazette*).

The year began with a very severe frost, which aggravated the calamity of the lower classes of the people, who were already much distressed from the exorbitant price of food (*Littleton*).

The year begins with a fortnight's frost and snow. Rainy during February. Cold and wet spring. Wet season from the beginning of June to the end of harvest. Latter end of September, foggy without rain. All October and the first part of November rainy; thence to the end of the year alternate rains and frosts (*Gilbert White*).

Rather a backward year (*G. White*).

1769 Wheat, 40s. 7d. per qr. (*Tovey*).

Wet harvest. Mild wet winter ().

Sheep on the Downs are very ragged this winter, and their coats much torn (*Gilbert White*).

Land extremely dry at Midsummer, and the drought continued till 5th July (*Winter*).

A comet (*Townsend*).

Warm winter (*Penny Magazine*).

January and February, frosty and rainy, with gleams of fine weather in the intervals. To the middle of March, wind and rain; to the end of March, dry and windy. To the middle of April, stormy. To the end of June, fine weather with rain. To the beginning of August, warm dry weather. To the end of September, rainy, with

short intervals of fine weather. To the latter end of October, frosty mornings with fine days. The next fortnight rainy, thence to the end of November, dry and frosty. December, windy, with rain and intervals of frost, and the first fortnight very foggy (*Gilbert White*).

Mr. Barker, who has measured the rain more than thirty years, says that more has fallen this year than in any he ever attended to ; though from July, 1753, to January, 1754, more fell than in any seven months this year (*G. White*).

1770 Wheat, 43s. 6d. per qr. (*Tovey*).

A constant succession of frost, snow, hail, and tempest in April. Fine harvest. Incessant rain in autumn. Great deal of rain this year, $7\frac{1}{2}$ inches in three weeks, in December (*Gilbert White*).

A comet (*Townsend*).

Height of flood in the Thames, at Clifton Hampden, 7 ft. 5 in. (*J. C. C. in Agr. Gazette*).

Frost for the first fortnight ; during the 14th and 15th all the snow melted. To the end of February, mild hazy weather. The whole of March frosty, with bright weather. April, cloudy, with rain and snow. May began with summer showers, and ended with dark cold rains. June, rainy, chequered with gleams of sunshine. The first fortnight in July, dark and sultry ; the latter part of the month, heavy rain. August, September, and October, for the first fortnight, in general fine weather, though with frequent interruptions of rain, from the middle of October to the end of the year almost incessant rains (*G. White*).

The choicest pieces of beef, I am assured, now sell in Warminster market for $2\frac{1}{2}d.$ per lb., and the inferior sort at $1\frac{1}{2}d.$, whilst some other markets are kept up to the extravagant price of four pence (*Equity in Salisbury Journal, January 1st, 1770*).

Trees retained an uncommon verdure late into November. A late spring ; cool and moist summer (*G. White*).

1771 Wheat, 47s. 2d. per qr. (*Official Returns*).

Average rate of wages, 7s. 3½d. per week. Bread, 4¾d. per 4 lb. loaf; butter, 6¼d. per lb.; cheese, 3d.; meat, 3d. per lb. (*Arthur Young*).

Severe frost till the last week in January. To the first week in February, rain and snow. To the end of February spring weather. To the end of the third week in April, frosty weather. To the end of the first fortnight in May, spring weather, with copious showers. To the end of June, dry, warm weather. The first fortnight in July, warm, rainy weather. To the end of September, warm weather, but in general cloudy, with showers. October, rainy. November, frost, with intervals of fog and rain. December, in general, bright, mild weather, with hoar frosts (*Gilbert White*).

Severe winter (*Penny Magazine*).

Thames entirely frozen over at Fulham in January (*Boyle*).

May 6. By letters from Gloucester we learn that the late rains have produced such an alteration that everything promises a plentiful crop, though a late one.— July 31. A violent tempest of thunder and lightning at Wymondham, Norfolk, and August 11th, another at Saffron Walden. It is supposed there have been more tempests in Walden this year than in all England besides. Great hurricane 12th to 14th October. Many oxen which formerly sold for £10 now sell for £20, and a horse at three years old is worth 15 guineas, an ox at the same age about £7 10s. (*Oxford Magazine*).

Dr. Johnson says that in 1771 the season was so severe in the Island of Skye that it is remembered by the name of the Black Spring. The snow, which seldom lies at all, covered the ground for eight weeks, many cattle died, and those that survived were so emaciated that they did not require the male at the usual season. The case was just the same with us here in the south;

never were so many barren cows known as in the spring following that dreadful period. Whole dairies missed being in calf together. At the end of March the face of the earth was naked to a surprising degree. Wheat hardly to be seen, and no signs of any grass; turnips all gone, and sheep in a starving way. All provisions rising in price. Farmers cannot sow for want of rain (*Gilbert White*).

Wheat dearer than usual. All other provisions cheap (*Rogers*).

Dreadful spring, as well as last year. Frost to 20th April (*G. White*).

The beginning of November was unusually warm and sunny at noon (*G. W.*).

The summer was cool and dry. July, August, and September, $2^{\circ}9'$ below the average temperature (*Glaisher*).

A very dry summer and year (*Brumham*).

1772 Wheat, 50s. 8d. per qr. (*Official Returns*).

Wheat, 5s. 6d. to 6s.; malt, 4s. 4d. per bushel. Meat, $3\frac{1}{2}d.$ to 4d.; cheese, $3\frac{1}{2}d.$ to 4d.; butter, 8d. to 10d. per lb. Labourers' wages, 1s. to 1s. 3d. per day (*Sir Thos. Beevor*).

Cold winter and spring. Hot and dry summer. Rainy autumn (*G. White*).

Great snow in Scotland ().

To the end of the first week in February, frost and snow. To the end of the first fortnight in March, frost sleet, rain, and snow. To the middle of April, cold rains. To the middle of May, dry weather, with cold piercing winds. To the end of the first week in June, cool showers. To the middle of August, hot, dry summer weather. To the end of September, rain, with storms and thunder. To December 22, rain, with mild weather. December 23, the first ice. To the end of the month, cold, foggy weather (*Gilbert White*).

September 7. A most astonishing rain fell at Inverary,

the floods caused by which did great damage (*Annual Register*).

March 22. Violent hailstorm doing great damage in London.—June 20. Hailstones as big as nutmegs fell in Yorkshire.—Sept. 25. Great gale in London which did considerable damage.—November 22. One of the Needles rocks destroyed by wind (*Boyle*).

1773 Wheat, 5s. per qr. (*Official Returns*).

Some frost to middle of February. Warm, showery spring. Fine harvest. Very wet autumn. Wheat yields bad. Corn scarce and dear, from a succession of wet seasons the last ten or eleven years. Springs higher than they have been since 1764 (*G. White*).

The first week in January, frost; thence to the end of the month dark, rainy weather. The first fortnight in February, hard frost. To the end of the first week in March, misty, showery weather; bright spring days to the close of the month. Frequent showers to the latter end of April. To the end of June, warm showers, with intervals of sunshine. To the end of August, dry weather, with a few days of rain. To the end of the first fortnight in November, rainy. The next four weeks frost; and thence to the end of the year, rainy (*Gilbert White*).

Exportation of wheat allowed when under 44s., with a bounty of 5s. per qr.; above 44s. prohibited. Importation allowed when at or above 48s., on a duty of sixpence.

Very wet autumn and winter. Wheat, in February, 1774, by the continual, late, sudden vicissitudes from fierce frost to pouring rain, looks poorly, and the turnips rot very fast. Such a run of wet seasons as we have had the last ten or eleven years would have produced a famine a century or two ago (*G. White*).

February 16. Great fall of snow in Flintshire, burying cottages, men and cattle.—April 15. Shocks of earth-

quake in Jersey and Guernsey, and 30th, at Poole.—
 August 14. Much damage done at St. Peter's Church,
 Cornwall, by a storm of thunder and lightning. In
 many parts of England riots occurred from the dearness
 of provisions, though a quartern loaf was sold at $7\frac{1}{2}d.$
 —October 15. A hurricane at Oxford (*Boyle*).

1774 Wheat, 52s. 8d. per qr. (*Official Returns*).

January and February were remarkable for great melting
 snows, and vast gluts of rain. Rainy weather with
 some sunshine all through the summer (*G. White*).

A famine (*Rogers*).

March. Sudden rise of springs and floods at Imber,
 and other villages on Salisbury Plain (*Hoare*).

A comet, August 15th (*Townsend*).

Hot summer (*Penny Magazine*).

Height of flood in Thames, at Clifton Hampden,
 8 ft. 1 in. (*J. C. C.*).

Bullocks, £6 each; sheep, 12s.; lambs, 8s.; turkeys,
 3s. 6d.; geese, 2s. 6d.; chickens, 9d.; pigeons, 2d. each;
 pork, $3\frac{1}{2}d.$ per lb. (*A. Y. R.*).

March 20. The low lands at Chelsea and Battersea
 were overflowed in consequence of the heavy rains.

November 25. Between Yarmouth and Leith, more
 than forty ships driven on shore in a storm.

December 5. A storm occurred in London, which
 lasted three days, doing great damage to the shipping in
 the river.

In Smithfield Market this year were sold 94,000 head
 of cattle and 800,000 sheep (*Boyle*).

Frost and rain to the end of the first fortnight in
 March; thence, to the end of the month, dry weather.
 To the 15th April, showers; thence to the end of April,
 fine spring days. During May, showers and sunshine in
 about an equal proportion. Dark, rainy weather to the
 end of the third week in July; thence, to August 24th,
 sultry, with occasional showers and thunder. To the end

of the third week in November, rain with frequent intervals of sunny weather. To the end of December, dark, dripping fogs (*Gilbert White*).

Wall fruit abounds ; but grapes backward beyond all precedent. The ungenial weather, the black cold solstice discoloured and blighted the wheat. The crop of hops promises to be very large (*G. White*).

The year began with severe frost, and for nearly two months the ground was frost bound (*M. S. J.*).

1775 Wheat, 48s. 4d. per qr. (*Official Returns*).

Plentiful harvest (*Clarke*).

Temperature $1\cdot2^{\circ}$ above the average in July and August (*Times*).

To the end of the first fortnight in March, rain almost every day. To the first week in April, cold winds, with showers of rain and snow. To the end of June, warm, bright weather, with frequent showers. The first fortnight in July, almost incessant rains. To the 26th of August, sultry weather, with frequent showers. To the end of the third week in September, rain with a few intervals of fine weather. To the end of the year, rain, with intervals of hoar frost and sunshine (*G. White*).

September as wet a month as ever was known (*G. White*).

The summer of 1775 was dry and hot (*Glaisher*).

The thermometer in April rose to 85° (*Whistlecraft*).

February 1. A violent storm of wind and rain did much damage at Portsmouth. The water having risen higher than had ever been known (*Boyle*).

From 1766 to this year was a prevalence of bad seasons through Europe (*Tooke*).

1776 Wheat, 38s. 2d. per qr. (*Official Returns*).

To January 24. Dark, frosty weather, with much snow.—March 24. To the end of the month, foggy with hoar frost. To May 30, dry, dark, harsh weather, with cold winds. To the end of the first fortnight in July,

warm with much rain. To the end of the first week in August, hot and dry, with intervals of thunder showers. To the end of October, in general fine seasonable weather, with a considerable proportion of rain. To the end of the year, dry frosty weather, with some days of hard rain (*Gilbert White*).

Till 30th of May the fields were burnt up and naked, and the barley not half out of the ground ; but June 10 there is an agreeable prospect of plenty. Warm summer, with much rain. Snow on the ground in London 26 days (*Gilbert White*).

Remarkably still autumn (*Jesse*).

April 9. Aurora borealis (*Jones*).

Five feet of ice on the Danube below Vienna, and much snow (*Chambers*).

January 7. The greatest fall of snow happened that was ever remembered (*Boyle*).

Very cold winter (*Whistlecraft*).

Great heat in July and August. Chiefly dry and fine from May (*Brumham*).

The first week in January was uncommonly wet.—7th. Snow driving all day, which was followed by frost, sleet, and snow till 12th. On 14th, many of the narrow roads were filled with snow ; from this time the snow continued to increase and to stop the road wagons and coaches.—20th. The sun shone out the first time since the frost began.—27th. Much snow fell all day.—31st. Thermometer at zero.—1st February, a thaw ; Thames frozen (*G. White*).

1777 Wheat, 45s. 6d. per qr. (*Official Returns*).

To January 10, hard frost. To 20th, foggy, with frequent showers. To February 18, hard, dry frost, with snow. To the end of May, heavy showers with intervals of warm, dry spring days. To July 8, dark, with heavy rain. To 18th, dry, warm weather, then very heavy rains to end of the month. To October 12, re-

markably fine warm weather. To the end of the year, grey, mild weather, with but little rain and still less frost (*Gilbert White*).

March 26 and 27. So hot that bees swarmed. Thermometer, 66° degrees in the shade ; but harsh, severe weather followed (*Gilbert White*).

April 10. The rigour of the spring abating, a softer season began to prevail.—November 3. Wet and blustering.—4th. Dark and mild and soft ; wind S.W. ; thermometer, 58½° (*G. White*).

1778 Wheat, 42s. per qr. (*Official Returns*).

Barley, 20s. ; oats, 14s. 6d. (*London Mag.*).

Land worth 35 years' purchase (*Townsend*).

Thames frozen over at Kingston (*Walter Thornbury*).

To January 13, frost, with a little snow. To 24th, rain. To 30th, hard frost. To February 23rd, dark, harsh, foggy weather, with rain. To the end of the month, hard frost with snow. To the end of the first fortnight in March, dark, harsh weather. From the 1st to the end of the first fortnight in April, spring weather. To the end of the month, snow and ice. To June 11th, cool, with heavy showers. To July 19, hot, sultry, parching weather. To the end of the month, heavy showers. To the end of September, dry, warm weather. To the end of the year, wet, with considerable intervals of sunshine (*Gilbert White*).

In December barometer 30·935 in. (*Sir George Shuckburgh*).

Very hot and fine summer. Excessive heat in the first half of July (*Brumham*).

July 23. Very serious damage done in the neighbourhood of London by lightning (*Boyle*).

Wool, 14s. a tod (*Arthur Young*).

1779 One of the most terrible hurricanes of wind finished the old and ushered in the new year, doing an immense amount of damage in London ; also at Dover, Deal,

Bristol, Whitehaven, Margate, Canterbury, Newmarket, etc. In Lincolnshire the storm was accompanied with a very extraordinary tide; being eighteen inches higher than the high tides of 1735 and 1763 (*London Magazine*).

July 20 and following days, disastrous thunderstorms.

October 19. The violent blowing weather we have had for several days has done a great deal of damage (*London Magazine*).

Prices so low that very general complaints have been heard of ruined farmers and distressed landlords. Wool is only 12s. a tod. Wheat and all sorts of grain are greatly fallen (*A. Young*).

Wheat, 33s. 8d. per qr. (*Official Returns*).

Barley, 26s.; oats, 13s. 6d. (*London Magazine*).

Season of great fertility; the crop one-fourth above a medium (*Clarke*).

Land worth 24 years' purchase (*Townsend*).

Frost and showers to the end of January. To April 21, warm, dry weather. To May 8, rainy. To June 7, dry and warm. To July 6, hot weather with frequent rain; to 18th, dry, hot weather. To August 8, hot weather, with frequent rains. To end of August, fine, dry harvest weather. To the end of November, fine, autumnal weather, with intervals of rain. To the end of the year, rain, with frost and snow (*Gilbert White*).

Mean temperature in July and August 2·3 above average (*Times*).

Very great heat all spring and summer. Thermometer, 94° in Suffolk (*Brumham*).

January 1. One of the greatest storms ever known. Extended its ravages round London, where scarcely a building escaped damage. A frost continued for eighty-four days this winter (*Boyle*).

Destructive thunderstorms latter part of July and beginning of August. Violent winds about middle of October (*London Magazine*).

1780 Wheat, 35s. 8d. (*Official Returns*).

Cold backward spring. Rainfall at Selborne, 27·32 in. (*G. White*).

Fine summer with fair proportion of rain. Though the heat was intense the wheat was mildewed and crops light (*Gilbert White*).

To the end of January, frost. To the end of February, dark, harsh weather, with frequent intervals of frost. To the end of March, warm showery spring weather. To the end of April, dark, harsh weather, with rain and frost. To the end of the first fortnight in May, mild, with rain. To the end of August, rain and fair weather in pretty equal proportions. To the end of October, fine autumnal weather, with intervals of rain. To November 24, frost. To December 16, mild, dry, foggy weather. To the end of the year, frost and snow (*G. White*).

A very hot summer. In May thermometer 84° (*Brumham*).

February 29. A great phenomenon was visible in the sky, the elements seeming on fire. The same was visible in France and Germany.—October 15. Great damage done to Hammersmith Church by a tornado.—December 13. A spot was observed on the sun (*Boyle*).

1781 Wheat, 44s. 8d. per qr. (*Official Returns*).

Hot summer (*Penny Magazine*).

Unusually hot and dry summer, but wheat much mildewed and crops light. Mild autumn, with frequent rains. Rainfall at Selborne, 30·71 (*Gilbert White*).

To January 25. Frost and snow. To the end of February, harsh and windy, with rain and snow. To April 5, cold drying winds. To the end of May, mild, spring weather, with a few light showers. June began with heavy rain, but thence to the end of October dry weather, with a few flying showers. To the end of the year open weather, with frequent rains (*Gilbert White*).

A severe, hot summer, and a preceding dry spring and

winter. In the following autumn many wells failed and ponds were dry (*Gilbert White*).

March. A distemper occurred among the horned cattle, when the diseased were ordered to be killed and buried (*Boyle*).

Wheat, clean for seed, sold at 5s. the bushel. Barley down to 2s. the bushel after this year's harvest (*Tooke*).

1782 Wheat, 47s. 10d. per qr. (*Official Returns*).

Land worth 20 years' purchase (*Townsend*).

Thousands of acres of turnips destroyed by the black caterpillar in Norfolk (*Royal Ag. Soc. Journal*).

A snowstorm from 26th Nov. to end of March, 1783 (*Standard*).

Rainfall at Selborne, 50.26 (*G. White*).

To February 4th, open, mild weather. To 22nd, hard frost. To the end of March, cold, blowing weather, with frost, snow and rain. To May 7th, cold, dark rains. To the end of June, warm and dry. To the end of August, warm, with almost perpetual rains. The first fortnight in September mild and dry, thence to the end of the month rain. To the end of October mild, with frequent showers. November began with hard frost, and continued throughout with alternate frost and thaw. The first part of December frosty, the latter part mild (*Gilbert White*).

Much rain this year everywhere in England (*E. T. B.*).

The coldest November on record. The mean temperature was 34°7' (*Brumham*).

A very rainy summer and year from July (*Brumham*).

May 1. The severity of the weather exceeded all former winters in the recollection of man (*Boyle*).

This spring clover seed of good quality sold at 31s. 6d. per cwt. (*Tooke*).

Very unfavourable harvest. In Scotland the weather during the whole year was as unfavourable as in 1799. A winter of great severity followed (*Tooke*).

In the winter succeeding this harvest wheat was sold

at 10s. 6d. per bushel ; barley at 7s. to 7s. 2d. ; oats at 3s. 6d. ; and clover seed at £5 10s. per cwt. Good Worcester hops, £2 2s. per cwt. (*Tooke*).

1783 Wheat, 52s. 8d. per qr. (*Official Returns*).

Very hot summer. Wheat bought for seed in October at 7s. per bushel (*Winter*).

To January 16th, rainy, with heavy winds. To 24th, hard frost. To the end of the first fortnight in February, blowing, with much rain. To the end of February, stormy, dripping weather. To May 9th, cold, harsh winds (thick ice on May 5th). To the end of August, hot weather, with frequent showers. To September 23rd, mild, with heavy, driving rains. To November 12th, dry, mild weather. To December 18th, grey, soft weather, with a few showers. To the end of the year, hard frost. Rainfall at Selborne, 33'71 (*Gilbert White*).

June 4. Vast honeydews this week (*Gilbert White*).

This summer was an amazing and portentous one, and full of horrible phenomena ; for, besides the alarming meteors and tremendous thunderstorms that affrighted and distressed the different counties of this kingdom, the peculiar haze or smoky fog that prevailed for many weeks in this island and in every part of Europe, and even beyond its limits, was a most extraordinary appearance, unlike anything known within the memory of man. From June 23rd to July 20th inclusive, during which period the wind varied to every quarter without making any alteration in the air. The sun at noon looked as blank as a clouded moon, and shed a rust-coloured ferruginous light on the ground and floors of rooms, but was particularly lurid and blood-coloured at rising and setting. All the time the heat was so intense that butchers' meat could hardly be eaten on the day after it was killed, and the flies swarmed so in the lanes and hedges that they rendered the horses half frantic and riding irksome. All the while Calabria and part of the isle of Sicily were torn

and convulsed with earthquakes, and a volcano sprung out of the sea on the coast of Norway (*Gilbert White*).

Warm winter (*Penny Mag.*).

1783-84. A very severe winter (*Brumham*).

June 18. A fiery meteor passed over England (*Boyle*).

1784 To February 19th, hard frost, with two thaws, one on January 14th, the other February 5th. To February 28th, mild, wet fogs. To March 3rd, frost; to 10th, sleet and snow. To April 2nd, snow and hard frost. To 27th, mild, with much rain. To May 12th, cold, drying winds. To 20th, hot cloudless weather. To June 27th, warm, with frequent showers. To July 18th, hot and dry. To the end of August, warm, with heavy rains. To November 6th, clear, mild, autumnal weather, except a few days of rain at the latter end of September. To the end of the year, fog, rain, and hard frost. December 10th, thermometer 1° below zero. The first week in December was very wet; 7th, came on a vast snow which continued all that day and the next and most part of the following night, so that on the morning of the 9th the lanes were filled so as to be impassable, and the ground covered twelve or fifteen inches without any drifting. Strong frost continued till 31st, and by January 3rd, 1785, the thaw was confirmed and some rain fell. This frost killed all the furze and most of the ivy, and, in many places, stripped the hollies of all their leaves, and may be allowed from its effects to have exceeded any since 1739-40 (*G. White*).

A frost continued for eighty-nine days this winter.— Aug. 18. A singular meteor (*Boyle*).

Rainfall at Selborne, 33.80 (*Gilbert White*).

Excessive heavy rains fell this summer and injured many strong crops. Wheat sold in October about 7s. per bushel (*Winter*).

Wheat, 48s. 10d. per qr. (*Official Returns*).

A meteor was observed in many parts of England about

9 p.m., and illuminated the whole atmosphere (*Townsend*).

Severe winter (*Penny Mag.*).

The winter was most severe 1784-5 (*Glaisher*).

Snow fell on the 7th October, and from that date to April 2nd, 1785, there were only twelve days on which it did not either freeze or snow or both (*Old Book*).

June 5. Wind, north; thermometer, 70° at noon. Severe hailstorm at about a quarter-past two o'clock in Hampshire (*G. White*).

There was a steady frost, with snow, till February 21st (*M. S. J.*).

The summer was in general cold and backward. July, August, and September, 1°8' below average temperature (*Barker*).

1785 Wheat, 51s. 10d. per qr. (*Official Returns*).

Severe winter (*Penny Mag.*).

Very heavy storms of wind and rain about the middle of September that beat great quantities of wheat which was then ripe out of the ears. Excessive fall of rain December 16th, and mild weather. Fat pigs in December, 6s. 6d. per score. Stained barley, 24s. per qr. (*Winter*).

Great frost sixteen weeks (*Old Almanack*).

January 2nd a thaw began, and rainy weather, with wind, continued to January 28th. To March 15th, very hard frost. To 21st, mild, with sprinkling showers. To April 7th, hard frost. To May 17th, mild, windy weather, without a drop of rain. To the end of May, cold, with a few showers. To June 9th, mild weather, with frequent soft showers. To July 13th, hot, dry weather, with a few showery intervals. To July 22nd, heavy rain. To the end of September, warm, with frequent showers. To the end of October, frequent rain. To November 18th, dry, mild weather. Haymaking finished November 9th, and the wheat harvest November 14th. To December 23rd, rain. To the end of the year, hard frost. Rainfall at Selborne, 31·55 in. (*G. White*).

Very cold winter (*Whistlecraft*).

The frost lasted 115 days (*Boyle*).

August 1. Very hot (*G. White*).

A stormy summer (*Brumham*).

January 31. A very severe frost set in and continued till the middle of March (*M. S. J.*).

May 9. A great drought.—September 1. Great floods (*Boyle*).

The coldest March on record. The mean temperature 33°9' (*Brumham*).

The winter of 1785-6. Hay, straw and fodder of all kinds were scarcer and dearer than ever known in this kingdom. Severe frosts destroyed the turnips, and cattle of all kinds and sheep suffered dreadfully; many died, and the rest were in ill plight to fatten early in the summer (*Arthur Young*).

1786 Wheat, 38s. 10d. per qr. (*Official Returns*).

Good crop of wheat (*Winter*).

To January 7th, frost and snow. To 13th, mild, with much rain. To 21st, deep snow. To February 11th, mild, with frequent rains. To 21st, dry, with high winds. To March 10th, hard frost. To April 13th, wet, with intervals of frost. To the end of April, dry, mild weather. On May 1st and 2nd, thick ice. To 10th, heavy rain. To June 14th, fine, warm, dry weather. From July 8th to 11th, heavy showers. To October 13th, warm, with frequent showers. To 19th, ice. To 24th, mild, pleasant weather. To November 3rd, frost. To December 16th, rain, with a few detached days of frost. To the end of the year, frost and snow. Rainfall at Selborne, 39·57 in. Great year for turnip fly. Damage in Devonshire alone estimated at £100,000 (*Gilbert White*).

June and July were moderately fine (*Brumham*).

August 1. An earthquake felt in the North of England. A great storm occurred this year at Highbeckington, Devon, which removed thirteen elms from the original spot

where they had grown, after which they remained upright in a flourishing condition. A tempest also at North Shields, where the hailstones were as large as pigeons' eggs (*Boyle*).

1787 Wheat, 41s. 2d. per qr. (*Official Returns*).

Very dry autumn. River Wily dry as far as Brixton Deverell (*Hoare*).

Rainfall at Selborne, 36·24 in. To January 24th, dark, moist, mild weather. To 28th, frost and snow. To February 16th, mild, showery weather. To 28th, dry and cool. To March 10th, stormy, with driving rain. To 24th, bright, frosty weather. To the end of April, mild, with frequent rain. To May 22nd, fine, bright weather. To the end of June, mostly warm, with frequent showers (on June 7th ice as thick as a crown piece). To the end of July, hot and sultry, with copious rain. To the end of September, hot, dry weather, with occasional showers. To November 23rd, mild, with light frosts and rain. To the end of November, hard frost. To December 21st, still and mild, with rain. To the end of the year, frost (*Gilbert White*).

Nov. 1. Aurora borealis (*G. White*).

Nov. 30. A comet (*Boyle*).

August 9. Dreadful thunder (*Whistlecraft*).

1788 June 26. A sewer burst in London by the extreme pressure of the water in a heavy fall of rain.—July 11. Serious inundations in Scotland and the north of England.—13th. Hailstones as large as a quart bottle fell in France, and trees were torn up by the roots from Valence to Lisle.—August. Upwards of 5,000 horned cattle perished from the dryness of the season. A frost lasted from November to January, when the Thames was frozen over and crossed opposite the Custom House. This frost was general throughout Europe (*Boyle*).

Wheat, 45s. per qr. (*Official Returns*).

Rainfall at London, 14·892 in. (*Dalton*).

Rainfall at Selborne, 22.50 in. (*G. White*).

To January 13, mild and wet. To January 18, frost. To the end of the month, dry windy weather. To the end of February, frosty, with frequent showers. To March 14, hard frost. To the end of March, dark, harsh weather, with frequent showers. To April 4, windy, with showers. To the end of May, bright, dry, warm weather, with a few occasional showers. From June 28 to July 17, heavy rains. To August 12, hot, dry weather. To the end of September, alternate showers and sunshine. To November 22, dry, cool weather. To the end of the year, hard frost (*Gilbert White*).

Thames frozen in winter of 1788-9, and fair held on it from Shadwell to Putney (*Walter Thornbury*).

July 13. A terrible hailstorm from the Bay of Biscay to Holland, sweeping beyond the Texel. It only lasted 7 or 8 minutes. At Etampes the hail was 2½ feet thick in the corners of buildings, and took 3 days to melt (*A. Y. R.*).

1788-9 Excessively severe winter (*G. Brumham*).

The coldest December on record. Mean temperature was 29° (*Brumham*).

August 17. After two days, on both of which, particularly the former, there had been a great deal of rain, together with lightning and thunder, at 9 p.m. there appeared a lunar rainbow at Stoke Newington (*Gentleman's Magazine*).

The summer was in general dry, and there were several periods of hot weather in April, May and June. It was a year of great drought (*Glaisher*).

Maximum temperature, 85° in June, July and August (*Brumham*).

1789 Wheat, 51s. 2d. per qr. (*Official Returns*).

Rainfall at Selborne, 42 in. (*Gilbert White*).

Very deficient crop. Summer 2° below average temperature (*Clarke*).

To January 13, hard frost. To the end of the month, mild, with showers. To the end of February, frequent rain, with snow showers and heavy gales of wind. To March 13, hard frost, with snow. To April 18, heavy rain, with frost, snow, and sleet. To the end of April, dark cold weather, with frequent rains. To June 9, warm spring weather, with brisk winds and frequent showers. From June 4 to the end of July, warm, with much rain. To August 29, hot, dry, sultry weather. To September 11, mild, with frequent showers. To the end of September, fine autumnal weather, with occasional showers. To November 17, heavy rain, with violent gales of wind. To December 18, mild, dry weather, with a few showers. To the end of the year, rain and wind (*Gilbert White*).

A great frost for 3 months, from November, 1788 to January (*Old Almanack*).

A rather wet summer, but August was fine (*Brumham*).

June 29. A violent hailstorm at Liverpool.—July 15. Great inundation in Scotland (*Boyle*).

The Thames frozen over (*Walter Thornbury*).

A backward spring after a very severe winter. Indifferent crops (*Tooke*).

A very hard frost which lasted 12 weeks (*Easton*).

1790 Wheat, 54s. 9d. per qr. (*Official Returns*).

Barley, 26s. 3d. ; oats, 19s. 5d.

Beef and mutton, 3 $\frac{3}{4}$ d. Cheese, 4d. Down wool, 1s. 4d. per lb.

Favourable season (*Driver*).

Rainfall at Selborne, 32·27 in. (*G. White*). At London, 21·976 in.

Deep snow, April 15. Fine harvest (*G. White*).

Labourers' wages in Norfolk, 7s. per week. Reaping wheat, 5s. to 7s. per acre (*Report*).

Labourers' wages, 6s. per week, in Dorset (*Stevenson*).

Very hot in July (*Chambers*).

Little either frost or snow in the beginning of the year.

On the 17th, 18th, 19th December, much snow (*John Dalton*).

Rainfall, 16.052 in. at London.

To January 16, mild foggy weather, with occasional rains. To 21st, frost. To 28th, dark, with driving rains. To February 14, mild dry weather. To 22nd, hard frost. To April 5th, bright cold weather, with a few showers. To 15th, dark and harsh, with a deep snow. To 21st, cold cloudy weather, with ice. To June 6, mild spring weather, with much rain. From July 3 to 14, cool, with heavy rain. To the end of July, warm dry weather. To August 6, cold, with wind and rain. To 24, fine harvest weather. To September 5th, strong gales, with driving showers. To November 26, mild autumnal weather, with frequent showers. To December 1, hard frost and snow. To the end of the year, rain and snow, and a few days of frost (*Gilbert White*).

March 6. An earthquake felt in Westmoreland. — November 20. Fatal inundations of the rivers Derwent, Trent, and Don.—December 23. Violent storm of wind in London (*Boyle*).

1791 Wheat, 48s. 7d. per qr. (*Official Returns*).

Barley, 26s. 10d. ; oats, 18s. 1d. per qr. Down Wool, 17½d. per lb. Beef and mutton, 4d. Cheese, 4¼d.

Favourable season (*Driver*).

Average produce of wheat estimated at 20 bushels per acre (*Billingsley*).

Abundant crop (*Clarke*).

Wheat, if under 50s. per qr., admitted on paying a duty of 24s. 3d. per qr. At or above 50s., but under 54s., a duty of 2s. 6d. per qr. At or above 54s., a duty of 6d. per qr.

The temperature, 0.5° below the average, brought a good harvest owing to the dryness of the season (*Times*).

No frost either in winter or spring, but on June 12 (Whitsunday) snow fell in various parts, and in a few

days the thermometer was at 75° (*Gloucester Notes and Queries*).

To the end of January, mild, with heavy rains. To the end of February, windy, with much rain and snow. From March to the end of June, mostly dry, especially June. March and April, rather cold and frosty. May and June, hot. July, rainy. Fine harvest weather, and pretty dry to the end of September. Wet October, and cold towards the end. Very wet and stormy in November. Much frost in December (*Gilbert White*).

Export of wheat restricted as in 1773, except fixing the prohibition at 46s. Import regulated as follows: If under 50s., duty, 24s. 3d.; if above 50s. and under 54s., duty, 2s. 6d.; above 54s., duty, 6d.

Haymaking at its height in neighbourhood of Bridport, beginning of July (*Marshall*).

June 15. A remarkable change in the weather took place within a few days. The thermometer, which stood at 75° , fell to 25° . The hills of Kent and Surrey were covered with hoar frost and whitened with snow. In many places there was ice of the thickness of a shilling (*Hone*).

January 20. Barometer, 28.10 at sea level (*Symon's Mag.*).

A very hot summer and dry. A very dry year (*Brumham*).

February 2. The tide so high in the Thames that boats were floated into Westminster Hall.—June 6. The weather at this period was so uncommonly hot that the thermometer was up to 75° .—12th. The weather turned extremely cold and snow fell (*Boyle*).

A season of singular abundance and felicity (*Annals of Agriculture*).

1792 January 27. Great storm at Plymouth.—March 1. Shock of an earthquake in Lincolnshire and the adjacent parts.—April 18. A waterspout at Bromsgrove (*Boyle*).

Wheat, 43s. per qr. (*Official Returns*).

Barley, 27s. 7d. ; oats, 16s. 9d. per qr. Summer and autumn were a continued series of wet weather. Both corn and hay greatly injured in harvesting. Average produce of wheat, 14 bushels per acre. Wheat, 5s. 6d. to 6s. ; malt, 5s. 6d. per bushel ; meat, 4d. to 4½d. per lb. ; cheese, 4d. to 5d. ; butter, 10d. to 1s. (*Billingsley*).

Down wool, 2s. per lb. (*Driver*).

Inferior harvest, much injured by wet (*Clarke*).

July and August 1·6° below the average temperature (*Times*).

Great sheep rot.

Some hard frost in January, but mostly wet and mild. February, some hard frost and a little snow. March, wet and cold. April, great storms on the 13th, then some very warm weather. May and June, cold and dry. July, wet and cool ; indifferent harvest, rather late and wet. September, windy and wet. October, showery and mild. November, dry and fine. December, mild (*G. White*).

Rainfall at Selborne, 48·56 (*Gilbert White*).

June 5. Gloucester and the surrounding country not only visited by an intense frost, but the ground was covered with a deep snow (*Gloucester Notes and Queries*).

Spring and summer were wet and cold, hay and corn bad, wet winter, but neither frost nor snow (*Gloucester Notes and Queries*).

Wages, 1s. to 1s. 4d. per day (*Sir Thomas Beevor*).

Summer remarkably cold and ungenial all over England. It was uniformly wet, windy, cold and dark, excepting one dry week in August, when the heat was so excessive as to cause many deaths, and at the commencement of September all thoughts of summer were annihilated by the severe frosts. On June 23rd there was a severe storm in the Cheviot Hills, where the snow and hail covered the ground to a depth of half a foot (*Gentleman's Magazine*, p. 883).

July 17. A similar storm at Sedgefield, in Durham, when the depth of ice was two feet, the corn totally destroyed, and the trees were stripped of their leaves (*Syke's Local Record*, i., 361).

Beef and mutton, 4*d.* ; cheese, 4 $\frac{1}{4}$ *d.* ; wool, 2*s.* per lb. (*Driver*).

Lincoln wool, 10*d.* per lb.

Indifferent harvest (*Driver*).

The last winter was a severe one (*Gilbert White*).

A very wet September and a bad harvest (*Brumham*).

1793 Wheat, 49*s.* 3*d.* per qr. (*Official Returns*).

Barley, 31*s.* 1*d.* ; oats, 20*s.* 6*d.* per qr.

Favourable season (*Driver*).

Wool, 1*s.* 2 $\frac{1}{2}$ *d.* ; beef and mutton, 4 $\frac{1}{4}$ *d.* ; cheese, 4 $\frac{3}{4}$ *d.* per lb.

Much below average temperature. Middling crop. Average produce of wheat estimated at 20 bushels per acre (*Billingsley*).

A great crop of barley in East Norfolk (*Ag. Report*).

Lincoln wool, 7*d.* per lb. (*Driver*).

The lamentable rains of 1793 and the several successive years caused every wheat sheaf to present a turf of verdant green vegetation, which one cannot recollect without sorrow, or ever forget that famine in our land (*Knaapp*).

March 28. The tide rose at Whitehaven 6 feet higher than usual (*Boyle*).

Intensely hot and dry part of summer (*Brumham*).

1794 Deficiency of crop (*Driver*).

Wheat, 52*s.* 3*d.* per qr. (*Official Returns*).

Barley, 31*s.* 9*d.* ; oats, 21*s.* 3*d.* per qr.

Average produce of wheat estimated at 14 bushels per acre (*Billingsley*).

The drought in spring occasioned a total failure of pulse. Wheat reached 14*s.* per bushel at one period (*A. Young*).

Great rot in sheep (*Brown*).

July 7. A violent thunderstorm did much damage in London (*Boyle*).

Wool, 1s. $4\frac{1}{4}d.$ per lb. ; beef and mutton, $4\frac{1}{2}d.$; cheese, $5d.$ (*Driver*).

1794-5 Excessively severe winter (*Brumham*).

Rye grass was ready to shoot into head in the Yarcombe Valley on 1st May (*Marshall*).

The frost began about the middle of December, was excessively severe in January, and continued till the end of March (*M. S. J.*).

The winter of 1794-5 is the coldest on record (*Brumham*).

Very hot summer (*Brumham*).

Very hot, June 12th to July 18th.

The wheat turned out, very unexpected to many growers, a failing produce ; the drought in many parts of England parched the spring corn to that degree that the leguminous crops have scarcely returned their seed (*Tooke*).

Wheat a somewhat short crop, but the quality excellent (*Burke*).

Barley deficient in quantity, in quality ordinary enough (*Burke*).

Harvest a full month earlier than usual (*Burke*).

A great burst of agricultural prosperity followed the deficient harvest of 1794 and 1795 (*Tooke*).

1795 The mischief to the crops took place before harvest. They were well got in. The average price of wheat reached 113s. in August, then declined (*Tooke*).

Up to March 21st, unusually severe weather.—Jan. 25. Thermometer was far below zero (*Whistlecraft*).

38° below freezing point in Fahrenheit (*Britton*).

The winter of 1795-6 seems to have partaken of none of the severity usual to the season (*Knapp*).

The coldest January on record. The mean temperature 23.9° (*Brumham*).

Most extraordinary heat at the beginning of September, the thermometer on two days 90° and 91° respectively (*Brumham*).

The winter of 1794-5 much wheat was destroyed, and in the summer following a cold dry east wind attended with sharp frosts happened at the time of the wheat's blooming. The ears were not filled, and some of the capsules quite empty. I never had grain of so low a quality, yet I sold one load for £21 (*Burke*).

Wheat, 75s. 2d. per qr. (*Official Returns*).

Barley, 37s. 5d. ; oats, 24s. 5d. per qr.

Deficiency of crop. Wool, $19\frac{1}{2}d.$; cheese, $5\frac{1}{4}d.$; beef and mutton, $4\frac{1}{2}d.$ per lb. (*Driver*).

Average produce of wheat estimated at 12 bushels per acre (*Billingsley*).

Excessively cold and winterly to March 21st. Great snow in Scotland. Great scarcity of food (*Boyle*).

The Zuyder Zee frozen over (*Boyle*).

Very defective crop, followed by a dearth, in which many of the poor perished (*Clarke*).

July and August, 2.2 below the average temperature (*Times*).

Lincoln wool, 8d. per lb. (*Driver*).

December 27. A stone fell in Yorkshire from the atmosphere 55 lb. weight (*Boyle*).

Rates of wages in West Devonshire, 1s. a day with a quart of cider ; in hay time, 1s. a day with more liquor ; in harvest time, 1s., with full board ; mowing meadow grass, 2s. ; clover, 20 pence ; corn, 18 pence per acre, with three or four quarts of cider. Women servants, £3 to 3 guineas per annum ; reaping wheat, 4s. to 5s. without binding.

1796 Wheat, 78s. 7d. per qr. (*Official Returns*).

Barley, 35s. 4d. ; oats, 21s. 10d. per qr.

Season less unfavourable, beef and mutton, 6d. ; cheese, $5\frac{1}{2}d.$; down wool, $19\frac{1}{2}d.$ per lb. (*Driver*).

Dec. 25. Thermometer 16° below zero in London (*Hayter*).

Intense frost in December (*Boyle*).

A famine year (*Rogers*).

Excessively severe winter, 1796-7 (*Brumham*).

Crops nearly one half deficient (*Letters of a Yorkshire Gentleman*).

A severe frost set in in December, and the thermometer in many places on the 24th was below zero. In some places it was 16° , which is for this country the greatest cold on record (*Glaisher*).

The warmest January on record (*Brumham*).

A plentiful season.

1797 Wheat, 53s. 9d. per qr. (*Official Returns*).

Barley, 27s. 2d. ; oats, 16s. 3d. per qr.

Season less unfavourable (*Driver*).

Wool, 18d. ; beef and mutton, $6\frac{1}{2}d.$; cheese, $5\frac{1}{2}d.$ per lb.

Great storms end of July, beginning of August, and in September, which did great damage all over Great Britain (*Penny Magazine*).

Heat unusually great part of summer. Thermometer in July from 89° to 91° about 16th and 27th. A very wet summer and year from August (*Brumham*).

Backward spring. Summer variable and rather cold, the harvest wet and stormy, and the general reports of the crops unfavourable both as to quality and quantity (*Tooke*).

1798 Wheat, 51s. 10d. per qr. (*Official Returns*).

Barley, 29s. ; oats, 19s. 5d. per qr.

Season less unfavourable. Wool, $18\frac{1}{2}d.$; beef and mutton, $5\frac{1}{2}d.$; cheese, $5\frac{3}{4}d.$ per lb. (*Driver*).

September 12. Tremendous storm as any remembered by oldest man living (*Gentleman's Magazine*).

Lincoln wool, $7\frac{3}{4}d.$ per lb. (*Driver*).

A very fine hot summer (*Brumham*).

Moderately abundant season, early harvest, and the crops well got in (*Tooke*).

1799 From its commencement to its close this season was, perhaps, as ungenial to the productions of the earth and to the animal creation as any upon record, and the inclemency extended over a great part of Europe. In this country, and particularly in the north of the island, many fields of corn were still uncut as late as November, and some were not cleared till the January following (*Tooke*).

About the beginning of August, heavy rains, with cold easterly winds, reduced the summer fallows and turnip fields into a perfect mire, half rotted a great part of the hay, stopped the growth of the second share clover, laid down all the strong corn, and prevented the wheat from filling. The month of September was, on the whole, rather worse. Much of the wheat died at the root before the ear ripened, from excess of moisture. Oats suffered less, but they were nearly destroyed by two severe nights of frost on the 16th and 17th of October. Some beans were also injured (*Tooke*).

Wheat, 69s. per qr. (*Official Returns*).

Barley, 36s. 2d. ; oats, 27s. 6d. per qr.

Bad season. Wool, 2s. ; cheese, 6d. ; beef and mutton, 5½d. per. lb. (*Driver*).

Wet, cold summer ; much grain injured and destroyed (*Clarke*).

Cold winter and spring, succeeded by gloomy summer, with almost daily rain. Very late harvest. Much corn never got together. Harvest did not commence till September (*Whistlecraft*).

1799–1800 Excessively severe winter (*Brumham*).

July and August, 2·3° below average temperature (*Times*).

Severe weather and deep snow in February (*Hone*).

July. Mutton, 5d. per lb.—October. Beef, 3½d. per lb. (*Gloucester Notes and Queries*).

A severe frost at Christmas (*Brumham*).

An extremely wet summer from July 8th, and very bad harvest (*Brumham*).

March 18. Great land floods overflowed the river at Bath.—Nov. 12. A train of meteors (*Boyle*).

1800 After a cold, backward spring, this season assumed rather a favourable aspect, the early part of the summer being dry and hot; but the promising appearances were soon changed into the dismal reality of renewed or continued scarcity. A small part only of the crops was got in before heavy and almost incessant rains began. Of the wheat, that part which was secured in the southern districts of the island before the rains commenced, and therefore in good condition, proved to be light, coarse, and unproductive. But the rains came on in August, and caught a considerable portion in the fields, even in the south, and injured the whole of the crops in the north of the island. The crops were still worse in Scotland. In Mark Lane, in the course of the season, wheat reached the extravagant price of 184s., and the quartern loaf, for four weeks, was 1s. 10½d. Not only was there this great rise in the price of corn, but every article of animal food participated in the advance. In the following spring, beef sold at 10d. to 10½d.; mutton, 11d. to 12d.; veal, 12d. to 14d. per lb. In the past eight years there were four of great and general deficiency: viz., 1794, 1795, 1799, and 1800; two of bare average produce, 1793 and 1797; two only of good crops, 1796 and 1798; and there were four severe winters, 1794-5, 96-7, 98-9, and 99-1800, followed, as such winters usually are, by cold backward springs (*Tooke*).

Wheat, 113s. 10d. per qr. (*Official Returns*).

Barley, 59s. 10d.; oats, 39s. 4d. per qr.

Bad season. Down wool, 21½d. per lb.; beef and mutton, 6¾d.; cheese, 6¼d. per lb. (*Driver*).

Bad crop, partly saved in England. In Scotland much corn did not ripen, destitution and famine followed. Much rain (*Clarke*).

A temperature of 0.7° above the average brought only a bad crop, because of the excessive rains (*Times*).

October 30th, men were employed raking barley out of the water on the lowlands of Chadenwych Farm, Mere, and taking it on the higher ground to dry. It was carried to the rick November 6th, and the following spring was sold at about 70s. per qr. (*John Phillips*).

Lincoln wool, $9\frac{1}{2}d.$ per lb. (*Driver*).

Excessive drought for seven weeks in summer, from June 22nd to August 19th, then very wet.

Great rains in August and September (*Brumham*).

Rainfall at Cathay, near Cardiff, 26.82 in. (*Capper*).

Feb. 11. An Act passed that no bread should be sold until it had been baked 24 hours.—Aug. 19. Pieces of ice as large as a hen's egg fell at Heyford, in Oxfordshire, the same storm doing great mischief in Bedfordshire, where hailstones fell eleven inches in circumference, killing many hares and partridges.—Sept. 15. A great storm of thunder and lightning fell over the whole kingdom (*Boyle*).

1801 Wheat, 119s. 6d. per qr. (*Official Returns*).

Barley, 68s. 6d.; oats, 37s. per qr. Good crops. Wheat, in March, 151s. 2d. per qr.; barley, 90s. 7d.; oats, 47s. 2d. (*Driver*).

Wet, warm winters, and cold, dry, blighting springs and summers (*Lawrence*).

Down wool, $21\frac{1}{2}d.$; Lincoln wool, $12\frac{1}{2}d.$; beef and mutton, 8d.; cheese, $6\frac{1}{2}d.$ per lb. (*Driver*).

April. Beef at Cirencester, 3d. per lb. (*Gloucester Notes and Queries*).

Maximum temperature near London, 85° in Suffolk (*Brumham*).

A fine summer and good harvest (*Brumham*).

Total rainfall at Cathay, near Cardiff, 24.10 in. (*Capper*).

Nov. 21. A great storm in Devonshire and in the

Baltic. The quartern loaf this year was sold as high as one shilling and ten pence halfpenny (*Boyle*).

This season was favourable on the whole (*Tooke*).

The memorable year of scarcity, in which some wheat was sold as high as 25s. the bushel; but towards autumn it fell to nearly one-third of that price in consequence of a bountiful harvest (*Easton*).

1802 Wheat, 69s. 10d. per qr. (*Official Returns*).

Barley, 33s. 4d.; oats, 20s. 4d. per qr.; down wool, 23½d.; beef and mutton, 8¼d.; cheese, 6½ per lb. (*Driver*).

Favourable season. Average crops (*Driver*).

July, wet and cold. Sharp frosts in June. Barley crop very fine in Norfolk (*Report*).

September 10. A beautiful lunar rainbow in Derbyshire (*Hone*).

Hot and dry August and September (*Brumham*).

Total rainfall at Cathay, near Cardiff, 22·77 in. (*Capper*).

January 21. A great storm at Manchester, Liverpool, Chester, and Whitehaven.—Aug. 18. A violent storm throughout the north of England (*Boyle*).

The weather not quite so favourable as in 1801, and the produce not above an average (*Tooke*).

1803 Wheat, 58s. 10d. per qr. (*Official Returns*).

Barley, 25s. 4d.; oats, 21s. 6d. per qr.; down wool, 22½d.; beef and mutton, 7½d.; cheese, 6¾d. per lb. (*Driver*).

Average crops (*Driver*). Lincoln wool, 1s. per lb.

In April cutting nights. Wind in general northerly. May, cold, dry, and sterile like October. June, cold and wet. June, July, and August sharp frosts and white rimes by night. September, warm and rainy. October, foggy mornings, hot days and cold nights, succeeded by a particularly mild winter. Wind almost constantly west or south (*Report*).

Very hot and dry summer (*Brumham*).

Total rainfall at Cathay, near Cardiff, 20·59 in. (*Capper*).

January 1. A violent whirlwind at Falmouth, and on 5th another at Plymouth, doing much mischief.—July 4. Thunderstorm in London.—November. A meteor illumined the atmosphere nearly a minute. A shower of nearly 3,000 stones fell at Aigle, in France.—April 26. Some at Avignon.—Oct. 3. Showers of red snow in Carriola (*Boyle*).

The principal feature of this season was a drought of several weeks' continuance, and the general produce though good was not large (*Tooke*).

1804 Wheat, 62s. 3d. per qr. (*Official Returns*).

Barley, 31s. ; oats, 24s. 3d. per qr. ; beef and mutton, 8d. ; cheese, 7d. ; down wool, 2s. per lb. (*Driver*).

Warm summer. Deficient crops (*Driver*).

In the spring the weather was occasionally very warm, with cold alternations. At the critical period of the wheat's blooming, heavy rains, chilling dews, and cold north-east winds, with alternate scorching gleams of the sun. Weather continued in a similar unfavourable train two full months, during which the most singularly rapid changes of the wind were almost daily taking place between the south and north, producing alternately the pinching cold of December, and the blazing heat of the dog days. Wheat blighted (*Lawrence*).

Wheat allowed to be brought in at all times on paying the following duties. The average above 66s., a duty of 6d. ; between 66s. and 63s., a duty of 2s. 6d. ; below 63s., a duty of 24s. 3d. per qr.

Exports prohibited above 54s. ; but allowed when under 48s., and a bounty of 5s. given.

Extremely hot and dry in September (*Brumham*).

Total rainfall at Cathay, near Cardiff, 27·01 in. (*Capper*).

January 8. A hurricane did considerable damage in Devon and Cornwall.—May 4. Tremendous storm at Bath, destroying some roads, with several gardens, and the same night a storm in Lancashire and Cheshire swept away many buildings (*Boyle*).

The crop proved decidedly deficient in quantity, and inferior in quality (*Tooke*).

1805 Wheat, 89s. 9d. per qr. (*Official Returns*).

Barley, 44s. 6d. ; oats, 28s. 4d. per qr. ; wool, 2s. $7\frac{1}{2}$ d. ; beef and mutton, $7\frac{1}{4}$ d. ; cheese, $7\frac{1}{4}$ d. per lb. (*Driver*).

Cold year except autumn. Average crops (*Driver*).

Rainfall 22 in. in London ().

Lincoln wool, $14\frac{1}{4}$ d. per lb. (*Driver*).

In April sun hot by day, heavy chilling dews by night. Wind immovably E.N.E. Harvest rather late, but productive, and well got in.

$9\frac{1}{2}$ in. of rain in June, July, and August (*Old Almanack*).

Very hot in August (*Brumham*).

Total rainfall at Cathay, near Cardiff, 20.28 in. (*Capper*).

May 28. Violent thunderstorm in London.—July 6. Tremendous storm at Kingston-on-Thames (*Boyle*).

The harvest proved to be one of average produce (*Tooke*).

1806 Wheat, 79s. 1d. per qr. (*Official Returns*).

Barley, 38s. 8d. ; oats, 27s. 7d. per qr. ; wool, 2s. $1\frac{1}{2}$ d. ; beef and mutton, $7\frac{1}{2}$ d. ; cheese, $7\frac{1}{4}$ d. per lb. (*Driver*).

Average crops (*Driver*).

Lincoln wool, $13\frac{1}{2}$ d. per lb. (*Driver*).

Cold and ungenial spring. Hot summer.—July 17. A meteor appeared about one-fourth of the diameter of the moon ; it passed horizontally with great velocity (*Townsend*).

Thermometer, 95° at Plaistow on one day, 93° on one day, 90° on one day, and from 80° to 87° on 17 days at the same place (*Brumham*).

Total rainfall at Cathay, near Cardiff, 60 feet above sea level, 27·86 in. (*Capper*).

January 17. A lunar rainbow appeared at Wakefield.—July 24. A most violent storm visited the metropolis, when the lightning did much mischief, and the rain descended in torrents.—Dec. 26. Extraordinary high tide (*Boyle*).

The crops not quite equal to those of last year (*Tooke*).
1807 Wheat, 75s. 4d. per qr. (*Official Returns*).

Barley, 39s. 4d. ; oats, 28s. 4d. per qr. ; wool, 2s. ; beef and mutton, 7d. ; cheese, 7½d. per lb. (*Driver*).

Average crops (*Driver*).

Lincoln wool, 9½d. per lb. (*Driver*).

May, wet. July and August, hot. Fine summer. One of the best harvests. Wheat crop extraordinary good, both quantity and quality, and much spoken of by the old (*Whistlecraft*).

In the latter portion of 1807, and the first three or four months of 1808, there had been more than 160 days in succession in which rain had fallen in more or less quantities in the neighbourhood of Plymouth (*Hone-Haydon*).

It rained on St. Swithin's Day, and a dry time followed (*Hone*).

Great deal of wet weather in harvest in Ayrshire (*Hone*).

Sept. 23. A comet visible (*Boyle*).

Very hot and fine summer, especially July and August (*Brumham*).

Total rainfall at Cathay, near Cardiff, 20·68 in. (*Capper*).

The season was fine and dry from June till the first week in September, and the crops were generally secured in good order. Wheat, about an average crop ; but spring corn and turnips were greatly deficient. The pastures much burnt, making fodder scarce. The

weather in Scotland highly unfavourable to the harvest. The potato crop in Ireland partially failed. The following winter set in unusually early (*Tooke*).

In many of the northern and western districts a large proportion of the crop was in the fields in November exposed to ruin and destruction from the elements. The crops, wheat excepted, are of little bulk, more so than in any year since 1800. Barley is below par; but oats, beans, and peas are greatly defective, the latter articles particularly so (*Farmers' Magazine*).

Leaves on the trees destroyed by a severe frost, September 12. Winter commenced in earnest on November 4. Frost continued through December and January (*Notes of a Dorsetshire Farmer*).

1808 Wheat, 81s. 4d. per qr. (*Official Returns*).

Barley, 43s. 4d.; oats, 33s. 4d. per qr.; wool, 2s. 1d.; beef and mutton, 6 $\frac{3}{4}$ d.; cheese, 7 $\frac{3}{4}$ d. per lb. (*Driver*).

Partial deficiency (*Driver*).

Lincoln wool, 9 $\frac{1}{2}$ d. per lb. (*Driver*).

Fine summer. July, very hot. Thermometer, 98 $\frac{1}{2}$ ° on 14th (*Whistlecraft*).

Feb. 12. Very severe storm, preceded by heavy fall of snow (*Penny Mag.*).

July 13. Thermometer, 94° in the shade (*Chambers*).

Great rot in sheep (*Brown*).

March and April, cold (*Brumham*).

April 19. Heavy fall of snow for four hours. A fine, productive harvest. Began reaping August 5th. Finished harvest August 26 (*Cox*).

It rained on St Swithin's Day. Much lightning at night. Only quarter of an inch of rain to 22nd, then a new moon, which was very wet, and there fell 5.10 in. of rain (*Hone*).

The mean of the whole summer was not quite 1° above the average.—Feb. 16. Travelling on the northern road was stopped by the snow.—July 15. Hailstones, that

measured from 6 to 7 inches, fell during a thunderstorm in Somersetshire.—Dec. 8. Great damage sustained by the overflowing of the Thames (*Boyle*).

The crops more deficient than last year. The hot days in the early part of July did great injury to the wheat, and they were followed by a great deal of wet and stormy weather, from that time till the getting in of the harvest. Some of the other crops also suffered (*Tooke*).

1809 Wheat, 97s. 4d. per qr. (*Official Returns*).

Barley, 47s. ; oats, 31s. 5d. per qr. ; wool, 3s. ; beef and mutton, 6 $\frac{3}{4}$ d. ; cheese, 8d. per lb. (*Driver*).

Great deficiency (*Driver*).

Hot May. Wet summer. Great rot in sheep. Deficient crop. The rain set in in July and continued to October. Wheat suffered from mildew and sprouting (*Clarke*).

Height of flood in the Thames at high water mark, at Clifton Hampden, 9ft. 1 in. (*J. C. C. in Ag. Gazette*).

Highest flood on record.

Began reaping August 10. Finished harvest September 2. Last week in April cold, wet, and frosty, and unpleasant weather. May came in fine and hot (*Cox, in Penny Mag.*).

July and August 1·3 below average temperature (*Times*).

January 16th and 17th. Snow.—17th. A small brilliant meteor about 6 p.m., in S. E.—19th. A freezing shower from E. encased everything with ice ; birds were disabled by it, and were seen lying on the ground in great numbers. This was followed by snow. Then to 24th, frequent falls of snow, then a steady rain from W., and the country was inundated to a greater extent than in 1795 (*Hone*).

January 28. A lunar halo of the largest diameter.—29th. After a fine morning the wind began to blow hard from the south, and during the whole night of 30th it raged with excessive violence from the west, doing con-

siderable damage. The remainder of the moon was stormy and wet, and it closed with squally weather, which, with the frequent appearance of the rainbow, indicated the approach of a drier atmosphere (*Hone*).

The average height of the barometer for the last seven years was 29·186, of the thermometer 50·48; rain, 29·618 (*Boyle*).

Eighteen new comets have appeared since 1789 (*Nat. Institute of France*).

The harvest this year proved to be worse than 1808. The rains set in in the early part of July and continued with scarcely any intermission till October (*Tvooke*).

April 20. It began to rain about 3 o'clock, and lasted till Friday night, which caused the highest flood in Dorsetshire since 1773. Continual frost through the autumn (*Notes of a Dorset Farmer*).

1810 Wheat, 106s. 5d. per qr. (*Official Returns*).

Barley, 48s. 1d.; oats, 28s. 7d. per qr.; down wool, 2s. 1d.; beef and mutton, 8½d.; cheese, 8d. per lb. (*Driver*).

Wet and cold season. Bad crops. Quantity of wheat destroyed by frost. Average produce of that which stood, 12 bushels per acre (*Stevenson's Dorset*).

Bad, scanty crop. Well got in (*Clarke*).

Much mildew (*Times*).

Began reaping, August 14. Finished harvest, September 5 (*Cox*).

July and August, 3·7 below average temperature (*Times*).

November 10. Great floods (*Whistlecraft*).

Much thunder in summer. Very wet autumn after September. Flooding rains in November. Dry year to October (*Brumham*).

August 14 and 15. The thunder and lightning did great damage, many persons being killed.—November 16. Great inundations in Lincolnshire (*Boyle*).

The spring was singularly cold and ungenial ; a series of dry east winds prevailed for many weeks together, and made the hay crops greatly deficient, the price of which rose in the following winter to £11 the load. The spring crops and wheat were generally thin upon the ground, but, in consequence of the weather becoming fine immediately preceding the harvest, and the fine weather during the harvest, the produce turned out to be rather better than had at one time been apprehended (*Tooke*).

More than three-fourths of the wheat crop destroyed by the frost of the previous winter ; but the berry was remarkably fine (*Notes of a Dorset Farmer*).

1811 Wheat, 95s. 3d. per qr. (*Official Returns*).

Barley, 42s. 3d. ; oats, 27s. 7d. per qr. ; wool, 2s. 1d. ; beef and mutton, 8 $\frac{3}{4}$ d. ; cheese, 8 $\frac{1}{4}$ d. per lb. (*Driver*).

Deficient harvest (*Driver*).

Wet and cold season, $\frac{5}{8}$ of an average crop. The pea crop a general failure, in many cases barely the seed (*Murray*).

Wheat suffered as much from blight this year as from frost in 1810 (*Stevenson*).

Thames frozen over on January 7 (*Boyle*).

Five-eighths of an average crop. High winds at blossoming time, and little sun and heat at harvest (*Clarke*).

Began reaping July 24. Finished harvest August 26 (*Cox*).

A very severe frost set in at the beginning of January. On the 8th the Thames was so much frozen that there was only a narrow channel in the centre free from ice. The banks of the river were so firmly set with ice and snow that people could walk upon it from Battersea Bridge to Hungerford Stairs (*W. Thornbury*).

Mildew in wheat (*Times*).

July and August 1.7 below average temperature (*Times*).

A very warm spring. Showery summer though so hot (*Brunham*).

January 11. The northern roads impassable from a heavy fall of snow.—Feb. 25. The tides much higher than usual.—Sept. 1. A comet appeared and continued till December; its greatest brilliancy was in October (*Boyle*).

Wheat below an average quantity, and far inferior to last year in quality (*Tooke*).

The first three weeks in September answered well for executing harvest work, but before the end of the month a sequence of wet days occurred, and in the north of England and through the whole of Scotland, one half of the corn was exposed for three weeks to rains and storms, much of which was badly sprouted. On October 13, a violent tornado nearly destroyed the uncut corn, which was left nearly as free from grain as if it had passed through the thrashing machine. The two succeeding weeks were busily employed in harvesting the crop and sowing wheat; after which such heavy falls of rain that it was hardly practicable for some time to plough any ground unless of the driest kind. Favourable weather, however, returned in the latter part of November, and wheat sowing was finished much better than could have been expected. The wheat crop was defective in every district more or less. The deficiency arose from wetness in May and cold frosty nights in June; from boisterous winds at blooming time, and from want of heat when the grain was formed. Barley was below an average. Oats and peas and beans suffered so much from the wetness in May and June as not to prosper after on thin soils, but may be considered as fair crops (*Farmers' Magazine*).

1812 Wheat, 126s. 6d. per qr. (*Official Returns*).

Barley, 66s. 9d.; oats, 44s. 6d. per qr.; wool, 2s. 2d.; beef and mutton, 8½d.; cheese, 8½d. per lb. (*Driver*).

Wet and cold. Bad crop.

Defective and bad crop. A famine year (*Clarke*).

Dantzic wheat fetched 180s. per qr., and oats 84s. per qr. in Mark Lane (*Royal Society Journal*).

July and August 3·8° below the average temperature (*Times*).

Began reaping, August 19. Finished harvest, September 9 (*Cox in Penny Mag.*).

January 10. London was for several hours in palpable darkness (*Howard*).

Very cold summer (*Brumham*).

January 10. A remarkable fog in London (*Boyle*).

A treacherous summer; rainfall much above the average in the year, but a fine September (*Brumham*).

January 29. An earthquake felt in Oxfordshire.—October 21. The Thames rose and overflowed Palace Yard.—December 20. A remarkably thick fog in London (*Boyle*).

Backward harvest. July 1. Average price of wheat, 140s. 9d. per qr. The winter began early and severely.

From 1793 to 1812 inclusive, there were eleven seasons more or less deficient, six of average produce, and only three of abundant crops (*Tooke*).

Oats reached 80s. per qr. before harvest (*Tooke*).

Where the crop was secured in September, both the quality and quantity of the grain is good, but in many high and cold situations a great deficiency is found. Bad weather set in the early part of October, and greatly damaged the crops not then harvested (*Farmers' Magazine*).

1813 Wheat, 109s. 9d. per qr. (*Official Returns*).

Barley, 58s. 6d. ; oats, 38s. 6d. per qr. ; wool, 2s. 4d. ; beef and mutton, 8¾d. per lb. ; cheese, 8¾d. per lb. (*Driver*).

Lincoln wool, 1s. 3d. per lb.

Hot and dry. Great harvest (*Driver*).

General thanksgiving for an immensely productive harvest (*Cox, Penny Mag.*).

Began reaping August 12. Finished harvest September 9 (*Cox*).

The great frost commenced 27th December.

1813-14 Excessively severe winter (*Brumham*).

A fine and good summer (*Brumham*).

December 27. A very thick fog extended fifty miles round London and continued eight days, attended by a severe frost that lasted six weeks (*Boyle*).

The produce of this year was of undoubted and general abundance. The weather was, on the whole, favourable to crops of every description (*Tooke*).

1814 Wheat, 74s. 4d. per qr. (*Official Returns*).

Barley, 37s. 4d.; oats, 25s. 8d. per qr.; wool, 2s. 6d. beef and mutton, 9½d.; cheese, 8¾d. per lb. (*Driver*).

Nearly average crop, but great import (*Driver*).

Lincoln wool, 1s. 7½d. per lb. Great snows and constant frost to the equinox. Shops and booths on the Thames. Hot and dry summer ().

Wheat much mildewed this year. Barley good crop; turnips, good. August was showery (*Farmers' Journal*).

Crops not above average (*Tooke*).

Began reaping August 21. Finished harvest September 7 (*Cox*).

January 4. The deepest snow that has been known for 40 years began, was some days falling; continued on the ground five weeks. Drifts in places 15 ft. high (*Penny Mag.*).

The year began with an immense fog which lasted about a week. On January 8 the fog disappeared in consequence of a change of wind; and a frost then set in almost as unexampled in its duration and severity as the fog had been for its density. The frost continued with little intermission till March 20.—January 31. Several persons walked across the Thames.—February 3. A sheep was roasted, and the whole space between London and Blackfriars Bridges had become a complete fair (*Hughson*).

A severe storm of thunder and lightning in the evening of the Thursday before the 27th January (*Hone*).

Hay, a light crop. Butter, 14*d.* per lb. Water short in September (*Report for Devon*).

Very hot in July, thermometer 88°. Showery and cold till end of June (*Brumham*).

January 14. Travelling was much impeded in the west of England owing to a great fall of snow, the cold being intense in every part of England. The thermometer, when exposed to a N.E. aspect, stood at 19° below freezing point. In Ireland the weather was nearly as severe.—February 4. A fair was held upon the Thames.—17th. Great inundations were occasioned by a very sudden thaw.—December 16, 17. Greenock and its neighbourhood sustained heavy damage by a hurricane.—26th. Extraordinary high tide in the Thames (*Boyle*).

At Horringer Fair, in Suffolk, in September, prices of crone ewes were from 8*s.* to 10*s.* less than last year. Those in bad condition were scarcely saleable at any price. Some small lambs were sold as low as from £4 10*s.* to £6 per score.

At Lewes Old Cliffe Fair two-tooth wethers fetched from 30*s.* to 39*s.*; four-tooth, 40*s.* to 44*s.*; six-tooth, 48*s.*; ewes, from 26*s.* to 37*s.*; lambs, a brisk sale, at from 15*s.* to 27*s.*

At Weyhill Fair a full show of sheep, which had a brisk sale at advanced prices. Farnham hops from £10 to 13 guineas; country, from £8 to 11 guineas per cwt. Best Somerset cheese, from 88*s.* to 94*s.* per cwt. Corn harvested in as fine condition as ever known. Twenty-five days' of brilliant weather between 20th August and 20th September, two other days fair, and on four rain fell. Thermometer as high as 74° on four days, and once 75° (*Farmers' Journal*).

At Wilton Fair sales were brisk at 3*s.* per head above

Britford. Wethers, from 36s. to 54s.; ewes, 27s. to 38s.; lambs, 18s. to 28s.; number penned, 63,000 (*Farmers' Journal*).

At Winchester Fair, many thousand sheep driven away unsold; prices, 3s. 6d. a head lower than Weyhill. Best cheese, 78s. to 86s.; skim, 24s. to 28s. Weather fine till October 9, then heavy rains (*Farmers' Journal*).

Salmon sold at Barnstaple at 4½d. per lb.

Hay scarce and dear. Fine time for wheat sowing.

At Berwick Hill Fair, Wilts, there was a large number of lean pigs, which sold high. Fat pigs made from 12s. to 13s. per score (*Farmers' Journal*).

The harvest was much impeded by the showery weather this year. Barley began to grow in the swathe (*Report from Kent*).

At Appleshaw Fair, November 4, was the largest show of sheep ever remembered. Ewes fully 8s., and lambs 5s. lower than at Weyhill (*F. J.*).

Cold north-east winds this year, frequently with snow and sleet, till the middle of June. No genial weather till August. Late harvest. Crops deficient (*Notes of a Dorset Farmer*).

1815 Wheat, 65s. 7d. per qr. (*Official Returns*).

Barley, 30s. 3d.; oats, 23s. 7d. per qr. Wool, 1s. 10d. per lb.; beef and mutton, 8¼d.; cheese, 8d. per lb. (*Driver*).

Full average crop. Hot and dry (*Driver*).

Lincoln wool, 1s. 11½d. per lb.

Began reaping August 9. Finished harvest August 26 (*Cox*).

The Act passed this year prohibits wheat being imported until the average is above 80s. per qr.

Fine season and excellent crops (*Whistlecraft*).

Rainfall at Greenwich, 20.52 in. January, 0.78 in. February, 1.20 in. March, 2.00 in. April, 2.47 in. May, 2.14 in. June, 1.65 in. July, 1.57 in. August,

1'83 in. September, 1'07 in. October, 2'39 in. November, 1'37 in. December, 2'05 in. (*Glaisher*).

An abundant season on the whole (*Tooke*).

Remarkably fine from March to October (*Brumham*).

Much excitement was caused by the passing of the Corn Bill. The houses of many supporters of the measure were much damaged. On account of a great decrease in the prices of all productions various farmers threw up their leases (*Boyle*).

1816 Wheat, 78s. 6d. per qr. (*Official Returns*).

Barley, 33s. 11d. ; oats, 27s. 2d. per qr. ; wool, 1s. 10d. ; beef and mutton, 7 $\frac{1}{4}$ d. ; cheese, 6 $\frac{1}{2}$ d. per lb. (*Driver*).

Great and general deficiency (*Driver*).

Lincoln wool, 1s. 1 $\frac{1}{2}$ d. per lb.

Corn very badly harvested. Wet and cold summer. Harvest began beginning of September. Wheat much sprouted. Quantity of rotten sheep. Some corn out when the winter snows began ().

Considerable fall of snow in the counties of Cambridge and Huntingdon on September 2nd, by which much damage was done to the gardens (*Dugdale*).

Great deficiency in quantity and quality. Heavy rain and stormy winds in July until harvest (*Clarke*).

Began reaping August 29th. Finished harvest October 12 (*Cox*).

From April 12th to 15th snow remained on the ground, and the weather was severe and frosty.—September 3. A severe frost, which produced ice (*Cox, Penny Magazine*).

One of the worst harvests known. July and August 4'8° below average temperature (*Times*).

After St. Swithin's Day it rained twenty-five days out of thirty. Total fall, 2'41 in. ; before this 5'13 in. fell in July (*Howe*).

February 7 to 13 unusually cold (*MS.*).

Rainfall at Greenwich, 27'49 in. (*Glaisher*).

Jan., 1'90 in. Feb., 1'47 in. March, 1'71 in. April,

1'94 in. May, 1'95 in. June, 2'19 in. July, 3'91 in. Aug., 2'30 in. Sept., 1'86 in. Oct., 2'61 in. Nov., 2'74 in. Dec., 2'91 in. (*Glaisher*).

Cold backward spring, a wet summer and autumn with a singular absence of solar heat. The quality of corn was universally bad, being got in wet and unfit for immediate use (*Tooke*).

January 1. Average price of wheat, 53s. 7d.; in June, 1817, it rose to 112s. 7d. (*Tooke*).

No good hay made this year (*Notes of a Dorset Farmer*).

January 12. A dreadful flood at Strabane, in Ireland, by the melting of the snow.—February 6. Dreadful floods in Northumberland and Durham.—27th. Great mischief by tremendous gales in the North of England.—March 20. An earthquake felt in several parts of England.—June 17. Several spots on the sun's disc, one in the centre appeared larger than the earth.—August 14. An earthquake felt in Scotland.—31st. Tremendous gales of wind did considerable damage on the English coasts.—September 20. Some spots reappeared on the sun's disc.—October 10. Great spots were visible upon the sun. Great disturbances this year owing to the distresses of those out of employ (*Boyle*).

1817 Wheat, 96s. 11d. per qr. (*Official Returns*).

Barley, 49s. 4d.; oats, 38s. 5d. per qr.

Wool, 2s. Beef and mutton, 6d.; cheese, 5½d. per lb. (*Driver*).

Lincoln wool, 15½d. per lb.

Not over an average crop (*Driver*).

Great rot in sheep (*Brown*).

Deficient harvest. Very cold and wet July and August (*Times*).

Rainfall in London, 20 in.

Began reaping August 15. Finished harvest September 10 (*Cox*).

August very wet. September a fine harvest month (*Cox*).

September 12. Extraordinary storm of thunder, lightning, and wind, at Enghien (*Hone*).

February 27. Hard gale (*Whistlecraft*).

No wheat cut in the South of England till September. From 26th June to 31st August almost perpetual rain. Severe frost from October 3rd to end of month (*Dorset Notes*).

The summer almost unceasingly cold and rainy (*Knapp*).

Scarcely a moth or butterfly appeared (*Knapp*).

Excessive heat on June 21st and 25th. Thermometer, 87° (*Brumham*).

Rainfall at Greenwich, 26.59 in. (*Glaisher*).

4.13 in., in May. 3.86 in., in July.

Jan., 2.85 in. Feb., 1.19 in. March, 1.90 in. April, 0.06 in. June, 1.54 in. Aug., 2.53 in. Sept., 0.81 in. Oct., 2.39 in. Nov., 1.80 in. Dec. 3.53 in. (*Glaisher*).

January 8. An earthquake felt in Nottinghamshire.—21st. Dreadful storm at Plymouth.—February 8. Aurora borealis.—March 20. The floods so great round Oxford that the city appeared like an island.—June 21. At Gloucester, thermometer stood at noon in the shade at 103°, at Weymouth, 112°. The magnetic needle which had for many years taken a western declination from the meridian returned towards the north (*Boyle*).

The weather till harvest was wet and unfavourable, and the harvest itself was late; but the weather cleared up the last few days of August and continued favourable through a great part of September, but it was foggy and calm with only short intervals of brilliant sunshine; and as the rains again set in before the harvest was fully completed, the samples of wheat were damp and cold, but the eventual produce proved better than had been supposed (*Tooke*).

1818 Wheat, 86s. 3d. per qr. (*Official Returns*).

Barley, 53s. 10d. ; oats, 32s. 5d. per qr.

Wool, 2s. 0½d. Beef and mutton, 7¼d. ; cheese, 6d. per lb. (*Driver*).

Very hot summer (*Driver*).

Lincoln wool, 2s. per lb.

January, mild. February, mild. March, cold and wet. April, variable. May, wet till 17th, then great drought for seventeen weeks. Dry time till end of year. June, warm and fine. July, hot. August, very dry, but not so hot. September, dry and fine. October, dry and pleasant. November, mild. December, dry and mild (*Old Almanack*).

November 10. Earthquake felt at Inverness (*Boyle*.)

A remarkably dry, hot summer. No rain for four months from middle of May. Wheat, an average crop in the Eastern counties. Very heavy and abundant in the West (*Clarke, from Tooke's List of Prices*).

Began reaping July 27. Finished harvest Aug. 12 (*Cox*).

May 8. A deluge of rain fell, after which no more fell at or near Trevereux, in Surrey, till September 5, being seventeen weeks and one day, during which time all vegetation was completely burnt up (*Cox*).

Wheat brought into market in the South of England July 12, and no rain until September 6 (*Newspaper*).

Most abundant crop. July and August 4'3° above average temperature (*Times*).

The winter season was extraordinarily mild. December 8. Flowers in full bloom, such as jonquils, anemones, pinks, etc., in the neighbourhood of Plymouth, also ripe strawberries and raspberries (*Hone*).

Dry on St. Swithin's Day, and a dry time followed (*Hone*).

April 26. Remarkable storm of hail, rain, wind, and thunder at Stanmore and the neighbourhood about half-past twelve o'clock (*Thomson's Annals*).

March 5. Awful gale.—July 24. Excessive heat (*Whistlecraft*).

Turnip crop severely attacked by black palmer-worm (*E. T. Bennett*).

The early part of the season ungenial (*Knappp*).

Rainfall at Greenwich, 23'37 in. Jan., 1'73 in. Feb., 1'81 in. March, 3'45 in. April, 2'99 in. May, 2'53 in. June, 0'60 in. July, 0'69 in. Aug., 0'07 in. Sept., 3'78 in. Oct., 1'89 in. Nov., 2'49 in. Dec., 1'34 in. (*Glaisher*).

March 4. Dreadful hurricane throughout England, and it extended to many parts of Europe.—May 8. A dense rain continued for twenty-four hours which flooded all the lower parts of the kingdom.—July 23. The heat was oppressive at three o'clock, thermometer 121° in the sun; and 25th it was 2° above fever heat.—August 23. Greater heat continued uninterruptedly than had existed for forty years.—September 3. The weather broke up after 108 hot days, during which thermometer had averaged 65°.—Dec. 28. Dense fog in London (*Boyle*).

The produce of wheat, notwithstanding the shortness of the straw, was greater than had been expected. This was a most extraordinary season in every respect (*Tooke*).

This autumn the most prolific for grass, even to Christmas, of any year in my recollection; and more proof and alteration in cattle, since September, I never saw in summer time (*Notes of a Dorset Farmer*).

1819 Wheat, 74s. 6d. per qr. (*Official Returns*).

Barley, 45s. 9d.; oats, 28s. 2d. per qr.

Wool, 18d. per lb. Beef and mutton, 7 $\frac{3}{4}$ d.; cheese, 8d. (*Driver*).

Somewhat below average crop (*Driver*).

Lincoln wool, 17d. per lb.

Hot summer. January, mild. February, snow. March, variable. April, some heavy rain. May, warm. June, warm. July, hot. August, very hot. September, fine. October, seventeen fine days. Heavy fall of snow 22nd. November, fine. December, winterly. Wheat, very bad

yield. Great quantity of straw. Spring corn sown remarkably well. Barley, coarse.

Began cutting wheat July 30. Finished barley harvest September 2 (*T. O.*).

Began cutting wheat July 31. Finished barley harvest August 25 (*Cox*).

October 22. Snow six in. deep (*Cox*).

May 28. A very severe frost this night (*Cox*).

1819-20 Excessively severe winter (*Brumham*).

Fine crop of wheat. Very fine, hot summer. August, intensely hot (*Times*).

Dry on St. Swithin's Day, and a dry time followed (*Hone*).

Rainfall at Greenwich, 28·24 in. Jan., 2·12 in. Feb. 2·67 in. March, 1·58 in. April, 2·82 in. May, 2·98 in. June, 2·28 in. July, 2·0 in. Aug., 0·36 in. Sept., 3·13 in. Oct., 2·13 in. Nov., 2·69 in. Dec. 3·48 in. (*Glaisher*).

Very cold weather from December 24 to January 18, 1820 (*Glaisher*).

July 3. A comet of great brilliancy northward.—24th. Great thunderstorms in the northern counties, several persons killed by lightning, and many bridges destroyed. Great distress at end of year owing to the severe weather (*Boyle*).

Fine time for sowing the spring corn. Fine harvest.

At Weyhill Fair, Farnham hops, from £5 12s. to £6 6s., and country, from £4 4s. to £5 12s. per cwt. At Appleshaw Fair, Dorset horned ewes sold from 50s. to 60s. per head. At Weyhill, prices 2s. lower than at Wilton. Ewes, at Woodbury Hill, 30s. to 44s.; wethers, 40s. to 54s.; lambs, 20s. to 32s. At Bridgwater Fair, best two-years old cheese fetched 72s. per cwt., one-year old, 58s. to 60s.

At Warminster Fair, 10,000 sheep were penned. Prices were equal to Weyhill, but the sale was dull. Ewes from

32s. to 40s. ; lambs, 20s. to 30s. ; wethers, 34s. to 46s. Fat beasts, from 10s. to 10s. 6d. per score ; lean ones, very low in price and dull in sale. Cheese, a greater quantity pitched than for thirty years past, the best from 50s. to 60s. per cwt., skims as low as 25s. (*Farmers' Journal*).

Oats and barley very light and thin in the grain in Dorset. A full average crop in point of quantity, and the quality was also good. Some injury occasioned by a sharp frost in the end of May or beginning of June in the South of England. The quantity of straw was uncommonly large this year (*Tooke*).

1820 Wheat, 67s. 10d. per qr. (*Official Returns*).

Barley, 33s. 10d. ; oats, 24s. 2d. per qr.

Wool, 18d. Beef and mutton, 7½d. ; cheese, 7d. per lb. (*Driver*).

Lincoln wool, 18d. per lb.

Hot and dry summer. Exceeding average crop (*Driver*).

January and February extremely cold, with much snow. March, very cold, with north-east winds. April, dry and cold. May, wet. June, cold and cloudy to 24th, then very hot. July, cool and cloudy ; heavy thunder showers. August, showery. September, fine harvest weather. October, fine till 15th, then wet. November, mild. December, mild to 14th, then frost and snow. Rainfall, 24 in. (*Old Almanack*).

Began reaping August 3rd. Finished harvest September 7th (*T. O.*).

Began reaping August 9th. Finished harvest September 13th (*Cox*).

Off-going ewes made 35s. each (*J. Phillips*).

Productive crop. Fine summer (*Times*).

Very severe winter, with great snows. January 15. Thermometer, 3° below zero (*Whistlecraft*).

Barometer from January 7 to 11 exceptionally high, from 30·104 to 31·056 (*Eaton*).

January 9th. Great snow.—12th. Continued snows (*Whistlecraft*).

January 15. Violent frost (*N.*).

Rainfall at Greenwich, 25·07 in. Jan., 1·73 in. Feb., 1·94 in. March, 0·59 in. April, 1·48 in. May, 3·57 in. June, 2·11 in. July, 4·38 in. Aug., 1·07 in. Sept., 2·23 in. Oct., 2·64 in. Nov., 1·76 in. Dec., 1·57 in. (*Glaisher*).

Excessive heat in June and July. Thermometer, 87° (*Brumham*).

March 11. Accounts arrived of great disasters at sea in consequence of tremendous gales.—July 29. A thunderstorm throughout the greater part of England (*Boyle*).

A fine time for barley sowing. Wheat plant thin on account of the severe winter. Cold nights in April, and keep scarce (*Farmers' Journal*).

At Warminster spring fair the show of beasts was much larger than usual, prices were low and trade dull. A large supply of cheese, which went off rapidly at advanced rates. The best old made 70s. per cwt. ; average, 63s. ; inferior, as low as 50s. (*Farmers' Journal*).

One of the finest harvests ever known in England (*Tooke*).

1821 Wheat, 86s. 1d. per qr. (*Official Returns*).

Barley, 26s. ; oats, 19s. 6d. per qr.

Wool, 16½d. per lb. Beef and mutton, 6¾d. ; cheese, 5½d. (*Driver*).

Average crop (*Driver*).

Lincoln wool, 13½d. per lb.

Wet and cold season. Very wet autumn. Great gales in November and December. Great agricultural depression. Great rains during harvest (*Times*).

Inferior crop. Cold and showery summer with a few hot days (*Times*).

Began reaping August 17 ; finished harvest September 29th (*T. O.*).

Began reaping August 21st ; finished harvest September 19 (*Cox*).

Off-going ewes from a Wiltshire farm made 24s. each (*J. Phillips*).

Cull ewes, 12s. each (*J. Phillips*).

Great floods in December. In the vicinity of the Thames the inhabitants were driven to the upper rooms of their houses. From Windsor terrace there is nothing to be seen but an awful expanse of waters. Communication between one place and another is cut off. The roads and bridges in many places blown up (*Windsor Express*).

Height of flood in the Thames at Clifton Hampden, 8 ft. 10 in. (*J. C. C., in Agricultural Gazette*).

Rainfall at Greenwich, 31'53 in. Jan., 2'18 in. Feb., 0'04 in. March, 3'45 in. April, 1'82 in. May, 2'22 in. June, 2'21 in. July, 2'82 in. Aug., 1'92 in. Sept., 3'40 in. Oct., 2'42 in. Nov., 4'33 in. Dec., 4'72 in. (*Glaisher*).

November 26. Violent hurricane on the western coast (*Boyle*).

December 24th. Barometer down to 28'10 (*Symon's Magazine*).

Wet summer and year, though fine in July and August. A bad harvest (*Brumham*).

In Bideford market, in March, legs of mutton of prime quality were sold at 2½d. per lb. Fat ducks, at 2s. per couple. Fine fowls, 20d. per couple. Geese, at 4d. per lb. Good beef sold at Dorchester at 2d. per lb. (*Boyle*).

Rains set in so violently just before and during the harvest as very much to endanger and eventually to injure the crops. The quantity turned out beyond expectation, but quality inferior and much sprouted (*Tooke*).

Mr. Coke, of Holkham, lost £20,000 this year by the fall of his rents (*Boyle*).

December 2. A meteor of rather unusual magnitude.

—28th. The tide at London Bridge higher than ever before remembered, four inches higher than in 1774.

Extraordinary mild weather in December (*Boyle*).

A violent shock of an earthquake in Sussex on February 1 (*Boyle*).

June 30. The maximum temperature was only 75°, the same as it was on 28th April. On the first of the dog days there was ice on the ponds in the vicinity of the metropolis.—September 1. At Thornbury, in Gloucestershire, a storm of snails fell, covering six acres of land ankle deep.—November 21. The thermometer stood at 60½° at 6 a.m., on the 4th of July it was only 52° at the same hour.—On November 1, at York, the minimum of the thermometer was 49°; on July 2, it was 36°; on November 5, it was 30°.—Nov. 26. A violent hurricane on the western coast.—December 15. The weather was so mild that a butterfly was caught, and fruit trees appeared in blossom.—24th. Great floods. The roads were so inundated that vehicles could not proceed, and many of the western coaches were compelled to return (*Boyle*).

At Britford Fair wethers fetched 18s. to 31s. per head; ewes, 8s. to 22s.; lambs, 6s. to 18s. Mr. Dowding, of Porton, sold ewes at 25s.; and Mr. Maton, of Newcourt, sold lambs for 20s. At Wilton, sheep were 3s. per head lower than at Britford. One prime lot of four-teeth wethers made 37s. 6d. (*Salisbury Journal*).

December 19. The oldest seaman can hardly remember such a succession of tempestuous weather as has been experienced for two months past (*Farmers' Journal*).

At Smithfield, in January, beef, 4s. 4d. to 5s. 4d.; mutton, 4s. 4d. to 5s. 4d.; veal, 5s. 8d. to 6s. 8d.; pork, 5s. to 6s. per eight lbs. In December, beef, 3s. to 3s. 10d.; mutton, 2s. 8d. to 3s. 8d.; veal, 5s. to 6s.; pork, 3s. 4d. to 4s. 4d. per eight lbs., sinking the offal (*Farmers' Journal*).

The crop of wheat suffered from red gum, which originates from a superabundance of wet and want of sun (*Farmers' Journal*).

1822 Wheat, 44s. 7d. per qr. (*Official Returns*).

Barley, 21s. 10d.; oats, 18s. 1d. per qr.

Wool, 1s. 6d.; beef and mutton, 5d.; cheese, 4¼d. per lb. (*Driver*).

Average crop (*Driver*).

Lincoln wool, 1s. 0½d. per lb.

Hot summer. No rain from May 2 to July 5. Full average produce. Quality universally good (*Clarke*).

Began reaping July 15; finished harvest September 3 (*T. O.*).

Began reaping July 16; finished harvest August 8 (*Cox*).

No rain from May 2 to July 5. Nine weeks of very hot days (*Cox*).

The oldest inhabitant of the country does not remember an earlier hay or corn harvest or more successful ones, both with respect to weather, quantity, and quality of the produce. Wheat, most productive. Lent corn and pulse, too generally injured by drought, are in many parts fair crops. Potatoes, a middling crop. Turnips, bad. Fruit in great plenty. Scarcity of feed in pastures (*Monthly Magazine, August*).

Off-going ewes made 16s. each (*J. Phillips*).

July and August 2·2° above average temperature (*Times*).

September 28. At 8.30 p.m., a lunar rainbow seen in Lincolnshire (*Hone*).

Fine and fairly abundant season (*Whistlecraft*).

June 10. Great heat (*Whistlecraft*).

Very fine till October (*Brumham*).

Rainfall at Greenwich, 24·95 in. Jan., 0·55 in. Feb., 0·98 in. March 1·39 in. April, 2·56 in. May, 1·90 in. June, 0·80 in. July, 4·07 in. Aug., 1·81 in. Sept.,

1'37 in. Oct., 3'60 in. Nov., 3'66 in. Dec., 2'26 in. (*Glaisher*).

Great heat in May, June, and August (*Brumham*).

Thermometer, 92° at Tottenham.

In January the weather was remarkably mild. Spring flowers bloomed in the open air. Tempestuous weather the latter end.—February 28. Tremendous gale.—May 6. A S.W. gale retarded the tide so much that the Thames was fordable at London Bridge.—June 5. A thatched cottage was burnt at Wedmore from the intense heat of the sun reflected on the window which ignited the thatch.—December 5. Violent hurricanes (*Boyle*).

At Britford Fair ewes fetched from 10s. to 20s.; two-teeth wethers, from 12s. to 16s.; four-teeth, from 16s. to 23s.; lambs, 5s. to 16s. The prices may in general be quoted at 4s. per head lower than last year, and at least 50 per cent. lower than in 1818.

At Wilton Fair ewes made from 7s. to 18s.; wethers, 12s. to 23s.; lambs, 4s. to 12s. Mr. Self, of Knighton, obtained 17s. per head for 100 fine wether lambs. Sheep on an average were 2s. per head less than at Britford, and 100 $\frac{1}{4}$ per cent. lower than in 1819, when wethers were sold at 60s.; lambs, at 35s.; and ewes at 45s. per head (*Salisbury Journal*).

1822-3 A severe winter (*Brumham*).

November 16. Extraordinary lunar halo (*Hone*).

Rainfall at Greenwich, 24'38 in. January, 1'36 in. February, 3'17 in. March, 1'36 in. April, 1'75 in. May, 0'74 in. June, 1'14 in. July, 3'30 in. August, 2'68 in. September, 0'89 in. October, 3'96 in. November, 1'55 in. December, 2'48 in. (*Glaisher*).

The summer was cold. July, August, and September 1'4° below average temperature (*Whistlecraft*).

During the whole summer the thermometer only once rose to 76°, which was on June 1 (*Boyle*).

May 2. A very brilliant meteor was seen.—September

15. Tremendous thunderstorm in London.—December 4. A comet visible (*Boyle*).

1823 Wheat, 53s. 4d. per qr. (*Official Returns*); barley, 31s. 6d.; oats, 22s. 11d. per qr.

Wool, 18d.; beef and mutton, 4 $\frac{3}{4}$ d.; cheese, 4d. per lb. (*Driver*). Lincoln wool, 1s. 0 $\frac{1}{2}$ d. per lb.

Off-going ewes made 22s. 6d. each (*J. Phillips*).

Began reaping August 14th; finished harvest September 19th (*T. Owen*).

Began reaping August 16th; finished harvest September 20th (*Cox*).

Cold winter. Wet and cold season. Scarcity (*Driver*).

Forty-seven days' rain from June 29th to August 15th. Great numbers of sheep rotten this autumn (*Cox*).

November 1. Very tempestuous weather—wind, snow, and rain. Greatest flood ever remembered in Salisbury (*Easton*).

Deficient harvest. Rain fell every day in July except one (*Times*).

A heavy flood 30th and 31st October in consequence of continued storms of rain and a considerable fall of snow. In Fisherton the waters were higher than they had ever before been known to rise within memory (*Hatcher*).

Cold, wet summer (*Times*).

1824 Wheat, 63s. 11d. per qr. (*Official Returns*).

Barley, 36s. 4d.; oats, 24s. 10d. per qr.

Wool, 18d.; beef and mutton, 5d.; cheese, 4d. per lb. (*Driver*).

Lincoln wool, 12 $\frac{3}{4}$ d.

Off-going ewes made 28s. each (*J. Phillips*).

Average crops (*Driver*).

Began reaping August 12th; finished harvest September 29th (*T. Owen*).

Began reaping August 16th; finished harvest September 30th (*Cox*).

Wet summer. Temperature below average. Great hailstorms (*F. A.*).

November 22. Dreadful storm on west coast (*Hone*).

The memory of man supplies no recollection of so wet a season as from September, 1824, to March, 1825. It produced the rot in sheep to an alarming extent (*Hone*).

A very wet summer, but not cold. Crops of corn light, of hay heavy (*Cox*).

A comet in January and February (*Boyle*).

Average wheat crop. Moderately fine and warm (*Times*).

Never within the memory of living man was there such a scene as that along the western coast, caused by the November gale of 1824. Wild sky, pouring rain, and terrific thunder (*Pulman*).

November 23. Barometer, 27·5. In May, in London, 30·48. The latter end of the year was almost constant and incessant rain.

Rainfall at Greenwich, 32·98 in. January, 0·94 in. February, 2·34 in. March, 1·69 in. April, 1·89 in. May, 3·77 in. June, 3·51 in. July, 1·81 in. August, 3·95 in. September, 3·21 in. October, 2·44 in. November, 3·88 in. December 3·55 in. (*Glaisher*).

September 2 was the hottest day ever recorded in that month at Greenwich, 86½°.

Rain fell this year on 180 days (*Boyle*).

It was remarked that the temperature on the longest night this winter (December 21) was 48°, whilst on the shortest night of the following summer (June 21, 1825) it was 40°, or 8° colder (*Boyle*).

January, February, and March were remarkably mild, there being very little snow or frost in Middlesex, and not even sufficient ice to accommodate the confectioners.—July 14. One of the most terrible storms of thunder and lightning ever witnessed visited the metropolis, and it extended to the coast of France.—September 1. Ther-

mometer 89° in the shade at 2 p.m. This being the hottest day throughout the summer.—3rd. From the excessive heat several horses dropped down dead in the stages.—30th. A ball of fire was seen at Axminster to pass from the sun in a south-west direction; it was as large as a barrel, and had a tail resembling that of a comet.—November 23. Dreadful gales over the whole kingdom (*Boyle*).

1825 Wheat, 68s. 6d. per qr. (*Official Returns*).

Barley, 40s.; oats, 25s. 8d. per qr.

Wool, 1s.; beef and mutton, $6\frac{1}{2}d.$; cheese, $5\frac{1}{2}d.$ per lb. (*Driver*).

Off-going ewes made 33s. 6d. each (*J. Phillips*).

Lincoln wool, 1s. $0\frac{1}{4}d.$ per lb.

Began harvest July 23rd; finished September 1st (*T. Owen*).

Began harvest July 22nd; finished August 21st (*Cox*).

February 1st and 2nd extremely mild, wind south-west; then it veered round to north-west, and continued to 5th, with great storms of thunder and lightning (*Penny Magazine*).

Nearly an average (*Driver*).

Warm and early spring. Thermometer in July, 90° (*Brumham*).

Fine summer. Early harvest (*Times*).

July and August 2° above average temperature.

July 19. Thermometer 91° at Hull (*Chambers*).

Mr. Cox, of Trevereux, sold the produce of twelve acres of hops for five shillings. The crop was gathered and proved to be twenty-four lb. (*Cox*).

The finest and largest haws I ever remember (*Knappp*).

October 20. A little snow at 4 p.m. (*Howard*).

Early and good harvest (*Times*).

July and August 2° above average temperature.

In January the barometer exceptionally high, up to 30.943 in. (*R. T.*).

January was remarkably mild.—7th. Bees were flying about.—9th. The sky was without a cloud; scarcely a breath of wind; blackbirds singing; pastures wore a fine, fresh, and healthy appearance; wheat was strong and thick in the ground; the usual spring flowers making their appearance.—11th. At six o'clock thermometer 44° , barometer 30·8 (*Hone*).

November 3 and preceding days strong gales from the water, in consequence of which such windows as were situate to the west and south-west were skimmed over with a slight saline scurf. The brass work of the doors was corroded and turned green; painted works were salt to the tongue (*Knapf*).

An extraordinary high tide, doing considerable damage at Stroud on January 2. After the hot weather in the third and fourth weeks of July, heavy thunder succeeded on July 24, which cooled the intense heat of the atmosphere.

October 30. Rapid fall of the barometer, when snow fell. Three spots visible on the sun's disc.

November 2. A perfect hurricane, doing great damage. The first week in December was tremendously stormy.

The effect of the continued hot weather in July was very seriously felt. Brooks and ponds became dry. For many days the sun was scarcely obscured by a cloud (*Boyle*).

Thunderstorms in December (*Boyle*).

July had precisely the mean temperature of the Mediterranean.

Luke Howard speaks of the superb weather and Italian skies of 1825.

Rainfall at Greenwich, 22·25 in. January, 1·03 in. February, 0·86 in. March, 1·30 in. April, 1·75 in. May, 2·97 in. June, 0·74 in. July, 0·10 in. August, 2·48 in. September, 2·56 in. October, 2·69 in. November, 2·85 in. December, 2·92 in. (*Glaisher*).

A comet appeared in July and continued till November (*Boyle*).

The winter of 1824-5 had been mild and wet; the ensuing spring dry, but with keen winds and frosty mornings, which greatly injured the fine blossoms that appeared on our fruit trees, and the continued and profuse nightly fall of the honey dew was quite unusual. This continued till about the middle of July. We rarely begin cutting our grass before July, but in consequence of the heat of June in this year much hay was carried by 20th June. Crops on good ground fair, though in general the chilling season of May had occasioned a deficiency. But all our clover crops and artificial grasses were harvested in the finest order, producing good-sized ricks, but they cut out very light. The heat and drought continued with very partial and slight showers of rain all June and July, nor had we anything like serviceable rain till August 2. In consequence our grass lands were burned up and our fields parched. The heat was unusually distressing all day, and evening brought us little or no relief.—July 18 and 19 was the acme of our suffering. Thermometer in shade, 82°. The young rooks entered our gardens, as in severe frosts, with open bills, panting. Horses dropped on the roads. The leaves of apple and filbert trees withered up. Gooseberries hung shrivelled upon the leafless bushes, and potatoes sold at Bristol at 24s. the sack. Bean crop defective, ripe by August 1st. Water scarce. Cows nearly lost their milk; and from July 18 to 24 butter could not be made to harden. Early in August rains fell, and continued seasonably until September, and by the end of the month the profusion of feed in the pastures was astonishing.—October 20. The weather changed, and the hills were sprinkled with snow.—November 4. Slight ice, but the weather generally fair and mild till Christmas (*Knapp*).

1826 Wheat, 58s. 8d. per qr. (*Official Returns*).

Barley, 34s. 4d. ; oats, 26s. 8d. per qr.

Wool, 1s. per lb. ; beef and mutton, 6½d. ; cheese, 6½d. (*Driver*).

Lincoln wool, 10¼d. per lb.

Average crops (*Driver*).

Fine hot summer. Very dry. Very little rain from the time spring corn was sown till it was harvested (*Old Newspaper*).

Great thunderstorm August 25 (*Hone*).

Began harvest July 15 ; finished August 21 (*T. Owen*).

Began harvest July 23 ; finished August 15 (*Cox*).

Remarkably early harvest. Crop and condition very good. Very dry in the west, and crop excellent (*Clarke*).

In many places the straw of the oats was so short that it could not be reaped. It had to be pulled up with the roots, yet there never was seen a heavier sample (*Old Newspaper*).

Hottest and driest summer known. July and August, 4° above average temperature (*Times*).

Thermometer in June 90°, in July 88° (*Brumham*).

January 10. The ground covered with snow, the pools with ice.—20th. A keen frost, and the ground covered with snow (*Knappp*).

The spring was unusually fine and dry, and American blight abounded in such incredible luxuriance that many trees appeared as if they had been whitewashed (*Knappp*).

In this spring, and also that of last year, the foliage of our hedges was unusually mangled by the caterpillars of different moths ; but in 1827 these creatures had increased so much that the entire leaves of the sloe and the white thorn were consumed by them ; the hedges, when consisting of these shrubs alone, presented for miles the appearance of winter sprays covered with a cottony web. The other hedge plants were little injured (*Knappp*).

Rainfall at Greenwich, 20·71 in. January, 0·30 in. February, 1·66 in. March, 1·66 in. April, 0·97 in. May,

2'47 in. June, 0'97 in. July, 2'44 in. August, 1'69 in. September, 3'07 in. October, 1'74 in. November, 2'46 in. December, 1'28 (*Glaisher*).

1827 Wheat, 58s. 6d. per qr. (*Official Returns*).

Barley, 37s. 7d. ; oats, 28s. 2d. per qr.

Wool, 10d. per lb. ; beef and mutton, 6½d. ; cheese, 5¼d. (*Driver*).

Lincoln wool, 11d. per lb.

Average crops (*Driver*).

Cold winter (*Weather Almanack*).

January 14. Heavy gale (*Whistlecraft*).

Good crop. Hot and dry (*Times*).

Fine summer (*Cox*).

Began reaping July 20 ; finished harvest September 3 (*T. O.*).

Began reaping August 3 ; finished harvest August 28 (*Cox*).

Fine and fairly abundant season (*Whistlecraft*).

February 16. Great snow and sharp frost (*Whistlecraft*).

Early in January a violent wind was succeeded by a severe frost, and in some places by a deep snow, but after about ten days' duration a very gentle thaw, and the remainder of the winter was mild and agreeable, introducing what might be called an early spring, and propitious for agricultural purposes (*Knapp*).

The winds of this autumn were violent and distressing (*Knapp*).

In the autumn the larvæ of the goat moth abounded beyond any customary proportion (*Knapp*).

Rainfall at Greenwich, 22'38 in. January, 1'06 in. February, 0'60 in. March, 2'40 in. April, 1'16 in. May, 2'39 in. June, 0'59 in. July, 1'25 in. August, 1'05 in. September, 3'51 in. October, 3'87 in. November, 1'17 in. December, 3'33 in. (*Glaisher*).

1827-8 Very mild winter (*Brumham*).

1828 Wheat, 60s. 5d. per qr. (*Official Returns*).

Barley, 32s. 10d. ; oats, 22s. 6d. per qr. ; wool, 9d. per lb. ; beef and mutton, 5 $\frac{3}{4}$ d. ; cheese, 6d. (*Driver*).

Lincoln wool, 7d. per lb. Wet and cold season. Scarcity (*Driver*).

Heavy rain every day from July 6 to August 14. Fine after August 15 (*Whistlecraft*).

Began harvest July 26 ; finished September 6 (*T. O.*).

Began harvest July 31 ; finished August 26 (*Cox*).

Bad harvest. Immense rains and floods in July and August (*Times*).

The Act of this year regulated by the fluctuating scale : when at 73s., paying a duty of 1s. per qr. ; 61s. and under 62s., 25s. 8d. ; and for every 1s. increase, 1s. off.

Great rot in sheep.

Great number of ewes prematurely cast their lambs in several districts.—July 9. Tremendous thunderstorm at Bath. Houses at Widcombe inundated to a depth of 12 feet in some cases. Reports from all parts of the country state that the floods in July were unprecedented. Quantity of hay washed away, and fields of wheat laid as flat as if trampled upon by a herd of cattle (*Bell's Weekly Messenger*), July 28, 1828.

The wet time was only from July to August 15, then finer (*Whistlecraft*).

August 12. A waterspout on Mere Down, head of Ashwell Bottom, the torrent of water from which completely flooded the lower part of the town (*T. H. B.*).

June 17. Abundance of rain fell the preceding night, and about 2 o'clock the sun broke out, the air becoming hot and heavy (*Knapp*).

Rainfall at Greenwich, 28·44 in. January, 3·87 in. February, 1·04 in. March, 0·86 in. April, 2·17 in. May, 1·47 in. June, 1·85 in. July, 6·43 in. August, 3·75 in. September, 2·41 in. October, 1·41 in. November, 0·85 in. December, 2·33 (*Glaisher*).

1829 Wheat, 66s. 3d. per qr. (*Official Returns*).

Barley, 32s. 6d. ; oats, 22s. 9d. per qr. ; wool, 8d. per lb. ; beef and mutton, 5½d. ; cheese, 6d. (*Driver*).

Lincoln wool, 7d. per lb. Average crop (*Driver*).

Inferior crop. Cold stormy summer (*Times*).

Began reaping August 4 ; finished harvest October 6 (*Cox*).

Began reaping August 10 ; finished harvest September 30 (*H. Baker*).

Wet and cold season. Rain from July 1 to October 6. Great quantity of rotten sheep and beasts. In Scotland, May, June, and July were unusually hot, drought was so great as to kill many recently planted trees. Aurora borealis in beginning of July. Floods in August (*Penny Magazine*).

Rain more or less every day from June 16 to September 20, being ninety-six days, except on four of them, 23rd and 24th July, and 3rd and 4th September ; the season was not particularly cold, but the wettest in my memory. The last load of oats carried on October 6 went into the barn white with snow (*Cox*).

Highest price for lambs at Wilton Fair, 26s. (*Wilts County Mirror*).

Lambs sold at Marlborough Fair at 42s. a dozen. Roasting pigs sold in Falmouth Market at 2s. each (*Wilts County Mirror*).

October 7. A considerable fall of snow between 1 and 3 p.m. (*Howard*).

1829-30 Excessively severe winter (*Brumham*).

Mostly rainy and stormy from July 1 to October 6, but some very hot days occurred in the fourth week in July and beginning of August (*Whistlecraft*).

July 29. Severe storms (*Whistlecraft*).

Rainfall at Greenwich, 22·64 in. January, 0·36 in. February, 1·17 in. March, 0·60 in. April, 4·35 in. May, 0·45 in. June, 1·46 in. July, 3·78 in. August, 4·13 in.

September, 3'27 in. October, 1'67 in. November, 1'32 in. December, 0'08 in. (*Glaisher*).

Fine and warm for about seven weeks in May and June, then very wet (*Brumham*).

1830 Wheat, 64s. 3d. per qr. (*Official Returns*).

Barley, 32s. 7d. ; oats, 24s. 5d. per qr. ; wool, 1s. per lb. ; beef and mutton, 4 $\frac{3}{4}$ d. ; cheese, 5 $\frac{3}{4}$ d. (*Driver*).

Lincoln wool, 10d. per lb. Average crop (*Driver*).

Under average. Cold and wet (*Times*).

January 19. Heavy fall of snow, with boisterous gale of wind. Frost very severe. Travelling almost impossible for many days. Salisbury coach seventeen hours coming from Andover (*Dowding*).

Off-going ewes made 18s. each on a Wiltshire farm (*John Phillips*).

Cold summer. Great rot in sheep (*Brown*).

February 7. End of frost (*Whistlecrafft*).

Wheat averaged 20 $\frac{1}{4}$ bushels per acre (*John Phillips*).

Began reaping August 3 ; finished harvest September 18 (*T. O.*).

Began reaping August 9 ; finished harvest September 1 (*Cox*).

A severe frost till February 7. March was fine, dry, and warm, without a storm or a shower.—April 1 was snowy till noon (*Cox*).

Top price for lambs at Devizes October Fair, 19s., was made by Mr. Mark Sloper, of Bishop's Cannings.

At Britford Fair, August 12, ewes fetched from 20s. to 30s. ; lambs from 12s. to 16s. At Yarlinton Fair, August 26, fat heifers from 7s. 6d. to 8s. 6d. a score. At Wilton Fair, September 12, ewes from 14s. to 24s. ; wethers from 18s. to 28s. ; lambs from 10s. to 16s. At Romsey Market good lamb was sold at 5d. per lb. At Appleshaw Fair a superior lot of lambs made 25s. a head. Best Somerset cheese, 44s. to 53s. per cwt. (*Wilts County Mirror*).

Warm and early spring, and a very hot July (*Brumham*).

Good harvest (*Brumham*).

July 30. Great heat (*Whistlecraft*).

Rainfall at Greenwich, 31·14 in. January, 2·63 in. February, 2·37 in. March, 0·72 in. April, 3·22 in. May, 3·76 in. June, 4·14 in. July, 2·46 in. August, 2·45 in. September, 3·54 in. October, 1·14 in. November, 3·00 in. December, 1·71 in. (*Glaisher*).

1831 Wheat, 66s. 4d. per qr. (*Official Returns*).

Barley, 38s. ; oats, 25s. 4d. per qr. (*Official Returns*).

Wool, 14d. per lb. ; beef and mutton, 5 $\frac{3}{4}$ d. ; cheese, 5 $\frac{3}{4}$ d. (*Driver*).

Off-going ewes made 23s. each (*John Phillips*).

Lincoln wool, 11d. per lb. Wheat averaged 25 $\frac{1}{2}$ bushels per acre (*John Phillips*).

Began reaping July 30 ; finished harvest September 8 (*H. Baker*).

Began reaping July 29 ; finished harvest August 22 (*Cox*).

Nearly average crop (*Driver*).

Fair crops. Warm, showery (*Times*).

Wet summer.

Most severe frost on May 6. The young shoots of the ash and oak were destroyed, fruit trees of all sorts were greatly injured, and even the meadow grass was checked to such a degree that it never recovered from its effects. Ice was nearly half-an-inch thick on the ponds on the common (*Cox*).

Fine and fairly abundant season (*Whistlecraft*).

Rainfall at High Wycombe, 34·48 in. January, 2·75 in. February, 3·91 in. March, 2·93 in. April, 1·42 in. May, 2·59 in. June, 1·31 in. July, 3·46 in. August, 2·14 in. September, 4·15 in. October, 3·65 in. November, 2·70 in. December, 3·47 in. (*Glaisher*).

Very wet year and part of summer (*Brumham*).

Hot and dry July and August (*Brumham*).

1832 Wheat, 58s. 8d. per qr. ; barley, 33s. 1d. ; oats, 20s. 5d. (*Official Returns*).

Wool, 1s. per lb. ; beef and mutton, 5½d. ; cheese, 5¾d. (*Driver*).

Lincoln wool, 10d. per lb. Off-going ewes made 27s. each (*John Phillips*).

Began reaping wheat August 6 ; finished harvest September 12 (*H. Baker*).

Began reaping wheat August 4 ; finished harvest September 4 (*Cox*).

Above an average crop (*Driver*).

Under average. Medium weather (*Times*).

Deficiency of rain in April, May, July, and September. Great excess in June and August. Unsettled summer till July, then fine ; after which heavy rain which damaged crops still out (*Times*).

Wheat averaged 26¾ bushels per acre (*John Phillips*).

Rainfall at High Wycombe, 30·69 in. January, 1·29 in. February, 1·07 in. March, 3·02 in. April, 1·49 in. May, 2·74 in. June, 3·27 in. July, 1·58 in. August, 4·80 in. September, 0·46 in. October, 4·41 in. November, 4·48 in. December, 2·08 in. (*Glaisher*).

Summer chiefly fine. Great heat about August 10, and very hot at the end of September (*Brumham*).

1833 Wheat, 52s. 11d. per qr. (*Official Returns*).

Barley, 27s. 6d. ; oats, 18s. 5d. per qr. ; wool, 18d. per lb. ; beef and mutton, 5½d. ; cheese, 6d. (*Driver*).

Lincoln wool, 15d. per lb. Off-going ewes on a Wiltshire farm made 27s. each (*John Phillips*).

Wheat averaged 21½ bushels per acre (*John Phillips*).

Began reaping wheat August 2. Finished harvest September 3 (*H. B.*).

Began reaping wheat July 31 ; finished harvest August 21 (*Cox*).

Abundant harvest. Very fine summer (*Times*).

Above an average crop (*Driver*).

Winter, open and wet. Spring, wet. May and June fine. July, showery. Crops rather thin on ground, but yielded well. Favourable time for the harvest (*Times*).

Rainfall at High Wycombe, 29·79 in. January, 0·77 in. February, 5·70 in. March, 1·32 in. April, 2·63 in. May, 0·38 in. June, 2·64 in. July, 1·89 in. August, 2·22 in. September, 1·91 in. October, 2·87 in. November, 2·51 in. December, 4·95 in (*Glaisher*).

Great heat in May; thermometer $85\frac{1}{2}^{\circ}$, no day all the summer so hot after. Fine to June 11, then a changeable time. A fickle summer and often wet (*Brumham*).

1834 Wheat, 46s. 2d. per qr.; barley, 29s.; oats, 20s. 11d. (*Official Returns*).

Wool, 19d. per lb.; beef and mutton, 5d.; cheese, 6 $\frac{1}{2}$ d. (*Driver*).

Lincoln wool, 16d. per lb. Off-going ewes made 27s. (*John Phillips*).

Wheat averaged 25 bushels per acre (*John Phillips*).

Began reaping wheat August 1st; finished harvest September 3rd (*H. B.*).

Began reaping wheat July 23rd; finished harvest August 12th (*Cox*).

A fine, dry, warm summer (*Cox*).

Hot and dry. Large crops (*Driver*).

Exceedingly stormy winter, 1833-4 (*Penny Magazine*).

One of the most productive years of the century. Long drought. A most productive harvest (*Clarke*).

July and August, $2\cdot5^{\circ}$ above average temperature. In consequence of the extreme heat the foundations of the cathedral at Old Sarum were so distinctly visible as to admit of a perfect recognition of the ground plan, and an admeasurement of the dimensions of the building (*Salisbury Herald*).

Fine, hot summer, but heavy rains in July. Early harvest (*Times*).

July 31. Awful storm (*Whistlecraft*).

Rainfall at High Wycombe, 23·84 in. Jan., 3·54 in. Feb., 0·81 in. March, 0·62 in. April, 0·44 in. May, 0·62 in. June, 1·87 in. July, 7·01 in. Aug., 2·47 in. Sept., 2·10 in. Oct., 1·20 in. Nov., 2·37 in. Dec., 0·79 in. (*Glaisher*).

Extremely hot all the summer (*Brumham*).

A sharp drought all March, April, and May (*Brumham*).

1835 Wheat, 39s. 4d. per qr. (*Official Returns*).

Barley, 29s. 11d. ; oats, 22s. per qr. (*O. R.*).

Wool, 18d. per lb. ; beef and mutton, 4 $\frac{3}{4}$ d. ; cheese, 6 $\frac{1}{4}$ d. (*Driver*).

Lincoln wool, 15d. per lb. Off-going ewes made 20s. (*John Phillips*).

Wheat averaged 33 $\frac{1}{2}$ bushels (*John Phillips*).

Began harvest July 29 ; finished Sept. 2 (*H. Baker*).

Began harvest July 27th ; finished August 15th (*Cox*).

Hot. Above an average crop (*Driver*).

Winter open. Summer brilliantly fine till end of June, then heavy rains. Corn harvested well. Heavy crop of wheat. Hot and dry in July and August (*Times*). 2·6° above average temperature.

Great bulk of straw much laid by rain in June. On the whole a good crop (*Clarke*).

Fine season and excellent crops (*Whistlecraft*).

April 16 and 17. A fall of snow for two days (*Cox*).

1835-6 Excessively severe winter (*Brumham*).

Turnip crop suffered severely from the black palmer worm (*E. T. Barnet*).

Rainfall at High Wycombe, 29·21 in. Jan., 0·89 in. Feb., 3·40 in. March, 3·16 in. April, 1·25 in. May, 2·62 in. June, 2·97 in. July, 1·15 in. Aug., 0·39 in. Sept., 4·43 in. Oct., 6·09 in. Nov., 2·59 in. Dec., 0·27 in. (*Glaisher*).

A very hot and dry summer (*Brumham*). Maximum temperature in August, 86°.

1836 Wheat, 48s. 6d. per qr. ; barley, 32s. 10d. ; oats, 23s. 1d. (*Official Returns*).

Value of £100 tithe rent charge, £100 (*Official Returns*).

Seven years' average : Wheat, 56s. 2d. ; barley, 31s. 8d. ; oats, 22s. (*Official Returns*).

Wool, 20½d. per lb. ; beef and mutton, 5½d. ; cheese, 6½d. (*Driver*).

Off-going ewes made 23s. 6d. each (*John Phillips*).

Lincoln wool, 17d. Wheat averaged 23¼ bushels an acre (*John Phillips*).

Began harvest August 10th ; finished September 5th (*Cox*).

Began harvest August 11th ; finished October 15th (*H. Baker*).

Above an average crop (*Driver*).

Very violent storm, November 29th (*Penny Magazine*).

Extraordinary absence of snow from 1832 to 1836 (*Penny Magazine*).

Medium crop in England. In Scotland very cold, with rain in July and August. Crop remarkably backward ; a portion never ripened (*Clarke*).

July and August 0·3° above average temperature. Rain in July and August. Harvest very backward (*Times*).

October 29. Snow fell in a frosty state of weather and remained on the ground a week.—December 24. Much snow fell at night, which in many places being drifted stopped the roads for several days (*Cox*).

Hot in July. A wet autumn, especially October (*Brumham*).

December 26. Snowstorm and great drifts in Wiltshire (*Waylen*).

A hurricane of almost unexampled violence in this country on November 29th was followed on Christmas-day by a tremendous storm of snow and wind, which

was simultaneous over great part of Europe, and in England all intercommunication with the provinces was arrested (*Penny Magazine*).

A fine summer (*Brumham*).

October 29. A fall of snow for many hours to near a foot in depth, with sharp frost, 28°, at night.—30th. Sharp frost and snow (*Whistlecraft*).

No snowstorm in Great Britain the last 100 years has equalled in violence and extent that of December this year. After it had been snowing heavily for two days, by the evening of 26th the wind increased to a hurricane. The fall of snow that night was from 4 to 9 ft., and some of the drifts were 20 ft. or 30 ft. in depth. The mails, all business and correspondence were stopped nearly a week. Several lives were lost, and the snow was equally great all the island over ().

Rainfall at Greenwich, 31·01 in. Jan., 2·84 in. Feb., 2·51 in. March, 3·78 in. April, 3·15 in. May, 0·76 in. June, 1·87 in. July, 3·16 in. Aug., 2·42 in. Sept., 2·85 in. Oct., 3·84 in. Nov., 2·19 in. Dec., 1·64 in. (*Glaisher*).

1837 Wheat, 55s. 10d. per qr.; barley, 30s. 4d.; oats, 23s. 1d. (*Official Returns*).

Value of £100 tithe rent charge, £98 13s. 6¼d. (*Official Returns*).

Seven years' average: Wheat, 53s. 8d.; barley, 31s. 10d.; oats, 22s. (*Official Returns*).

Wool, 16d. per lb.; beef and mutton, 5¾d.; cheese, 7d. (*Driver*).

Lincoln wool, 14d. per lb. Off-going ewes made 27s. (*John Phillips*).

Wheat, 23½ bushels per acre (*John Phillips*).

Began harvest August 8th; finished September 8th (*H. Baker*).

Began harvest August 14; finished September 4 (*Cox*).

Hot and dry summer. Under an average (*Driver*).

Harvest deficient. Average summer weather after a severe spring (*Times*).

Cold spring. Snow and severe frost in April, which lasted up to May 23rd, occasionally with lessened intensity (*Mark Lane Express*).

Rainfall, 26½ in. at Bedford. Very dry March (*Brumham*).

1837-8 Excessively severe winter (*Brumham*).

August 26. Severe thunder (*Whistlecraft*).

Rainfall at Greenwich, 19·11 in. Jan., 2·42 in. Feb., 1·52 in. March, 0·45 in. April, 1·10 in. May, 0·89 in. June, 1·00 in. July, 1·44 in. Aug., 4·16 in. Sept., 1·14 in. Oct., 2·26 in. Nov., 1·54 in. Dec., 1·19 in. (*Glaisher*).

Very dry weather from the end of April to the end of July (*Brumham*).

Although often fine and warm in one respect this was a very cold season, for every month from March to September had a mean temperature below the average (*Brumham*).

A remarkably mild Christmas (*Whistlecraft*).

1838 Wheat, 64s. 7d. per qr. ; barley, 31s. 5d. ; oats, 22s. 5d. (*Official Returns*).

Value of £100 tithe rent charge, £97 7s. 11d. (*Official Returns*).

Seven years' average : Wheat, 52s. 6d. ; barley, 31s. 6d. ; oats, 21s. 10d. (*Official Returns*).

Wool, 17¼d. per lb. ; beef and mutton, 5½d. ; cheese, 6¾d. (*Driver*).

Off-going ewes sold for 30s. (*John Phillips*).

Lincoln wool, 14½d. per lb. ; wheat on Wiltshire Hill Farm, 8¾ bushels ; vale, 32 bushels per acre (*John Phillips*).

Began harvest August 24 ; finished September 15 (*John Phillips*).

Began harvest August 13 ; finished September 1 (*Cox*).

Wet season. Under average crops (*Driver*).

Rainfall at Bedford, 19·6 in., of which 3 in June, 2½ in July. Intense cold in January (*Royal Agricultural Society Journal*).

Very great snows. Very severe weather between January 4th and February 24th. On January 20th, thermometer at and below zero (*Whistlecraft*).

February 23. A great flood from frozen state of the ground.—October 28. A hurricane passed over the western counties (*Waylen*), and it also did much damage to London.

Late unproductive harvest. Cold wet summer (*Times*).

January 8. A very severe frost commenced and continued about five weeks, with some snow. Thermometer 5° or 6° below zero; most of the evergreen shrubs were killed.—April 16. Continued snowstorms until 20th, and very cold (*Cox*).

October 13. Snow (*Miss Ormerod*).

February 24. Frost ended (*Whistlecraft*).

Rainfall at Greenwich, 21·64 in. Jan., 0·79 in. Feb., 1·81 in. March, 0·91 in. April, 0·53 in. May, 1·37 in. June, 4·61 in. July, 1·80 in. Aug., 0·93 in. Sept., 2·62 in. Oct., 1·80 in. Nov., 2·91 in. Dec., 1·56 in. (*Glaisher*).

In July the hay harvest was favoured by fine weather for the greater part. August was very fine after 9th, and September was a very fine harvest month (*Brumham*).

May was fine and warm to 10th, then cold piercing winds and some winterly frosts to 19th. End of month hot and sultry. June had very few hot days. The rainfall was great on account of the great storms. In July were some hot days before the middle of the month, after it was cool for the season. August was cool. September was chiefly fine, and occasionally very hot. October, fine for about three weeks (*Whistlecraft*).

1839 Wheat, 70s. 8d. per qr.; barley, 39s. 6d.; oats, 25s. 11d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £95 7s. 9d. (*Official Returns*).

Seven years' average : Wheat, 52s. 2d. ; barley, 30s. 6d. ; oats, 21s. 4d. (*Official Returns*).

Wool, 18d. per lb. ; beef and mutton, 5 $\frac{3}{4}$ d. ; cheese, 6 $\frac{1}{2}$ d. (*Driver*).

Off-going ewes sold for 29s. (*J. Phillips*).

Lincoln wool, 15 $\frac{1}{2}$ d. per lb. Wheat on hills 17 bushels per acre ; 30 $\frac{3}{4}$ bushels in vale (*J. Phillips*).

Began harvest August 13 ; finished October 1 (*H Baker*).

Began harvest August 7 ; finished September 14 (*Cox*).

Wet and late season. Under average crops (*Driver*).

Rainfall at Epping, 30 $\frac{1}{4}$ in. ; at Falmouth, 51 $\frac{1}{4}$ in. (*Almanack*).

Harvest damaged by very heavy, incessant rains (*Times*).

An inordinate continuance of wet weather (*Pulman, Book of the Axe*).

Long continued rains during the latter part of summer and the greater part of autumn (*Penny Magazine*).

May 14. Small snow for four hours in the morning, and 15th and 16th much more, with severe frost at night. September an extremely wet month and many floods. Wet throughout the autumn (*Cox*).

January 7. Severe gale (*Whistlecraft*).

Rainfall at Greenwich, 27.09 in. January, 1.22 in. February, 1.41 in. March, 1.59 in. April, 1.33 in. May, 1.51 in. June, 1.70 in. July, 3.42 in. August, 2.49 in. September, 4.46 in. October, 1.73 in. November, 4.02 in. December, 2.21 in. (*Glaisher*).

May was very dry, and the rainfall below the average to 21st June (*Brumham*).

A summer of much thunder and rain. Very wet autumn, especially in November (*Brumham*).

1840 Wheat, 66s. 4d. per qr. ; barley, 36s. 5d. ; oats, 25s. 8d. (*Official Returns*).

Value of £100 tithe rent charge, £98 15s. 9½d. (*Official Returns*).

Seven years' average: Wheat, 54s. ; barley, 31s. 6d. ; oats, 22s. 2d. (*Official Returns*).

Off-going ewes made 23s. 9d. (*John Phillips*).

Wheat averaged 29¼ bushels per acre (*John Phillips*).

Began harvest August 10th ; finished September 17th (*H. Baker*).

Wheat crop above the average (*J. A. Clarke*).

Dry summer. Average crops (*Driver*).

Fine yield of wheat. Warm summer, with intense heat in August (*Times*).

At Devizes October Fair ewes made from 20s. to 30s. ; lambs, 14s. to 34s. (*Local Paper*).

Dry spring and summer.

January, some sharp frosts, and rainy after to February 17, then dry and frosty. March, dry and frosty. April, warm days, cold nights. May and June, showery and cold. July, cold. August, warm and pleasant. September, very cold, and often showery. October, cold. November, wet. December, very severe (*Almanack*).

Small crop of hay. Good harvest.

Latter part of February easterly winds which continued into March, and March dust never more abundant. Late spring. Hay scarce. Middle of April the sun shone clear and bright many days. Remarkably dry spring. Rain came beginning of May, when vegetation was very rapid. Light crop of hay, but made well and cut early. Up to end of June there scarcely could have been a finer season for the crops of grain and arable crops generally. Latter part of June and beginning of July showery. Cool atmosphere. August commenced with splendid summer weather, which continued about two weeks. Then a sudden change, and a severe storm of wind and rain, which lasted a day or two, and was felt from one end of

the kingdom to the other. It was so severe a one as but rarely occurs during the summer season. September was all that the husbandman could desire till near the middle, when the weather became cold and rainy. Abundant harvest. October was favourable for completing the harvest, much of which was abroad in the late districts. November was a succession of changes to all kinds of weather, except settled and fine. Deluges of rain, with hurricanes of wind, till the last week, when calm days and frosty nights.

1840-41 Excessively severe winter (*Brumham*).

February 23. Drought set in (*Whistlecraft*).

Rainfall at Greenwich, 16.43 in. January, 2.16 in. February, 1.09 in. March, 0.25 in. April, 0.09 in. May, 1.87 in. June, 1.37 in. July, 1.50 in. August, 0.99 in. September, 2.60 in. October, 1.48 in. November, 2.62 in. December, 0.41 in. (*Glaisher*).

Began with continued rain till middle of February, then a dry spring and summer till August 17. The crop of hay was less than half a load per acre (*Cox*).

The season was unusually warm, and earlier than ever I before noted. The heat was great from July 14 to September 22, with very little intermission. It was a year of great drought (*Whistlecraft*).

Maximum temperature 86° in Suffolk in August, and from 80° to 85½° on fourteen days at the same place (*Brumham*).

All April very dry, also June and July. August very dry and hot; and fine weather continued till September 13 (*Brumham*).

A very warm April, and great heat in summer. A dry year (*Brumham*).

1841 Wheat, 64s. 4d. per qr.; barley, 32s. 10d.; oats, 22s. 5d. (*Official Returns*).

Value of £100 tithe rent charge, £102 12s. 5¼d. (*Official Returns*).

Seven years' average : Wheat, 55*s.* 10*d.*; barley, 32*s.* 8*d.*; oats, 23*s.* 4*d.* (*Official Returns*).

Wool, 1*s.* per lb. (*H. Baker*).

Off-going ewes made 29*s.* (*J. Phillips*).

Began harvest August 19; finished September 13 (*H. Baker*).

Wet and late season (*Driver*).

Cold and rainy summer and autumn, which continued wet from July to Christmas (*A. M. E.*).

Under average. Wet and cold in July and August (*Times*).

January, severe weather, much snow.—16th. Thaw and great floods. Twenty-eight cottages were swept away at Shrewton, 7 at Maddington, 13 at Orcheston, 9 at Tilshead, and 16 at Winterborne Stoke (*Easton*).

February, severe frost and piercing gales. March, warm and fine. April, warm and showery. May, fine and hot. June, cold northerly winds till 17th. Ice in ponds 16th. The last ten days squally. July, remarkably wet and cold, rain in torrents. August, showery to 15th, then fine. September began fine; some fine days, but much stormy weather. October, extremely wet. November, fine to 12th. Heavy rain end of month. December, winterly (*Almanack*).

Rainfall at Petworth, 33·846 in. (*H. Sockett*).

Great snows and frost in January and February. On January 9, thermometer 4° (*Whistlecraft*).

Severe winter till February 11 (*Brumham*).

August 15. Eight weeks' rain. Prayer read for fine weather on 8th and 15th.—26th. Weather improved. This is the first fine day that gives hope of the harvest being got in well (*W. Goldney*).

Continued rain the last ten weeks of the year (*W. Goldney*).

Rainfall at Greenwich, 28·57 in. January, 2·10 in. February, 0·77 in. March, 0·61 in. April, 1·64 in.

May, 1'60 in. June, 2'28 in. July, 350 in. August, 1'89 in. September, 3'76 in. October, 5'84 in. November, 2'75 in. December, 1'92 in. (*Glaisher*).

A wet summer. Rainfall much above the average in the year, but fine September to 22nd (*Brumham*).

1842 Wheat, 57s. 3d. per qr. ; barley, 27s. 6d. ; oats, 19s. 3d. (*Official Returns*).

Value of £100 tithe rent charge, £105 8s. 2 $\frac{3}{4}$ d.

Seven years' average : Wheat, 58s. 6d. ; barley, 33s. 4d. ; oats, 23s. 6d. (*Official Returns*).

Wool, 13d. per. lb. (*H. Baker*).

Short crop of hay.

Off-going ewes made 21s. (*John Phillips*).

Off-going ewes made 31s. ; fat wethers, 39s. ; cows let at £9 15s. per cow (*H. Baker*).

Began harvest August 2nd ; finished September 14th (*H. Baker*).

Sharp frost in January (*A. M. S.*).

Dry summer. Great hailstorms in the Eastern counties in July and August causing immense damage. August very hot.

October 26. Snow (*Miss Ormerod*).

Fine season ; excellent crops (*Whistlecraft*).

August 10. Great heat (*Whistlecraft*).

June 19. The first rain for nearly two months. All July extremely fine.—August 6. The first wet day for six weeks (*W. Goldney*).

Rainfall at Greenwich, 20 in. January, 0'75 in. February, 0'69 in. March, 1'76 in. April, 0'43 in. May, 2'01 in. June, 0'38 in. July, 2'45 in. August, 2'14 in. September, 3'96 in. October, 1'27 in. November, 3'61 in. December, 0'58 in. (*Glaisher*).

April was a very dry month. May, fine and very dry. August, extreme heat and severe drought the whole month (*Brumham*).

1842-3 Very mild winter (*Brumham*).

1843 Wheat, 50s. 1*d.* per qr.; barley, 29s. 6*d.*; oats, 18s. 4*d.* (*Official Returns*).

Value of £100 tithe rent charge, £105 12s. 2¼*d.* (*Official Returns*).

Seven years' average : Wheat, 61s.; barley, 32s. 10*d.*; oats, 23s. (*Official Returns*).

Wool, 10*d.* per lb. (*H. Baker*).

Off-going ewes made 26s. 6*d.* each (*John Phillips*).

Cows let at £9 10s. per cow (*H. Baker*).

Good hay year. Rainfall at Epping, 29·9 in. (*Almanack*).

January, mild and stormy. February, winterly, and much snow. March, snowy and cold to 10th, then bright and warm, with east winds. April, showery, with some snowstorms. Latter end, bright and warm. May, very wet. June, showery to 13th, then fine. July, very hot. August, awful thunderstorms, with hail. September, very hot. October, rainy. November, mild and showery. December, dry and mild. Frost in fen districts, June 24 (*Almanack*).

Very mild winter to end of December, 1843 (*Jesse*).

April 9th, 10th, and 11th, snow and frost, with cold nights.—13th, still colder. Thermometer, 8 a.m., 33½°. —17th, still cold.—October 13, cold and frosty.—20th, severe frost, which destroyed dahlias. Thermometer, 8 a.m., 36°.—22nd, weather cold.—November 13th, thermometer, 8 a.m., 30°. Ice, but sunny day.—25th, mild day (*Jesse*).

Extreme heat in July. Thermometer, 90° (*Brumham*).

Began harvest August 8; finished September 12 (*H. Baker*).

Fine and fairly abundant season (*Whistlecraft*).

September 16, thermometer, 85°. Rainfall at Greenwich, 22·52 in. January, 1·04 in. February, 2·20 in. March, 0·30 in. April, 1·57 in. May, 3·55 in. June, 0·90 in. July, 2·58 in. August, 3·38 in. September,

0·38 in. October, 4·38 in. November, 1·74 in. December, 0·50 in. (*Glaisher*).

1844 Wheat, 51s. 3d. per qr. ; barley, 33s. 8d. ; oats, 27s. 7d. (*Official Returns*).

Value of £100 tithe rent charge, £104 3s. 5½d. (*Official Returns*).

Seven years' average : Wheat, 61s. 2d. ; barley, 32s. 4d. ; oats, 22s. 4d. (*Official Returns*).

Wool, 13d. per lb. (*H. Baker*).

Off-going ewes made 26s. and 18s. (*John Phillips*, 18s. ; *H Baker*, 26s.).

Began harvest July 29 ; finished Oct. 29 (*H. Baker*).

Cows let at £9 10s. per cow (*H. Baker*).

Hot and dry spring and summer. No rain from Lady Day till June 25, when there were some thunderstorms, till which time the late sown spring corn came up very irregularly, much of which was not harvested till October and November, and some was still out in December, and never ripened. Good crop of wheat, but straw very short. January, winterly. February, frosty throughout. March, stormy to 24th. April, constant sun. May, very hot. June, intensely hot. 25th. Great rain after 13 weeks drought. July, sultry, with showers. August, showery till 15th, then fine. September, hot, with thunderstorms. October, very warm. November, wet to 13th, then fine. 26th, set in frost, which continued to the end of the year.

Rainfall at Greenwich, 21·87 in. January, 1·99 in. February, 1·88 in. March, 2·02 in. April, 0·23 in. May, 0·15 in. June, 1·58 in. July, 2·31 in. August, 1·43 in. September, 1·19 in. October, 4·01 in. November, 4·74 in. December, 0·34 in. (*Glaisher*).

January 13. Barometer, 28·266. Great gale, with thunder and lightning. 240 vessels lost and 450 lives. The ships and cargoes valued at £825,000.

From April 14 to June 24, a most extraordinary

drought, scarcely any rain at all for seventy-one days. The latter part of August very dry, and only half the usual rainfall in September (*Brumham*).

1845 Wheat, 50s. 10d. per qr.; barley, 31s. 8d.; oats, 22s. 6d. (*Official Returns*).

Value of £100 tithe rent charge, £103 17s. 11½d. (*Official Returns*).

Seven years' averages: Wheat, 60s. 8d.; barley, 32s. 10d.; oats, 22s. (*Official Returns*).

Wool, 14¼d. per lb. (*H. Baker*).

Off-going ewes made 31s. each (*John Phillips*).

Off-going ewes made 32s. each (*H. Baker*).

Began harvest August 16; finished September 11 (*H. Baker*).

Cows let at £9 per cow (*H. Baker*).

Wet and cold season. First year of potato disease (*T. H. B.*).

Severe frost set in January 27, and continued till March 21, with some heavy snows. Coldest February for 50 years. No such March on record. Warm April. May, cold and gloomy. June, fine and bright. July, showery and hot, with awful thunderstorms. August, rainy, gloomy, and cold for the season. September, fine for the harvest, unsettled at the end. October, very wet to 11th, then dry, with sunny sky to the end. November, fine, dry, and warm to 15th, then rain and wind. December, wet, windy, and mild (*Almanack*).

Very severe time, and great snows to March 21. On March 14, thermometer, 5° (*Whistlecraft*).

Rainfall at Greenwich, 18·69 in. January, 1·44 in. February, 0·77 in. March, 1·06 in. April, 0·44 in. May, 1·98 in. June, 1·69 in. July, 1·61 in. August, 2·48 in. September, 2·18 in. October, 1·26 in. November, 1·80. December, 1·98 (*Glaisher*).

Very fine weather from August 21 to September 14 (*Brumham*).

Very wet, gloomy, and cold part of July and August.
A very bad year (*Brumham*).

1846 Wheat, 54s. 8d. per qr. ; barley, 32s. 8d. ; oats, 23s. 8d.
(*Official Returns*).

Value of £100 tithe rent charge, £102 17s. 8½d.
(*Official Returns*).

Seven years' average: Wheat, 58s. 8d. ; barley, 33s. ;
oats, 22s. (*Official Returns*).

Wool, 12½d. per lb. (*H. Baker*).

Off-going ewes made 40s. (*John Phillips*).

Cows let at £9 per cow (*H. Baker*).

Began harvest July 20 ; finished August 27 (*H. Baker*).

Wheat crop generally good, and over an average ; oats
and barley hardly an average (*Clarke*).

July and August, 2·8° above average temperature.

Corn Laws repealed (*T. H. B.*).

Dry summer. Early harvest. Good crop.

January, February, March, and April, mild. Early
spring. May, dry. June, scorching. July, dry and hot,
also August. September, hot and bright. October,
warm showers. November, fine and dry. December,
frost and snow (*Almanack*).

June 19. Thermometer, 89½° (*Whistlecraft*).

Rainfall at Greenwich, 23·54 in. January, 2·48 in.
February, 1·45 in. March, 0·88 in. April, 3·07 in.
May, 1·47 in. June, 0·47 in. July, 1·37 in. August,
4·09 in. September, 1·73 in. October, 4·47 in. November,
1·36. December, 0·70 in (*Glaisher*).

Backward spring and very dry summer (*Cox*).

This was a notably hot summer (*Whistlecraft*).

June, July, and August, 4·2° above average temperature.
The thermometer was 95° at Chiswick (*Brumham*).

The hottest June on record. The mean temperature
was 65·3 (*Brumham*).

The first 22 days of September were extremely droughty
(*Brumham*).

1847 Wheat, 69s. 9d. per qr. ; barley, 44s. 2d. ; oats, 28s. 8d. (*Official Returns*).

Value of £100 tithe rent charge, £99 18s. 10¼d. (*Official Returns*).

Seven years' average : Wheat, 56s. 4d. ; barley, 32s. ; oats, 21s. 8d. (*Official Returns*).

Wool, 13d. per lb. (*H. Baker*).

Off-going ewes made 33s. each (*John Phillips*).

Off-going ewes made 30s. 6d. each (*H. Baker*).

Cows let at £9 per cow (*H. Baker*).

Began harvest August 11 ; finished September 8 (*H. Baker*).

Wheat crop considerably over an average in quantity, but not of prime quality. It suffered much from mildew, and to some extent from red gum. Barley was much over an average ; oats only an average (*Clarke*).

July and August, 2° above average temperature. Dry and hot summer. General failure of the potato crop.

Famine in Ireland. July and August, very hot ().

Rainfall at Greenwich, 12·82 in. January, 0·72 in. February, 1·26 in. March, 0·34 in. April, 0·68 in. May, 1·05 in. June, 1·01 in. July, 0·34 in. August, 2·00 in. September, 1·27 in. October, 1·46 in. November, 1·15 in. December, 1·54 in. (*Glaisher*)*.

Rainfall of September considerably below the average, and but little rain in October, except on 7th, 9th, and 23rd (*Brumham*).

The summer of 1847 was very dry, only 17·8 in. of rain for the whole year at Greenwich. Maximum temperature at Chiswick, 93° (*Brumham*).

1848 Wheat, 50s. 6d. per qr. ; barley, 31s. 6d. ; oats, 20s. 6d. (*Official Returns*).

Value of £100 tithe rent charge, £102 1s. (*Official Returns*).

* This rainfall is 30 ft. from ground.

Seven years' average : Wheat, 56s. 10d. ; barley, 33s. ; oats, 22s. 2d. (*Official Returns*).

Wool, 9d. per lb. (*H. Baker*).

Off-going ewes made 27s. 6d. each (*John Phillips*).

Off-going ewes made 35s. (*H. Baker*).

Cows let at £9 10s. per cow (*H. Baker*).

Began harvest August 2nd ; finished September 4th (*H. Baker*).

There was promise of a fair average wheat crop, but the latter half of August was wet, and the harvest deficient. Oats were a poor crop, and barley various (*Clarke*).

July and August, 1·3° below average temperature. Great scarcity. Average price of wheat in May, 102s. 5d. per qr. At one time the price exceeded 120s., but it rapidly receded to under 60s. Cold summer. Much thunder. Wet wheat harvest, much of it badly sprouted (*T. H. B.*).

September was chiefly fine till the equinox (*Brumham*).

January, cold and frosty ; February, mild and wet ; March, wet ; April, wet ; May, bright, with east winds ; June, showery ; July, fair and hot ; August, very wet ; September, fine ; October, great floods ; November, fine ; December, mild (*Almanack*).

October 18. Snow (*Miss Ormerod*).

Some fine and hot periods in the first fortnight in July, and the first twenty-two days of September. The remainder of the season was wet, with much thunder (*Whistlecraft*).

Rainfall at Greenwich, 30·07 in. January, 0·96 in. February, 2·47 in. March, 3·00 in. April, 3·15 in. May, 0·22 in. June, 3·92 in. July, 2·08 in. August, 4·59 in. September, 2·44 in. October, 3·45 in. November, 1·37 in. December, 2·42 in. (*Glaisher*).

Wet winter and spring until middle of April, then a parching drought to June 12th. Wet summer and autumn after until Christmas (*Cox*).

The hottest May on record. The mean temperature was $59\cdot7^{\circ}$ (*Brunham*).

Mean rainfall, $35\cdot98$ in. (*Symons*).

1849 Wheat, $44s. 3d.$ per qr.; barley, $27s 9d.$; oats, $17s. 6d.$ (*Official Returns*).

Value of $\pounds 100$ tithe rent charge, $\pounds 100 3s. 7\frac{3}{4}d.$ (*Official Returns*).

Seven years' average: Wheat, $54s. 10d.$; barley, $32s. 10d.$; oats, $21s. 10d.$ (*Official Returns*).

Wool, $11d.$ per lb. (*H. Baker*).

Off-going ewes made $25s.$ each; wethers, $34s.$ (*John Phillips*; *H. Baker*).

Cows let at $\pounds 9 10s.$ per cow (*H. Baker*).

Began harvest Aug. 7; finished Sept. 17 (*H. Baker*).

Nearly average temperature, with fine weather (*Times*).

Fine harvest. Good crops. Wheat straw very bright (*T. H. B.*).

Wheat crop very good, and over an average (*Clarke*).

June, July, and August, $0\cdot9^{\circ}$ above average temperature. Thermometer 89° at Chiswick (*Brunham*).

Rainfall at Greenwich, $23\cdot92$ in. January, $1\cdot61$ in. February, $2\cdot16$ in. March, $0\cdot47$ in. April, $2\cdot22$ in. May, $3\cdot87$ in. June, $0\cdot24$ in. July, $2\cdot96$ in. August, $0\cdot61$ in. September, $3\cdot16$ in. October, $2\cdot89$ in. November, $1\cdot63$ in. December, $2\cdot10$ in. (*Glaisher*).

April 16th to 20th, much snow and frost. The Westerham coach was buried, and left all night in a snow-drift on Titsey Hill, April 19th.

A fine summer (*Cox*).

A fine and warm summer (*Brunham*).

1850 Wheat, $40s. 3d.$ per qr.; barley, $23s. 6d.$; oats, $16s. 5d.$ (*Official Returns*).

Value of $\pounds 100$ tithe rent charge, $\pounds 98 16s. 10d.$ (*Official Returns*).

Seven years' average: Wheat, $53s.$; barley, $32s. 10d.$; oats, $21s. 8d.$ (*Official Returns*).

Wool, 1s. per lb. (*H. Baker*).

Off-going ewes made 27s. each ; wethers, 33s. (*John Phillips*).

Cows let at £8 10s. per cow (*H. Baker*).

At Devizes October Fair ewes made from 22s. to 29s. ; lambs, 15s. to 23s.

Began harvest August 12th ; finished September 7th (*H. Baker*).

Wet and cold season. July and August, 1·4° below average temperature (*Times*).

Wheat much blighted, but a fine harvest (*T. H. B.*).

Harvest much under an average, with great losses by mildew and winds. The crops were better in the north (*Clarke*).

Great agricultural distress.

Rainfall at Greenwich, 18·71 in. January, 1·17 in. February, 1·29 in. March, 0·36 in. April, 2·00 in. May, 2·35 in. June, 0·94 in. July, 2·88 in. August, 1·89 in. September, 1·30 in. October, 1·25 in. November, 1·98 in. December, 1·30 in. (*Glaisher*).

March dry, without a shower, but very cold and frosty (*Cox*).

A cold and winterly Christmas, 1849, and January was severely cold to the end (*Brumham*).

June, August, and September were very dry, only 19·7 in. of rain in the whole year at Greenwich (*Brumham*).

A stormy summer, though so hot at times (*Brumham*).

1850-51 A very mild winter (*Brumham*).

Great heat and drought part of summer ; very fine till end of October (*Brumham*).

1851 Wheat, 38s. 6d. per qr. ; barley, 24s. 9d. ; oats, 18s. 7d. (*Official Returns*).

Value of £100 tithe rent charge, £96 11s. 4¾d. (*Official Returns*).

Seven years' average : Wheat, 51s. 6d. ; barley, 32s. ; oats, 21s. 4d. (*Official Returns*).

Wool, 1s. per lb. (*H. Baker*).

Ewes made 25s. 6d. each (*John Phillips*).

Ewes made 26s. 6d. each (*H. Baker*).

A late harvest gave a full average crop both of wheat and barley (*Clarke*).

Began mowing clover June 6th (*H. Baker*).

Began harvest August 8th; finished September 9th (*H. Baker*).

Wheat good. Fine season altogether. Average temperature (*Times*).

July and August, 0·6° above average temperature (*Times*).

Rainfall at Greenwich, 20·27 in. January, 2·43 in. February, 0·86 in. March, 3·73 in. April, 1·97 in. May, 0·76 in. June, 1·37 in. July, 4·33 in. August, 1·47 in. September, 0·43 in. October, 1·75 in. November, 0·58 in. December, 0·59 in. (*Glaisher*).

Excessive heat from June 19th. Thermometer, 91° at Chiswick (*Brumham*).

1852 Wheat, 40s. 9d. per qr.; barley, 28s. 6d.; oats, 19s. 1d. (*Official Returns*).

Value of £100 tithe rent charge, £93 16s. 11½d. (*Official Returns*).

Seven years' average: Wheat, 49s. 10d.; barley, 30s. 10d.; oats, 21s. (*Official Returns*).

Wool, 13½d. per lb. (*H. Baker*).

Off-going ewes made 30s. each (*John Phillips*).

Off-going ewes made 34s. each (*H. Baker*).

Began harvest Aug. 5; finished Sept. 10 (*H. Baker*).

Rainfall at Petworth, 36·749 in. (*H. Sockett*).

Wet harvest, with grown wheat and a general prevalence of mildew. All the mischief done by a fortnight's warm wet weather in August (*Clarke*).

Under average. A very fine crop was injured by excessive rains and high temperature together in two weeks of August, causing mildew (*Times*).

July and August, $2\cdot7^{\circ}$ above average temperature (*Times*).

Average crop. Wet wheat harvest, some sprouted. Extraordinary wet autumn. Very little wheat sown at end of year (*T. H. B.*).

Tremendous tempest in September, which caused the Severn to overflow, and its surface was covered with up-rooted trees, crops, and drowned animals. All the Vale of Gloucester was one wide spreading sea (*Royal Agricultural Society's Journal*, vol. xv.).

Height of flood in the Thames, at Clifton Hampden, 7 ft. 10 in. (*J. C. C., in Agricultural Gazette*).

July 17. Awful storms (*Whistlecraft*).

Rainfall at Greenwich, $32\cdot71$ in. January, $2\cdot88$ in. February, $0\cdot73$ in. March, $0\cdot14$ in. April, $0\cdot50$ in. May, $2\cdot03$ in. June, $4\cdot55$ in. July, $2\cdot32$ in. August, $4\cdot50$ in. September, $3\cdot93$ in. October, $3\cdot75$ in. November, $5\cdot66$ in. December, $1\cdot72$ in. (*Glaisher*).

Dry winter and spring till 17th May; very wet till 4th July, the rest of which was a scorching month, followed by a wet harvest and autumn, the like of which seldom happens (*Cox*).

Intensely hot July. Thermometer, 97° at Chiswick (*Brumham*).

1853 Wheat, 53s. 3d. per qr.; barley, 33s. 2d.; oats, 21s. (*Official Returns*).

Value of £100 tithe rent charge, £91 13s. $5\frac{3}{4}$ d. (*Official Returns*).

Seven years' average: Wheat, 48s. 4d.; barley, 30s. 4d.; oats, 20s. 6d. (*Official Returns*).

Wool, $17\frac{1}{2}$ d. per lb. (*H. Baker*).

Off-going ewes made 32s. each (*H. Baker*).

Off-going ewes made 34s. each (*John Phillips*).

Began harvest August 13; finished November 11 at Mere Down (*T. H. B.*), and September 19 at Charlton Horethorn.

Wheat crop much below an average, thin plant, and late harvest. Oats and barley an average except Scotland (*Clarke*).

Very much under an average. Excessive rainfall (*Times*).

August 26. A hurricane in Wiltshire and other counties, blowing down trees, etc. (*Waylen*).

Wet season to end of October. Bad crops of corn. Hay made badly. Wheat very thin plant owing to wet autumn last year. Rot in sheep. Cold season and very wet. Flakes of snow fell in June (*T. H. B.*).

Great rot in sheep (*Brown*).

Very disastrous summer floods. Hundreds of acres of meadow in low lying districts were cleared of their hay, and corn crops were flattened and spoiled. Many sheep swept away. Immense damage done to sheep, hay, and corn in Essex (*Royal Agricultural Society's Journal*).

Great quantity of wheat sown this autumn, capital time for putting it in (*T. H. B.*).

Some good hay made latter part of July and beginning of August (*T. H. B.*).

July and August $1\cdot4^{\circ}$ below average temperature (*Times*).

February 19. Severe frost (*Whistlecraft*).

Rainfall at Greenwich, 29·13 in. January, 1·95 in. February, 0·85 in. March, 1·49 in. April, 3·09 in. May, 1·61 in. June, 2·81 in. July, 6·02 in. August, 2·15 in. September, 2·40 in. October, 4·74 in. November, 1·51 in. December, 0·51 in. (*Glaisher*).

Rain almost daily from beginning of August to November 1, except 20 days. Wheat crop not half an average hereabout (*Trevereux*) (*Cox*).

Very cold summer (*Brumham*).

1854 Wheat, 72s. 5d.; barley, 36s.; oats, 27s. 11d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £90 19s. 5d. (*Official Returns*).

Seven years' average : Wheat, 48s. ; barley, 30s. 4d. ; oats, 20s. 2d. (*Official Returns*).

Wool, 13d. per lb. (*H. Baker*).

Off-going ewes made 30s. and 25s. (*H. B. and J. P.*).

Began harvest August 18 ; finished September 18 (*T. H. B.*).

Average wheat crop. Scanty rainfall. Some mildew and sprouting (*Times*).

Heaviest crop of wheat for many years. Fine harvest, but not an early one (*T. H. Baker*).

Oats and barley good (*T. H. B.*).

January 4. Deep snow ; roads impassable.—7th. Heavy rain, melted all the snow which has been lying on the ground since December 27. Mild with some rain, and occasionally slight frosts through remainder of January and February.—March and April dry in general.—April 20. Very wet.—25th. Sharp frost.—May, June, and July below average temperature. Heavy thunderstorms in May, and some hasty showers in June, but a light crop of hay was put together tolerably well. Meadow hay not finished making till August.—August a good harvest month.—September began with very hot sunny weather. Good harvest month, but some showers.—October. General thanksgiving for the abundant harvest. One of the finest autumns for wheat sowing in the memory of man (*T. H. Baker*).

1854–55. Excessively severe winter (*Brumham*).

July and August, 0·9° below average temperature (*Times*).

Rainfall at Greenwich, 18·35 in. January, 1·67 in. February, 1·03 in. March, 0·36 in. April, 0·56 in. May, 3·27 in. June, 0·97 in. July, 1·66 in. August, 2·95 in. September, 0·70 in. October, 2·69 in. November, 1·41 in. December, 1·08 in. (*Glaisher*).

Severe frosts and snow, 1853–4, till January 4 (*Brumham*).

Very dry weather from 31st May to 26th June (*Brumham*).

Warm and early spring. Fine and hot summer. Thermometer in July, 88° (*Brumham*).

1855 January. Mild, with some rain till middle of the month; then frosty, and on the 22nd snow. Frost after, and on 31st driving snow. Roads impassable.—February was frosty, with great deal of snow. Coldest month on record, most intense before the middle of the month. East and north-east wind from middle of January to 10th May. Cold late spring. Fine harvest. Fine autumn.—June was a warm, bright month. Fly carried away nearly all the rape and swedes sown before the end of this month.—July. Good haymaking weather first 10 days; then showery to the end.—August was a good harvest month, with a few showers. Capital harvest weather till September 13, then unsettled, with a few dry days to end.—October was stormy. Heavy rains latter end.—November was a good month for wheat sowing.—December, after 5th, was frosty to the 15th; then a few mild days, after which snow and cold. Last week wet and mild (*T. H. B.*).

Value of £100 tithe rent charge, £89 15s. 8¼d. (*Official Returns*).

Seven years' average : Wheat, 48s. 6d.; barley, 29s. 2d.; oats, 20s. (*Official Returns*).

Wheat not an average crop; quality inferior to last year (*T. H. B.*).

Began mowing clover 25th June (*T. H. B.*).

Began harvest August 21; finished September 21 (*T. H. B.*).

Wheat crop under an average, and of inferior quality, knocked down by heavy rains in the last week in July. Harvest fine, but late. Plant injured in the south by frost. Barley abundant, but coarse. Oats, an average crop (*Clarke*).

Wheat, 74s. 8d. per qr. ; barley, 34s. 9d. ; oats, 27s. 5d. (*Official Returns*).

Wool, 15d. per lb. (*H. Baker*).

Off-going ewes made 28s. (*John Phillips*).

July and August, 0.5° above average temperature (*Times*).

Very severe winter, especially in February. On the 18th, thermometer 1° (*Whistlecraft*).

Rainfall at Greenwich, 21.07 in. January, 0.99 in. February, 1.38 in. March, 1.46 in. April, 0.09 in. May, 1.76 in. June, 0.73 in. July, 4.98 in. August, 1.08 in. September, 1.12 in. October, 4.93 in. November, 1.32 in. December, 1.23 in. (*Glaisher*).

Fine summer ; thermometer, 11° Fahr. on the night of December 21 (*Cox*).

The coldest February on record. Mean temperature, 29.4° (*Brumham*).

Summer and autumn fine and very warm. Maximum in June, 86° ; July, 82° (*Brumham*).

1856 Wheat, 69s. 2d. per qr. ; barley, 41s. 1d. ; oats, 25s. 2d. (*Official Returns*).

Value of £100 tithe rent charge, £93 18s. $1\frac{1}{4}$ d. (*Official Returns*).

Seven years' average : Wheat, 52s. ; barley, 29s. 8d. ; oats, 21s. (*Official Returns*).

Wool, $16\frac{1}{2}$ d. per lb. (*H. Baker*).

Off-going ewes made 32s. 3d. and 29s. 6d. (*John Phillips*).

Began mowing clover June 9th (*T. H. B.*).

Began harvest Aug. 5 ; finished Sept. 9 (*T. H. B.*).

Mild to end of February. Fine March and April. Dry, cold spring. June, fine. Hay crop good and made well. July, dry and warm. Good crop of wheat ; early districts harvested well, but later localities suffered much from the wet ; a good deal put together damp, and some sprouted. Barley was entirely spoilt in the early districts ;

the whole of it being malted in the fields. Later localities took the barley well in September, which was a fine harvest month (*T. H. B.*).

Hot and dry summer except the wheat harvest (*T. H. B.*).

Wheat above an average crop, injured by rains in the middle of August in the midland and western counties (*Times*).

July and August, 0.5° above average temperature (*Times*).

Rainfall at Greenwich, 22.00 in. January, 2.36 in. February, 0.93 in. March, 1.29 in. April, 1.77 in. May, 3.70 in. June, 1.74 in. July, 1.24 in. August, 2.24 in. September, 2.81 in. October, 1.58 in. November, 1.02 in. December, 1.32 in. (*Glaisher*).

Very dry in June and July. Maximum temperature at Greenwich nearly 90° (*Brumham*).

1857 Wheat, 56s. 4d. per qr. ; barley, 42s. 1d. ; oats, 25s. (*Official Returns*).

Value of £100 tithe rent charge, £99 13s. 7½d. (*Official Returns*).

Seven years' average : Wheat, 55s. 6d. ; barley, 31s. 6d. ; oats, 22s. 2d. (*Official Returns*).

Wool, 17d. per lb. (*H. Baker*).

Beef and mutton, 6¾d. (*T. H. B.*).

Off-going ewes made 37s. and 31s. (*H. Baker*).

Off-going ewes made 32s. (*John Phillips*).

Began harvest July 29 ; finished August 29 (*T. H. B.*).

Mild and wet spring. No east wind till May, which only lasted one week. Began mowing clover June 6. Early hay harvest, which was saved well. Fine and warm summer. Good crops. Corn harvested early and in fine condition. Oats below an average. Turnip crop good (*T. H. B.*).

Wheat, 27 bushels per acre ; barley, 34 bushels (*T. H. B.*).

Sold lambs at 24s. (*H. Baker*).

Much over average wheat crop. Moderate rainfall (*Times*).

July and August 1·7° above average temperature (*Times*).

Rainfall at Greenwich, 21·29 in. January, 2·59 in. February, 0·17 in. March, 0·97 in. April, 1·44 in. May, 0·55 in. June, 2·09 in. July, 1·27 in. August, 2·73 in. September, 3·92 in. October, 3·93 in. November, 1·27 in. December, 0·36 in. (*Glaisher*).

A very fine summer, hot for two months together; mild autumn till December 31st, on which day roses, fuchsias, etc., were in flower, and flourishing out of doors at Trevereux (*Cox*).

A very hot season. Thermometer, 92½ at Greenwich. June, July, and August, 3·9 above average (*Brumham*).

The hottest August on record. The mean temperature was 65·8° (*Brumham*).

Unusually bright and hot weather from 10th July to end of August, with heavy thunderstorms at times (*Brumham*).

1858 Wheat, 44s. 2d. per qr.; barley, 34s. 8d.; oats, 24s. 6d. (*Official Returns*).

Value of £100 tithe rent charge, £105 16s. 3½d. (*Official Returns*).

Seven years' average: Wheat, 57s. 10d.; barley, 34s. 4d.; oats, 23s. 4d. (*Official Returns*).

Wool, 15½d. per lb. (*T. H. B.*).

Beef and mutton, 6¾d. per lb. (*T. H. B.*).

Off-going ewes made 30s. (*John Phillips*).

Off-going ewes made 31s. 6d. and 27s. 6d. (*H. Baker*).

Lambs, 22s. (*H. Baker*).

Began mowing clover June 5th (*T. H. B.*).

Began harvest July 29th; finished September 10th (*T. H. B.*).

Wheat crop, over an average. Oats and barley, under

an average, the latter of inferior quality. Wheat plant suffered from the unusual drought (*Clarke*).

Cold spring. June, hot and dry. Fine summer. Great crop of wheat, which was harvested well and of superior quality. Wet barley harvest; a good deal badly stained, and harvested damp. Fine autumn (*T. H. B.*).

Turnip crop good. Fly very busy early in the season (*T. H. B.*).

At Devizes October Fair ewes made 28s. to 38s.; lambs, 20s. to 26s. (*N. P.*).

July and August 0·8 below average temperature (*Times*).

March 8. Severe gale.—June 16. Thermometer, 92°.—September 11. A comet (*Whistlecraft*).

Rainfall at Greenwich, 17·79 in. January, 0·76 in. February, 1·72 in. March, 0·88 in. April, 2·34 in. May, 1·99 in. June, 1·24 in. July, 2·97 in. August, 1·53 in. September, 0·88 in. October, 1·36 in. November, 0·45 in. December, 1·67 in. (*Glaisher*).

A fine, dry, hot summer; many ponds and wells dry (*Cox*).

Very dry in June, August, and September. Maximum temperature at Chiswick, 97° (*Brumham*).

Rainfall at Hull, 22·42 in. on 135 days (*H. Smith*).

1858–9 A very mild winter (*Brumham*).

October 26. Barometer, 29·068; and December 26, 28·629 (*Symons' Magazine*).

Warm and early spring (*Brumham*).

Rainfall at Hull, 21·12 in. on 170 days (*Harold Smith*).

1859 Wheat, 43s. 9d. per qr.; barley, 33s. 6d.; oats, 23s. 2d. (*Official Returns*).

Seven years' average for tithe returns: Wheat, 58s. 8d.; barley, 35s. 8d.; oats, 24s. 2d. (*Official Returns*).

Wool, 18½d. per lb. (*T. H. B.*).

Beef and mutton, 7d. per lb. (*T. H. B.*).

Off-going ewes made 33s. (*H. Baker*).

Off-going ewes made 35s. (*John Phillips*).

Began harvest July 23 ; finished August 25 (*T. H. B.*).

Began mowing clover May 30 (*T. H. B.*).

At Devizes October Fair ewes made from 35s. to 47s. ; lambs, 26s. to 38s. (*Newspaper*).

Value of £100 tithe rent charge, £108 19s. 6¼d. (*Official Returns*).

Fine, hot, dry summer. Good crops of hay and corn, which were secured in fine condition. Early harvest.—October 25. Memorable storm in which the *Royal Charter* was lost.—November. Fine and dry.—December. Cold, heavy snow, gales, and hurricane. Great storm in North Wilts.—December 30. For account of which see *Wilts Archæological Magazine*, vol vi. (*T. H. B.*).

Wheat injured by too rapid ripening in July, and laid by storms (*Clarke*).

Barley and oats under an average (*Clarke*).

Wheat, thirty-six bushels per acre ; barley, forty bushels an acre (*T. H. B.*).

October 22. Some snow.

July and August 1·8° above average temperature (*Times*).

Severe December and great snows. Thermometer on 19th 2° (*Whistlecraft*).

Rainfall at Greenwich, 25·05 in. January, 0·79 in. February, 0·79 in. March, 1·47 in. April, 2·38 in. May, 2·58 in. June, 1·42 in. July, 3·09 in. August, 1·19 in. September, 3·71 in. October, 3·16 in. November, 2·58 in. December, 1·89 in. (*Glaisher*).

An extremely hot summer. Thermometer, 93° at Greenwich. June, July, and August, 4·2° above average temperature. The hottest July on record. The mean temperature was 68·1° (*Brumham*).

1860 Wheat, 53s. 3d. ; barley, 36s. 7d. ; oats, 24s. 5d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £110 17s. 8¼d. (*Official Returns*).

Seven years' average on which tithes are collected :
Wheat, 59s. ; barley, 36s. 4d. ; oats, 24s. 10d.

Wool, 19½d. per lb. (*T. H. B.*).

Off-going ewes made 34s. (*T. H. B.*).

Off-going ewes made 33s. (*John Phillips*).

At Devizes October Fair ewes 24s. to 34s. ; lambs, 20s. to 26s.

Beef and mutton, 7¼d. per lb. (*T. H. B.*).

Began harvest Aug. 27 ; finished Nov. 1 (*T. H. B.*).

Wheat, nineteen bushels per acre ; barley, thirty-eight bushels (*T. H. B.*).

Harvest a fortnight behind and very wet. A remarkably cold and rainy summer ; in fact, the most disastrous season known. Produced a heavy crop of straw, much laid, and knocked about. Wheat very far below the average ; the worst for many years. Oats fair, barley good (*Clarke*).

January. Very wet. February. Frosty. March. Warm. Cold, late spring ; middle of May warm. Rain set in about 20th, and continued through June, in which month it rained every day. First half of July fine, and some good hay made, then wet again till end of August. Very little corn cut till September, and harvest not finished till November. Some corn harvested tolerably well beginning of September. Very deficient crop of wheat, and the quality very bad. The temperature was so low that there was little if any sprouted corn. Wheat was harvested in September, but scarcely any barley carried till October. Barley not bad quality, but condition bad, and some of it stained. Roots very bad ; plant good but bulbs small. Great sheep rot (*T. H. B.*).

The Christmas of 1860 is supposed to have been the severest ever experienced in Britain. At 9 a.m. thermometer 17° below freezing point (*Chambers*).

July and August, 4·6° below average temperature (*Times*).

The rains were greater in June, and again from July 19 till near the end of August. Harvest generally began about August 27. A wetter season than 1799 and 1816, yet not quite so late (*Whistlecraft*).

February 28. Awful gale (*Whistlecraft*).

Rainfall at Greenwich, 28.01 in. January, 1.66 in. February, 1.01 in. March, 1.71 in. April, 1.09 in. May, 3.70 in. June, 5.39 in. July, 2.67 in. August, 3.57 in. September, 2.19 in. October, 1.06 in. November, 1.87 in. December, 20.9 in. (*Glaisher*).

Rainfall at Thwaite, 36 in. (*Brumham*).

Wet, cold spring; six inches of rain in June; very backward year, similar to 1816; bad haying and harvest (*Cox*).

A wet year everywhere but in the north-west of Scotland (*Symons*).

Rainfall at Hull, 31.74 in. on 205 days (*H. Smith*).

1861 Wheat, 55s. 4d.; barley, 36s. 1d.; oats, 23s. 9d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £112 3s. 4 $\frac{3}{4}$ d. (*Official Returns*).

Seven years' average: Wheat, 59s.; barley, 36s. 10d.; oats, 25s. 4d. (*Official Returns*).

Wool, 17d. per lb. (*T. H. B.*).

Beef and mutton, 6 $\frac{3}{4}$ d. per lb. (*T. H. B.*).

Off-going ewes made 33s. (*T. H. B.*).

Off-going ewes made 35s. 6d. (*John Phillips*).

At Devizes October Fair ewes 36s. to 40s. 6d.; lambs, 28s. to 33s. (*Newspaper*).

Began harvest August 6; finished September 11 (*T. H. B.*).

Wheat, twenty-four bushels per acre; barley, thirty-one bushels (*T. H. B.*).

Wheat was below an average, having suffered from excessive thinness of plant. Oats were fair (*Clarke*).

Severe winter.—January was a cold month.—February

and March mild.—April and May. East winds.—June. Warm, with some rain.—July. Wet and cloudy. Light crop of wheat. Barley, bad quality. Oats good. Turnips good (*T. H. B.*).

May 28. Great storm, in which there were 143 wrecks.

Hay made well in general, but some of the meadow hay cut late was made bad. By no means a dry summer. Wet enough to keep everything growing. Quality of wheat pretty good (*T. H. B.*).

July and August 0·3 above average temperature (*Times*).

January 8. Severe frost (*Whistlecraft*).

August 12. Thermometer, 90°.

Rainfall at Greenwich, 21·00 in. January, 0·51 in. February, 1·73 in. March, 2·29 in. April, 0·90 in. May, 1·55 in. June, 1·76 in. July, 2·98 in. August, 0·59 in. September, 1·49 in. October, 0·89 in. November, 5·06 in. December, 1·25 in. (*Glaisher*).

Remarkable for want of bloom on fruit trees of all sorts. The failure extended to black and white thorns. Fine summer and autumn to Christmas (*Cox*).

Very dry April. Very fine, dry, and hot August, and dry September (*Brumham*).

Summer chiefly fine. Fair and hot at end of September.

Rainfall at Hull, 19·97 in. on 163 days (*Smith*).

1862 Wheat, 55s. 5d. per qr.; barley, 35s. 1d.; oats, 22s. 7d. (*Official Returns*).

Value of £100 tithe rent charge, £109 13s. 6d. (*Official Returns*).

Seven years' average: Wheat, 56s. 6d.; barley, 36s. 10d.; oats, 24s. 8d. (*Official Returns*).

Wool, 18½d. per lb. (*T. H. B.*).

Beef and mutton, 6½d. per lb. (*T. H. B.*).

Off-going ewes made 37s. (*T. H. B.*).

Off-going ewes made 34s. (*John Phillips*).

At Devizes October Fair, ewes, 36s. to 41s.; lambs, 28s. to 32s. (*Newspaper Report*).

Began harvest August 19th; finished September 23rd (*T. H. B.*).

Wheat, $24\frac{1}{2}$ bushels per acre; barley, 32 bushels (*T. H. B.*).

Cold backward season. Not so wet as 1860, but very cold and unfruitful. Deficient crop of wheat, but quality tolerably good. Began mowing clover 4th June, which lay about some time, 100 acres of grass cut before any carried. Barley crop perhaps an average, but a good deal of it was put in bad in consequence of the wet weather in March and April. Oats but a middling crop. Thin on the land and light in grain (*T. H. B.*)

Crops generally inferior in quality and below an average; one of the worst wheat crops known for many years. Storms of wind caused the plants to be root-fallen before the seed was fully formed. Barley average (*Clarke*).

Let cows at £10 10s. per cow (*T. H. B.*).

July and August, $2\cdot6^{\circ}$ below average temperature (*Times*).

Rainfall at Greenwich, 26·41 in. January, 1·79 in. February, 0·46 in. March, 3·55 in. April, 2·84 in. May, 2·84 in. June, 1·93 in. July, 1·69 in. August, 3·01 in. September, 1·61 in. October, 4·08 in. November, 0·99 in. December, 1·62 in. (*Glaisher*).

At Hull, 23·69 in. on 174 days.

Rainfall at Leamington, 27·086 in. January, 2·540 in. February, 0·630 in. March, 3·254 in. April, 1·617 in. May, 3·821 in. June, 3·308 in. July, 2·142 in. August, 2·056 in. September, 3·061 in. October, 2·580 in. November, 0·697 in. December, 1·380 in. (*Jones*).

1862-3 A remarkably mild winter (*Brumham*).

A wet year in the greater part of England, dry in Norfolk, wet in Scotland and Ireland (*Symons*).

January 11. High wind and heavy rain (*Beesley*).

Great heat in May, therm., 84° ; no day all the summer so hot after. Very fine to June 4th, then a changeable time (*Brunham*).

1863 Wheat, 44s. 9d. per qr.; barley, 33s. 9d.; oats, 21s. 2d. (*Official Returns*).

Value of £100 tithe rent charge, £107 5s. 2d. (*Official Returns*).

Seven years' average : Wheat, 53s. 10d.; barley, 37s.; oats, 24s. (*Official Returns*).

Wool, 21d. per lb. (*T. H. B.*).

Beef and mutton, $7\frac{1}{4}$ d. per lb. (*T. H. B.*).

Off-going ewes made 40s. and 31s. 6d. (*T. H. B.*).

Off-going ewes made 38s. and 34s. (*John Phillips*).

At Devizes October Fair, ewes, 38s. to 44s.; lambs, 28s. to 32s. (*Newspaper Report*).

Began mowing clover June 1st. Some of the clover hay lay about some time, but a great deal of good hay made afterwards (*T. H. B.*).

Began harvest Aug. 8; finished Sept. 17 (*T. H. B.*).

Wheat, 39 bushels an acre; barley, 37 bushels (*T. H. B.*).

One of the finest summers for the farmer on record. Extraordinary crop of wheat and also oats. Barley a good crop, but harvested badly with the exception of the very early. A great deal of it grown, and nearly all very much stained. Wheat and oats harvested in fine condition (*T. H. B.*).

Wheat a magnificent crop and grain bold. Barley and oats average. The summer was specially dry, and there was bright sunshine at and after blossoming time (*Clarke*).

Let cows at £10 10s. per cow (*T. H. B.*).

From end of October to close of December was a season of gales, but remarkably free from frost ().

July and August 1'4" below average temperature (*Times*).

December 3. Heavy gale (*Whistlecraft*).

Rainfall at Greenwich, 19'67 in. January, 2'72 in. February, 0'49 in. March, 0'69 in. April, 0'43 in. May, 1'25 in. June, 3'94 in. July, 0'88 in. August, 1'83 in. September, 2'97 in. October, 1'82 in. November, 1'57 in. December, 1'08 in. (*Glaisher*).

At Hull, 24'63 in. on 155 days (*Smith*).

Wet spring, fine summer, productive harvest (*Cox*).

Rainfall at Leamington, 21'818 in. January, 2'596 in. February, 0'449 in. March, 0'668 in. April, 1'463 in. May, 0'508 in. June, 4'883 in. July, 0'573 in. August, 2'437 in. September, 2'256 in. October, 2'897 in. November, 2'281 in. December, 0'807 in. (*Jones*).

Remarkably dry weather from June 20th to August 7th (*Brumham*).

Sharp drought in spring and summer, and generally very hot (*Brumham*).

1864 Wheat, 40s. 2d. per qr.; barley, 29s. 11d.; oats, 20s. 1d. (*Official Returns*).

Value of £100 tithe rent charge, £103 3s. 10 $\frac{3}{4}$ d. (*Official Returns*).

Seven years' average: Wheat, 50s. 4d.; barley, 35s. 10d.; oats, 23s. 6d. (*Official Returns*).

Wool, 25 $\frac{1}{2}$ d. per lb. (*T. H. B.*).

Off-going ewes made 35s. and 25s. (*T. H. B.*).

Off-going ewes made 31s. and 27s. (*John Phillips*).

Beef and mutton, 7 $\frac{1}{4}$ d. per lb. (*T. H. B.*).

Let cows at £10 10s. per cow (*T. H. B.*).

At Devizes October Fair, ewes, 34s. to 39s.; lambs, 20s. to 30s. (*Newspaper Report*).

Cull lambs, 20s. 6d. (*T. H. B.*).

Began mowing clover May 30th. Light cut, but hay made well.

Began harvest July 27; finished Sept. 12 (*T. H. B.*).

Wheat, 35 bushels an acre; barley, 42 bushels (*T. H. B.*).

Very dry summer. Some districts suffered greatly from drought, and in general the turnip crop was a complete failure, but July 17th we were favoured with a very heavy thunderstorm, which filled our ponds and kept the turnips growing. Our swedes were never better. Mangolds were small, and the late turnips suffered severely from grub. Crop of wheat good, but not so bulky as last year; quality excellent. Barley crop good, and the corn heavy. Oats light in grain, but an average crop. Beans and peas almost a failure (*T. H. B.*).

Wheat appeared to be an average crop, but turned out defective. Barley, average. Oats, bad (*Clarke*).

July and August, $2\cdot2^{\circ}$ below average temperature (*Times*).

August 21. End of drought (*Whistlecraft*).

Rainfall at Greenwich, 16·38 in. January, 0·88 in. February, 0·76 in. March, 2·53 in. April, 0·82 in. May, 2·00 in. June, 0·92 in. July, 0·27 in. August, 1·31 in. September, 2·76 in. October, 1·06 in. November, 2·57 in. December, 0·50 in. (*Glaisher*).

At Hull, 18·27 in. on 152 days.

Cold spring, dry summer; little hay, no turnips; harvest except wheat not an average (*Cox*).

Rainfall at Leamington, 18·868 in. January, 1·005 in. February, 1·758 in. March, 2·896 in. April, 1·371 in. May, 1·840 in. June, 0·967 in. July, 0·429 in. August, 0·517 in. September, 1·978 in. October, 2·260 in. November, 1·933 in. December, 1·914 (*Jones*).

The driest year for fifty years. The mean rainfall, 22·11 in. (*Symons*).

Remarkably dry from July 4 to August 9, after which the great drought went on to September 2 (*Brumham*).

1865 Wheat, 41s. per qr.; barley, 29s. 9d.; oats, 21s. 10d. (*Official Returns*).

Value of £100. tithe rent charge, £98 15s. 10½d. (*Official Returns*).

Seven years' average : Wheat, 48s. ; barley, 34s. 2d. ; oats, 22s. 8d. (*Official Returns*).

Wool, 21 $\frac{3}{4}$ d. per lb. (*T. H. B.*).

Stock wethers, 45s. (*T. H. B.*).

Beef and mutton, 8d. per lb. (*T. H. B.*).

Off-going ewes made 48s. and 43s. (*T. H. B.*).

Off-going ewes made 50s. 6d. and 44s. (*J. Phillips*).

At Devizes October Fair ewes made up to 52s. ; lambs, to 44s. (*Newspaper*).

Cull lambs made 28s. (*T. H. B.*).

Broke mouth ewes, 39s. (*T. H. B.*).

Let cows at £10 10s. per cow (*T. H. B.*).

Began mowing clover, May 29, and with the exception of one wet afternoon had no rain till all the hay was carried.

Began harvest July 26 ; finished August 29 (*T. H. B.*).

Wheat, 27 bush. an acre ; barley, 37 bush. (*T. H. B.*).

One of the longest summers on record. Hot bright weather set in in April, almost immediately succeeding sharp frosts, which continued till close on Lady Day. Wheats generally looked like a fallow till end of March, then they shot off at a wonderful rate. June was scorching ; nearly everything dried up, and many days scarcely a breath of air. Light crop of hay. Wheat, in this district, a good yield, varying from 7 to 10 sacks per acre. Rather a catching wheat harvest. Early wheats harvested well, then a week of wet weather. Much wheat still out, and most of the barley, much of which went together damp. After this a second summer, and beginning of October turnips were almost dried up. Swedes much mildewed. Rape like brown paper.—10th. Rain set in and everything set growing. No frost to stop ploughing one day to end of the year. Sheep suddenly rose to an extravagant price the latter end of August, in consequence of an outbreak of cattle plague in the London dairies. Lean sheep went up 10s. to 12s. a head at one bound, but

fat stock continues about the same price as last year. Beef at Christmas, 13s. per score. Mutton, 10d. per lb. Fat pigs, 10s. 6d. per score. Wheat, 48s. per qr. of 496 lb. All fairs and markets stopped about end of year; also transit of cattle from one magisterial division to another (*T. H. B.*).

July and August 1° below average temperature (*Times*).

Wheat very much below an average; barley under average; oats very poor crop (*Clarke*).

Moderate heat, but excessive rainfall (*Times*).

September 8. Thermometer, 84½ (*W.*).

Rainfall at Greenwich, 28·70 in. January, 3·32 in. February, 1·75 in. March, 0·85 in. April, 0·40 in. May, 4·37 in. June, 2·45 in. July, 2·27 in. August, 3·97 in. September, 0·16 in. October, 5·90 in. November, 2·39 in. December, 0·87 in. (*Glaisher*).

At Hull, 23·80 in. on 170 days (*Smith*).

Very wet but mild autumn till January 10, 1866 (*Cox*).

The summer of 1865 (reckoning from April till September) was the warmest ever known. In this year we had the hottest April and the hottest September on record (*Glaisher*).

Rainfall at Leamington, 26·484 in. January, 2·734 in. February, 2·573 in. March, 1·001 in. April, 0·730 in. May, 1·169 in. June, 2·087 in. July, 3·577 in. August, 4·107 in. September, 0·187 in. October, 4·857 in. November, 2·481 in. December, 0·981 (*Jones*).

Three wet months, January, August, and October; and two very dry ones, April and September. Also in June no rain fell from 4th to 28th inclusive, but ·925 in. on 2nd, and 1·164 in. (the heaviest fall of the year) on 30th (*Cator*).

In many places not a drop of rain fell from August 29 to October 8. Extremely dry weather in April, June, and September (*Brumham*).

December 31. Great gale.

October 19. Remarkable aurora borealis.

October extremely wet (*Brumham*).

Rainfall at Marlborough, 33·69 in. on 166 days.

January, 3·80 in. February, 2·27 in. March, 1·16 in.

April, 0·97 in. May, 2·55 in. June, 2·79 in. July, 2·51

in. August, 3·90 in. September, 0·28 in. October, 7·25

in. November, 3·82 in. December, 2·39 in. (*Preston*).

1866 Wheat, 49s. 11d. per qr.; barley, 37s. 5d.; oats, 24s. 7d. (*Official Returns*).

Value of £100 tithe rent charge, £97 7s. 9½d. (*Official Returns*).

Seven years' average : Wheat, 47s. 8d.; barley, 33s. 6d.; oats, 22s. 4d. (*Official Returns*).

Wool, 19d. per lb. (*T. H. B.*).

Beef and mutton, 8d. per lb. (*T. H. B.*).

Off-going ewes made 52s. and 46s. (*T. H. B.*).

Stock 2-tooth wethers, 46s. 6d. (*T. H. B.*).

Off-going ewes made 50s. 6d. and 44s. (*John Phillips*).

Let cows at £11 per cow (*T. H. B.*).

Cull lambs at Berwick Hill Fair, 26s. and 20s. (*T. H. B.*).

Began mowing clover, June 9. Bad time for making the hay. Carried none till 22nd, and very little till 25th. Then a fine week, with the exception of some thunderstorms (*T. H. B.*).

Began harvest August 4; finished October 10 (*T. H. B.*).

Ewes at Devizes October Fair made 50s. to 60s.; lambs, 40s. to 48s. (*Newspaper*).

January was a very wet month, with little frost.—11th was one of the roughest days on record. Snow drifted tremendously, and quite blinded those exposed to it. Great loss of life on our coasts. Many sheep buried in the snow.—February. Wet, except last week, when beans were planted.—March. Wet and windy. Sowing

done 12th to 15th, then stopped till 26th. Good crop of barley.—April was stormy, and catching time for barley sowing till latter end, when it was fine and warm.—May. Cold easterly winds. Cut watermead for hay 21st; carried it 29th.—July. Stormy the first week, after which meadow hay made well. Swedes, good plant and grow fast.—August. Unsettled weather, but the wheat, oats, and some barley put together sound, but not thoroughly dry.—September was wet from beginning to end. Barley all black, but not sprouted. Began barley cutting August 20; finished October 10th.—October set in foggy the first week, then easterly winds, and the barley not harvested got thoroughly dry. Wheat sowing done well in this month and in November. Bright barleys scarce, and make from 48s. to 56s.—December. Wet in general. Wheat selling well, 60s. per qr., 24 score. Black barleys, 28s. to 34s.; oats, 26s. to 28s. Hill wheat, 6 sacks per acre. Cattle plague nearly disappeared (*T. H. B.*).

Under average wheat crop. July and August, $0^{\circ}1^{\circ}$ above average temperature (*Times*).

November 13–14. Remarkable shower of meteors (*T. H. B.*).

Rainfall at Greenwich, 30.72 in. January, 3.68 in. February, 4.03 in. March, 1.63 in. April, 2.44 in. May, 1.94 in. June, 3.64 in. July, 1.62 in. August, 2.42 in. September, 3.90 in. October, 2.09 in. November, 1.48 in. December, 1.85 in. (*Glaisher*).

Rainfall at Leamington, 27.548 in. January, 1.726 in. February, 1.365 in. March, 1.352 in. April, 1.573 in. May, 1.513 in. June, 1.946 in. July, 3.355 in. August, 3.678 in. September, 5.831 in. October, 1.870 in. November, 1.798 in. December, 1.540 in. (*Jones*).

Barometer, 28.606 in. on February 11th, when there was a great gale.—May 1. The Cleveland Hills and Yorkshire Wolds covered with snow.—June 27. Great thunderstorms.

Although often fine and hot in June and July, every month but one, from May to September, had a mean temperature below the average.

A wet year (*Brumham*).

Rainfall at Hull, 29·20 in. on 202 days (*Smith*).

Rainfall at Marlborough, 37·24 in. on 214 days.
January, 4·32 in. February, 3·79 in. March, 2·26.
April, 2·32 in. May, 1·87 in. June, 3·17 in. July,
1·55 in. August, 2·97 in. September, 6·97 in. October,
1·74 in. November, 3·04 in. December, 3·24 in.
(*Preston*).

1867 Wheat, 64s. 5d. per qr. ; barley, 39s. 11d. ; oats, 26s.
(*Official Returns*).

Value of £100 tithe rent charge, £98 13s. 3d. (*Official Returns*).

Seven years' average : Wheat, 48s. 6d. ; barley, 34s. ;
oats, 22s. 6d. (*Official Returns*).

Wool, 15d. per lb. (*T. H. B.*).

Beef and mutton, 7 $\frac{3}{4}$ d. (*T. H. B.*).

Off-going ewes made 44s. (*T. H. B.*).

Off-going ewes made 44s. 6d. and 39s. (*John Phillips*).

At Devizes October Fair, ewes, 35s. to 40s ; lambs,
25s. to 33s. 6d. (*Newspaper*).

Began mowing clover, June 7. All made well, and the
heaviest crop I have ever seen on our hills (*T. H. B.*).

Began harvest August 10 ; finished September 17
(*T. H. B.*).

January. Frosty, with snow, first week ; then open
weather, followed by another week of severe frost and
snow, after which open weather to end of the month.—
February. Wet first week ; then fine till nearly the end.
Drilled peas 20th. Oats, 21st to 25th. Colder weather
end of month, which continued all through March, which
was the roughest and coldest in memory of man.—12th.
It began to snow, and continued more or less for a week.
Roads impassable from drifted snow. Short crop of

lambs. Many chilled, also tegs.—April began with finer weather ; able to get on barley sowing the first week, but still rough and cold for the season.—May set in with beautiful weather, but after the first week cold easterly winds prevailed till the close of the month, when warm weather returned.—June was stormy the first week, then fine. Swedes and rape started off without a check.—July. A very growing month. Some meadow hay made badly.—August. A fair harvest month. Wheat crop varies considerably. Good quality on the hills, but scrawled with the wind. About 20 bushels to 24 bushels per acre. Barley an average ; oats, good ; beans, light crop.—September. Unsettled till middle, then fine time for the late harvest. Finished cutting barley, 6th.—October fine but cold, especially 4th, when white frost. Then rain enough to make the wheat sowing go well. Sold 2-tooth weathers at Yarnbury Castle, at 38s. 6d. ; then sheep went back 10s. per head.—November was remarkably fine, with slight white frosts and beautiful days. Fallows dry enough to roll. Wheat, 80s. per qr. ; barley, 50s. at one time.—December began with sharp frosts and snow. Wheat comes up very slowly. Milder after 10th. End of month cold, and but little rain (*T. H. B.*).

Rainfall at Greenwich, 28·46 in. January, 2·79 in. February, 1·22 in. March, 2·28 in. April, 2·16 in. May, 2·34 in. June, 1·77 in. July, 5·81 in. August, 2·64 in. September, 2·92 in. October, 2·14 in. November, 0·42 in. December, 1·97 in. (*Glaisher*).

Rainfall at Wilton, 31·6 in. ; at Bath, 30·3 in. ; at Marlborough, 32·9 in. (*Glaisher*).

Wheat crop inferior to 1865 or 1866, both of which years were below an average. Barley an average, but much of it of poor quality. Oats better than the last two years (*Clarke*).

Average heat. Rain more than average (*Times*).

Thin plant.

January 2. A deep snow; thermometer at night, $3\frac{1}{2}^{\circ}$.

May 6. Thermometer, 83° at noon; in the shade at night, May 16, 32° ; 21st, $29\frac{1}{2}^{\circ}$; 22nd, 28° . Snow 22nd and 23rd May in large flakes; thermometer, 26° on October 4th, and hard frost.—December 9th, $13\frac{1}{2}^{\circ}$. Winter early (*Cox*).

From 8th June to 1st July only 0·08 in. of rain fell.—July 26. The most remarkable rainfall ever recorded in the south-east of England. Rain commenced falling at midnight on 25th, and fell incessantly for ten hours, giving an amount of 3·18 in. in that time, and the fall for the day was afterwards 0·49 in., thus giving for the day's rainfall, 3·67 in., a greater fall than has ever been recorded in twenty-four hours at the Royal Observatory (*Met. Soc. Journal*).

February 6. A severe hurricane.

Rainfall at Hull, 24·10 in. on 184 days (*H. Smith*).

July 26. Excessive rainfall (*Symons' Met. Mag.*).

Rainfall at Marlborough, 32·45 in. on 189 days. January, 4·02 in. February, 2·48 in. March, 3·77 in. April, 2·79 in. May, 2·39 in. June, 1·66 in. July, 3·99 in. August, 2·53 in. September, 2·28 in. October, 3·48 in. November, 1·48 in. December, 1·58 in. (*Preston*).

1868 Wheat, 63s. 9d. per qr.; barley, 43s.; oats, 28s. 1d. (*Official Returns*).

Value of £100 tithe rent charge, £100 13s. 8d. (*Official Returns*).

Seven years' average: Wheat, 50s. 2d.; barley, 34s. 6d.; oats, 22s. 10d. (*Official Returns*).

Wool, 16d. per lb. (*T. H. B.*).

Beef and mutton, $7\frac{1}{4}$ d. (*T. H. B.*).

Off-going ewes made 26s. and 22s. at Wilton Fair (*T. H. B.*).

Off-going ewes made 26s. (*J. Phillips*).

Began mowing clover May 29th, and June being dry

throughout hay was made well. Finished haymaking 30th (*T. H. B.*).

Began harvest July 16th; finished August 24th (*T. H. B.*).

January. Frosty to 11th; then a thaw and rough wind and rain, with occasionally a fine day till end.—February. A remarkably fine month. Quantity of spring corn sown.—29th. Rough wet weather set in and continued till March 24th, after which fine cloudless days and slight frosts. Vegetation very forward.—April began with a splendid day. Fine till 20th, then stormy, and at times quite cold. Rough time for ewes and lambs. Before the rain the ground was baked so hard, where trod in the wet in March, that it is difficult to plough.—May fine till 19th, when a downfall of rain which set the barley growing. Unsettled till 23rd, which was a rough and wet day, then fine and hot. Thundershowers 29th. Clovers not heavy; pastures light; early swedes and mangolds pretty good, but nothing after.—July very hot; no rain except a few partial thundershowers. Land quite parched. Keep very short. Everything dried up. Ponds all empty.—August began with dry weather. Finished wheat harvest 1st. A little rain 5th. Not so hot after.—11th. More rain, after which the weather was unsettled and the face of the country completely changed. No more outcry for rain. Potatoes started a second growth, and the first crop was in many cases glassy and unfit for use. Barley not carried when the rain came sprouted very quickly. Very little corn in the fields August 12th.—September was a repetition of July weather the first week. Thermometer, 92° in the shade on 7th; then cooler, but no rain till 18th, after which some rain fell.—October 3rd and 7th heavy rain. 19th and 22nd sharp frosts. End of month milder, but fine bracing winds. Shock of an earthquake 30th, at 10.20 p.m. Sold stock 2-tooth wethers at Warminster Fair, at 30s. and

27s.—November commenced with sharp frosts, so severe that fears were entertained for the mangolds. A fine month for wheat sowing and eating the rape, which did not come up till after the rain in August. Sold barley at 46s. 6d. and 44s. 6d. per qr.—December was a wet month. Rainfall, $5\frac{3}{4}$ in. Thunder 24th. Still there were some very fine days between, generally followed by rough and stormy ones. Sold wheat 27s. per sack (*T. H. B.*).

Good crops of corn. Very hot and dry summer (*T. H. B.*).

Much over an average crop of wheat (*Times*).

At Devizes October Fair top price for ewes, 34s. 6d. ; lambs, 24s. 6d. (*Newspaper*).

July and August, $4\cdot1^{\circ}$ above average temperature (*Times*).

July 16. Therm., 94° , and again 21st (*Whistlecraft*).

The temperature attained the extraordinary height of $100\frac{1}{2}^{\circ}$, in perfect shade, on July 22nd (*Fielding*).

Very great drought all the summer to September 18th (*Brunham*).

Rainfall at Greenwich, 25·15 in. January, 4·19 in. February, 1·28 in. March, 1·07 in. April, 2·08 in. May, 1·67 in. June, 0·47 in. July, 1·06 in. August, 2·61 in. September, 1·52 in. October, 2·59 in. November, 1·16 in. December, 5·45 in. (*Glaisher*).

At Hull, 26·54 in. on 163 days. Rainfall at Wilton, 38·4 in. ; at Bath, 30·5 in. ; at Marlborough, 35·4 in. (*Glaisher*).

November 6. An unusually brilliant meteor was observed at about 6.50 p.m., all through the South of England.

January 4. Earthquake in Somerset.—February 1st. Violent gale (*Met. Mag.*).

Harvests of all kinds finished at Trevereux, July 27th (*Cox*).

The month of June was one of marvellous temperature, excessive heat, and excessive drought.—July the heat and drought still persisted with relentless severity. Rain only fell on six days.—August, $3\frac{1}{2}$ in. of rain fell. The heavy thunderstorms of 11th and 12th were fearfully violent. Temperature still high.—September. No rain the first eighteen days. A sudden burst of heat came in the first week, which in temperature was unequalled in the whole summer. Wind very light, principally easterly (*Fielding*).

December 3. Began a period of gales which lasted thirty-three days, being a continual succession of great gales, and unusually mild and rainy weather (*Cator*).

A somewhat cold autumn followed this remarkably hot summer, and was in turn followed by a very stormy winter of exceptionally mild and damp nature (*Met. Soc. Journal*).

Rainfall at Marlborough, 34·89 in. on 155 days. January, 5·34 in. February, 2·21 in. March, 1·84 in. April, 2·61 in. May, 1·52 in. June, 0·46 in. July, 0·98 in. August, 4·78 in. September, 5·05 in. October, 2·74 in. November, 1·65 in. December, 5·71 in. (*Preston*).

1869 Wheat, 48s. 2d. per qr.; barley, 39s. 5d.; oats, 26s. (*Official Returns*).

Value of £100 tithe rent charge, £103 5s. 8¼d. (*Official Returns*).

Seven years' average: Wheat, 51s. 6d.; barley, 35s. 6d.; oats, 23s. 4d. (*Official Returns*).

Wool, 13½d. per lb. (*T. H. B.*).

Beef and mutton, 6½d. per lb. (*T. H. B.*).

Off-going ewes made 35s. and 26s. (*T. H. B.*).

Off-going ewes made 35s. (*John Phillips*).

At Devizes October Fair, ewes, 28s. to 46s.; lambs, 26s. to 33s. (*Newspaper*).

Began mowing clover June 2nd. A good deal of hay

made well before 12th ; then rain and close weather till 23rd. End of month fine. Began harvest August 5th ; finished August 31st (*T. H. B.*).

Wheat, $29\frac{1}{4}$ bushels per acre ; barley, 32 bushels (*T. H. B.*).

January. Very mild. Frosts 22nd to 25th. Rough storms end of month.—February. Mild, but some quantity of rain.—March set in wet, but began oat sowing 5th and finished 10th. Began barley sowing 12th. Fine month ; cold easterly wind at times.—April was quite a summer month. Turned dairy to grass 23rd.—May was cold and wet, and the latter end rain from the east, and colder than it has been this year before. Pastures full of grass. Field grass light. Wheat backward.—July was fine and hot ; extraordinary crop of meadow hay made well. Some showers the last week, which the turnips wanted.—August 3. A regular soaking rain. Made a wheat-rick 12th.—13th. Wet day.—16th. Went on wheat carrying, and no more rain till harvest was all in. Very hot the last week, thermometer, 131° .—29th. A change to cold north-east wind, which continued till end of month. Turnips want rain.—September fine till 10th, then hasty storms and unsettled till October 3rd, when it was fine till 15th, and sometimes quite hot. Then unsettled to 19th and 20th ; hard frost, then cold to end of month.—28th. Snow an inch thick.—November was a fine month, with some rain and slight frosts. Wheat went in well.—December was cold. Heavy rain and severe frost alternately (*T. H. B.*).

Under average. Inferior plant of wheat. Heat neutralised by excessive cloud. The crops storm-broken and mildewed (*Times*).

Sold lambs at 24s. Let cows at £11 per cow. Turnips good (*T. H. B.*).

July and August, 0.4° below average temperature (*Times*)

October 27. Great snow (*Whistlecraft*).

Rainfall at Greenwich, 24'02 in. January, 2'92 in. February, 2'34 in. March, 1'41 in. April, 1'01 in. May, 3'43 in. June, 1'15 in. July, 0'55 in. August, 1'21 in. September, 3'08 in. October, 1'77 in. November, 2'38 in. December, 2'77 in. (*Glaisher*).

Rainfall at Bridport, 29'97 in. January, 4'59 in. February, 3'07 in. March, 2'25 in. April, 1'11 in. May, 4'74 in. June, 1'14 in. July, 0'41 in. August, 0'25 in. September, 3'92 in. October, 2'03 in. November, 2'09 in. December, 4'37 in.

At Cirencester, 35'81 in.; at Hull, 28'29 in. on 189 days.

January. Great floods and gales.—February 12. Remarkable storm.—March 27. Violent snowstorm, with thunder.—April 7. A pillar of fire of the size and shape of an ordinary gatepost seen in Cumberland. It passed from east to west, caused a great heat, and exploded in the air.—14th. A destructive thunderstorm in the northern counties.—May 29. Fall of meteoric stones at Birmingham, with a thunderstorm.—June opened with severe hoar frost, followed by an immediate rise in temperature. On 16th, the hills in Westmoreland and Yorkshire moors covered with snow, which on 18th was seven in. deep. June was dull and cold.—September 10. Great thunderstorms, and 29th, much damage done in North Wilts by thunderstorm.—October 11. Meteor seen at Calne.—November 6. A splendid meteor observed in Cornwall (*Symons' Met. Mag.*).

Rainfall at Marlborough, 30'91 in. on 181 days. January, 3'77 in. February, 2'52 in. March, 1'53 in. April, 1'54 in. May, 4'03 in. June, 1'23 in. July, 0'75 in. August, 1'55 in. September, 5'72 in. October, 2'01 in. November, 2'57 in. December, 3'69 in. (*Preston*).

1870 Wheat, 46s. 11d. per qr.; barley, 34s. 7d.; oats, 22s. 10d. (*Official Returns*).

Value of £100 tithe rent charge, £104 1s. 0½d. (*Official Returns*).

Seven years' average : Wheat, 50s. 4d. ; barley, 36s. 2d. ; oats, 23s. 10d. (*Official Returns*).

Wool, 13d. per lb (*T. H. B.*).

Beef and mutton 8d. per lb. (*T. H. B.*).

Off-going ewes made 30s. and 25s. 6d. ; lambs, without cake, 21s. (*T. H. B.*).

Off-going ewes made 35s. (*John Phillips*).

At Devizes October Fair, ewes, 25s. to 37s. ; lambs, 20s. to 24s. (*Newspaper*).

Began mowing clover June 6. Finished haymaking 21st, except the meadows. No rain since we began, but the tail end of thunderstorm on 16th, when large hails fell at Mere, none at Mere Down. The storm very severe through the Vale of Blackmore, doing considerable damage to glass, etc. Some of the hailstones were as large as hens' eggs (*T. H. B.*).

Began harvest July 27 ; finished August 23 (*T. H. B.*).

January. Open weather till 21st, then frost to end of month.—February. Began with open weather, and some rain.—3rd. A beautiful, warm, sunny day.—9th. Severe frost, after a heavy rainfall, sharper than anything since 1860, accompanied by a rough, piercing easterly wind till 15th ; then a thaw, but not able to plough till 24th ; then mild to end of month.—March 1. Wet afternoon and night, then fine, but cold till 15th, when a little rain, after which cold and dry. Began oat sowing 8th, finished 15th. Began barley sowing 22nd.—April was very cold, keep short, ponds all empty by 20th. Finished barley sowing 21st. No rain since we began.—May was dry. Beginning of month cold, keep scarce, gave sheep hay till 9th.—11th. A thorough wet day, very cold, then unsettled for a week, after which it was dry and hot.—June. Began with gentle, warm rain, and ended with dry weather. The Downs, etc., quite parched. Pastures

where mown do not produce more than from 5 cwt. to 10 cwt. per acre, and many people do not mow at all.—July. Began with dry weather, but cooler, and the country suffered more from drought than in 1868, especially the pastures, they having had no soaking this year. Partial thunderstorms. Turnips and swedes good on Mere Down. Rape, capital plant, but in many places roots are a total failure. Rain 31st. Wheat on the hills very thin from the severe winter. In the valleys best crop since 1863. Barley good, both in quantity and quality. Oats fairly good. Beans short, but well podded.—August was a fine harvest month. The first four days close and wet. Wheat just beginning to sprout when weather broke up and we had no further hindrance till harvest was all in. The last week was stormy.—September. Set in with a week of showery weather, but not enough rain for the pastures. Cut clover seed 12th, hauled it 17th. Springs are very low. Well nearly dry 20th. Water quite muddy. Fine, clear, warm days, and cold nights.—October. Dry the first week, then rain enough to make wheat sowing go well. River dry at Monkton Deverill.—November. A fine seasonable month. Wheat sowing done well.—December. Cold and frosty.—20th. Snow to the end (*T. H. B.*).

Over an average crop of wheat. Very fine, sunny season, fine blooming time and hot harvest (*Times*).

1870–71. Severe winter (*Brumham*).

July and August, 0.7° above average temperature (*Times*).

Severe December. Thermometer down to 3° on the 25th, and 5° on 31st (*Whistlecraft*).

Aurora borealis in February, September, and October, very brilliant also December 17.

Rainfall at Cambridge, 14.251 in., being 6.4 in. below the average. It fell on 130 days (*Adams*).

Coldest November and December on record. Mean

temperature at Greenwich, $33^{\circ}6'$, being $6^{\circ}1'$ below the average of fifty years (*Symons' Magazine*).

Rainfall at Bridport, 20.32 in. Jan., 1.74 in. Feb., 2.23 in. Mar., 1.93 in. April, 0.53 in. May, 1.44 in. June, 0.76 in. July, 0.66 in. Aug., 0.82 in. Sept., 0.99 in. Oct., 3.52 in. Nov., 1.86 in. Dec., 3.84 in.

At Cirencester, 24.01 in. Jan., 2.45 in. Feb., 1.80 in. Mar., 1.76 in. April, 0.68 in. May, 1.80 in. June, 0.75 in. July, 1.81 in. Aug., 2.74 in. Sept., 1.22 in. Oct. 4.54 in. Nov., 2.26 in. Dec., 2.20 in.

Aurora borealis Feb. 11, April 5, Sept. 24, Oct. 24 and 25. Remarkable thunderstorm and hail which did great damage in Dorsetshire and parts of Somerset and Wilts on 16th June (*T. H. B.*).

Thunderstorms, April 9, in Yorkshire, and in divers places June 16 and 17, July 9, and in South of England November 22 (*T. H. B.*).

Oct 19. Terrific squall swept over the West and South of England.—November 19. Remarkable meteor, which discharged with a dreadful noise in Scotland (*Symons' Magazine*).

Rainfall at Hull, 25.81 in. on 172 days (*H. Smith*).

At Marlborough, 23.54 in. on 128 days. Jan., 1.89 in. Feb., 2.44 in. Mar., 2.10 in. April, 0.55 in. May, 2.14 in. June, 0.36 in. July, 1.75 in. Aug., 1.91 in. Sept., 1.29 in. Oct., 4.56 in. Nov., 2.04 in. Dec., 2.51 in. (*Preston*).

1871 Wheat, 56s. 8d. per qr. ; barley, 36s. 2d. ; oats, 25s. 2d. (*Official Returns*).

Value of £100 tithe rent charge, £104 15s. 1d. (*Official Returns*).

Seven years' average : Wheat, 50s. 8d. ; barley, 36s. 2d. ; oats, 24s. 2d. (*Official Returns*).

Wool, $17\frac{1}{2}$ d. per lb. (*T. H. B.*).

Beef and mutton, $8\frac{1}{2}$ d. per lb.

Off-going ewes made 45s. and 43s. ; lambs, 45s. and 36s. (*T. H. B.*).

Off-going ewes made 50s. (*John Phillips*).

At Devizes October Fair, ewes, 48s. to 54s.; lambs, 30s. to 46s. (*News*).

Began mowing clover June 2. Light cut. Fine weather to 13th, then unsettled, and quantity of hay made badly (*T. H. B.*).

Began harvest Aug. 12; finished Sept. 12 (*T. H. B.*).

January. Frost and snow to 14th, then open to 26th, when ploughing was stopped again.—February. A fine month. Began sowing spring corn 24th.—March was very fine. Nearly all the barley sown. Early part mild, latter part cold.—April. Dry and cold to 11th, then mild showers. Began cutting water meadow for cows 12th. Turned dairy to grass same day. After this heavy fall of rain.—May was dry, with cold nights and very little growing.—June. Carried early hay well before 13th. Heavy rain after.—July was unsettled and cold. Quantity of bad hay made.—15th was fine, followed by a hot week, then unsettled again.—August was a fine harvest month. All the corn ripe together. Finished wheat hauling 28th. Sold old ewes at Britford Fair at 43s., very poor.—September. A fine month for late harvest, which was cleared up by the middle.—October was very dry, and November cold, with east winds.—December. Frosty till 14th, then open weather to the end (*T. H. B.*).

Wheat an average crop. Some of the barley very bad quality on our hills, about 40 lbs. per bushel (*T. H. B.*).

Under average crop of wheat. Cold and wet July. Crop heavily laid by storms and mildewed. The August heat was too late (*Times*).

End of year sold wheat 12 sc. 12 lb. at 28s. 6d.; malting barley, 36s. 6d. (*T. H. B.*).

Trade is very dull. Sold in-calf heifers at £14 each. Mutton is 10d. per lb.; beef, from 13s. to 15s., and fat pigs, 9s. per score (*T. H. B.*).

Let dairy cows at £11 per cow (*T. H. B.*).

July and August, $1\cdot2^{\circ}$ above average temperature (*Times*).

December 8. Severe frost (*Whistlecraft*).

February 8. Lunar rainbow at Burnham (*Symons' Magazine*).

Rainfall at Bramar, 30·36 in. on 175 days ; at Buxton, 47·12 in. on 240 days ; at Worthing, 23·68 in. on 143 days (*Bates*).

Rainfall at Bridport, 30·84 in. Jan., 2·99 in. Feb., 2·26 in. March, 1·77 in. April, 4·96 in. May, 0·99 in. June, 2·04 in. July, 3·96 in. Aug., 0·80 in. Sept., 4·50 in. Oct., 2·75 in. Nov., 1·29 in. Dec., 2·53 in.

At Cirencester, 32·40 in. Jan., 1·86 in. Feb., 1·72 in. March, 1·65 in. April, 3·65 in. May, 1·70 in. June, 3·00 in. July, 4·31 in. Aug., 2·78 in. Sept., 6·70 in. Oct., 2·30 in. Nov., 0·40 in. Dec., 2·33 in. (*Symon*).

At Hull, 25·69 in. on 170 days (*H. Smith*).

March 17. Earthquake north of the Mersey (*Symons' Magazine*).

April 9. Aurora borealis (*Symons' Magazine*).

Last eight days in September very wet (*Symons' Magazine*).

November 9 and 11. Aurora borealis (*Symons' Magazine*).

Rainfall at Marlborough, 30·00 in. on 163 days. Jan., 2·93 in. Feb., 1·51 in. March, 1·63 in. April, 3·85 in. May, 1·00 in. June, 2·99 in. July, 3·63 in. Aug., 1·18 in. Sept., 6·22 in. Oct., 1·88 in. Nov., 0·69 in. Dec., 2·49 in. (*Preston*).

1872 Wheat, 57s. per qr. ; barley, 37s. 3d. ; oats, 23s. 2d. (*Official Returns*).

Value of £100 tithe rent charge, £108 4s. 0 $\frac{1}{4}$ d. (*Official Returns*).

Seven years' average : Wheat, 53s. ; barley, 37s. 2d. ; oats, 24s. 10d. (*Official Returns*).

Wool, $21\frac{1}{2}d.$ per lb. (*T. H. B.*).

Beef and mutton, $8\frac{3}{4}d.$ (*T. H. B.*).

Off-going ewes made 58s. 6d. and 53s. ; lambs, 42s. and 27s. 9d. (*T. H. B.*).

Off-going ewes made 60s. and 50s. (*John Phillips*).

At Devizes October Fair, ewes, top price, 60s. ; lambs, 45s. to 50s. (*Newspaper*).

Began mowing clover May 31st. A good crop of hay, none of it made badly (*T. H. B.*).

Began harvest Aug. 8 ; finished Sept. 13 (*T. H. B.*).

January and February were wet and mild.—March was fine till 20th, then very wet.—April, fine till 20th, then very wet. Great deal of barley not sown till May, which was by no means a genial month. Much cold weather and rain.—June, wet the first fortnight, then some fine haymaking weather. Much thunder in July.—August, a fine harvest month. Cut and carried all the wheat in little more than a week. Everything put together in good condition. Wheat under an average crop. Wet autumn. Wheat sowing done well early part of the season, afterwards it was with difficulty got in at all. In north of England and Scotland much of the corn was never harvested.—September was showery, but late harvest completed tolerably well.—October, good wheat-sowing weather till 21st. End of month, wet.—November, tolerably fine till the middle ; a few frosts ; then very wet.—December, a wet month ; great deal of wheat not sown at end of the year ; in wet districts scarcely any put in. Great floods this autumn, the wettest since 1852. In south of England this year good crops, and fine weather to secure them (*T. H. B.*).

Much under an average crop of wheat. A defective plant ; crop severely injured by storms in July.—August, cold and cloudy (*Times*).

Height of flood in the Thames at Clifton Hampden, 5 ft. 11 in. (*J. C. C., in Ag. Gaz.*).

April 21. Ground covered with snow two or three in., followed by a rough strong week ; then fine (*T. H. B.*).

July and August, $1\cdot3^{\circ}$ above average temperature (*Times*).

August 2. Severe thunder (*Whistlecraft*).

Severe gale, with thunder and lightning, January 4th. —4th of March, aurora borealis. Great thunderstorms the last week in April, first week in May, 17th, 18th, and 19th June, and 25th and 26th July. Wettest and coldest May for many years. Ice on 12th.

Rainfall at Bridport, 44·04 in. January, 5·92 in. February, 2·53 in. March, 3·00 in. April, 2·18 in. May, 1·88 in. June, 4·12 in. July, 3·93 in. August, 1·16 in. September, 1·76 in. October, 6·76 in. November, 5·76 in. December, 5·04 in.

At Cirencester, 40·79 in. January, 5·04 in. February, 2·87 in. March, 2·54 in. April, 2·37 in. May, 2·09 in. June, 3·45 in. July, 4·65 in. August, 2·27 in. September, 3·05 in. October, 3·65 in. November, 4·82 in. December, 4·04 in.

December 8. Great gale, doing considerable damage (*Symons' Mag.*).

February 4. Aurora.

January 24. Barometer, 28·332 (*Symons*).

At Upwey, 28·135; at Clifton, 28·18; at Evesham, 28·179.

Wettest spring for many years, rainfall of first five months near Maidstone, 13·85 in., except 1869, when rainfall was 14·21 in. (*Robson*).

Rainfall at Hull, 36·51 in. on 221 days (*H. Smith*).

Rainfall at Marlborough, 42·09 in. on 220 days. January, 6·84 in. February, 2·64 in. March, 2·40 in. April, 2·01 in. May, 2·32 in. June, 3·41 in. July, 2·64 in. August, 2·33 in. September, 1·09 in. October, 5·66 in. November, 5·23 in. December, 5·52 in. (*Preston*).

1873 Wheat, 58s. 8d. per qr.; barley, 40s. 5d.; oats, 25s. 5d. (*Official Returns*).

Value of £100 tithe rent charge, £110 15s. 10½d. (*Official Returns*).

Seven years' average : Wheat, 55s. 2d.; barley, 38s. 2d.; oats, 25s. (*Official Returns*).

Wool, 19d. per lb. (*T. H. B.*).

Beef and mutton, 9½d. per lb. (*T. H. B.*).

Off-going ewes made 50s. and 33s.; lambs, 40s. and 22s. (*T. H. B.*).

Off-going ewes made 56s. (*John Phillips*).

Began mowing clover June 9th; finished haymaking July 19th. (*T. H. B.*).

At Devizes October Fair, ewes made 55s. to 60s.; lambs, 35s. to 44s. (*Newspaper*).

Began harvest August 9th; finished September 19th. (*T. H. B.*).

Let cows at £11 per cow (*T. H. B.*).

Much under an average crop of wheat. Bad seed time, defective and sickly plant. Cold June, suddenly changing to heat. Frosts at blooming time (*Times*).

January, wet and mild to 29th.—30th, deep snow.—February, winterly.—March, wet beginning, fine end.—April, cold and dry.—May, dry. Cold backward spring.—June, cold and dry.—July, fine growing weather.—August, showery time for the harvest. Not an average crop.—September, showery beginning; fine and warm at end of month.—October, fine, warm beginning; cold and frosts at end of month.—November and December, fine weather for wheat sowing. Fine autumn (*T. H. B.*).

July and August, 1·9° above average temperature (*Times*).

Rainfall at Bridport, 28·35 in. January, 3·88 in. February, 3·17 in. March, 3·04 in. April, 0·78 in. May, 0·88 in. June, 1·76 in. July, 1·61 in. August, 3·46 in. September, 1·66 in. October, 2·49 in. No-

vember, 4·28 in. December, 1·34 in. At Cirencester, 26·09 in. (*I. Met. Mag.*).

Great snowstorms in February. Thunderstorm June 29th, with great rain.—July 22. Thunderstorms. Coldest February since 1855.

Rainfall at Hull, 22·09 in. on 180 days (*H. Smith*).

Rainfall at Marlborough, 27·71 in. on 182 days. January, 4·13 in. February, 1·53 in. March, 2·62 in. April, 1·26 in. May, 1·89 in. June, 1·62 in. July, 2·15 in. August, 2·70 in. September, 2·96 in. October, 2·68 in. November, 3·29 in. December, 0·88 in. (*Preston*).

1874 Wheat, 55s. 9d. per qr.; barley, 44s. 11d.; oats, 28s. 10d. (*Official Returns*).

Value of £100 tithe rent charge, £112 7s. 3d. (*Official Returns*).

Seven years' average: Wheat, 56s.; barley, 38s. 8d.; oats, 25s. 2d. (*Official Returns*).

Wool, 18d. per lb. (*T. H. B.*).

Beef and mutton, 9d. per lb. (*T. H. B.*).

Off-going ewes made 41s. and 32s. 6d.; lambs, 32s.; culls, 22s. (*T. H. B.*).

At Devizes October Fair, top price for ewes, 43s.; lambs, 39s. (*Newspaper*).

Began mowing clover May 30th; finished haymaking June 16th.

Began harvest July 27th; finished August 31st (*T. H. B.*).

January and February were mild and spring-like. Little rainfall the whole winter.—March was dry and favourable for spring sowing.—April, showery till 12th, then fine, and the last week hot.—May, a cold, dry, ungenial month.—June set in dry. Finished haymaking 16th, except some watermeadow spring fed. Clover and sanfoin an average crop. Meadows very light. Sheep keep scarce. No turnips; rape or mangold up regular.

Fly very busy. Downs burnt up, having had no rain since April, and very little since February, 1873. Some heavy thunderstorms about midsummer, and showery till July 5th; then hot and dry till 21st, when we had showers, with thunder, till 28th. Good crop of wheat and fine harvest, but some showers.—August set in fine; then showery till middle; last fortnight fine. Finished barley hauling 28th, except some rakings. In late districts there was some quantity of barley still out, which got stained, and was harvested badly. After Wilton Fair fine till end of month.—October was wet and stormy, but favourable for wheat sowing.—November, rather cold, by no means dry, yet wheat went in well.—December, very winterly; first half sometimes frost, sometimes gales, doing considerable damage. Heavy rains. On 16th winter set in, with snow and frost, which continued to the end of the year. Roads so slippery by snow melting and freezing again that travelling is very dangerous (*T. H. B.*).

Barley, good quality; not heavy crop. Oats, worst in memory of man. Peas, poor crop. Hay crop light in general. Roots, bad. Store stock, gone down in price. Fat stock, very dear at Christmas. Beef, up to 18s., or even more per score. Mutton, 9d. to 10d. per lb. In December, wheat, 12 sc. 18 lb., worth 23s.; malting barley, 42s. to 50s. per qr.; oats, 30s. per qr. Winter beans, a good crop. Spring beans, bad. All feeding stuffs dear. Horses also very dear. Cart colts from 50 guineas to 70 guineas. Suckers from 20 guineas to 30 guineas (*T. H. B.*).

Best 100 lambs at Yarnbury Castle, 35s.; second 100, 29s.; culls, 27s., all cake fed (*T. H. B.*).

Over an average crop of wheat (*Times*).

Let cows at £11 per cow (*T. H. B.*).

July and August, 1·3° above average temperature (*Times*).

Severe December, therm., 6° on 30th (*Whistlecraft*).

Rainfall at Selborne, 33'02 in. January, 2'36 in. February, 3'43 in. March, 0'77 in. April, 2'93 in. May, 0'42 in. June, 2'63 in. July, 1'03 in. August, 3'07 in. September, 2'76 in. October, 6'28 in. November, 4'02 in. December, 3'32 in.

Rainfall at Hull, 20'19 in. on 176 days (*Smith*).

At Marlborough, 30'15 in. on 175 days. January, 3'17 in. February, 2'67 in. March, 0'97 in. April, 1'78 in. May, 0'68 in. June, 1'25 in. July, 1'47 in. August, 2'57 in. September, 4'65 in. October, 4'64 in. November, 3'52 in. December, 2'78 in. (*Preston*).

1875 Wheat, 45s. 2d.; barley, 38s. 5d.; oats, 28s. 8d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £112 15s. 6 $\frac{3}{4}$ d. (*Official Returns*).

Seven years' average: Wheat, 55s. 2d.; barley, 39s. 4d.; oats, 25s. 6d. (*Official Returns*).

Wool, 18 $\frac{1}{2}$ d. per lb. (*T. H. B.*).

Beef and mutton, 9 $\frac{1}{2}$ d. per lb. (*T. H. B.*).

Off-going ewes made 53s. and 45s.; lambs, 38s. (*T. H. B.*).

At Devizes October Fair, top price for ewes, 52s.; lambs, 48s. (*Newspaper*).

Good plant of wheat which promised well, but ungenial weather in June and July caused a very bad yield. Began mowing clover June 1; finished haymaking July 28. Great quantity of hay put together in a bad state; very little made well. Worst lot of hay I ever recollect. Cold and wet season. Began harvest August 16; finished September 14. Favourable time for harvest. Barley much laid with the wet and storms; never remember it so bad. Wheat bright in the straw, but small crop. Wet autumn. The wheat sowing went very heavy except the earliest sown (*T. H. B.*).

Much under an average crop of wheat. Cold July, with double the usual rainfall, but August warm (*Times*).

July 15. Was one of the roughest and wettest summer days in my remembrance. Scores of rooks dead from the weather (*T. H. B.*).

Height of flood in the Thames at Clifton Hampden on July 25, 3 ft. 6 in.; on October 12, 4 ft. 9 in.; October 23, 6 ft. 8 in.; on November 15, 8 ft. 1 in. (*J. C. C., in Ag. Gazette*).

July and August, 0.3° below average temperature (*Times*).

Rainfall at Hull, 28.87 in. on 178 days (*Smith*).

Rainfall at Marlborough, 39.70 in. on 180 days. January, 4.53 in. February, 2.13 in. March, 1.33 in. April, 1.64 in. May, 2.51 in. June, 2.78 in. July, 5.60 in. August, 2.12 in. September, 3.78 in. October, 7.64 in. November, 4.33 in. December, 1.31 in. (*Preston*).

Great floods in July from 13th to 21st.

Rainfall at Ryehill, Warminster, 40.15 in. on 182 days (*S. Jefferys*).

1876 Wheat, 46s. 2d.; barley, 35s. 2d.; oats, 26s. 3d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £110 14s. 11d. (*Official Returns*).

Seven years' average: Wheat, 52s. 6d.; barley, 38s. 8d.; oats, 25s. 8d. (*Official Returns*).

Wool, 15 $\frac{3}{4}$ d. per lb. (*T. H. B.*).

Beef and mutton, 9 $\frac{1}{4}$ d. per lb. (*T. H. B.*).

Off-going ewes made 48s. 6d. and 43s.; lambs, 40s. (*T. H. B.*).

At Devizes October Fair, ewes, 40s. to 56s.; lambs, 20s. to 35s. (*Newspaper*).

Let cows at £12 per cow (*T. H. B.*).

Began mowing clover June 7; finished haymaking July 11. Began harvest August 10; finished September 11 (*T. H. B.*).

January was mild and frosty alternately. Corn trade bad. Wheat, 60 lb. per bushel, worth 40s. per qr.;

medium barley, 30s.; oats, 23s. per qr. To middle of February, slight frosts, then continual rain till middle of March. This was a rough wet month, and but little sowing done. Ewes and lambs do very bad owing to the inclement weather, and the hay having been made so bad in 1875, sheep were very poor and weak this spring, many lambs died; in some flocks not more than 50 per cent. reared.—April set in hot and summerlike till 10th, then cold rain, and 11th to 14th cold snowstorms, ground covered every day, but gone before night. Sharp frost 14th. Half of the barley not sown by the middle of month. Finished barley sowing, May 9. Very dry May till 24th.—June was a fine haymaking month, but some showers.—July very hot. Good crop of corn and fine harvest. Fine autumn (*T. H. B.*).

Under average crop of wheat in quantity, but quality fine. The crop defective owing to an unprecedentedly bad seed time, and excessive wet and cold in spring and early summer. Ears imperfectly filled from late frosts (*Times*).

Very cold spring. Hot and dry summer. Swedes, fair crop. Turnips, bad (*T. H. B.*).

July and August, 3·6° above average temperature (*Times*).

August 14. Thermometer, 90° (*Whistlecraft*).

Excessive rainfall in December. The year ended with terrific gales and heavy rain. A rough wet month (*T. H. B.*).

March 12. Heavy snowstorm in eastern counties, and again April 13. A meteorite, weighing about 8 lbs., fell in Shropshire; it penetrated the ground to a depth of 18 in., and exploded with a loud noise (*Symons' Met. Mag.*).

Rainfall at Bridport, 40·85 in. January, 1·38 in. February, 3·49 in. March, 3·10 in. April, 2·59 in. May, 0·29 in. June, 2·81 in. July, 0·82 in. August, 2·99 in. September, 5·65 in. October, 2·27 in. November, 5·94 in. December, 9·52 in. (*Symons' Met. Mag.*).

Rainfall at Hull, 30·77 in. on 191 days (*Smith*).

Destructive tornado at Cowes on September 29.

December 4. Barometer, 28·28 at Devonport (*Newnham*).

July 16. Thermometer, 95·2° at Hereford (*Isbell*).

Thunderstorms, July 16, 24, and again in August.—
August 14. Thermometer, 95·1.

Rainfall at Marlborough, 41·91 in. January, 2·51 in. February, 3·11 in. March, 4·20 in. April, 3·41 in. May, 0·98 in. June, 1·98 in. July, 0·88 in. August, 4·75 in. September, 6·88 in. October, 1·67 in. November, 4·34 in. December, 7·20 in. It fell on 182 days (*Preston*).

Rainfall at Ryehill, Warminster, 40·56 in. on 197 days (*S. Jefferys*).

1877 Wheat, 56s. 9d. ; barley, 39s. 8d. ; oats, 25s. 11d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £109 16s. 11½d. (*Official Returns*).

Seven years' average: Wheat, 52s. 2d. ; barley, 38s. ; oats, 25s. 8d. (*Official Returns*).

Wool, 17½d. per lb. (*T. H. B.*).

Beef and mutton, 10d. per lb. (*T. H. B.*).

Off-going ewes made 58s. 6d. and 56s. ; lambs, 47s. 6d. each (*T. H. B.*).

Let cows at £12 per cow (*T. H. B.*).

Devizes Fair in October, top price for ewes, 59s. ; lambs, 48s. (*Newspaper*).

Began mowing clover, June 14 ; finished haymaking July 12. Began harvest August 10 ; finished September 20 (*T. H. B.*).

Cold and wet summer. Corn yields badly. Wet time for barley sowing. Stock and sheep sell at extraordinary high prices. Corn sells badly ; quality indifferent, barley particularly. Good breed of lambs (*T. H. B.*).

October 14. Great gale of wind, which damaged

houses, trees, and ricks. Many roofs blown away (*T. H. B.*).

Much under average crop of wheat. Storms and heavy rainfall in part of July and August (*Times*).

Height of flood in the Thames at Clifton Hampden, 7 ft. 7 in. (*J. C. C., in Ag. Gaz.*).

July and August, $1\cdot0^{\circ}$ below average temperature (*Times*).

January mild and wet ; great floods ; springs very high.—February, mild and windy.—March, winterly with frequent rain.—April, above average rainfall, low temperature.—May, cold and ungenial weather.—June, fine haymaking weather.—July, wet and cold.—August, cold. Wet harvest.—September, a tolerable harvest month, but some cold rains.—October, fine in general.—November, wet predominates.—December, a fine month (*T. H. B.*).

Severe thunderstorm April 4. Severe frosts May 2 to 7.

Rainfall at Bridport, 35·75 in. January, 6·49 in. February, 1·31 in. March, 1·84 in. April, 3·90 in. May, 2·10 in. June, ·81 in. July, 2·12 in. August, 3·20 in. September, 2·40 in. October, 2·19 in. November, 7·70 in. December, 1·69 in. (*Symons' Met. Mag.*).

June 11. Heavy thunderstorm at Hastings.

July 3. Great hailstorm in London.—14th. Unprecedented fall of rain, in many places 3 in. (*Symons' Met. Mag.*).

October 14. Terrific gale at night ; immense damage done to ricks, trees, houses, etc. The most severe in the memory of man (*T. H. B.*).

November 11. Another gale.

Thermometer highest on July 31, 84° ; lowest March 11, 21° . Number of frosts, 63.

Bar. highest December 19, 30·38 ; lowest, January 1, 28·50. Rainfall, 34·28 (*A. Rawson, Bromley, Kent*).

Rainfall at Hull, 29·33 in. on 222 days (*Smith*).

Rainfall at Marlborough, 41·74 in. January, 5·65 in. February, 1·61 in. March, 2·41 in. April, 3·67 in. May, 2·59 in. June, 1·12 in. July, 5·03 in. August, 4·81 in. September, 2·95 in. October, 2·49 in. November, 7·02 in. December, 2·39. It fell on 207 days (*Preston*).

Rainfall at Ryehill, Warminster, 47·16 in. on 209 days (*S. Jefferys*).

1878 Wheat, 46s. 5d.; barley, 40s. 2d.; oats, 24s. 4d. (*Official Returns*).

Value of £100 tithe rent charge, £112 7s. 5½d. (*Official Returns*).

Seven years' average: Wheat, 53s. 8d.; barley, 38s. 10d.; oats, 26s. 2d. (*Official Returns*).

Wool, 15½d. per lb.; beef and mutton, 9½d. per. lb. (*T. H. B.*).

Off-going ewes made 62s. and 54s.; lambs, 44s. (*T. H. B.*).

Let cows at £12 per cow (*T. H. B.*).

Sold cull lambs, 36s. 6d. and 28s. 6d. (*T. H. B.*).

January was a fine month. A few slight frosts, but no real winterly weather, and small rainfall.—February. Fine and mild. A few frosts in the beginning. Dry and mild after.—March. Dry and fine till 23rd, when some snow fell.—24th. Coldest day of the past winter, ground covered with snow. Plenty of March dust this year, and most of the barley sown.—29th was one of the roughest days on record; blinding snow all day, which drifted to a great depth in many places.—April was a seasonable month, and favourable for sowing, except the latter end.—May was wet, and field work much retarded.—June was wet till 17th, after which a heavy crop of good hay was made. Began mowing clover June 3; finished haymaking July 5.—July was hot, with plenty of moisture. Great deal of thunder, and much damage done by light-

ning.—August was showery. Great quantity of rain fell. Catching time for the harvest. Began harvest August 1 ; finished September 12. Corn on the hills the heaviest crop for some years, but the low and wet lands are wretched, also the cold sands. Corn harvested tolerably sound and well.—September, a fine month.—October began fine, but cold easterly winds set in about the middle of the month ; then a wet time for wheat sowing, and very little vegetation after. The earliest sown wheats not up before December, and very little out of the ground at the end of the year.—November, not an unusual quantity of rain, but low temperature.—December, cold and slight frosts to middle of month ; then winterly to Christmas, after which mild to end of the year (*T. H. B.*).

Warm, wet summer (*T. H. B.*).

Over average crop of wheat, but sudden heat in August following a cold and wet June and July caused imperfect setting in the ear (*Times*).

1878–79 Severe winter (*Brumham*).

From November to April inclusive, the lowest temperature for thirty years.

July and August, 1·2° above average temperature (*Times*).

Rainfall at Bridport, 32·95 in. January, 1·63 in. February, 2·30 in. March, 2·09 in. April, 3·53 in. May, 6·10 in. June, 1·29 in. July, 1·96 in. August, 3·55 in. September, 2·07 in. October, 3·43 in. November, 2·63 in. December, 2·37 in. (*Symons' Mag*).

January 28. Earthquake through the southern part of England.

March 24. Squall off the Hampshire coast, which capsized and sunk the *Eurydice*.

August very wet, 9·85 in. of rain registered near Hastings.

Waterspout off Southampton, August 4.

November 1. Ground covered with snow.

November 12. Deep snow in north of England.

Corn sells badly all through the season. Wheat about £1 for 12 sc. 4 lb.; barley, from 28s. to 36s. for medium qualities. Stock very dear. Large crops of hay made. Feeding stuffs cheap. Long winter follows, and nearly all consumed. Stock gone back in price by May-day, 1879 (*F. H. B.*).

Very cold and dry December. This severe and dry period went on to February 7, 1879, and the severity was much greater in most other parts of England than in the Eastern (*Whistlecraft*).

Rainfall at Ryehill, Warminster, 38·90 in. on 201 days (*S. Jefferys*).

1879 Wheat, 43s. 10d.; barley, 34s.; oats, 21s. 9d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £111 15s. 1½d. (*Official Returns*).

Seven years' average : Wheat, 53s. 2d.; barley, 39s. 4d.; oats, 26s. (*Official Returns*).

Wool, 1s. per lb.; beef and mutton, 9½d. (*T. H. B.*).

Off-going ewes made 43s. and 36s. at Wilton Fair, after which the price of sheep continually receded, and lambs at Warminster made 28s. and 20s. (*T. H. B.*).

January was winterly. Great deal of frost, but not particularly severe; intervals of open weather.—February. Heavy rainfall, snow, and frost towards the end.—March, a fine dry month; capital weather for sowing spring corn.—April, after the first week, was wet with cold, snowy, and ungenial weather; very little progress made with the sowing, and some quantity to be completed in May, which was a wet, cold month. Backward spring. Winter ran up into May. Snow in large flakes all day.—May 1. Stock bought for less money now than it cost last autumn. Fine week from 19th to 26th.—June was a miserably wet, ungenial month. Fieldfares about now. No sunny days

since last September, when not rainy nearly always overcast and gloomy. Began mowing clover 20th. Hauled no hay till July 11. Finished haymaking August 15.—July was wet and ungenial. A few favourable days for the hay, but very catching.—August was very unfavourable. Pastures on clay land are as wet as in the midst of winter. Grass all trodden away, and cattle sink in to their knees.—September was a tolerably fine month. Short days for harvest work, and many showery intervals. Great deal of corn put together in fair condition; but the quality of both wheat and barley is wretched in general. Hill wheats from 8 to 12 bushels per acre, weighing about 50 lbs. per bushel. Barley from $2\frac{1}{2}$ to 3 qrs. per acre, from 40 lbs. to 45 lbs. per bushel. Oats a fair crop.—October was a fine month. Finished wheat hauling 4th. This wheat was sown October 17, 1878. Ground full dry for wheat sowing.

Began harvest September 4th; finished October 18th. November was a fine month for wheat sowing, but temperature low. December set in frosty, and the ground was too hard to plough till after 25th, when it thawed, and rough storms to end of year. No wheat up at end of the year. Remarkably dry autumn. The most disastrous season this century. Greatest rot amongst sheep and beasts ever remembered, certainly nothing approaching it since 1829. Corn harvested tolerably sound, but much of it damp, and scarcely any in fine condition. Very little wheat cut first week in September, and the following winter Wiltshire hill wheats were sold at from 2s. to 3s. 6d. per bushel. No corn to sell worth naming, and nobody cares to buy English produce, the quality is so bad. Farmers ruined in every direction (*T. H. B.*).

Highest rainfall recorded for sixty-three years. 1816 was colder than 1879 in summer, but not so wet. Crops harvested worse in 1816.

Very much under average crop of wheat. Exception-

ally low mean temperature. Incessant rains, with unprecedented total fall. A disastrous harvest time (*Times*).

Very deficient rainfall after September. In October it amounted to 1·630 in. ; November, 0·663 in. ; December, 1·251 in. ; and in January, 1880, it only reached 0·695 in., or a total of 4·239 in. in the four months, being somewhat about eight inches less than the average (*W. F. Denning, Bristol*).

May 1st. Snow this even on the Down, 3½ in. thick, regular (*T. H. B.*).

May 10th. Ice as thick as a penny piece (*T. H. B.*).

Dec. 29. Great storm, which destroyed the Tay Bridge.

July and August, 2·8° below average temperature (*Times*).

Rainfall at Ryehill, Warminster, 39·63 in. on 213 days (*S. Jefferys*).

Rainfall at Glynde, Sussex. January, 3·51 in. February, 4·23 in. March, 0·96 in. April, 3·30 in. May, 2·28 in. June, 3·88 in. July, 3·64 in. August, 5·93 in. September, 4·20 in. October, 0·89 in. November, 1·24 in. December, 1·26 in. Total, 35·32 in. (*Brand*).

Rainfall at—

	SALISBURY.	CALNE.	BRIDPORT.	BRISTOL.
January . . .	3·54 . .	3·35 . .	4·97 . .	3·98
February. . .	3·93 . .	3·94 . .	4·41 . .	3·76
March . . .	·40 . .	·85 . .	·45 . .	1·02
April . . .	2·44 . .	3·20 . .	2·98 . .	2·98
May . . .	2·42 . .	3·53 . .	2·40 . .	3·33
June . . .	4·95 . .	5·20 . .	5·93 . .	5·20
July . . .	3·15 . .	3·82 . .	3·96 . .	3·88
August . . .	5·32 . .	6·81 . .	5·63 . .	7·46
September . .	3·63 . .	3·46 . .	3·33 . .	3·89
October . . .	·72 . .	1·11 . .	1·36 . .	1·63
November . .	·42 . .	·42 . .	·21 . .	—
December . .	·85 . .	1·02 . .	·97 . .	1·25
Total . . .	<u>31·77</u> . .	<u>36·71</u> . .	<u>36·60</u> . .	<u>38·38*</u>

* For eleven months, Nov. omitted.

1879 Destructive hailstones around London on August 2nd and 3rd, and violent thunderstorms in various places.

Rainfall at—

	HARLOW.	SELBORNE.	CARDIFF.	WAKEFIELD.
January . . .	2'49 . .	4'42 . .	4'71 . .	1'10
February . . .	3'01 . .	4'71 . .	5'95 . .	2'57
March . . .	1'19 . .	'73 . .	1'14 . .	1'04
April . . .	3'91 . .	3'29 . .	2'64 . .	2'43
May . . .	3'11 . .	— . .	2'86 . .	1'78
June . . .	4'33 . .	6'80 . .	6'48 . .	3'90
July . . .	4'21 . .	4'14 . .	4'00 . .	3'26
August . . .	3'05 . .	6'45 . .	8'12 . .	2'91
September . .	3'42 . .	3'76 . .	4'85 . .	1'31
October . . .	'85 . .	'98 . .	1'51 . .	'86
November . .	'72 . .	2'32 . .	'43 . .	'96
December . .	'89 . .	'79 . .	2'11 . .	1'28
Totals . . .	<u>31'18</u> . .	<u>38'39*</u> . .	<u>44'80</u> . .	<u>23'40</u>

* Eleven months.

1880 Wheat, 44s. 4d. ; barley, 33s. 1d. ; oats, 23s. 1d. per qr. (*Official Returns*).

Value of £100 tithe rent charge, £109 17s. 9½d. (*Official Returns*).

Seven years' average: Wheat, 50s. 4d. ; barley, 38s. 10d. ; oats, 25s. 10d. (*Official Returns*).

Wool, 16d. per lb. (*T. H. B.*).

Let cows at £11 per cow (*T. H. B.*).

Off-going ewes made 53s. ; lambs, 40s. (*T. H. B.*).

January, winterly.—February, very rough winds, with rain.—March, April, and May, very dry, but rain enough to bring up the spring corn. Backward spring, cold frosty nights.

Began mowing clover June 14th ; finished haymaking July 16th. Light crop of hay, a good deal of which was damaged, but none very bad. June was showery throughout. Turnip plant good ; the best crop of roots for many years.

Began harvest August 16th ; finished September 24th. Corn harvested well, except the late barley, which was slightly sprouted and stained. A good barley year ; all of it malts well. Wheat very variable ; none of it yields well. Hill wheats are bad quality, and much blighted, some of it not much better than 1879 growth, neither is there much more in quantity. The plant of all the early sown was terribly thinned by the severe frost in the last winter. The wheat in good land was very fair quality, but only about twenty-eight bushels per acre ; on the hills about sixteen bushels. Spring corn generally good. Fine autumn. Winter set in early. Snow from two inches to three inches deep on 20th October. Again in November drifting snow, then mild, with some rain to December 17th, when snow again (*T. H. B.*).

Under average crop of wheat. July temperature 2° below average, though not so cold as in 1879, but a heavier fall of rain. August, $0\frac{1}{2}^{\circ}$ below average, and rainfall, 0.25 in. below (*Times*).

Rainfall for the first three months registered at Boxford, near Colchester, 2.120 (*Byng*).

At Lowestoft, 2.571 in. (*Miller*).

Rainfall at—

	SALISBURY.	BRIDPORT.	BRISTOL.	HARLOW.
January . . .	.49 . .	.45 . .	.69 . .	.23
February . . .	4.15 . .	4.18 . .	4.50 . .	2.00
March . . .	.76 . .	1.33 . .	2.44 . .	1.01
April . . .	1.90 . .	1.97 . .	1.91 . .	2.13
May . . .	.55 . .	1.13 . .	1.29 . .	.53
June . . .	2.09 . .	1.32 . .	— . .	1.78
July . . .	4.03 . .	3.43 . .	— . .	4.17
August . . .	1.59 . .	0.53 . .	.53 . .	.98
September . .	3.57 . .	4.05 . .	3.93 . .	4.54
October . . .	5.16 . .	6.40 . .	5.90 . .	4.58
November . .	2.57 . .	3.94 . .	3.09 . .	2.18
December . .	3.68 . .	4.22 . .	5.17 . .	2.83
Totals . . .	<u>30.54</u>	<u>32.95</u>	<u>29.45*</u>	<u>26.96</u>

* Ten months.

Coldest January for thirty years, except January, 1869.

Rainfall at Ryehill, Warminster, 37·32 in. on 175 days
(*S. Jefferys*).

1881 The year 1881 will long be remembered in consequence of the great and disastrous snowstorm on the 18th and 19th of January. The month began with mild weather. Sharp frost 7th, which continued till 27th, then a thaw.—17th. Rough easterly wind, which rose to a gale in the night, and about 7 a.m. on the 18th it began to snow, which continued the whole day, drifting frightfully. It was so cold and the wind so rough one could not look up against it. There was a cessation about midnight for two or three hours, after which it came on thicker than before, and did not cease the whole of 19th, but the cold was not so intense as the day previous. No man living remembers two days of such weather in succession. Roads blocked, and all business at a standstill. Great loss of life, both man and beasts.—February. Cold storms and low temperature.—March. A cold month, some rain before middle, then favourable for spring tillage.—April, cold and dry; vegetation backward. A few fine mild days about the middle.—May, after 11th (when there was a very white frost), beautiful warm sunny weather, few showers at the latter end.—June set in fine and hot. After 5th, wet, cold storms; sharp frost 9th, which cut down potatoes in the damp valleys. A comet. Hay, a small crop, and very indifferently made.—July, hot and scorching weather till 20th. Meadow hay a good crop, harvested extremely well.—15th was one of the hottest days on record.—28th. Very white frost, which cut down French beans and potatoes.—August. Tolerably fine the first week; then wet wheat harvest. A little put together fairly well in the early districts, but generally the wheat was sprouted and housed in poor condition.—September was a fine harvest month, and a heavy crop of barley secured in fair condition, but stained. A fine autumn

succeeded. No frost to stop ploughing till end of year.—October was cold.—14th, a great gale, doing considerable damage to houses and trees, and another November 27th, but perhaps scarcely so severe.—December, some rough storms. Wheat under average crop; quality good, but generally harvested badly. Barley, very heavy crop of medium quality, but stained and sold at low rates. Oats, tolerably good crop, but most of them heated in rick more or less. Peas, the heaviest crop for years. Turnips, the early sown, suffered from fly; a good plant after, but the roots were small till the autumn, when they continued growing and wonderfully improved.

Hay very dear, in consequence of the small crop.

All the swedes and turnips rotten this spring, which were exposed to the weather in the last winter (*T. H. B.*).

Wheat, 45s. 4d.; barley, 31s. 11d.; oats, 21s. 9d. (*Official Returns*).

Value of £100 tithe rent charge, £107 2s. 10½d.

Seven years' average: Wheat, 48s. 4d.; barley, 37s. 10d.; oats, 25s. 6d. per qr.

Off-going ewes made 54s. and 47s.

Wether lambs, 37s.; culls, 26s.

Let cows, at £11 per cow.

The snowstorm of January was the most severe since 1836, and probably since 1814. The snow penetrated every crevice, and it is estimated that 100 people perished in the storm. All traffic stopped by the drifts.

The wheat crop began its summer period with a remarkably backward and thin plant. June brought a growing time, followed by cold. The intense day temperature in July, with extreme cold and even frosts at night, made the mean low, excepting in one week; and the first three weeks in August were excessively low in temperature, and the rains were so excessive that in the week ending 22nd, the amount which fell was 50 per cent. more than an average (*Times*).

Rainfall at Ryehill, Warminster, 38·82 in. (*S. Jefferys*).
 1882 Wheat, 46s. 10d. per qr.; barley, 35s.; oats, 23s. 6d.
 (*Official Returns*).

Value of £100 tithe rent charge, £102 16s. 2d.
 (*Official Returns*).

Seven years' average: Wheat, 46s. 10d.; barley, 36s.;
 oats, 24s. 6d. per qr. (*Official Returns*).

Off-going ewes made 60s.

Wether lambs, 47s. and 37s.—average, 42s.

Let cows, at £11 per cow.

Oats, a good crop in general.

Wheat, barely an average, either in quantity or quality.

Turnips, good.

Heavy crop of hay, and a great year for grass.

Comet in the east before sunrise in September, October,
 and November.

A lunar rainbow on October 30, about 10 p.m., in S.W.

Cold and wet season throughout after March.

The winter 1881-2 was the mildest and driest for many years. Wheat looked strong and healthy, but did not get winter proud. The rainfall of the first three months of the year under 6 in. The transference of the Malt Duty to beer has acted very detrimental to the barley trade this season; useful barleys in good condition, but which have lost their colour, are being sold at 24s. to 26s. per qr. Heavy rainfall in April after 11th, amounting to over 5 in.—29th. Terrific gale from N.W., which blew down great quantities of trees, and did considerable damage. The foliage did not attain its usual luxuriance during the whole of the succeeding summer, and the apple crop was almost entirely destroyed.—August 23. A gale which knocked about the corn a good deal.—May. Partial storms the first week, then dry, with blinding east winds, till 23rd, when storms again. Fine last few days. Barometer higher in January than ever recorded, up to 30·987.—June was wet from 3rd to 14th, and very cold

at times ; white frosts 14th, 16th, 17th. Fine haymaking weather 16th and 17th. A very catching time for the hay after, yet there was a quantity made well.—26th. Thunder.—July was a wet cold month. Torrents of rain on St. Swithin's Day. The meadow hay in our dairy districts a heavy crop, but made badly. Hasty storms, with thunder and hail, 24th. Turnips a good plant, and doing well. August was fine till 12th, when there was very vivid lightning in the even, but little rain. It had been hot two or three days previous. Cut winter barley, 3rd ; and peas about same time, the latter a very poor crop, having gone off prematurely ripe. Began reaping wheat August 15. Finished carrying barley September 19. A very catching time for the wheat harvest, yet most of it was put together in sound condition, although not fit to thrash at once.

A lunar rainbow seen at Bristol on September 2nd.

Clover very high in the barley, which was broken down by the wind on August 23 ; on the chalk hills it was the thinnest sample and the worst crop grown for years, except in 1879. A fortnight of fine weather set in 6th September, during which time there were heavy dews and some very white frosts in the valleys, but not a drop of rain here, although thunderstorms went round us 12th and 13th. Hail accompanied them on 12th. On 19th, rain came on soon after midday from the north-east, and continued with little intermission till next morning, when I registered '97 in. ; then a few fine days to clear up the late harvest, after which it was showery again.

Finished harvest September 26.

October was excessively wet.—15th. Rain from the east, and lasted till 17th ; 1'26 in. registered on 16th.—On 24th. A terrible downpour of 1'40 in. fell before 9 a.m., causing the deepest flood known in memory of man and doing considerable damage.—November 17. Aurora borealis and a meteor.

December 6. A fall of snow ; very deep in some parts of England. Winterly weather till 12th ; then a thaw and mild weather to end of year.

Rainfall at Mere Down. January, 1'66 in. February, 1'98 in. March, 1'73 in. April, 5'41 in. May, 2'28 in. June, 4'27 in. July, 5'62 in. August, 2'48 in. September, 3'68 in. October, 6'79 in. November, 4'61 in. December, 4'50 in. Total for the year, 45'01 in. (*T. H. B.*)

Rainfall at Ryehill, near Warminster, 43'04 in. (*S. Jefferys*).

The wettest year for 30 years.

Average yield of wheat in western and south-western counties, 23 bushels per acre ; barley, 29 bushels ; oats, 38 bushels. In eastern counties : Wheat, 28'4 ; barley, 34'8 ; oats, 51'8 bushels (*Craigie*).

This autumn was so wet that in many districts no wheat was sown, and a small breadth throughout the country, estimated at $\frac{2}{3}$ the usual quantity. Some corn not harvested in late districts, and little clover seed was ever secured (*T. H. B.*).

1883 Wheat

Value of £100 tithe rent charge, £100 4s. 9 $\frac{3}{4}$ d.

January was a mild, damp month, without excessive rainfall.—February. Great floods till 17th ; last few days fine. March set in fine ; cold winds and sharp frosts from 4th till end of month. All vegetation very forward to 4th, then greens and grass cut up, and the country looked barren.—April. Fine spring weather, with warmer nights the first week, then dry and cold.—6th. A peculiar phenomenon after setting of the sun, a curious pillar of light appeared in the west, and extended from the horizon far up towards the zenith.—May 10. Snow an inch deep.

Rainfall at Mere Down. January, 3'15 in. February, 5'66 in. March, 1'34 in. April, 1'15 in.

Cold backward spring.

	1819	1820	1821	1822	1823	1824	1825	1826
Began cutting wheat . .	July 30 T. O.	Aug. 3 T. O.	Aug. 17 T. O.	July 15 T. O.	Aug. 14 T. O.	Aug. 12 T. O.	July 23 T. O.	July 15 T. O.
Began carrying wheat . .	—	—	—	—	—	—	—	—
Finished harvest . . .	Sep. 2 T. O.	Sep. 7 T. O.	Sep. 29 T. O.	Sep. 3 T. O.	Sep. 19 T. O.	Sep. 29 T. O.	Sep. 1 T. O.	Aug. 21 T. O.
Price made for ewes . .	—	35s. J. P.	24s. J. P.	16s. J. P.	22s. 6d. J. P.	28s. J. P.	33s. 6d. J. P.	—
” ” lambs . .	—	—	—	—	—	—	—	—
” ” cull ewes . .	—	—	12s. J. P.	11s. 6d. J. P.	16s. J. P.	27s. 6d. J. P.	30s. J. P.	—
Beef and mutton . . .	7½d.	7½d.	6½d.	5d.	4½d.	5d.	6½d.	6½d.
Down wool	18d.	18d.	16d.	18d.	18d.	18d.	12d.	12d.
Cows let at per cow . .	—	—	—	—	—	—	—	—
Wheat crop	Under average	Over average	Inferior	Good	Scarcity	Average	Nearly average	Average
Wheat harvest	Fine	Fine	Wet	Fine	—	—	Fine	Fine
Barley crop	Coarse	—	—	—	—	—	—	—
Barley harvest	—	—	—	—	—	—	—	—
Turnip crop	—	—	—	Bad	—	—	—	—
Character of season . .	Hot	Hot and dry	Wet and cold	Hot	Wet and cold	Wet	Fine	Very dry

Abbreviations in above table :

T. O., Thomas Owen, Hungerford.

J. P., John Phillips, Mere.

H. B., Henry Baker, Charlton Horethorn, Sherborne.

	1827	1828	1829	1830	1831	1832	1833	1834
Began cutting wheat . .	July 30 T. O.	July 26 T. O.	Aug. 10 H. B.	Aug. 3 T. O.	July 30 T. O.	Aug. 6 H. B.	Aug. 2 H. B.	Aug. 1 H. B.
Began carrying wheat . .	—	—	—	—	—	—	—	—
Finished harvest . . .	Sep. 3 T. O.	Sep. 6 T. O.	Sep. 30 T. O.	Sep. 27 T. O.	Sep. 8 H. B.	Sep. 12 T. O.	Sep. 3 T. O.	Sep. 3 H. B.
Price made for ewes . .	—	—	—	18s. J. P.	23s. J. P.	27s. J. P.	27s. J. P.	27s. J. P.
” ” lambs . .	—	—	—	—	—	—	—	—
” ” cull ewes . .	—	—	—	—	20s. J. P.	25s. 6d. J. P.	—	27s. J. P.
Beef and mutton . . .	6½d.	5½d.	5½d.	4½d.	5½d.	5½d.	5d.	5d.
Down wool	10d.	9d.	8d.	12d.	14d.	12d.	18d.	19d.
Cows let at per cow . .	—	—	—	—	—	—	—	—
Wheat crop	Good	Scarcity	Average	20½ b. J. P.	23½ b. J. P.	26½ b. J. P.	21½ b. J. P.	25 b. J. P.
Wheat harvest	—	Wet	Wet	—	—	—	—	—
Barley crop	—	—	—	—	—	—	—	—
Barley harvest	—	—	—	—	—	—	—	—
Turnip crop	—	—	—	—	—	—	—	—
Character of season . .	Average	Wet	Wet and cold	Cold	Wet	Medium	Fine	Hot and dry

	1835	1836	1837	1838	1839	1840	1841	1842
Began cutting wheat . .	July 29 H. B.	Aug. 11 H. B.	Aug. 8 H. B.	Aug. 24 J. P.	Aug. 13 H. B.	Aug. 10 H. B.	Aug. 19 H. B.	Aug. 2 H. B.
Began carrying wheat . .	—	—	—	—	—	—	—	—
Finished harvest . . .	Sep. 2 T. O.	Oct. 15 T. O.	Sep. 8 T. O.	Sep. 15 T. O.	Oct. 1. H. B.	Aug. H. B.	Sep. 13. H. B.	Sep. 14 H. B.
Price made for ewes . .	20s. J. P.	23s. 6d. J. P.	27s. J. P.	30s. J. P.	29s. J. P.	23s. 9d. J. P.	29s. J. P.	21s.
" " lambs . .	—	—	—	—	—	—	—	—
" " cull ewes . .	16s. J. P.	18s. J. P.	23s. J. P.	30s. J. P.	25s. J. P.	22s. J. P.	25s. J. P.	18s.
Beef and mutton . . .	4½d.	5½d.	5½d.	5½d.	5½d.	—	—	—
Down wool	18d.	20½d.	16d.	17½d.	18d.	—	12d.	13d. CAM.
Cows let at per cow . .	—	—	—	—	—	—	—	£9 15s.
Wheat crop	33½ b. J. P.	23½ b. J. P.	23½ b. J. P.	8½ b., hill 32 b., vale J. P.	17 b., hill 30½ b., vale J. P.	29½ b. J. P.	Under Average	Good
Wheat harvest	—	—	—	—	—	Fine	Showery	Fine
Barley crop	—	—	—	—	—	—	—	—
Barley harvest	—	—	—	—	—	—	—	—
Turnip crop	—	—	—	—	—	—	—	—
Character of season . .	Hot	Medium	Hot and dry	Wet	Wet and late	Dry	Wet and late	Dry

	1843	1844	1845	1846	1847	1848	1849	1850
Began cutting wheat . . .	Aug. 8 H. B.	July 29 H. B.	Aug. 16 H. B.	July 20 H. B.	Aug. 11 H. B.	Aug. 2 H. B.	Aug. 7 H. B.	Aug. 12
Began carrying wheat . . .	—	—	—	—	—	—	—	—
Finished harvest . . .	Sep. 12	Oct. 29	Sep. 11	Aug. 27	Sep. 8	Sep. 4	Sep. 17	Sep. 7
Price made for ewes . . .	26s. 6d.	18s.	31s.	40s.	33s.	27s. 6d.	25s.	27s.
” ” lambs . . .	—	—	—	—	—	—	—	—
” ” cull ewes . . .	—	16s.	24s. 6d.	34s.	30s.	24s.	24s.	23s.
Beef and mutton . . .	—	—	—	—	—	—	—	—
Down wool . . .	10d.	13d.	14½d.	12½d.	13d.	9d.	11d.	12d.
Cows let at per cow . . .	£9 10s.	£9 10s.	£9	£9	£9	£9 10s.	£9 10	£8 10s.
Wheat crop . . .	Fair	Good	Bad	Good	Over average	Average	Good	Blight
Wheat harvest . . .	Fine	Fine	Wet	Fine	Fine	Very wet	Fine	Fine
Barley crop . . .	—	Various	—	Barely average	Over average	Various	Good	—
Barley harvest . . .	—	—	—	—	—	—	Fine	Fine
Turnip crop . . .	—	—	—	—	—	—	—	—
Character of season . . .	Fine	Very dry	Wet and cold	Dry	Dry	Cold	Fine	Wet and cold

	1851	1852	1853	1854	1855	1856	1857	1858
Began mowing clover . . .	June 6	—	June 7	June 5	June 25	June 9	June 6	June 5
Finished haymaking . . .	—	—	—	—	—	—	—	—
Began cutting wheat . . .	Aug. 8	Aug. 5.	Aug. 13	Aug. 18	Aug. 21	Aug. 5	July 29	July 29
Began carrying wheat . . .	—	Aug. 13	—	Aug. 24	Aug. 30	Aug. 13	Aug. 5	Aug. 6
Finished harvest . . .	Sep. 9	Sep. 10	Nov. 11	Sep. 18	Sep. 21	Sep. 9	Aug. 29	Sep. 10
Price made for ewes . . .	26s. 6d. H. B.	34s.	32s.	30s.	28s. J. P.	33s. J. P.	37s. H. B.	31s. 6d.
” ” lambs . . .	—	—	—	—	—	—	24s.	22s.
” ” cull ewes . . .	24s. 6d.	22s. 6d.	28s.	28s.	—	31s. 6d.	—	27s. 6d. H. B.
Beef and mutton . . .	—	5½d.	7½d.	6½d.	6½d.	7d.	6½d.	6½d.
Down wool . . .	1s.	13½d.	17½d.	13d.	15d.	16½d.	17d.	15½d.
Cows let at per cow . . .	—	—	—	—	—	—	—	—
Wheat crop . . .	Good	Good	Bad	Extra good	Not good	Good	Good	Extra good
Wheat harvest . . .	Fine	Wet	Wet	Fine	Fine	Wet	Fine	Fine
Barley crop . . .	Average	—	Average	Good	Abundant, but coarse	Good	Good	Bad
Barley harvest . . .	—	—	Wet	Fine	Fine	Fine	Fine	Wet
Turnip crop . . .	—	—	Good	Bad	Fly busy	—	Good	Good
Character of season . . .	Fine	Wet harvest.	Wet and cold	Hot	Hot	Hot	Fine	Hot and dry

The above dates refer to Mere Down when not otherwise stated.

	1859	1860	1861	1862	1863	1864	1865	1866
Began mowing clover . .	May 30	June 9	June 7	June 4	June 1	May 30	May 29	June 9
Began cutting wheat . .	July 23	Aug. 27	Aug. 6	Aug. 19	Aug. 8	July 27	July 26	Aug. 4
Began carrying wheat . .	July 29	Sept. 4	Aug. 17	Aug. 25	Aug. 14	Aug. 8	July 31	Aug. 14
Finished harvest . . .	Aug. 25	Nov. 1	Sept. 11	Sept. 23	Sept. 17	Sept. 12	Aug. 29	Oct. 10
Price made for ewes . .	34s.	33s.	32s.	37s.	40s.	35s.	48s.	49s.
” ” lambs . .	—	—	—	—	—	—	—	—
” ” cull ewes . .	34s.	22s.	33s.	—	31s. 6d.	25s.	37s.	—
” ” lambs . .	—	—	19s. 6d.	14s.	14s.	20s. 6d.	28s.	20s.
Beef and mutton . . .	7d.	7½d.	6½d.	6½d.	7½d.	7½d.	8d.	8d.
Down wool	18½d.	19½d.	17d.	18½d.	21d.	25½d.	21½d.	19d.
Cows let at per cow . .	£11	£11	£11	£10 10s.	£10 10s.	£10 10s.	£10 10s.	£11
Wheat crop	Good	Very Bad	Light	Light	Extra good	Good	Fair	Fair
Wheat harvest	Fine	Wet	Fine	Fine	Fine	Fine	Fine	Fine
Barley crop	Good	Fair	Bad	Fair	Average	Average	Not average	Fair
Barley harvest	Fine	Wet	Fine	Catching	Wet	Fine	Fine	Very wet
Turnip crop	Very good	Bad	Good	Average	Good	Bad	Mildewed	Good
Character of season . .	Hot and dry	Cold and late	Fine	Cold	Genial	Very dry	Warm	Wet

	1867	1868	1869	1870	1871	1872	1873	1874
Began mowing clover . .	June 7	May 29	June 2	June 6	June 2	May 31	June 9	May 30
Finished haymaking . .	—	June 30	July 1	July 22	July 20	July 20	July 19	June 16
Began cutting wheat . .	Aug. 10	July 16	Aug. 5	July 27	Aug. 12	Aug. 8	Aug. 9	July 27
Began carrying wheat . .	Aug. 15	July 22	Aug. 12	Aug. 6	Aug. 22	Aug. 14	Aug. 16	Aug. 6
Finished harvest . . .	Sep. 17	Aug. 24	Aug. 31	Aug. 23	Sep. 12	Sep. 13	Sep. 19	Aug. 31
Price made for ewes . .	44s.	26s.	35s.	30s.	43s.	58s. 6d.	50s.	41s.
„ „ lambs . .	—	—	24s.	21s.	45s.	42s.	40s.	32s.
„ „ cull ewes . .	—	22s.	26s.	25s. 6d.	45s.	53s.	33s.	32s. 6d.
„ „ lambs . .	—	—	16s.	—	36s.	27s. 9d.	22s.	22s.
Cows let at per cow . .	£11	£11	£11	£11	£11	£11	£11	£11
Wheat crop	Bad	Good	Fair	Bad on hills	Fair	Not good	Not good	Good
Wheat harvest	Fine	Fine	Fine	Fine	Fine	Fine	Stormy	Fine
Barley crop	Average	Good	Average	Good	Bad	Average	Not good	Not good
Barley harvest	Fine, except latter end	Fine	Fine	Fine	Fine	Fine	Catching	Fine
Turnip crop	Good	Bad	Good	Bad	Good	Good	Bad	Bad
Character of season . .	Late spring	Very dry	Cloudy	Hot and dry	Medium	Fine	Dry and cold	Dry and hot

	1875	1876	1877	1878	1879	1880	1881	1882
Began mowing clover . .	June 1	June 7	June 14	June 3	June 20	June 14	June 8	July 6
Finished haymaking . .	July 28	July 11	July 12	July 5	Aug. 15	July 16	July 13	July 31
Began cutting wheat . .	Aug. 16	Aug. 3	Aug. 10	Aug. 1	Sep. 4	Aug. 16	Aug. 6	Aug. 15
Began carrying wheat . .	Aug. 23	Aug. 11	Aug. 18	Aug. 3	Sep. 11	Aug. 23	Aug. 20	Aug. 21
Finished harvest . . .	Sep. 14	Sep. 11	Sep. 20	Sep. 12	Oct. 18	Sep. 24	Sep. 19	Sep. 26.
Price made for ewes . .	53s.	48s. 6d.	58s. 6d.	62s.	43s.	53s.	49s.	60s.
” ” lambs . .	38s. 6d.	40s.	47s. 6d.	44s.	28s.	44s.	37s.	48s.
” ” cull ewes . .	45s.	43s.	56s.	54s.	36s.	38s.	41s.	—
” ” ” lambs . .	28s.	16s.	34s.; 25s.	36s. 6d.	20s.	38s.; 29s.	31s.	—
Cows let at per cow . .	£12	£12	£12	£12	£11	£11	£11	£11
Wheat crop	Light	Very good	Bad	Good	Ex. bad	Bad	Barely average	Under average
Wheat harvest	Fine	Hot	Stormy	Catching	Wet	Fine	Wet	Catching
Barley crop	Heavy	4 qrs.	Very bad	Heavy	Ex. bad	Good	Good	Bad
Barley harvest	Fine	Fine	Stormy	Catching	Wet	Fine	Fine	Fine
Turnip crop	Good	Middling	Good	Good	Bad	Very good	Roots small	Good
Character of season . .	Wet and cold	Hot	No sun	Wet and hot, much thunder	Very late and unfruitful	Showery	Wet	Wet and cold

PLACES

MENTIONED IN 13TH TO 16TH CENTURIES,

But not easily recognised.

Alton Barnes, Wilts.
 Apuldrum, Sussex.
 Bicester, Oxford.
 Bichyndon, Bucks.
 Bovecombe, Isle of Wight.
 Brancaster, Norfolk.
 Bretham, Norfolk.
 Bretteley, Derby.
 Caynham, Yorkshire.
 Cheddington, Bucks.
 Chene, Kent.
 Clare, Suffolk.
 Cuxham, Oxford.
 Ditchingham, Norfolk.
 Eastwood, Essex.
 Farley Mountfort, Wilts.
 Fering, Essex.
 Finchdale, Durham.
 Gamlingay, Cambridge.
 Gremesham, Norfolk.
 Haningfield, Essex.
 Harewood, Yorkshire.
 Heghtre, Wilts.
 Heyford, Oxford.
 Hundon, Suffolk.
 Ibstone, Bucks.
 Ken, Devon.
 Kenet, Cambridge.
 Langley, Bucks.

Laweshull, Suffolk.
 Leatherhead, Surrey.
 Lopham, Norfolk.
 Lullington, Sussex.
 Maldon, Surrey.
 Market Overton, Rutland.
 Odiham, Hants.
 Pevensey, Sussex.
 Popinho, Huntingdonshire.
 Rodestone, Northampton.
 Spenes, Berks.
 Springfield, Sussex.
 Stanham, Suffolk.
 Staundon, Herts.
 Staverton, Suffolk.
 Stevenage, Herts.
 Stert, Wilts.
 Stockton, Sussex.
 Stratton, Wilts.
 Teddington, Worcester.
 Wellow, Hants.
 Westhene, Surrey.
 West Horseley, Surrey.
 Whaddon, Bucks.
 Wiveliscombe, Somerset.
 Wolford, Warwick.
 Wolrichstōn, Warwick.
 Woodhall, Suffolk.

INDEX.

- Abatement of Rents, 75, 85-154, 258.
- Abundance, Years of, 21, 40, 41, 42, 55, 58, 68, 71, 84, 89, 94, 98, 102, 107, 172, 175, 183, 196, 205, 217, 227, 228, 233, 237, 240, 246, 247, 250, 253, 274, 296, 300, 301, 302, 307.
- Average Produce of a Farm, 71, 102.
- Ale sold by Weight, 32, 96.
- Arable Land converted to Pasture, 113, 142.
- Aurora Borealis, 1, 3, 5, 6, 7, 9, 10, 19, 22, 23, 24, 30, 33, 36, 126, 127, 128, 131, 139, 163, 178, 179, 180, 181, 182, 183, 186, 187, 189, 196, 200, 201, 215, 218, 224, 323, 326, 328, 347.
- Blight in Wheat, 176, 218, 238, 242, 243, 244, 247, 289, 292, 293, 296, 343.
- Bloody Rain, 2, 3, 4, 6, 28, 31, 52, 101, 122, 238.
- Bloody Spring, 19.
- Burnbaking introduced, 145.
- Caterpillars, 139, 161, 219, 267.
- Cattle, Death of, 8, 10, 11, 12, 13, 14, 19, 21, 35, 44, 60, 62, 63, 76, 84, 109, 119, 129, 142, 193, 219, 224, 310.
- Circles round the Sun, 7, 19, 26, 37, 53.
- Clouds, Continual, 10, 339.
- Cold, Intense, 3, 34, 84, 152, 153, 159, 167, 177, 184, 189, 223, 232, 244, 248, 279, 297, 303, 344.
- Cottage set on Fire by the Sun, 261.
- Cross in the Heavens, 6, 7, 19, 29.
- Currency Debased, 120.
- Darkness in Daytime, 3, 28, 36, 86, 156, 246.
- Darkness, Unusual, 7, 246.

- Dearth, 3, 7, 12, 13, 18, 23, 25, 26, 30, 31, 33, 35, 36, 46, 49, 57, 64,
 65, 75, 86, 96, 97, 107, 109, 125, 128, 136, 138, 144, 156, 183,
 200, 232, 235, 237, 246.
- Distress amongst Agriculturists, 162, 173, 185, 217, 250, 257, 292, 340.
- Drought, 4, 6, 11, 15, 34, 38, 43, 44, 47, 52, 53, 54, 55, 59, 60, 67,
 70, 74, 76, 77, 79, 83, 87, 91, 108, 109, 112, 118, 119, 123, 129,
 137, 142, 144, 152, 153, 155, 156, 157, 160, 161, 163, 171, 172,
 175, 178, 179, 182, 183, 184, 188, 189, 190, 191, 193, 202, 205,
 208, 211, 219, 223, 225, 230, 231, 236, 238, 253, 260, 266, 267,
 274, 275, 281, 282, 284, 286, 288, 301, 308, 309, 310, 311, 317,
 322, 331.
- Epidemic, 6, 10, 11.
- Exports, Statutes relating to, 96, 126, 128, 137, 139, 148, 151, 153,
 163, 172, 177, 183, 205, 206, 212, 238.
- Fogs, 2, 75, 151, 153, 171, 183, 246, 247, 254.
- Frogs, Shower of, 1.
- Furniture of a Manor House, 81.
- Goodwin Sands formed, 18.
- Grasshoppers, 191.
- Hailstones, Unusual, 33, 48, 51, 108, 120, 125, 128, 131, 134, 135,
 136, 146, 152, 156, 169, 188, 192, 199, 212, 224, 236, 322.
- Harvests, Late, 31, 46, 69, 236, 241, 249, 250, 303, 340.
- Hops introduced, 110.
- Imports, Statutes relating to, 227, 238, 249, 269, 288.
- Iron first cast, 119.
- Lunar Rainbow, 124, 237, 240, 260, 346, 347.
- Meteor, 144, 154, 156, 157, 180, 185, 188, 220, 221, 235, 238, 239, 258,
 242, 262, 264, 313, 318, 321, 324, 334, 347.
- Mock Suns, 7, 31, 37, 110, 145, 150, 153, 156, 169, 171, 181, 183,
 186, 187, 191, 196.
- Moon, Tokens in, 20, 28, 32, 34, 42.
- Mortality, Great, 2, 3, 4, 8, 9, 13, 16, 18, 19, 21, 27, 30, 31, 37, 46,
 47, 63, 75, 78, 80, 105, 111, 125, 165.
- Murrain, 7, 10, 11, 15, 16, 21, 24, 42, 44, 45, 64, 66, 70, 71, 147.
- Needles Rock destroyed by Wind, 212.

Noise, Strange, 39, 42, 144, 148, 199, 324.

Ox, Huge, 147.

Pestilence, 2, 3, 4, 11, 13, 16, 21, 39, 75, 80, 84, 86, 96, 104, 105, 106,
119, 132.

Phenomenon, Curious, 195, 202, 220.

Pillar of Light, 8, 146, 321, 348.

Plague, 2, 3, 4, 33, 75, 109, 111, 138, 139, 141, 143, 144, 145.

Prodigies, 6, 7, 33, 35, 48, 49, 87, 134, 152, 220.

Rot in Sheep, 151, 154, 185, 188, 192, 193, 206, 229, 231, 241, 242,
250, 251, 262, 263, 269, 270, 271, 295, 303, 340.

Scab in Sheep, 55.

Small Pox, 153, 155, 157.

Snails, Storm of, 259.

Stars Shooting, 5, 6, 18, 39.

Statutes regulating Prices, 9, 30, 33, 121, 128, 144, 148, 198, 200, 236,
269.

Sweating Sickness, 106, 110, 112, 115.

Tides, High, 12, 17, 19, 35, 37, 38, 43, 45, 50, 116, 186, 204, 217,
228, 230, 240, 248, 259, 265.

Turnips introduced, 120.

Turnip Fly, 223, 301, 331, 345.

Waterspout, 162, 269.

Wrecks, 7, 8, 11, 34, 38, 42, 129, 165, 169, 174, 188, 213, 257, 286,
302, 305.

CANCELLED
FROM
BAKER LIBRARY

CANCELLED
FROM
BAKER LIBRARY

CANCELLED
FROM
BAKER LIBRARY

HD

1925

B35

Baker, Thomas Henry

Records of the seasons,
prices of agricultural produce
and phenomena observed in the
British Isles

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY