press that name altogether. The next available name seems to be *Capellinia* Trinchese, 1874, an almost forgotten name revived under new misunderstandings by Pruvot-Fol (1954—Faune France 58 : 420). She refers the species *exiguus* Alder & Hancock to *Capellinia* and all other species with separate rows to the "true" *Eubbranchus*. The figures given by Trinchese (1877—Aeolid. fam. Aff. tav. 24 *Tergipes dorias*, and tav. 25 *T. capellinii*) do not confirm this relationship. From the figure, *T. capellinii* is indistinguishable from the specimens of *cingulatus* Ald. & Hanc. collected by me, and neither the number, the shape, nor the arrangement, of the cerata agree with *exiguus*.

The present situation at the generic level was well illustrated already by Thiele (1931—Handb. Moll. k. 1 : 452). He mentions *Egalvina* (type: *viridula*) with densely set cerata, and *Eubbranchus* (type: *tricolor*) as having distinctly separate rows. This situation is the one generally accepted and therefore also the one I wish to stabilize as closely as possible, but the name *tricolor* is making trouble, as it, too, stands for the single species with cerata in clusters. That the name *tricolor* stands for complete confusion is illustrated once more by Mr. Heppell (who should not be blamed, however, as he only explains the confusion that he himself has been taught). Hence, I very much favour a solution where the highly ambiguous name *tricolor* is replaced by the unambiguous and generally known name *viridula* Bergh.

Z.N.(S.) 1105.

In the period between the first presentations of these proposals in 1956 and now, the name *Cratena* seems to have been established in such a manner that further confusion does not appear likely, and there is no gain any more in suppressing it. Consequently, I accept the proposals from Mr. Heppell and Dr. Burns to preserve it.

The family name, however, makes trouble. Evidently Bergh's CRATENINAE in 1892 (: 1021) containing a.o. "*Cratena*" and "*Hervia*" (both misinterpreted) is given for the CUTHONIDAE and not for the group containing the genus *Rizzolia*. As, in Carus (1889 : 209), Bergh mentions the sole genus "*Hervia*" under the sub-family CRATENINAE, there is no doubt that this family name cannot be transferred to its correct position except under the plenary powers. However, I am in some doubt whether it is appropriate to introduce that name on the Official List. It will be of use if it proves to cover a taxon different from the FAVORININAE to which Bergh referred the genus *Rizzolia*. Maybe, we had better drop that family name problem for the time being, which is therefore now my proposal.

Z.N.(S.) 1106.

Apparently, Dr. Burns agrees with me in the whole of this application, and I am glad to have his additional remarks. Mr. Heppell raises a single point, namely that of *Diaphoreolis*. Two points of view may be applied in such cases. The one is what to do if nothing ever arises. Shall we then accept in the meantime *Diaphoreolis* as a senior synonym to *Catriona*. Such a solution does not appeal to me, and I prefer the suppression of *Diaphoreolis* for the sake of stability. The other view is to ask what to do if really such a separate genus proved to exist. The answer is simple: Describe it again. It is possible even to suppress the names for both the purposes of priority and homonymy and, if so, even the same name can be used again—though with a new author and date (which would seem reasonable as the original authors have done nothing of real value in this case). If Mr. Heppell would like to make such a proposal, I should not protest.

FURTHER COMMENTS BY MR. HEPPELL

Z.N.(S.) 1102.

Dr. Lemche's reply is valuable for shedding further light on the existing state of confusion about the genus *Eubbranchus*. Now that he has so clearly pointed out the distinguishing criteria of the two groups involved, has shown that *tricolor* (= *viridula*) is a species quite distinct from the others, and that the other species of "*Eubbranchus*" auctt. are referable to *Capellinia*, I see no reason why *Eubbranchus* (in the restricted sense) and *tricolor* should not be placed on the appropriate Official Lists. I am,

therefore, still in favour of retaining *Eubbranchus* for the group of *E. tricolor* and using either *Capellinia*, based on *capellinii* (= *cingulata*), or *Amphorina*, based on *alberti* (= *farrani*), for the remaining species.

Z.N.(S.) 1106.

I now agree with Dr. Lemche that it would be better to suppress the name *Diaphoreolis* as a *nomen dubium*, and redescribe the genus if it should subsequently be rediscovered. With regard to his final suggestion, though, it seems to me that if the original name were to be suppressed for the purposes of both priority and homonymy, the name would still date from the first subsequent validation and such an action would not therefore serve any real purpose.

SUPPORT FOR PROPOSAL TO SUPPRESS GENERIC NAMES *TANAGRA* LINNAEUS, 1764, AND *TANAGRA* LINNAEUS, 1766; AND TO PLACE *EUPHONIA* DESMAREST, 1806, ON THE OFFICIAL LIST OF GENERIC NAMES IN ZOOLOGY (AVES)

(see volume 20, pages 296–302, volume 21, pages 23)

By Eugene Eisenmann (*The American Museum of Natural History, New York, U.S.A.*)

The present Standing Committee on Ornithological Nomenclature of the International Ornithological Congress has previously submitted a recommendation on this question supporting *Proposal B*. (Those originally supporting *Proposal A* have withdrawn their application.) As a Member of the present S.C.O.N., I joined in the recommendation; here I wish only to emphasize an argument based on experience as a specialist in neotropical birds.

Aside from disputed applicability, the main reason for suppressing *Tanagra* for the large genus commonly called euphonias is the confusion with the almost identical name of another large genus of the same family (Thraupidae) currently called *Tangara* Brisson, 1760. Confusion between these two names is not restricted to printers and stenographers; I personally know it to occur in correspondence and oral discussion between ornithologists. The confusion is compounded by the fact that two tanagers with overlapping ranges in Colombia, Ecuador, Peru, Bolivia, Venezuela and Brazil, currently bear the names *Tanagra xanthogaster* and *Tangara xanthogastra* (see de Schauensee, *Birds of Colombia*, pp. 354, 359, 1964). The easiest way to remove the confusion is to suppress the Linnaean names *Tanagra* 1764 and 1766, thus restoring as the senior name *Euphonia* Desmarest, used for so long that it became and remains the common name of the group.

Conformity with a common name is no reason, of course, for suppressing a valid scientific name, but the circumstances that a long used scientific name has become the accepted vernacular name is a consideration in weighing whether a proposed use of the plenary powers for other reasons will cause undue inconvenience. Here reversion to former usage by reinstatement of *Euphonia* will be easy because the birds are called euphonias.

By B. P. Hall (*British Museum (Natural History), London*)

I would like to support Proposal B put forward by Prof. Mayr and Dr. Storer (p. 301), for the reasons given, and particularly since Proposal A met with opposition from American ornithologists, since they are the ones most intimately concerned

Heppell, D. 1965. "Further comments." *The Bulletin of zoological nomenclature* 22, 11–12. <https://doi.org/10.5962/bhl.part.11035>.

View This Item Online: <https://www.biodiversitylibrary.org/item/44464>

DOI: <https://doi.org/10.5962/bhl.part.11035>

Permalink: <https://www.biodiversitylibrary.org/partpdf/11035>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.