THRENETES ANTONIÆ.

THRENETES ANTONIÆ.

Sooty Barbed-throat.

Trochilus Antoniæ, Bourc. et Muls. in Ann. de la Soc. d'Agr. &c. de Lyon, 1846, p. 329.

Polytmus Antoniæ, Gray and Mitch. Gen. of Birds, vol. i. p. 108, *Polytmus*, sp. 37.

Lampornis Antoniæ, Bonap. Consp. Gen. Av., p. 72, *Lophornis*, sp. 8.

ALTHOUGH this species has been long known to ornithologists, it was only in the year 1846 that it received a scientific appellation, M. Bourcier then assigning to it the name of *Antoniæ* in honour of Madame Antonia Perroud, the wife of a learned entomologist. Since then it has been transferred to the genus *Polytmus* by Mr. G. R. Gray, and to *Lampornis* by the Prince of Canino. That it does not belong to either of those genera, or to any other at present established, is certain, and I have therefore been necessitated to propose a new generic term for it and its near ally *T. leucurus*. The circumstance of its having remained so long undescribed by Lesson and others, who have professed to give complete monographs of this group of birds, is doubtless due to its being unadorned by any brilliant or metallic colouring; its sombre plumage, however, does not, in my opinion, detract from its interest as a species; for in the economy of nature, this dull-coloured bird plays a part of equal consequence with those of its most gaily attired allies.

The native country of the *T. Antoniæ* is Cayenne, and the neighbouring countries; but the precise extent of its range has not yet been ascertained: I have never seen it from Trinidad or Northern Brazil.

The sexes are very similar in the colouring of their plumage, and I have seen specimens which appear to be immature, which do not materially differ.

The entire plumage both above and beneath of a very dark greenish bronze; wings dark purplish brown; central tail-feathers greenish bronze; lateral feathers purplish brown, glossed at the base with greenish bronze; bill brownish black; feet light yellow.

The Plate represents two examples of the natural size. The plant is a species of *Stiffia*, common in the country where the bird is found.

Gould, John. 1849. "Threnetes antoniæ, Sooty Barbed-throat. [Pl. 15]." *A monograph of the Trochilidæ, or family of humming-birds* 1, <https://doi.org/10.5962/p.316823>.

View This Item Online: <https://www.biodiversitylibrary.org/item/108333>

DOI: <https://doi.org/10.5962/p.316823>

Permalink: <https://www.biodiversitylibrary.org/partpdf/316823>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.