THALURANIA WATERTONI.

THALURANIA WATERTONI.

Waterton's Wood Nymph.

Trochilus Watertoni, Lodd. MSS.—Bourc. in Proc. of Zool. Soc., part xv. p. 44.

Polytmus Watertoni, Gray and Mitch. Gen. of Birds, vol. i. p. 108, *Polytmus*, sp. 65.

Thalurania Watertoni, Bonap. Consp. Gen. Av., p. 76, *Thalurania*, sp. 4.—Ib. Rev. et Mag. de Zool. 1854, p. 254.

————— *Watertoni*, Reichenb. Aufz. der Colibris, p. 7.

Coeligena Watertoni, Reichenb. Troch. enumer., p. 3.

WHETHER the *Trochilidæ* are less numerous in Demerara than in other parts of South America, and whether they have been less attended to, are questions I am unable to answer; certain it is that we possess but a limited knowledge of the species inhabiting that country. At the same time I may remark, that the few with which we are acquainted are all very beautiful, as an evidence of which I may cite the rare and lovely bird here represented, which was discovered by Mr. Waterton on the banks of the Mibiri Creek, about forty miles up the River Essequibo. Mr. Waterton's specimen was kindly presented by him to the late Mr. George Loddiges, in whose collection it still remains. For many years it was unique; but the researches of enthusiastic travellers and collectors are annually unfolding to us the treasures of South America, and very recently two other examples of this fine bird have been procured, not I believe in Demerara, but towards the confines of Brazil, and probably near the embouchure of the great river Amazon; these specimens now grace my own collection, and, with the one above referred to, are all that I have yet seen.

The *Thalurania Watertoni* is in every respect a typical member of the genus, being precisely of the same form, and clothed in a similar style of colouring as the *T. furcata*, but having the tail-feathers much more developed, and the blue of the back more generally spread, forming in fact a great mantle of metallic-blue feathers, which covers nearly the whole of the upper surface. The female remains still undiscovered.

Mr. Loddiges dedicated this fine bird to its discoverer, Mr. Waterton, whose writings on natural history are so well known to the world at large as to render any comment upon them quite unnecessary.

Crown of the head and back of the neck greenish bronze; back, shoulders, wing-coverts and flanks fine rich metallic blue; lower part of the back dark green; upper tail-coverts purple; throat, breast, and centre of the abdomen fine metallic grass-green; wings very dark purplish black; tail and under tail-coverts black, with steel-blue reflexions; bill black; feet dark brown.

The figure is the size of life.

Gould, John. 1854. "Thalurania watertoni, Waterton's Wood Nymph. [Pl. 100]."
A monograph of the Trochilidæ, or family of humming-birds 2,
<https://doi.org/10.5962/p.316909>.

View This Item Online: <https://www.biodiversitylibrary.org/item/108332>

DOI: <https://doi.org/10.5962/p.316909>

Permalink: <https://www.biodiversitylibrary.org/partpdf/316909>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.