PTEROPHANES TEMMINCKII.

PTEROPHANES TEMMINCKI.

Temminck's Sapphire-wing.

Ornismya Temminckii, Boiss. Rev. Zool. 1839, p. 354.—Mag. de Zool. 1840, Ois. pl. 14.

Trochilus cyanopterus, Lodd. MS.

Mellisuga Temminckii, Gray and Mitch. Gen. of Birds, *Mellisuga*, sp. 10.

THIS is perhaps without exception one of the finest species of the family yet discovered ; it has been named after the Father of living ornithologists, M. Temminck, and is in every way worthy of bearing so distinguished a name ; the brilliant colouring of its wings renders it conspicuously different from all other known species. The more elevated regions of the Cordilleras of Columbia constitute its native habitat, and numerous are the specimens that have of late years been sent from Bogota. I have several examples in my collection which were procured by M. De Lattre, in the neighbourhood of Pasto : as the sexes of the specimens obtained by this gentleman were ascertained by dissection, I have been enabled to figure with undoubted certainty the adults of both sexes, as well as the young of this magnificent bird, the lower figure in the Plate representing the adult male, the middle one the female, and the upper one the young.

The adult male has all the upper surface and the lesser wing-coverts deep grass-green, becoming lighter on the rump ; a small spot of white immediately behind the eye ; under surface dark luminous grass-green ; tail glossy olive-green ; wings shining deep blue, showing conspicuously both on the upper and under surface ; all the feathers margined, and the primaries largely tipped with dull brownish black ; bill black ; feet brownish yellow.

Total length, $6\frac{3}{4}$ inches ; bill, $2\frac{1}{2}$; wing, $4\frac{1}{2}$; tail, 3 ; tarsus, $\frac{5}{16}$.

The female, with the exception of the throat which is brown, has the body similar in colour to that of the male, but less brilliant ; tail glossy olive-green, except the outer feather on each side, which is brown with an indistinct lighter mark down the outer web ; wings purplish brown, except the spurious wing and under part of the shoulder which is blue ; bill black ; feet brownish yellow.

Total length, $6\frac{1}{2}$ inches ; bill, $2\frac{3}{8}$; wing, $4\frac{1}{2}$; tail, $2\frac{3}{4}$; tarsus, $\frac{5}{16}$.

The young of both sexes has the crown of the head brown ; the upper surface, flanks and under tail-coverts green ; wings purplish brown, except the shoulders, which both above and beneath are blue ; four middle tail-feathers green ; three next on each side blackish brown, with green reflexions on the shafts ; the outer feather on each side blackish brown, with a broad stripe of greyish white down the centre ; the shaft at the base pure white ; throat, chest and centre of the abdomen deep reddish buff ; bill and feet as in the adult male, but of a browner hue.

The figures represent a male, a female, and a young bird, of the natural size, on the *Tacsonia mollissima*, which beautiful plant is indigenous to the tropics of New Grenada, growing at a height of nine to ten thousand feet above the level of the sea, and which occupies an extensive geographical range at the elevations above-mentioned. Humboldt found it about Santa Fé de Bogota, and Mr. Lobb in the woods near Quito : my figure and the above particulars respecting this plant are taken from Curtis's " Botanical Magazine," vol. i. Third Series, Tab. 4187.

Gould, John. 1856. "Pterophanes temmincki, Temminck's Sapphire-wing. [Pl. 178]." *A monograph of the Trochilidæ, or family of humming-birds* 3, <https://doi.org/10.5962/p.316987>.

View This Item Online: <https://www.biodiversitylibrary.org/item/109468>

DOI: <https://doi.org/10.5962/p.316987>

Permalink: <https://www.biodiversitylibrary.org/partpdf/316987>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.