HYLOCHARIS LACTEA.

HYLOCHARIS LACTEA.

Blue-breasted Sapphire.

Ornismya sapphirina, Less. Hist. Nat. des Ois. Mou., pp. xxix. and 172. pl. 56.

——— *lactea*, Less. Ind. Gén. et Syn. des Ois. du Gen. *Trochilus*, p. xxxviii.

Hylocharis lactea, Gray and Mitch. Gen. of Birds, vol. i. p. 115, *Hylocharis*, sp. 37.—Bonap.
Consp. Gen. Av., p. 74, *Hylocharis*, sp. 2.

Cyanochloris lactea, Reich. Auf. der Col., p. 10.

Sapphironia lactea, Bonap. Rev. Zool. 1854, p. 256.

LESSON created great confusion when he figured this bird in his "Histoire Naturelle des Oiseaux Mouches" as the female of *Hylocharis sapphirinus*, for it has no reference whatever to that species; it is true that he corrected this error in a subsequent publication, the "Index Générale et Synoptique des Oiseaux du genre *Trochilus*," and there described the bird as distinct under the name of *Ornismya lactea*; but this latter work is but little known and rarely consulted. The native country of this species is the northern parts of Brazil, but over what extent of that country its range extends is not known: although tolerably common in our collections, it occurs less frequently than other species.

The *Hylocharis lactea* differs from the *H. sapphirinus* in the darker colouring of its upper mandible, in the absence of red on the chin, and especially in the black colouring of its tail, which with the under coverts are reddish chestnut in *H. sapphirinus*; the white mark down the centre of the abdomen in *H. lactea* also serves to distinguish it. Without resorting to dissection, it is impossible to say whether the female offers any great difference from the male in her colouring; in all probability her dress is very similar to that which characterizes the females of the other species of the genus.

Crown of the head, all the upper surface, and wing-coverts dull bronzy green, somewhat browner on the head; upper tail-coverts deeper bronze; wings purplish brown; tail black, glossed with bronze, and the lateral feathers slightly tipped with grey; throat and sides of the neck rich shining violet-blue; flanks green; centre of the abdomen, vent, and under tail-coverts white; upper mandible blackish brown; under mandible fleshy white; feet reddish brown.

The figures are of the natural size. The plant is the *Nymphæa Amazonum*.

Gould, John. 1861. "Hylocharis lactea, Blue-breasted Sapphire. [Pl. 343]." *A monograph of the Trochilidæ, or family of humming-birds* 5,
<https://doi.org/10.5962/p.317152>.

View This Item Online: <https://www.biodiversitylibrary.org/item/108806>

DOI: <https://doi.org/10.5962/p.317152>

Permalink: <https://www.biodiversitylibrary.org/partpdf/317152>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.