LOPHORINA MINOR, Ramsay.

W. Hart del et lith.

Mintern Bros. imp.

LOPHORHINA MINOR, *Ramsay*.

Lesser Superb Bird of Paradise.

Lophorhina superba minor, Ramsay, Proc. Linn. Soc. N. S. Wales, x. p. 242 (1885).

Lophorhina minor, Finsch u. Meyer, Zeitschr. ges. Orn. ii. p. 376, pl. xvii. (1885).—Meyer, op. cit. iii. p. 181, cum fig. (1886).

As Dr. Meyer has shown, the form of the head-shield in this species is different from that of *Lophorhina superba*, and would be quite sufficient to distinguish it, without the additional characters of the nasal plumes and the smaller dimensions, both of which serve to separate the south-eastern bird from its north-western representative in New Guinea.

In the single adult male of *L. minor* that has come under our notice, the nasal plumes are so disarranged that we cannot make out their form for certain, but they appear to be erect instead of spreading out in a small fan, as in *L. superba*. They are so figured by Dr. Madarász in the 'Zeitschrift' above quoted, and these plumes may be erroneously figured in our Plate of the present bird.

Lophorhina minor is so far only known from the Astrolabe Mountains in South-eastern New Guinea. The person who discovered it appears to have been Mr. Hunstein, one of the most energetic explorers in that region. He seems to have sent a considerable series of specimens from the Horseshoe range, as the British Museum was able to secure a pair of adults and a young male out of the duplicates. Mr. Forbes has more recently procured the species in the Sogeri district of the Astrolabe range; but unfortunately all his specimens were out of plumage, having been collected during the rainy season.

The differences between the males of *L. minor* and *L. superba* have been alluded to above, and they are apparent on a comparison of the Plates.

The female appears to differ from the female of *L. superba* in being olive-brown instead of chestnut on the back, and in having the wings bay externally instead of chestnut. The light eyebrow is also more prolonged and the underparts paler buff.

The figures in the Plate, which represent a male and female of the natural size, have been drawn from a pair of birds in the British Museum, collected by Mr. Hunstein.

[R. B. S.]

Gould, John and Sharpe, Richard Bowdler. 1888. "Lophorhina minor, Lesser Superb Bird of Paradise [Pl. 19]." *The birds of New Guinea and the adjacent Papuan islands : including many new species recently discovered in Australia* 1(XXIV), -. <https://doi.org/10.5962/p.322619>.

View This Item Online: <https://www.biodiversitylibrary.org/item/229855>

DOI: <https://doi.org/10.5962/p.322619>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322619>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.