PIEZORHYNCHUS RICHARDSI, Ramsay.

PIEZORHYNCHUS RICHARDSII, *Ramsay*.

Richards's Flycatcher.

Piezorhynchus richardsii, Ramsay, Proc. Linn. Soc. N. S. W. vi. p. 177 (1881).

Pomarea richardsii, Tristram, Ibis, 1882, pp. 136, 142.—Salvad. Ann. Mus. Civic. Genova, xviii. p. 422 (1882).

Monarcha richardsii, Salvad. Orn. Papuasias, etc. iii., App. p. 529 (1882).

AFTER careful examination we incline to consider this species a true *Piezorhynchus*, as Mr. Ramsay has also determined it to be, and not a *Pomarea*, as Canon Tristram calls it, although in its style of coloration it very much resembles *P. castaneiventris*. It is distinguished from all the members of the genera *Piezorhynchus* and *Pomarea* by the remarkable white patch on the hinder crown and nape, which serves to characterize the species at once from all the other Flycatchers of the same group.

The following is the description of an adult male shot in Rendova Island, in the Solomon group, by Lieut. Richards, R.N., who also met with it in the island of Ugi:—

Adult male. General colour above velvety black, with slight rufous edges to some of the upper tail-coverts; wing-coverts like the back; greater coverts, bastard wing, primary-coverts, and quills dull black; tail-feathers black; lores, nasal plumes, forehead, and sinciput black, as well as the fore and hind part of the eyelid; upper and lower part of eyelid as well as the vertex and entire nape pure white, extending on to the sides of the neck behind the ear-coverts; ear-coverts, sides of face, cheeks, throat, and chest glossy black; feathers of lower chest black, tipped with chestnut like the rest of the under surface of the body, which is entirely chestnut; thighs black; axillaries and under wing-coverts black, tipped with pale chestnut, with a patch of black near the edge of the wing; quills blackish below, ashy along the edge of the inner web; "bill horn-colour; feet black; iris black" (*Richards*). Total length 5·5 inches, culmen 0·7, wing 3·0, tail 2·55, tarsus 0·65.

The specimen from which the above description was taken has been lent to us by Canon Tristram, in whose collection it now remains. The Plate represents the adult male of the natural size, and has been drawn from the same individual.

[R. B. S.]

Gould, John and Sharpe, Richard Bowdler. 1884. "Piezorhynchus richardsi, Richards's Flycatcher [Pl. 46]." *The birds of New Guinea and the adjacent Papuan islands : including many new species recently discovered in Australia* 2(XVII), -. <https://doi.org/10.5962/p.322701>.

View This Item Online: <https://www.biodiversitylibrary.org/item/229877>

DOI: <https://doi.org/10.5962/p.322701>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322701>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.