EUPLOCOMUS VIEILLIOTI, G.R. Gray.

EUPLOCOMUS VIEILLoti, G. R. Gray.

Vieillot's Fireback.

Gallus ignitus, Vieill. Gal. des Ois., t. 207.

Phasianus ignitus, Vieill. Ency. Méth. Orn., Part I. p. 363. pl. 237. fig. 2.

Euplocomus ignitus, Gray, Ill. Ind. Zool., vol. ii. pl. 39.

Gallophasis Vieilloti, Gray and Mitch. Gen. of Birds, vol. iii. p. 498, *Gallophasis*, sp. 2.

Euplocomus Vieilloti, G. R. Gray, List of Birds in Coll. Brit. Mus., Part III. p. 26.

MR. G. R. GRAY has, in my opinion, very properly separated this fine bird from the *Gallus ignitus* of authors, and assigned to it the specific name of *Vieilloti*, as no two birds can well be more distinct; the *ignitus* having the abdomen and back rich chestnut, with half of the central tail-feathers brown; while, as will be seen on reference to the accompanying Plate, the same parts in the present bird are very differently coloured. The native country of the *E. Vieilloti* is the Peninsula of Malacca, Sumatra, and the Indian Archipelago. The fine aviary of the late Earl of Derby formerly contained living examples of both sexes of this fine bird, and I believe his Lordship succeeded in rearing a brood from them; but owing to the want of a congenial climate, or from some other cause, the race was not perpetuated. A like opportunity has not yet been afforded to the Zoological Society, whose Gardens in the Regent's Park have hitherto only been graced by the male; a fine example of which now (September 1852) forms part of the collection, is apparently in the best possible state of health, and is the individual figured on the opposite Plate. At the period just prior to the breeding season, this species appears to be subject to influences of a more strongly exciting kind than is observable in any other of the Gallinaceæ: not only is it restless in the highest degree, and spirited and exalted in its carriage, but the carunculations surrounding the eye are developed to an extraordinary extent, covering the entire face, extending upwards far above the crown of the head, and descending equally below, the colour being a delicate cærulean blue, in the centre of which is set a full eye of the brightest scarlet. Let us hope that the time will not be long before other examples of this fine bird will be added to the Society's already rich collection, and that a successful result will attend their breeding; for a finer or more ornamental bird for our aviaries could scarcely be found.

As will be seen, a very marked difference occurs in the colours of the sexes.

The male has the crest, neck, upper part of the back and breast deep steel-blue; wing-coverts and feathers on the centre of the back black, passing into greenish steel-blue, forming a conspicuous shining crescent at the tip of each feather; lower part of the rump rich deep shining red; wings very dark brown; upper tail-coverts steel-blue; outer webs and tips of the inner webs of the four central tail-feathers white; the remainder of the tail-feathers very dark brown; feathers of the flanks dark brown, tipped with steel-blue and with a conspicuous streak of white down the centre; abdomen brownish black; carunculated orbits rich blue; eye red; bill horn-colour; legs and feet red.

The female has the whole of the upper surface, wings and tail chestnut-red, very minutely freckled with dark brown; feathers of the throat and breast dark brown, largely tipped with chestnut-red, and margined on the sides with white; on the under surface the feathers are of a darker hue and margined all round with white; orbits, eye, bill, legs and feet as in the male, but not so brilliant.

The figures represent the two sexes two-thirds of the natural size.

Gould, John. 1852. "Vieillot's Fireback, *Euplocamus vieilloti*, G.R. Gray. [Pl. 15]." *The Birds of Asia* 7(IV), -. <https://doi.org/10.5962/p.323030>.

View This Item Online: <https://www.biodiversitylibrary.org/item/122491>

DOI: <https://doi.org/10.5962/p.323030>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323030>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: Not in copyright

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.