LANTHOCINCLA ARTEMISÆ.

J. Gould & H. Richter, del. et lith.

Walter, imp.

IANTHOCINCLA ARTEMISIÆ.

Allied Ianthocincla.

Cinclosoma Artemisiæ, David, Ann. & Mag. Nat. Hist., 1871, 4th ser. vol. vii. p. 256.—Swinh., Proc. of Zool. Soc. 1871, p. 372.

Yanthocincla Arthemisiæ, David, Nouv. Archiv. du Mus., tom. vii., Bull. p. 6.

Yanthocincla Arthemisiæ, David, ib. p. 14.

THE Abbé Armand David has the honour of bringing this novelty to the knowledge of scientific ornithologists. It is most closely allied to the *Ianthocincla ocellata*; but as the difference in their colouring, though slight, is permanent, they, like many other nearly allied species, have been distinguished by separate specific designations; in what these differences consist, a glance at the figures of the two species in the respective places will at once render apparent. How these slight differences arise we know not. The countries inhabited by the two birds are divided by a vast range of mountains, which neither of them presumes to cross, but each strictly confines itself to its own native districts.

Mr. Elliot was so good as to favour me with the loan of the fine specimens from which the figures in the accompanying Plate were taken, an act of kindness for which, as well as for many others, my thanks are here tendered to him. That there will be little, if any, difference in the habits and economy of the *Ianthocincla Artemisiæ* and *I. ocellata* I consider not improbable; that they feed on insects, snails, and mollusks of the same genera, if not of the same species, seems likely; and that their thick clothing and the lax and silky character of their feathers indicate that they live in thick and humid brushes will be plain to every one.

The men who make such interesting discoveries as the *I. Artemisiæ* are the invaluable pioneers of scientific knowledge, to which I lend my aid by giving such representations of them as are contained in the 'Birds of Asia.' It will be for future generations to make us acquainted with their history, their actions, the nature of their food, their mode of nidification, the number and colour of their eggs, &c.; but this cannot be done until the exclusiveness of the Chinese is more completely swept away, and the various tribes not under our sway have become sufficiently enlightened to enable the scientific explorer to traverse those distant regions with safety. At present the little we know respecting the *I. Artemisiæ* is contained in the following brief note from the pen of the Abbé David, published in the Bulletin of the 'Nouvelles Archives du Muséum d'Histoire Naturelle de Paris' above quoted.

"This species, which closely resembles the *Yanthocincla ocellata*, is distinguished at all ages by its darker bill, by the spots on the back, which are yellowish and not white, and by the blackness of the head, throat, and round the eyes, which is very marked."

The following is the Abbé's description of the bird, which I give in his own words, as it was probably taken from a recently killed example:—

"Head and a broad patch on the throat black, leaving the chin, lores, and under the eye buff-coloured, and a partial half-eyebrow and a spot in rear of the ear-coverts whitish. Neck and underparts buff, a little rufous near the edge of the black gorget; back of the neck, breast, and flanks banded on each feather near its tip with an undulating black bar. Scapulars and back as in *I. ocellata*, but with broader and yellower tip-spots, and with much narrower black bars. Wings and tail as in its ally, but with the rufous more mixed with yellow. Length 12·75 inches; wing 5, tail 6·5. Bill variable in length; iris yellow. *Habitat* Moupin, Western Szechuen."

The Plate represents the birds of the size of life.

Gould, John. 1873. "Allied Ianthocincla, Ianthocincla artemisiae [Pl. 45]." *The Birds of Asia* 3(XXV), -. <https://doi.org/10.5962/p.323364>.

View This Item Online: <https://www.biodiversitylibrary.org/item/118635>

DOI: <https://doi.org/10.5962/p.323364>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323364>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian Institution Libraries

Copyright & Reuse

Copyright Status: Not in copyright

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.