EUPTILOTIS NEOXENUS, Gould.

J. Gould and H. C. Richter, del. & lith.

Hollenhorst & Walton, imp.

EUPTILOTIS NEOXENUS, Gould.

Welcome Trogon.

SPECIFIC CHARACTER.

Mas.—*Rostro cærulescenti-cinereo ; vertice, pectore, sic et dorso summo aurantiaco-viridibus ; capite cum penicillo gracili et elongato utrinque ornato ; corpore subtus coccineo.*

Male.—Face, ear-coverts, lengthened tufts posterior to the eye, and chin black ; head oil-green ; chest, sides of the neck, tips of the wing-coverts and upper surface bronzy green, passing into bluish green on the lower part of the back and upper tail-coverts ; bases of the wing-coverts and wings brownish black ; the primaries margined at the base of their external webs with white ; under surface and under tail-coverts fine blood-red ; thighs dull black ; tail deep bluish green, the three outer feathers on each side largely tipped with white ; bill dark horn-colour.

Total length, $13\frac{1}{2}$ inches ; *bill*, $1\frac{1}{2}$; *wing*, 8 ; *tail*, 8.

Female or Young Male.—Head and face blackish brown ; breast olive-brown, slightly washed with bronzy green ; upper surface and tail as in the male, but not so brilliant ; wings similar, but paler, and with some blotches of dull buffy white on the innermost secondaries ; abdomen and under tail-coverts light blood-red.

Trogon (Calurus) neoxenus, Gould, Mon. of Trogons, List of Plates, sp. 25.

— *neoxenus*, Gould, Mon. of Trogons, pl. 25.

Calurus neoxenus, Gray, List of Spec. of Birds in Coll. Brit. Mus., p. 46.—Gray and Mitch.

Gen. of Birds, vol. i. p. 71, *Calurus*, sp. 5.—Bonap. Consp. Gen. Av., p. 152, *Calurus*, sp. 5.

I FIRST became acquainted with this species about the year 1836, when an immature specimen came into my possession, an examination of which satisfied me that it was the young of a very splendid bird, which could not fail of being welcomed with feelings of gratification by every ornithologist ; I therefore gave it the name of *Trogon neoxenus* (Welcome Trogon), and figured it under that appellation in the first edition of this monograph. Subsequently an adult example of each sex were presented to me by the late Mr. Flores, to whose memory a tribute is due for his exertions in the cause of natural science. An examination of these additional examples at once convinced me that the species did not belong to the genus *Pharomacrus*, as I had previously supposed, but exhibited characters differing not only from those of that genus, but from those of all the other genera of the family, and consequently that a new genus must be established for its reception, and this I have accordingly done, under the appellation of *Euptilotis*. It will be seen, on reference to the accompanying Plate, that not only does the bird differ from the *Pharomacri* in the character of its plumage, but that it has a more lengthened and less robust bill, and that the head is adorned with long and fine hair-like plumes,—a feature very unusual among the Trogons, and which is only to be found in this species and to a certain extent in *Priotelus temnurus* and *Trogon roseigaster*.

I regret that I did not learn from Mr. Flores what particular part of Mexico this bird inhabits ; but I have every reason to believe that it dwells on all the high lands, even farther north than the city, and probably in the neighbourhood of the Real del Monte mines, as it was in that district that most of his birds were procured. At present it is extremely rare in our collections, and examples of no one member of the class AVES would be more welcome to collectors both in this country and on the continent of Europe.

The figures are of the natural size.

Gould, John. 1858. "Welcome Trogon, Euptilotis neoxenus, Gould." A *monograph of the Trogonidæ or trogons* 1, -. <https://doi.org/10.5962/p.323615>.

View This Item Online: <https://www.biodiversitylibrary.org/item/264251>

DOI: <https://doi.org/10.5962/p.323615>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323615>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.