TROGON BEHMI, Gould.

J. Gould & H. C. Richter del. et lith.

Walter Inge.

TROGON BEHNI.

Behn's Trogon.

SPECIFIC CHARACTER.

Trog. supra splendide aurato-viridis, cupreo nitens; uropygio, supracaudalibus et rectricibus duabus mediis splendide viridibus, his nigro apicaliter fasciatis; duabus proximis nigris extus splendide viridibus, reliquis nigris albo terminatis et albo transversim fasciatis; alis nigris, tectricibus alarum minimis dorso concoloribus, reliquis autem et secundariis externè cinereis minutissimè nigro fimbriatis, primariis angustè albido limbatis; pileo cum cervice et pectore superiore cyanescenti-viridibus, his cupreo nitentibus; fronte, loris et facie laterali cum gutture toto nigris; torque pectorali albo distincto; corpore reliquo subtus coccineo, hypochondriis cinereis; tibiis nigris; subalaribus et alâ subtus cinerascanti-nigris, illis interioribus et rectricibus versus basin pogonii interni albis.

Adult male.—Crown of head, hind neck, and breast shining bluish green, with a golden gloss on the sides of the neck and breast, the lores, sides of face, and throat black; across the upper breast a white band; the remainder of the underparts crimson, the sides of the body grey; the thigh-feathers black; entire back and scapulars bright coppery green, with a golden gloss, shading off into metallic grass-green on the rump and upper tail-coverts; the smaller wing-coverts golden green like the back, the rest, as well as the outer web of the secondaries, grey, most finely and delicately freckled with blackish vermiculations, the remainder of the wing black, the primaries with a narrow external edging of white; two centre tail-feathers green, with a coppery gloss, and having a tolerably broad terminal band of black; the next two feathers black, with only the outer web coppery green; the rest black, broadly tipped with white, and distinctly banded across with white, the number of white bars increasing more on the outer feathers; under wing-coverts and inner lining of wing greyish black, the innermost of the former and the inner base of the quills white.

Total length 9 inches; culmen $\frac{5}{8}$; wing $4\frac{3}{4}$; tail 5; tarsus $\frac{1}{2}$.

Trogon behni. Gould, MSS.

WHEN Professor Behn, of Kiel, returned from America, he passed through London and showed me a Trogon, which he kindly left with me as a new and undescribed species. I saw at once that it was a striking bird and was remarkable for some red feathers in its crown. These, however, proved to have been surreptitiously added, as might have been expected; for nature would never have acted so inharmoniously as to have decorated any one of these green Trogons, all of them so perfectly of one type, with such an anomaly as a red crown! But, on mature consideration, I came to the conclusion that the species was distinct on other grounds; and I had a sketch of it prepared, and proposed to name the species after the discoverer: this promise I now fulfil.

During the long interval that has elapsed since the Plate was drawn, two specimens have come under my notice—one brought by Mr. Brydges from Bolivia, the other sent from Peru by Mr. Whitely. The latter bird is in the collection of Messrs. Salvin and Godman, and has much of the appearance of an old *Trogon variegatus*, being considered by Mr. Salvin to belong to that species. The Bolivian bird, however, is different, in the head and chest being green and not blue, while the back is of the richest bronzy or coppery green. As there is some doubt as to the Peruvian specimen, I wish it to be understood that the Bolivian bird, is the typical *Trogon behni*. This is the bird described in the present 'Monograph;' and the illustration here given has been prepared from the same specimen.

The principal figure in the Plate is of the size of life. I regret that, by a misprint, the title has been rendered *Trogon behmi* instead of *T. behni*.

Gould, John. 1875. "Behn's Trogon, Trogon behni." *A monograph of the Trogonidæ or trogons* 4, -. <https://doi.org/10.5962/p.323654>.

View This Item Online: <https://www.biodiversitylibrary.org/item/267606>

DOI: <https://doi.org/10.5962/p.323654>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323654>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.