CALLIPEPLA ELEGANS.

L. Gould and H. Bachman del. & lith.

C. Williamson del. & imp.

CALLIPEPLA ELEGANS.

Elegant Partridge.

SPECIFIC CHARACTER.

Call. cristâ saturatè fulvâ; gulâ nigro guttatâ; pectore et abdomine cinereis, hoc albido guttato; nuchâ, et plumis scapularibus ferrugineis.

Male.—Forehead grey, with a fine line of black down the stem; crest deep buff; back of the head striated with black and white; throat spotted with black on a white ground, so numerous that the former colour predominates; mantle, chest and abdomen dark grey; the feathers of the mantle with a spot of rich ferruginous red near the tip of each feather, and the abdomen ornamented with large spots of greyish white; centre of the flank-feathers rich ferruginous; back and upper tail-coverts olive-brown; wings brown; scapularies rich ferruginous at the extremity, and with a spot of white on either web; tertiaries rich ferruginous with a line of white, bounded interiorly with black on the inner web; tail deep grey; under tail-coverts brownish grey, margined with buff; bill black.

Female.—Crest brown, crossed with zigzag markings of a darker colour; general plumage brown; the under surface spotted with buffy white; the upper surface freckled with buff, brown and grey; tail grey, freckled with buff and brown; wings blotched with large patches of blackish brown; the secondaries, tertiaries and scapularies margined with buff.

Total length, 10 inches; *bill*, $\frac{5}{8}$; *wing*, $4\frac{1}{2}$; *tail*, $3\frac{1}{2}$; *tarsi*, $1\frac{3}{4}$; *middle toe and nail*, $1\frac{3}{4}$.

Ortyx elegans, Less. Cent. de Zool., p. 189. pl. 61.—Ib. Ill. de Zool., texte de pl. 52.

—— *spilogaster*, Vig. in Proc. of Zool. Soc., Part II. p. 4.

SPECIMENS of this elegant species arrived in England and France at nearly the same time, and were simultaneously described in the capitals of each country; in the former by Mr. Vigors under the name of *Ortyx spilogaster*, and in the latter by M. Lesson as *Ortyx elegans*, which name having a slight advantage in priority of publication is necessarily the one adopted.

M. Lesson states that we are indebted to Dr. Botta for its discovery, and that it is an inhabitant of that portion of Western America, the shores of which are bathed by the Pacific Ocean.

This species, as its name implies, has many claims to our notice, and is conspicuous for the general elegance of its appearance, the beauty of its crest, and the delicate style of its markings.

Specimens of both sexes formed part of the collection received from Mexico, referred to in my account of *Cyrtonyx Massena*, and are now in the possession of the Earl of Derby.

A fine male is also contained in the national collection at the British Museum.

Habitat, California and Mexico.

The Plate represents both sexes of the natural size.

Gould, John. 1850. "Elegant Partridge, *Callipepla elegans* [Pl. XVIII]." *A monograph of the Odontophorinæ, or, Partridges of America* –.
<https://doi.org/10.5962/p.323678>.

View This Item Online: <https://www.biodiversitylibrary.org/item/250453>

DOI: <https://doi.org/10.5962/p.323678>

Permalink: <https://www.biodiversitylibrary.org/partpdf/323678>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.