PELIDNA BONAPARTEI.

Bonaparte's Sandpiper.

Tringa cinclus, var., Say, in Long's Exped. to Rocky Mount., vol. i. p. 172.

——— *Schinzii*, Bonap. Syn. of Birds of Unit. States.

——— *Bonapartei*, Schleg. Rev. Crit. des Ois. d'Eur., p. 89.

——— *melanotus*, Blas. List of Birds of Eur., p. 19?

Pelidna Schinzii, Bonap. Geogr. and Comp. List of Birds of Eur. and N. Amer., p. 50.

Actodromas bonapartei, Coues, Proc. Acad. Nat. Sci. Philad., 1861, p. 232.

As there appears to be some confusion respecting the synonymy and identification of the specimens of this bird which have occurred in Europe, I have availed myself of Mr. Harting's valuable assistance in the matter; I say valuable, because for some time past he has paid great attention to the Sandpipers, with a view, I believe, of publishing a Monograph of the family; the synonyms above given may therefore be depended upon.

Bonaparte's Sandpiper, respecting which we know but little in this country, has occurred sufficiently often to demand a place in the present work, as it has done in many others from the appearance of my 'Birds of Europe' to the latest publication on our native birds. "At least nine instances," says Mr. Harting, in a letter to me, "have been recorded of its occurrence in England, besides one in Ireland, supposed by Thompson to have been killed in that country; and he, in his work on the birds of Ireland, gives us the following 'circumstantial evidence' on that subject:—'There is a specimen of *T. Schinzii* in the Belfast Museum, respecting which positive information cannot now be obtained; but it is supposed to have been shot in the bay here, in consequence of its having been preserved in a manner peculiar to a taxidermist who set up a fresh "Sandpiper" (as it is called in his book) for the collection on the 15th of April 1836; all circumstances considered, that Sandpiper is believed to have been the one in question; no *Tringa* was mounted by the same person from dried skins. I have compared the specimen with the American one described and figured by Mr. Yarrell, and found identity in the species.'"

Mr. Rodd, in his 'List of British Birds as a Guide to the Ornithology of Cornwall,' says:—"Two specimens of Schinz's *Tringa* were killed on Hayle estuary in October 1846, by Mr. Vingoe." It is an extremely rare British bird; and Mr. Yarrell refers to one only having been killed, and that in Shropshire. It is very nearly allied to the Dunlin; but its white rump and shorter bill, and the absence of any black patch on the breast in summer, are distinguishing characters. The following is Mr. Harting's account of the occurrences of this bird in Britain as published in his 'Handbook,' p. 142:—"One, Stoke Heath, Shropshire: Eyton, Fauna of Shropshire, Ann. Nat. Hist. vol. ii. p. 53; Yarrell, Hist. Brit. Birds, vol. iii. p. 79. One, Ireland; in Belfast Museum: Yarrell, *op. cit.* A pair, Hayle, Cornwall, 13th Oct. 1846: Rodd, Zoologist, 1846, p. 1554: in the collection of Mr. Rodd. One, Scilly, Oct. 1854: Rodd, Zoologist, 1854, p. 4512. One, Kingsbury, Middlesex, 1856: Harting, Birds of Middlesex, p. 273: in the collection of Mr. H. E. Dresser. One, near Bexhill, Sussex, 8th October, 1857: Kent, Zoologist, 1859, p. 6537: in the collection of Mr. J. H. Gurney. Two, Scilly, Oct. 1870: Rodd, Zoologist, 1870, pp. 2384, 2409. Four, Instow, North Devon, Nov. 1870: C. Smith, Zoologist, 1870; Mathew, Zoologist, 1871, p. 2441: in the collections of Mr. Cecil Smith and the Rev. M. A. Mathew. One, Eastbourne, Sussex, 12th Nov. 1870: Bates, Zoologist, 1871, p. 2442: in the collection of Mr. J. H. Gurney."

The above occurrences, continues Mr. Harting, refer to "the Schinz's Sandpiper of Eyton, Yarrell, and other English naturalists—*Tringa Schinzii* of Bonaparte, Amer. Orn. iv. p. 69, pl. 24, 1832, but not of Brehm, Beiträge, p. 355, 1822, nor of Naumann's Vög. Deutschl. vii. p. 453, pl. 187, 1834, whose *T. Schinzii* is only a small variety of the Dunlin." This gentleman further remarks, "According to Prof. Baird, the range of this bird in America is restricted to the countries east of the Rocky Mountains; but it may prove to have a wider range than this; for I have in my collection a specimen which was procured on the boundary-line fixed by Professor Baird (namely, at Republican Fork, Rocky Mountains), on the 25th May, 1864, at which time of year these birds are travelling on their spring migration. This species is not confined to North America, but passes right through the southern continent to the Falkland Isles; I have specimens from Peru, Chili, and the Falklands; but I am not sure if the bird is as widely distributed on the eastern side of South America as it is on the west.

"Although," says Audubon, in his 'Ornithological Biography,' p. 529, "I have met with this species at different times in Kentucky, and, along our extensive shores, from the Floridas to Maine, as well as on the coast of Labrador, I never found it breeding. Indeed I have not met with it in the United States,

excepting in the latter part of autumn and in winter. Those procured in Labrador were shot in the beginning of August, and were all young birds, apparently about to take their departure. My drawing of the two individuals represented in the Plate was made at St. Augustine, in East Florida, where I procured them on the 2nd December, 1831. I have always found these birds gentle and less shy than any other species of the genus. They fly at a considerable height with rapidity, deviating alternately to either side, and plunge toward the ground in a manner somewhat resembling that of the Solitary Sandpiper. When accidentally surprised, they start with a repeated 'weet,' less sonorous than that of the bird just mentioned. They search for food along the margins of pools, creeks, and rivers, or by the edges of sand bars, and mix with other species."

The Plate represents two birds in the intermediate plumage between summer and winter, of the size of life.

Gould, John. 1873. "Bonaparte's Sandpiper, *Pelidna bonapartei* [Pl. 71]." *The birds of Great Britain* 4, -. <https://doi.org/10.5962/p.324026>.

View This Item Online: <https://www.biodiversitylibrary.org/item/221609>

DOI: <https://doi.org/10.5962/p.324026>

Permalink: <https://www.biodiversitylibrary.org/partpdf/324026>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.