6. NEUROPTERA.

By ROBERT McLACHLAN, F.R.S. &c.

PLANIPENNIA.

PALPARES PAPILIONOIDES Klug, var.

West Somaliland, Sule River, May 29, 1895. One female.

It appears to me to be safer to regard this single specimen as a variety of *P. papilionoides* rather than to describe it as new. Klug's species was from Arabia Felix. When compared with Klug's description and figures, this female is somewhat larger and the dark bands of the anterior wings are more distinctly fenestrated in consequence of the dark colour being restricted to margining of the network. Some examples of *P. tristis* Hagen, diverge from the type form in the same manner, and I have a female from Somaliland that at first I thought was specifically identical with that from the Sule River, but there is a slightly different form of wing, and in *papilionoides* the abdomen has black longitudinal bands which are wanting in *tristis*.

PALPARES WALKERI McLachlan.

Sule River, May 24, 1895. One female.

The male of this species was described by me in the Ent. Monthly Mag. for August 1894 from two examples taken by Mr. J. J. Walker, R.N., F.L.S., at Aden, which are in my collection. Subsequently Col. Yerbury, R.A., F.Z.S., found examples of both sexes at the same place and presented them to the British Museum. Upon comparing the female from Somaliland with those from Aden, I see nothing that can be considered of specific difference. The female has never been described. It is larger (expanse about 130 mm.) and the wings are broader (19 mm.), the isolated black markings on the anterior wings are larger; on the posterior wings the fasciæ are both broader and longer, the second of them extending to the dorsal margin, and very broad and strongly angulate in the middle; the third is also very broad and connected more or less with a series of spots towards the dorsal margin. (In no two specimens do the dark bands and other markings precisely agree nor are they symmetrical on the opposing wings.)

MYRMELEON VARIEGATUS Klug.

West Somaliland (1895). One male, without indication of further locality. Described originally from Arabia Felix. I have what appears to be exactly the same species from the Sinai Peninsula. Probably widespread.

ODONATA.

CACERGATE LEUCOSTICTA Burm.

East Central Somaliland: Haweea Country, Sinnadohga, by a water-tank, Sept. 8, 1897. One female.

A widespread African insect.

McLachlan, Robert. 1900. "NEUROPTERA." *Proceedings of the Zoological Society of London* 1900, 34–34. <https://doi.org/10.1111/j.1096-3642.1890.tb01699.x>.

View This Item Online: <https://www.biodiversitylibrary.org/item/97409>

DOI: <https://doi.org/10.1111/j.1096-3642.1890.tb01699.x>

Permalink: <https://www.biodiversitylibrary.org/partpdf/72550>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.